

Marion Leboyer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/226231/publications.pdf>

Version: 2024-02-01

738
papers

57,790
citations

1040

113
h-index

1928

207
g-index

849
all docs

849
docs citations

849
times ranked

44805
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. Nature Genetics, 2013, 45, 984-994.	9.4	2,067
2	Functional impact of global rare copy number variation in autism spectrum disorders. Nature, 2010, 466, 368-372.	13.7	1,803
3	Mutations of the X-linked genes encoding neuroligins NLGN3 and NLGN4 are associated with autism. Nature Genetics, 2003, 34, 27-29.	9.4	1,612
4	Mutations in the gene encoding the synaptic scaffolding protein SHANK3 are associated with autism spectrum disorders. Nature Genetics, 2007, 39, 25-27.	9.4	1,408
5	Large-scale genome-wide association analysis of bipolar disorder identifies a new susceptibility locus near ODZ4. Nature Genetics, 2011, 43, 977-983.	9.4	1,283
6	Mapping autism risk loci using genetic linkage and chromosomal rearrangements. Nature Genetics, 2007, 39, 319-328.	9.4	1,272
7	Genome-wide association study identifies 30 loci associated with bipolar disorder. Nature Genetics, 2019, 51, 793-803.	9.4	1,191
8	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	6.0	1,085
9	Convergence of Genes and Cellular Pathways Dysregulated in Autism Spectrum Disorders. American Journal of Human Genetics, 2014, 94, 677-694.	2.6	819
10	Promoting social behavior with oxytocin in high-functioning autism spectrum disorders. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 4389-4394.	3.3	807
11	Psychiatric genome-wide association study analyses implicate neuronal, immune and histone pathways. Nature Neuroscience, 2015, 18, 199-209.	7.1	701
12	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. Nature Genetics, 2021, 53, 817-829.	9.4	629
13	Psychiatric and psychosocial problems in adults with normal-intelligence autism spectrum disorders. BMC Psychiatry, 2009, 9, 35.	1.1	624
14	A genome-wide linkage and association scan reveals novel loci for autism. Nature, 2009, 461, 802-808.	13.7	570
15	Autism risk factors: genes, environment, and gene-environment interactions. Dialogues in Clinical Neuroscience, 2012, 14, 281-292.	1.8	542
16	A genome-wide scan for common alleles affecting risk for autism. Human Molecular Genetics, 2010, 19, 4072-4082.	1.4	538
17	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. Lancet Psychiatry, 2019, 6, 427-436.	3.7	528
18	Meta-analysis of SHANK Mutations in Autism Spectrum Disorders: A Gradient of Severity in Cognitive Impairments. PLoS Genetics, 2014, 10, e1004580.	1.5	501

#	ARTICLE	IF	CITATIONS
19	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 149-162.	2.2	481
20	Impaired Decision Making in Suicide Attempters. <i>American Journal of Psychiatry</i> , 2005, 162, 304-310.	4.0	457
21	Genome-Wide Scan for Autism Susceptibility Genes. <i>Human Molecular Genetics</i> , 1999, 8, 805-812.	1.4	453
22	Abnormal cortical voice processing in autism. <i>Nature Neuroscience</i> , 2004, 7, 801-802.	7.1	444
23	Anxiety and depression comorbidities in irritable bowel syndrome (IBS): a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 651-660.	1.8	440
24	Abnormal melatonin synthesis in autism spectrum disorders. <i>Molecular Psychiatry</i> , 2008, 13, 90-98.	4.1	423
25	Altering the course of schizophrenia: progress and perspectives. <i>Nature Reviews Drug Discovery</i> , 2016, 15, 485-515.	21.5	410
26	Significant Locus and Metabolic Genetic Correlations Revealed in Genome-Wide Association Study of Anorexia Nervosa. <i>American Journal of Psychiatry</i> , 2017, 174, 850-858.	4.0	410
27	Polygenic transmission disequilibrium confirms that common and rare variation act additively to create risk for autism spectrum disorders. <i>Nature Genetics</i> , 2017, 49, 978-985.	9.4	401
28	Revealing the complex genetic architecture of obsessive-compulsive disorder using meta-analysis. <i>Molecular Psychiatry</i> , 2018, 23, 1181-1188.	4.1	400
29	Can bipolar disorder be viewed as a multi-system inflammatory disease?. <i>Journal of Affective Disorders</i> , 2012, 141, 1-10.	2.0	369
30	Genetic and Functional Analyses of SHANK2 Mutations Suggest a Multiple Hit Model of Autism Spectrum Disorders. <i>PLoS Genetics</i> , 2012, 8, e1002521.	1.5	358
31	The new field of "precision psychiatry". <i>BMC Medicine</i> , 2017, 15, 80.	2.3	347
32	Beyond the association. <i>Toxoplasma gondii</i> in schizophrenia, bipolar disorder, and addiction: systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 161-179.	2.2	346
33	Individual common variants exert weak effects on the risk for autism spectrum disorders. <i>Human Molecular Genetics</i> , 2012, 21, 4781-4792.	1.4	334
34	Polygenic dissection of diagnosis and clinical dimensions of bipolar disorder and schizophrenia. <i>Molecular Psychiatry</i> , 2014, 19, 1017-1024.	4.1	333
35	Diagnosing autism: analyses of data from the Autism Diagnostic Interview. <i>Journal of Autism and Developmental Disorders</i> , 1997, 27, 501-517.	1.7	324
36	Genome-wide association study of obsessive-compulsive disorder. <i>Molecular Psychiatry</i> , 2013, 18, 788-798.	4.1	312

#	ARTICLE	IF	CITATIONS
37	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.	6.3	306
38	Psychiatric genetics: search for phenotypes. <i>Trends in Neurosciences</i> , 1998, 21, 102-105.	4.2	303
39	Key role for gene dosage and synaptic homeostasis in autism spectrum disorders. <i>Trends in Genetics</i> , 2010, 26, 363-372.	2.9	296
40	Immunoneuropsychiatry – novel perspectives on brain disorders. <i>Nature Reviews Neurology</i> , 2019, 15, 317-328.	4.9	293
41	SHANK1 Deletions in Males with Autism Spectrum Disorder. <i>American Journal of Human Genetics</i> , 2012, 90, 879-887.	2.6	292
42	Longitudinal studies of cognition in schizophrenia: Meta-analysis. <i>British Journal of Psychiatry</i> , 2008, 192, 248-257.	1.7	287
43	Linkage and association of the glutamate receptor 6 gene with autism. <i>Molecular Psychiatry</i> , 2002, 7, 302-310.	4.1	279
44	Ketamine administration in depressive disorders: a systematic review and meta-analysis. <i>Psychopharmacology</i> , 2014, 231, 3663-3676.	1.5	278
45	Age at onset in bipolar affective disorders: a review. <i>Bipolar Disorders</i> , 2005, 7, 111-118.	1.1	266
46	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 372-381.	2.6	257
47	Early and late onset bipolar disorders: two different forms of manic-depressive illness?. <i>Journal of Affective Disorders</i> , 2000, 58, 215-221.	2.0	255
48	Autoimmune psychosis: an international consensus on an approach to the diagnosis and management of psychosis of suspected autoimmune origin. <i>Lancet Psychiatry, the</i> , 2020, 7, 93-108.	3.7	252
49	Mutation screening of the PTEN gene in patients with autism spectrum disorders and macrocephaly. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 484-491.	1.1	248
50	Partitioning the Heritability of Tourette Syndrome and Obsessive Compulsive Disorder Reveals Differences in Genetic Architecture. <i>PLoS Genetics</i> , 2013, 9, e1003864.	1.5	241
51	Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. <i>Schizophrenia Bulletin</i> , 2014, 40, 729-736.	2.3	229
52	Joint Analysis of Psychiatric Disorders Increases Accuracy of Risk Prediction for Schizophrenia, Bipolar Disorder, and Major Depressive Disorder. <i>American Journal of Human Genetics</i> , 2015, 96, 283-294.	2.6	225
53	Age at Onset in Bipolar I Affective Disorder: Further Evidence for Three Subgroups. <i>American Journal of Psychiatry</i> , 2003, 160, 999-1001.	4.0	206
54	Neuroimaging-based markers of bipolar disorder: Evidence from two meta-analyses. <i>Journal of Affective Disorders</i> , 2011, 132, 344-355.	2.0	205

#	ARTICLE	IF	CITATIONS
55	Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. <i>British Journal of Psychiatry</i> , 2013, 202, 243-245.	1.7	204
56	Beyond genetics: childhood affective trauma in bipolar disorder. <i>Bipolar Disorders</i> , 2008, 10, 867-876.	1.1	202
57	Mental disorders and risk of COVID-19-related mortality, hospitalisation, and intensive care unit admission: a systematic review and meta-analysis. <i>Lancet Psychiatry</i> , 2021, 8, 797-812.	3.7	202
58	Ensuring mental health care during the SARS-CoV-2 epidemic in France: A narrative review. <i>L'Encephale</i> , 2020, 46, 193-201.	0.3	199
59	Executive dysfunctions as potential markers of familial vulnerability to bipolar disorder and schizophrenia. <i>Psychiatry Research</i> , 2004, 121, 207-217.	1.7	198
60	Biomarkers in bipolar disorder: A positional paper from the International Society for Bipolar Disorders Biomarkers Task Force. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013, 47, 321-332.	1.3	193
61	A meta-analysis of whole-brain diffusion tensor imaging studies in bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1820-1826.	2.5	192
62	Conscious and subliminal conflicts in normal subjects and patients with schizophrenia: The role of the anterior cingulate. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 13722-13727.	3.3	191
63	Association Between the Tryptophan Hydroxylase Gene and Manic-depressive Illness. <i>Archives of General Psychiatry</i> , 1998, 55, 33.	13.8	189
64	Fronto-Striatal Overactivation in Euthymic Bipolar Patients During an Emotional Go/NoGo Task. <i>American Journal of Psychiatry</i> , 2007, 164, 638-646.	4.0	186
65	CWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019, 176, 651-660.	4.0	186
66	Affective lability and affect intensity as core dimensions of bipolar disorders during euthymic period. <i>Psychiatry Research</i> , 2008, 159, 1-6.	1.7	185
67	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	1.4	182
68	Duration of untreated bipolar disorder: missed opportunities on the long road to optimal treatment. <i>Acta Psychiatrica Scandinavica</i> , 2013, 127, 136-144.	2.2	181
69	A novel approach of homozygous haplotype sharing identifies candidate genes in autism spectrum disorder. <i>Human Genetics</i> , 2012, 131, 565-579.	1.8	180
70	Genome-wide association study meta-analysis of European and Asian-ancestry samples identifies three novel loci associated with bipolar disorder. <i>Molecular Psychiatry</i> , 2013, 18, 195-205.	4.1	180
71	Staging systems in bipolar disorder: an international society for bipolar disorders Task Force Report. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 354-363.	2.2	175
72	Childhood Trauma Is Associated With Severe Clinical Characteristics of Bipolar Disorders. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 991-998.	1.1	175

#	ARTICLE	IF	CITATIONS
73	Whole blood serotonin and plasma beta-endorphin in autistic probands and their first-degree relatives. <i>Biological Psychiatry</i> , 1999, 45, 158-163.	0.7	170
74	Sleep in patients with remitted bipolar disorders: a meta-analysis of actigraphy studies. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 89-99.	2.2	168
75	Progress toward treatments for synaptic defects in autism. <i>Nature Medicine</i> , 2013, 19, 685-694.	15.2	167
76	Genotype-phenotype relationship in female carriers of the premutation and full mutation of FMR-1. <i>Psychiatry Research</i> , 1998, 80, 113-127.	1.7	165
77	Association of the <i>SLC1A1</i> glutamate transporter gene and obsessive-compulsive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 1027-1033.	1.1	165
78	Automatic fiber bundle segmentation in massive tractography datasets using a multi-subject bundle atlas. <i>NeuroImage</i> , 2012, 61, 1083-1099.	2.1	165
79	Increased white matter connectivity in euthymic bipolar patients: diffusion tensor tractography between the subgenual cingulate and the amygdalo-hippocampal complex. <i>Molecular Psychiatry</i> , 2007, 12, 1001-1010.	4.1	162
80	Anxiety Disorders in 318 Bipolar Patients. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 331-335.	1.1	160
81	Immunological and autoimmune considerations of Autism Spectrum Disorders. <i>Journal of Autoimmunity</i> , 2013, 44, 1-7.	3.0	159
82	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015, 2, 1036-1042.	3.7	158
83	The "psychomicrobiotic": Targeting microbiota in major psychiatric disorders: A systematic review. <i>Pathologie Et Biologie</i> , 2015, 63, 35-42.	2.2	158
84	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	1.1	156
85	Executive function in parents of children with autism. <i>Psychological Medicine</i> , 1997, 27, 209-220.	2.7	151
86	Antidepressant-Induced Mania in Bipolar Patients: Identification of Risk Factors. <i>Journal of Clinical Psychiatry</i> , 2001, 62, 249-255.	1.1	151
87	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1155-e1155.	2.4	150
88	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. <i>Neuropsychopharmacology</i> , 2019, 44, 2285-2293.	2.8	147
89	Admixture Analysis of Age at Onset in Bipolar I Affective Disorder. <i>Archives of General Psychiatry</i> , 2001, 58, 510-512.	13.8	147
90	Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1689-1695.	1.1	147

#	ARTICLE	IF	CITATIONS
91	Genetics of circadian rhythms and mood spectrum disorders. <i>European Neuropsychopharmacology</i> , 2011, 21, S676-S682.	0.3	144
92	Possible association between serotonin transporter gene polymorphism and violent suicidal behavior in mood disorders. <i>Biological Psychiatry</i> , 2000, 48, 319-322.	0.7	143
93	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , 2018, 5, 797-807.	3.7	141
94	Exploratory analysis of obsessive compulsive symptom dimensions in children and adolescents: a Prospective follow-up study. <i>BMC Psychiatry</i> , 2006, 6, 1.	1.1	140
95	Effectiveness and tolerance of anti-inflammatory drugs' addition therapy in major mental disorders: a systematic qualitative review. <i>Acta Psychiatrica Scandinavica</i> , 2014, 129, 163-179.	2.2	140
96	Gender differences in autism spectrum disorders: Divergence among specific core symptoms. <i>Autism Research</i> , 2017, 10, 680-689.	2.1	140
97	Neuroleptic intolerance in patients with anti-NMDAR encephalitis. <i>Neurology: Neuroimmunology and Neuroinflammation</i> , 2016, 3, e280.	3.1	139
98	Towards a Cognitive Phenotype for Autism: Increased Prevalence of Executive Dysfunction and Superior Spatial Span amongst Siblings of Children with Autism. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 1999, 40, 705-718.	3.1	136
99	C-Reactive Protein Alterations in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2015, 76, 142-150.	1.1	136
100	Screening for Genomic Rearrangements and Methylation Abnormalities of the 15q11-q13 Region in Autism Spectrum Disorders. <i>Biological Psychiatry</i> , 2009, 66, 349-359.	0.7	133
101	A Multicenter Tractography Study of Deep White Matter Tracts in Bipolar I Disorder. <i>JAMA Psychiatry</i> , 2014, 71, 388.	6.0	132
102	Preferential association between childhood emotional abuse and bipolar disorder. <i>Journal of Traumatic Stress</i> , 2010, 23, 376-383.	1.0	129
103	Serotonin transporter gene polymorphisms and hyperserotonemia in autistic disorder. <i>Molecular Psychiatry</i> , 2002, 7, 67-71.	4.1	127
104	Association Between Bipolar Disorder and Monoamine Oxidase A Gene Polymorphisms: Results of a Multicenter Study. <i>American Journal of Psychiatry</i> , 2000, 157, 948-955.	4.0	125
105	SPECT OF THE BRAIN IN CHILDHOOD AUTISM: EVIDENCE FOR A LACK OF NORMAL HEMISPHERIC ASYMMETRY. <i>Developmental Medicine and Child Neurology</i> , 1995, 37, 849-860.	1.1	125
106	Tryptophan hydroxylase 2 (TPH2) haplotypes predict levels of TPH2 mRNA expression in human pons. <i>Molecular Psychiatry</i> , 2007, 12, 491-501.	4.1	124
107	Serotonin transporter gene polymorphisms in patients with unipolar or bipolar depression. <i>Neuroscience Letters</i> , 1998, 255, 143-146.	1.0	123
108	Brief report: A double-blind study of naltrexone in infantile autism. <i>Journal of Autism and Developmental Disorders</i> , 1992, 22, 309-319.	1.7	120

#	ARTICLE	IF	CITATIONS
109	Bipolar Patients With Suicidal Behavior. <i>Journal of Clinical Psychiatry</i> , 2004, 65, 1035-1039.	1.1	120
110	Early-onset obsessive-compulsive disorder: a subgroup with a specific clinical and familial pattern?. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2005, 46, 881-887.	3.1	119
111	The serotonin-N-acetylserotonin melatonin pathway as a biomarker for autism spectrum disorders. <i>Translational Psychiatry</i> , 2014, 4, e479-e479.	2.4	119
112	Prefrontal cortex dysfunction in patients with suicidal behavior. <i>Psychological Medicine</i> , 2007, 37, 411.	2.7	118
113	Cross-Disorder Genome-Wide Analyses Suggest a Complex Genetic Relationship Between Touretteâ€™s Syndrome and OCD. <i>American Journal of Psychiatry</i> , 2015, 172, 82-93.	4.0	117
114	Patients with autism spectrum disorders display reproducible functional connectivity alterations. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	115
115	Pharmacological properties of acutorphan, a parenterally active "enkephalinase" inhibitor. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 1986, 237, 937-44.	1.3	115
116	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2022, 91, 313-327.	0.7	114
117	Admixture analysis of age at onset in obsessive compulsive disorder. <i>Psychological Medicine</i> , 2005, 35, 237-243.	2.7	113
118	Endogenous Retrovirus Type W GAG and Envelope Protein Antigenemia in Serum of Schizophrenic Patients. <i>Biological Psychiatry</i> , 2008, 64, 1019-1023.	0.7	113
119	Clinical Expression of Bipolar Disorder Type I as a Function of Age and Polarity at Onset. <i>Journal of Clinical Psychiatry</i> , 2012, 73, e561-e566.	1.1	113
120	Tests of executive functions in first-degree relatives of schizophrenic patients: a meta-analysis. <i>Psychological Medicine</i> , 2005, 35, 771-782.	2.7	111
121	Copy Number Variation in Obsessive-Compulsive Disorder and Tourette Syndrome: A Cross-Disorder Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 910-919.	0.3	111
122	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014, 23, 1-14.	1.1	109
123	Fasting in mood disorders: neurobiology and effectiveness. A review of the literature. <i>Psychiatry Research</i> , 2013, 209, 253-258.	1.7	108
124	Treatment Nonadherence and Neurocognitive Impairment in Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1017-1023.	1.1	108
125	Low-dose naltrexone effects on plasma chemistries and clinical symptoms in autism: a double-blind, placebo-controlled study. <i>Psychiatry Research</i> , 1995, 58, 191-201.	1.7	107
126	Association between the COMT locus and obsessive-compulsive disorder in females but not males. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 116-120.	2.4	107

#	ARTICLE	IF	CITATIONS
127	Molecular characteristics of Human Endogenous Retrovirus type-W in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2012, 2, e201-e201.	2.4	107
128	Shared executive dysfunctions in unaffected relatives of patients with autism and obsessive-compulsive disorder. <i>European Psychiatry</i> , 2007, 22, 32-38.	0.1	106
129	Dynamic disorganization of synaptic NMDA receptors triggered by autoantibodies from psychotic patients. <i>Nature Communications</i> , 2017, 8, 1791.	5.8	103
130	Relationship between <i>Toxoplasma gondii</i> infection and bipolar disorder in a French sample. <i>Journal of Affective Disorders</i> , 2013, 148, 444-448.	2.0	102
131	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	6.0	102
132	Multi-hit early life adversity affects gut microbiota, brain and behavior in a sex-dependent manner. <i>Brain, Behavior, and Immunity</i> , 2019, 80, 179-192.	2.0	102
133	Tyrosine hydroxylase polymorphisms associated with manic-depressive illness. <i>Lancet</i> , The, 1990, 335, 1219.	6.3	101
134	Faux Pas Detection and Intentional Action in Asperger Syndrome. A Replication on a French Sample. <i>Journal of Autism and Developmental Disorders</i> , 2009, 39, 373-382.	1.7	101
135	Interaction between BDNF Val66Met and childhood trauma on adult's violent suicide attempt. <i>Genes, Brain and Behavior</i> , 2008, 7, 314-322.	1.1	99
136	Sleep in remitted bipolar disorder: A naturalistic case-control study using actigraphy. <i>Journal of Affective Disorders</i> , 2014, 158, 1-7.	2.0	98
137	Dramatic reduction of psychiatric emergency consultations during lockdown linked to COVID-19 in Paris and suburbs. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 557-559.	1.0	98
138	Absence of association between a polymorphic GGC repeat in the 5' untranslated region of the reelin gene and autism. <i>Molecular Psychiatry</i> , 2002, 7, 801-804.	4.1	96
139	Emotional hyperreactivity in normothymic bipolar patients. <i>Bipolar Disorders</i> , 2009, 11, 63-69.	1.1	96
140	A first national survey of knowledge, attitudes and behaviours towards schizophrenia, bipolar disorders and autism in France. <i>BMC Psychiatry</i> , 2012, 12, 128.	1.1	95
141	Risk factors for treatment resistance in unipolar depression: A systematic review. <i>Journal of Affective Disorders</i> , 2015, 171, 137-141.	2.0	95
142	A Genetic Family-Based Association Study of OLIG2 in Obsessive-compulsive Disorder. <i>Archives of General Psychiatry</i> , 2007, 64, 209.	13.8	94
143	Influence of prefrontal target region on the efficacy of repetitive transcranial magnetic stimulation in patients with medication-resistant depression: a [18F]-fluorodeoxyglucose PET and MRI study. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 45.	1.0	93
144	The Promise of Biological Markers for Treatment Response in First-Episode Psychosis: A Systematic Review. <i>Schizophrenia Bulletin</i> , 2015, 41, 559-573.	2.3	93

#	ARTICLE	IF	CITATIONS
145	Antidepressant-induced mania, rapid cycling and the serotonin transporter gene polymorphism. <i>Pharmacogenomics Journal</i> , 2003, 3, 101-104.	0.9	92
146	Microstructural white matter changes in euthymic bipolar patients: a whole-brain diffusion tensor imaging study. <i>Bipolar Disorders</i> , 2009, 11, 504-514.	1.1	92
147	Cerebellar volume in schizophrenia and bipolar I disorder with and without psychotic features. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 223-233.	2.2	92
148	Psychiatric diagnoses and personality traits associated with disadvantageous decision-making. <i>European Psychiatry</i> , 2007, 22, 455-461.	0.1	91
149	Genetic and functional abnormalities of the melatonin biosynthesis pathway in patients with bipolar disorder. <i>Human Molecular Genetics</i> , 2012, 21, 4030-4037.	1.4	90
150	Analysis of the chromosome X exome in patients with autism spectrum disorders identified novel candidate genes, including TMLHE. <i>Translational Psychiatry</i> , 2012, 2, e179-e179.	2.4	90
151	Confirmation of linkage of benign familial neonatal convulsions to D20S19 and D20S20. <i>Human Genetics</i> , 1992, 89, 54-58.	1.8	88
152	Preserved Subliminal Processing and Impaired Conscious Access in Schizophrenia. <i>Archives of General Psychiatry</i> , 2006, 63, 1313-23.	13.8	88
153	Four-Factor Structure of Obsessive-Compulsive Disorder Symptoms in Children, Adolescents, and Adults. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008, 47, 763-772.	0.3	88
154	Reduced platelet serotonin in depression. <i>Psychiatry Research</i> , 1984, 13, 129-139.	1.7	86
155	Gender and age at onset in schizophrenia: impact of family history. <i>American Journal of Psychiatry</i> , 1995, 152, 208-212.	4.0	86
156	Common variant at 16p11.2 conferring risk of psychosis. <i>Molecular Psychiatry</i> , 2014, 19, 108-114.	4.1	85
157	Genetic and functional analyses demonstrate a role for abnormal glycinergic signaling in autism. <i>Molecular Psychiatry</i> , 2016, 21, 936-945.	4.1	85
158	Suicide attempts and the tryptophan hydroxylase gene. <i>Molecular Psychiatry</i> , 2001, 6, 268-273.	4.1	84
159	Inter-hemispheric asymmetry of motor corticospinal excitability in major depression studied by transcranial magnetic stimulation. <i>Journal of Psychiatric Research</i> , 2008, 42, 389-398.	1.5	84
160	Immunity, Inflammation, and Bipolar Disorder: Diagnostic and Therapeutic Implications. <i>Current Psychiatry Reports</i> , 2013, 15, 387.	2.1	83
161	Disruption of melatonin synthesis is associated with impaired 14-3-3 and miR-451 levels in patients with autism spectrum disorders. <i>Scientific Reports</i> , 2017, 7, 2096.	1.6	83
162	Frequency and transmission of glutamate receptors GRIK2 and GRIK3 polymorphisms in patients with obsessive compulsive disorder. <i>NeuroReport</i> , 2004, 15, 699-702.	0.6	82

#	ARTICLE	IF	CITATIONS
163	A National Network of Schizophrenia Expert Centres: an Innovative Tool to Bridge the Research-Practice Gap. <i>European Psychiatry</i> , 2015, 30, 728-735.	0.1	82
164	Chronic Peripheral Inflammation is Associated With Cognitive Impairment in Schizophrenia: Results From the Multicentric FACE-SZ Dataset. <i>Schizophrenia Bulletin</i> , 2016, 42, 1290-1302.	2.3	82
165	Exome Sequencing in 53 Sporadic Cases of Schizophrenia Identifies 18 Putative Candidate Genes. <i>PLoS ONE</i> , 2014, 9, e112745.	1.1	79
166	The influence of four serotonin-related genes on decision-making in suicide attempters. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 615-624.	1.1	78
167	Low serum cholesterol in violent but not in non-violent suicide attempters. <i>Psychiatry Research</i> , 2000, 95, 103-108.	1.7	77
168	Reconsideration of bipolar disorder as a developmental disorder: Importance of the time of onset. <i>Journal of Physiology (Paris)</i> , 2013, 107, 278-285.	2.1	77
169	Decreased platelet serotonin transporter sites and increased platelet inositol triphosphate levels in patients with unipolar depression: Effects of clomipramine and fluoxetine. <i>Clinical Pharmacology and Therapeutics</i> , 1999, 66, 617-624.	2.3	76
170	Genome-wide survey implicates the influence of copy number variants (CNVs) in the development of early-onset bipolar disorder. <i>Molecular Psychiatry</i> , 2012, 17, 421-432.	4.1	76
171	Autism, language delay and mental retardation in a patient with 7q11 duplication. <i>Journal of Medical Genetics</i> , 2007, 44, 452-458.	1.5	75
172	Consensus paper of the WFSBP Task Force on Genetics: Genetics, epigenetics and gene expression markers of major depressive disorder and antidepressant response. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 5-28.	1.3	75
173	Association between the dopamine receptor D4 (DRD4) gene and obsessive-compulsive disorder. <i>American Journal of Medical Genetics Part A</i> , 2003, 116B, 55-59.	2.4	74
174	Is it time for immunopsychiatry in psychotic disorders?. <i>Psychopharmacology</i> , 2016, 233, 1651-1660.	1.5	74
175	Association of manic-depressive illness with tyrosine hydroxylase microsatellite marker. <i>Lancet</i> , The, 1995, 345, 932.	6.3	73
176	Moral judgment in adults with autism spectrum disorders. <i>Cognition</i> , 2011, 121, 115-126.	1.1	73
177	Affective lability mediates the association between childhood trauma and suicide attempts, mixed episodes and co-morbid anxiety disorders in bipolar disorders. <i>Psychological Medicine</i> , 2017, 47, 902-912.	2.7	73
178	Familial Aggregation of Delusional Proneness in Schizophrenia and Bipolar Pedigrees. <i>American Journal of Psychiatry</i> , 2003, 160, 1313-1319.	4.0	72
179	Immune-based strategies for mood disorders: facts and challenges. <i>Expert Review of Neurotherapeutics</i> , 2018, 18, 139-152.	1.4	72
180	The reliability of the SADS-LA in a family study setting. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1991, 241, 165-169.	1.8	71

#	ARTICLE	IF	CITATIONS
181	Association between circadian genes, bipolar disorders and chronotypes. <i>Chronobiology International</i> , 2014, 31, 807-814.	0.9	71
182	A SNAP25 promoter variant is associated with early-onset bipolar disorder and a high expression level in brain. <i>Molecular Psychiatry</i> , 2010, 15, 748-755.	4.1	70
183	Risk of myocardial infarction and stroke in bipolar disorder: a systematic review and exploratory meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 342-353.	2.2	69
184	Schizotypal dimensions: Continuity between schizophrenia and bipolar disorders. <i>Schizophrenia Research</i> , 2005, 80, 235-242.	1.1	68
185	Genome-wide scan for genes involved in bipolar affective disorder in 70 European families ascertained through a bipolar type I early-onset proband: supportive evidence for linkage at 3p14. <i>Molecular Psychiatry</i> , 2006, 11, 685-694.	4.1	68
186	Executive deficits in psychotic and bipolar disorders – Implications for our understanding of schizoaffective disorder. <i>European Psychiatry</i> , 2008, 23, 20-25.	0.1	68
187	A French network of bipolar expert centres: A model to close the gap between evidence-based medicine and routine practice. <i>Journal of Affective Disorders</i> , 2011, 131, 358-363.	2.0	68
188	A Delphi-method-based consensus guideline for definition of treatment-resistant depression for clinical trials. <i>Molecular Psychiatry</i> , 2022, 27, 1286-1299.	4.1	68
189	Reduced sensitivity to social priors during action prediction in adults with autism spectrum disorders. <i>Cognition</i> , 2017, 160, 17-26.	1.1	67
190	Cell- and Single Molecule-Based Methods to Detect Anti- N -Methyl-D-Aspartate Receptor Autoantibodies in Patients With First-Episode Psychosis From the OPTiMiSE Project. <i>Biological Psychiatry</i> , 2017, 82, 766-772.	0.7	67
191	Correlations between objective and subjective sleep and circadian markers in remitted patients with bipolar disorder. <i>Chronobiology International</i> , 2014, 31, 698-704.	0.9	64
192	Racial disparities in bipolar disorder treatment and research: a call to action. <i>Bipolar Disorders</i> , 2018, 20, 506-514.	1.1	64
193	Memory tests in first-degree adult relatives of schizophrenic patients: A meta-analysis. <i>Schizophrenia Research</i> , 2006, 81, 217-226.	1.1	63
194	Evidence for a Pseudoautosomal Locus for Schizophrenia. <i>British Journal of Psychiatry</i> , 1992, 161, 59-62.	1.7	62
195	Adaptive coding of the value of social cues with oxytocin, an fMRI study in autism spectrum disorder. <i>Cortex</i> , 2016, 76, 79-88.	1.1	62
196	Local structural connectivity is associated with social cognition in autism spectrum disorder. <i>Brain</i> , 2018, 141, 3472-3481.	3.7	62
197	The Role of Causal and Intentional Judgments in Moral Reasoning in Individuals with High Functioning Autism. <i>Journal of Autism and Developmental Disorders</i> , 2013, 43, 458-470.	1.7	61
198	Additive effects of childhood abuse and cannabis abuse on clinical expressions of bipolar disorders. <i>Psychological Medicine</i> , 2014, 44, 1653-1662.	2.7	61

#	ARTICLE	IF	CITATIONS
199	Allelic differences between Europeans and Chinese for CREB1 SNPs and their implications in gene expression regulation, hippocampal structure and function, and bipolar disorder susceptibility. <i>Molecular Psychiatry</i> , 2014, 19, 452-461.	4.1	61
200	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	0.7	61
201	Association between brain-derived neurotrophic factor gene and a severe form of bipolar disorder, but no interaction with the serotonin transporter gene. <i>Bipolar Disorders</i> , 2008, 10, 580-587.	1.1	60
202	Prospective diagnostic analysis of copy number variants using SNP microarrays in individuals with autism spectrum disorders. <i>European Journal of Human Genetics</i> , 2014, 22, 71-78.	1.4	60
203	Serotonin transporter gene and manic depressive illness: An association study. <i>Biological Psychiatry</i> , 1997, 41, 750-752.	0.7	59
204	Identification of Pathway-Biased and Deleterious Melatonin Receptor Mutants in Autism Spectrum Disorders and in the General Population. <i>PLoS ONE</i> , 2010, 5, e11495.	1.1	59
205	Age at onset in bipolar I affective disorder in the USA and Europe. <i>World Journal of Biological Psychiatry</i> , 2014, 15, 369-376.	1.3	59
206	Possible association between the androgen receptor gene and autism spectrum disorder. <i>Psychoneuroendocrinology</i> , 2009, 34, 752-761.	1.3	58
207	Information processing deficits in relatives of manic depressive patients. <i>Psychological Medicine</i> , 2000, 30, 545-555.	2.7	57
208	Clinical features associated with trait-impulsiveness in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2013, 144, 240-247.	2.0	57
209	Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ cohort. <i>Schizophrenia Research</i> , 2015, 168, 388-394.	1.1	57
210	Maternal transmission disequilibrium of the glutamate receptor GRIK2 in schizophrenia. <i>NeuroReport</i> , 2004, 15, 1987-1991.	0.6	56
211	Familial resemblance for executive functions in families of schizophrenic and bipolar patients. <i>Psychiatry Research</i> , 2006, 144, 131-138.	1.7	56
212	Genetic association study of circadian genes with seasonal pattern in bipolar disorders. <i>Scientific Reports</i> , 2015, 5, 10232.	1.6	56
213	Clinical guidelines for the management of treatment-resistant depression: French recommendations from experts, the French Association for Biological Psychiatry and Neuropsychopharmacology and the foundation FondaMental. <i>BMC Psychiatry</i> , 2019, 19, 262.	1.1	56
214	Combined Effect of TLR2 Gene Polymorphism and Early Life Stress on the Age at Onset of Bipolar Disorders. <i>PLoS ONE</i> , 2015, 10, e0119702.	1.1	56
215	COMT but not serotonin-related genes modulates the influence of childhood abuse on anger traits. <i>Genes, Brain and Behavior</i> , 2010, 9, 193-202.	1.1	55
216	Childhood trauma and the limbic network: a multimodal MRI study in patients with bipolar disorder and controls. <i>Journal of Affective Disorders</i> , 2016, 200, 159-164.	2.0	55

#	ARTICLE	IF	CITATIONS
217	CNTN6 mutations are risk factors for abnormal auditory sensory perception in autism spectrum disorders. <i>Molecular Psychiatry</i> , 2017, 22, 625-633.	4.1	55
218	Serotonin transporter gene polymorphisms and hyperserotonemia in autistic disorder. <i>Molecular Psychiatry</i> , 2002, 7, 67-71.	4.1	55
219	Difference between plasma N- and C-terminally directed beta-endorphin immunoreactivity in infantile autism. <i>American Journal of Psychiatry</i> , 1994, 151, 1797-1801.	4.0	54
220	Human endogenous retrovirus type W (HERV-W) in schizophrenia: A new avenue of research at the gene-environment interface. <i>World Journal of Biological Psychiatry</i> , 2013, 14, 80-90.	1.3	54
221	Possible association of c-harvey-ras-1 (HRAS-1) marker with autism. <i>Psychiatry Research</i> , 1993, 46, 261-267.	1.7	53
222	Temperament in bipolar illness: impact on prognosis. <i>Journal of Affective Disorders</i> , 1999, 56, 103-108.	2.0	53
223	Serotonin transporter gene polymorphism influences age at onset in patients with bipolar affective disorder. <i>Neuroscience Letters</i> , 2002, 334, 17-20.	1.0	53
224	Admixture analysis of age at onset in schizophrenia. <i>Schizophrenia Research</i> , 2004, 71, 35-41.	1.1	53
225	Polymorphism of Toll-like receptor 4 gene in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 152-154, 395-402.	2.0	53
226	Corpus callosum area in patients with bipolar disorder with and without psychotic features: an international multicentre study. <i>Journal of Psychiatry and Neuroscience</i> , 2015, 40, 352-359.	1.4	53
227	Psychometric properties of the Affective Lability Scale (54 and 18-item version) in patients with bipolar disorder, first-degree relatives, and healthy controls. <i>Journal of Affective Disorders</i> , 2015, 172, 375-380.	2.0	53
228	Anticipation in schizophrenia: new light on a controversial problem [published erratum appears in <i>Am J Psychiatry</i> 1997 Apr;154(4):590]. <i>American Journal of Psychiatry</i> , 1996, 153, 1173-1177.	4.0	52
229	Anhedonia in schizophrenia: a distinct familial subtype?. <i>Schizophrenia Research</i> , 2003, 61, 59-66.	1.1	52
230	Schizotypal dimensions: An intermediate phenotype associated with the COMT high activity allele. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 64-68.	1.1	52
231	Genetic variations of the melatonin pathway in patients with attention-deficit and hyperactivity disorders. <i>Journal of Pineal Research</i> , 2011, 51, 394-399.	3.4	52
232	Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study. <i>Translational Psychiatry</i> , 2019, 9, 20.	2.4	52
233	Lack of evidence for association between serotonin transporter gene (5-HTTLPR) and obsessive-compulsive disorder by case control and family association study in humans. <i>Neuroscience Letters</i> , 2004, 363, 154-156.	1.0	51
234	Bipolar Disorder with Seasonal Pattern: Clinical Characteristics and Gender Influences. <i>Chronobiology International</i> , 2013, 30, 1101-1107.	0.9	51

#	ARTICLE	IF	CITATIONS
235	Immuno-psychiatry: an agenda for clinical practice and innovative research. BMC Medicine, 2016, 14, 173.	2.3	51
236	Absence of linkage between chromosome 11p15 markers and manic- depressive illness in a Belgian pedigree. American Journal of Psychiatry, 1991, 148, 1683-1687.	4.0	50
237	Increased Rate of Twins among Affected Sibling Pairs with Autism. American Journal of Human Genetics, 2002, 70, 1381-1383.	2.6	50
238	Severe mental illness and European COVID-19 vaccination strategies. Lancet Psychiatry, the, 2021, 8, 356-359.	3.7	50
239	Clinical and neurochemical effect of acute tryptophan depletion in unaffected relatives of patients with bipolar affective disorder. Biological Psychiatry, 2001, 50, 184-190.	0.7	49
240	No Human Tryptophan Hydroxylase-2 Gene R441H Mutation in a Large Cohort of Psychiatric Patients and Control Subjects. Biological Psychiatry, 2006, 60, 202-203.	0.7	49
241	Clinical and dimensional characteristics of euthymic bipolar patients with or without suicidal behavior. European Psychiatry, 2012, 27, 570-576.	0.1	49
242	Cognitive deterioration among bipolar disorder patients infected by Toxoplasma gondii is correlated to interleukin 6 levels. Journal of Affective Disorders, 2015, 179, 161-166.	2.0	49
243	Childhood trauma, depression and negative symptoms are independently associated with impaired quality of life in schizophrenia. Results from the national FACE-SZ cohort. Schizophrenia Research, 2017, 185, 173-181.	1.1	48
244	Genetics of schizophrenia: A consensus paper of the WFSBP Task Force on Genetics. World Journal of Biological Psychiatry, 2017, 18, 492-505.	1.3	48
245	EFFECTS OF NALTREXONE ON INFANTILE AUTISM. Lancet, The, 1988, 331, 715.	6.3	47
246	Emotional hyper-reactivity as a fundamental mood characteristic of manic and mixed states. European Psychiatry, 2003, 18, 124-128.	0.1	47
247	The Optimization of Treatment and Management of Schizophrenia in Europe (OPTiMiSE) Trial: Rationale for its Methodology and a Review of the Effectiveness of Switching Antipsychotics. Schizophrenia Bulletin, 2015, 41, 549-558.	2.3	47
248	Driving us mad: the association of <i>Toxoplasma gondii</i> with suicide attempts and traffic accidents â€” a systematic review and meta-analysis. Psychological Medicine, 2019, 49, 1608-1623.	2.7	47
249	Towards a cognitive phenotype for autism: increased prevalence of executive dysfunction and superior spatial span amongst siblings of children with autism. Journal of Child Psychology and Psychiatry and Allied Disciplines, 1999, 40, 705-18.	3.1	47
250	Failure to find evidence for linkage or association between the dopamine D3 receptor gene and schizophrenia. American Journal of Psychiatry, 1994, 151, 107-111.	4.0	46
251	Age at onset and gender resemblance in bipolar siblings. Psychiatry Research, 1998, 81, 125-131.	1.7	46
252	Neuropsychological profiles of FMR-1 premutation and full-mutation carrier females. Psychiatry Research, 1999, 87, 223-231.	1.7	46

#	ARTICLE	IF	CITATIONS
253	Fringe phenotypes in autism: a review of clinical, biochemical and cognitive studies. <i>European Psychiatry</i> , 2002, 17, 120-128.	0.1	46
254	Support for the association between the rare functional variant I425V of the serotonin transporter gene and susceptibility to obsessive compulsive disorder. <i>Molecular Psychiatry</i> , 2005, 10, 1059-1061.	4.1	46
255	Expression and genetic variability of PCDH11Y, a gene specific to Homo sapiens and candidate for susceptibility to psychiatric disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 67-70.	1.1	46
256	Social phobia is associated with suicide attempt history in bipolar inpatients. <i>Bipolar Disorders</i> , 2007, 9, 713-721.	1.1	46
257	Cortical folding difference between patients with early-onset and patients with intermediate-onset bipolar disorder. <i>Bipolar Disorders</i> , 2009, 11, 361-370.	1.1	46
258	Association Between Polymorphisms in GRIK2 Gene and Obsessive-Compulsive Disorder: A Family-Based Study. <i>CNS Neuroscience and Therapeutics</i> , 2011, 17, 141-147.	1.9	46
259	Comparative analysis of anti-toxoplasmic activity of antipsychotic drugs and valproate. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 179-183.	1.8	46
260	Anxiety disorders in 318 bipolar patients: prevalence and impact on illness severity and response to mood stabilizer. <i>Journal of Clinical Psychiatry</i> , 2003, 64, 331-5.	1.1	46
261	Depressive residual symptoms are associated with lower adherence to medication in bipolar patients without substance use disorder: Results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , 2013, 151, 1009-1015.	2.0	45
262	Clinical factors associated with lithium response in bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 524-530.	1.3	45
263	Increased and Decreased Superficial White Matter Structural Connectivity in Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2019, 45, 1367-1378.	2.3	45
264	Y chromosome haplogroups in autistic subjects. <i>Molecular Psychiatry</i> , 2002, 7, 217-219.	4.1	44
265	Evidence for Two Types of Bipolar Depression Using a Dimensional Approach. <i>Psychotherapy and Psychosomatics</i> , 2007, 76, 325-331.	4.0	44
266	Factor analyses of the Suicidal Intent Scale (SIS) and the Risk-Rescue Rating Scale (RRRS): Toward the identification of homogeneous subgroups of suicidal behaviors. <i>Journal of Affective Disorders</i> , 2010, 121, 80-87.	2.0	44
267	Association of <i>AKT1</i> gene variants and protein expression in both schizophrenia and bipolar disorder. <i>Genes, Brain and Behavior</i> , 2010, 9, 503-511.	1.1	44
268	Chronotypes of Bipolar Patients in Remission: Validation of the French Version of the Circadian Type Inventory in the FACE-BD Sample. <i>Chronobiology International</i> , 2013, 30, 1042-1049.	0.9	44
269	Interleukin-1 β -targeted treatment strategies in inflammatory depression: toward personalized care. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 469-484.	2.2	44
270	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	4.1	44

#	ARTICLE	IF	CITATIONS
271	Childhood trauma, dimensions of psychopathology and the clinical expression of bipolar disorders: A pathway analysis. <i>Journal of Psychiatric Research</i> , 2017, 95, 37-45.	1.5	43
272	Associations Between Attention-Deficit/Hyperactivity Disorder and Various Eating Disorders: A Swedish Nationwide Population Study Using Multiple Genetically Informative Approaches. <i>Biological Psychiatry</i> , 2019, 86, 577-586.	0.7	43
273	Monocyte mitochondrial dysfunction, inflammaging, and inflammatory pyroptosis in major depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110391.	2.5	43
274	Apolipoprotein E gene polymorphism in early and late onset bipolar patients. <i>Neuroscience Letters</i> , 1997, 233, 45-48.	1.0	42
275	Analysis of X chromosome inactivation in autism spectrum disorders. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 830-835.	1.1	42
276	Admixture analysis of age at first suicide attempt. <i>Journal of Psychiatric Research</i> , 2009, 43, 895-900.	1.5	42
277	Altered Pre-reflective Sense of Agency in Autism Spectrum Disorders as Revealed by Reduced Intentional Binding. <i>Journal of Autism and Developmental Disorders</i> , 2014, 44, 343-352.	1.7	42
278	Association between cannabis use and schizotypal dimensions – A meta-analysis of cross-sectional studies. <i>Psychiatry Research</i> , 2014, 219, 58-66.	1.7	42
279	Impulsivity and its association with childhood trauma experiences across bipolar disorder, attention deficit hyperactivity disorder and borderline personality disorder. <i>Journal of Affective Disorders</i> , 2019, 244, 33-41.	2.0	42
280	Temperament in schizophrenia: a study of the tridimensional personality questionnaire (TPQ). <i>European Psychiatry</i> , 2002, 17, 379-383.	0.1	41
281	Cognitive profiles in euthymic patients with bipolar disorders: results from the FACE-BD cohort. <i>Bipolar Disorders</i> , 2017, 19, 146-153.	1.1	41
282	Oxidative and nitrosative stress markers in obsessive-compulsive disorder: a systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 420-433.	2.2	41
283	A Brain Capital Grand Strategy: toward economic reimagination. <i>Molecular Psychiatry</i> , 2021, 26, 3-22.	4.1	41
284	Effects of Cumulative Herpesviridae and Toxoplasma gondii Infections on Cognitive Function in Healthy, Bipolar, and Schizophrenia Subjects. <i>Journal of Clinical Psychiatry</i> , 2017, 78, e18-e27.	1.1	41
285	Performance of linkage analysis under misclassification error when the genetic model is unknown. <i>Genetic Epidemiology</i> , 1989, 6, 253-258.	0.6	40
286	Population-based and family-based association study of 5'UTR polymorphism of the reelin gene and schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2005, 137B, 51-55.	1.1	40
287	A mechanistic basis for amplification differences between samples and between genome regions. <i>BMC Genomics</i> , 2012, 13, 455.	1.2	40
288	Metacognition of agency and theory of mind in adults with high functioning autism. <i>Consciousness and Cognition</i> , 2015, 31, 126-138.	0.8	40

#	ARTICLE	IF	CITATIONS
289	Is processing speed a valid cognitive endophenotype for bipolar disorder?. Journal of Affective Disorders, 2012, 139, 98-101.	2.0	39
290	D2 and D3 dopamine receptor affinity predicts effectiveness of antipsychotic drugs in obsessive-compulsive disorders: a metaregression analysis. Psychopharmacology, 2014, 231, 3765-3770.	1.5	39
291	Cytomegalovirus seropositivity and serointensity are associated with hippocampal volume and verbal memory in schizophrenia and bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 48, 142-148.	2.5	39
292	Treatment with anti-toxoplasmic activity (TATA) for toxoplasma positive patients with bipolar disorders or schizophrenia: A cross-sectional study. Journal of Psychiatric Research, 2015, 63, 58-64.	1.5	39
293	Similarities between emotional dysregulation in adults suffering from ADHD and bipolar patients. Journal of Affective Disorders, 2016, 198, 230-236.	2.0	39
294	Childhood trauma and mixed episodes are associated with poor response to lithium in bipolar disorders. Acta Psychiatrica Scandinavica, 2017, 135, 319-327.	2.2	39
295	Cerebellar anatomical alterations and attention to eyes in autism. Scientific Reports, 2017, 7, 12008.	1.6	39
296	HLA-class II haplotypes and Autism Spectrum Disorders. Scientific Reports, 2018, 8, 7639.	1.6	39
297	Chronic low-grade peripheral inflammation is associated with ultra resistant schizophrenia. Results from the FACE-SZ cohort. European Archives of Psychiatry and Clinical Neuroscience, 2019, 269, 985-992.	1.8	39
298	Immunological causes of obsessive-compulsive disorder: is it time for the concept of an "autoimmune OCD subtype?". Translational Psychiatry, 2022, 12, 5.	2.4	39
299	CAG repeat sequences in bipolar affective disorder: No evidence for association in a french population. American Journal of Medical Genetics Part A, 1998, 81, 338-341.	2.4	38
300	Autism multiplex family with 16p11.2p12.2 microduplication syndrome in monozygotic twins and distal 16p11.2 deletion in their brother. European Journal of Human Genetics, 2012, 20, 540-546.	1.4	38
301	Regulatory T Cells As Supporters of Psychoimmune Resilience: Toward Immunotherapy of Major Depressive Disorder. Frontiers in Neurology, 2018, 9, 167.	1.1	38
302	Early and very early-onset schizophrenia compared with adult-onset schizophrenia: French FACE-SZ database. Brain and Behavior, 2020, 10, e01495.	1.0	38
303	Lack of influence of COMT and NET genes variants on executive functions in schizophrenic and bipolar patients, their first-degree relatives and controls. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2006, 141B, 504-512.	1.1	37
304	Genetic overlap between schizophrenia and bipolar disorder: A study with AKT1 gene variants and clinical phenotypes. Schizophrenia Research, 2012, 135, 8-14.	1.1	37
305	An <sc>ASMT</sc> variant associated with bipolar disorder influences sleep and circadian rhythms: a pilot study. Genes, Brain and Behavior, 2014, 13, 299-304.	1.1	37
306	Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ data set. Journal of Affective Disorders, 2016, 191, 209-215.	2.0	37

#	ARTICLE	IF	CITATIONS
307	Human endogenous retroviral protein triggers deficit in glutamate synapse maturation and behaviors associated with psychosis. <i>Science Advances</i> , 2020, 6, eabc0708.	4.7	37
308	Memory for Self-Performed Actions in Individuals with Asperger Syndrome. <i>PLoS ONE</i> , 2010, 5, e13370.	1.1	37
309	Metabolic Syndrome in a French Cohort of Patients With Bipolar Disorder. <i>Journal of Clinical Psychiatry</i> , 2014, 75, 1078-1085.	1.1	37
310	Cortical folding in patients with bipolar disorder or unipolar depression. <i>Journal of Psychiatry and Neuroscience</i> , 2009, 34, 127-35.	1.4	37
311	The cost of mental disorders in France. <i>European Neuropsychopharmacology</i> , 2013, 23, 879-886.	0.3	36
312	Modeling Determinants of Medication Attitudes and Poor Adherence in Early Nonaffective Psychosis: Implications for Intervention. <i>Schizophrenia Bulletin</i> , 2015, 41, 584-596.	2.3	36
313	The Clinical Challenge of Autoimmune Psychosis: Learning from Anti-NMDA Receptor Autoantibodies. <i>Frontiers in Psychiatry</i> , 2017, 8, 54.	1.3	36
314	Judgment of Intentionality and Moral Evaluation in Individuals with High Functioning Autism. <i>Review of Philosophy and Psychology</i> , 2011, 2, 681-698.	1.0	35
315	Bipolar patients referred to specialized services of care: Not resistant but impaired by sub-syndromal symptoms. Results from the FACE-BD cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 898-905.	1.3	35
316	Increased risk of suicide attempt in bipolar patients with severe tobacco dependence. <i>Journal of Affective Disorders</i> , 2015, 183, 113-118.	2.0	35
317	Remission of depression in patients with schizophrenia and comorbid major depressive disorder: results from the FACE-SZ cohort. <i>British Journal of Psychiatry</i> , 2018, 213, 464-470.	1.7	35
318	Emotional dysfunction as a marker of bipolar disorders. <i>Frontiers in Bioscience - Elite</i> , 2012, E4, 2622-2630.	0.9	34
319	Association between toll-like receptor 2 gene diversity and early-onset bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 165, 135-141.	2.0	34
320	Akathisia: prevalence and risk factors in a community-dwelling sample of patients with schizophrenia. Results from the FACE-SZ dataset. <i>Schizophrenia Research</i> , 2015, 169, 255-261.	1.1	34
321	Clinical and neuropsychological characteristics of euthymic bipolar patients having a history of severe suicide attempt. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 129-138.	2.2	34
322	Infectious and immunogenetic factors in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 409-423.	2.2	34
323	Common and Rare Variant Analysis in Early-Onset Bipolar Disorder Vulnerability. <i>PLoS ONE</i> , 2014, 9, e104326.	1.1	34
324	Precision psychiatry with immunological and cognitive biomarkers: a multi-domain prediction for the diagnosis of bipolar disorder or schizophrenia using machine learning. <i>Translational Psychiatry</i> , 2020, 10, 162.	2.4	33

#	ARTICLE	IF	CITATIONS
325	Biomarkers of bipolar disorder specific or shared with schizophrenia. <i>Frontiers in Bioscience - Elite</i> , 2013, E5, 845-863.	0.9	33
326	Micro-analysis of Social Interactions between Autistic Children and Normal Adults in Semi-structured Play Situations. <i>International Journal of Behavioral Development</i> , 1995, 18, 727-747.	1.3	32
327	Mid-morning Tryptophan Depletion Delays REM Sleep Onset in Healthy Subjects. <i>Neuropsychopharmacology</i> , 2002, 27, 843-851.	2.8	32
328	Platelet Serotonergic Markers as Endophenotypes for Obsessive-Compulsive Disorder. <i>Neuropsychopharmacology</i> , 2005, 30, 1539-1547.	2.8	32
329	Angiotensin converting enzyme I/D polymorphism and suicidal behaviors. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009, 150B, 290-294.	1.1	32
330	Similar white matter but opposite grey matter changes in schizophrenia and high-functioning autism. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 31-39.	2.2	32
331	<p>Measuring the Patient Experience of Mental Health Care: A Systematic and Critical Review of Patient-Reported Experience Measures</p>. <i>Patient Preference and Adherence</i> , 2020, Volume 14, 2147-2161.	0.8	32
332	Brain Versus Blood: A Systematic Review on the Concordance Between Peripheral and Central Kynurenine Pathway Measures in Psychiatric Disorders. <i>Frontiers in Immunology</i> , 2021, 12, 716980.	2.2	32
333	Evidence for a Pseudoautosomal Locus for Schizophrenia. <i>British Journal of Psychiatry</i> , 1992, 161, 55-58.	1.7	31
334	Suicidal disorders: A nosological entity per se?. <i>American Journal of Medical Genetics, Part C: Seminars in Medical Genetics</i> , 2005, 133C, 3-7.	0.7	31
335	Defining bipolar mood states with quantitative measurement of inhibition/activation and emotional reactivity. <i>Journal of Affective Disorders</i> , 2010, 127, 300-304.	2.0	31
336	Mutation screening of NOS1AP gene in a large sample of psychiatric patients and controls. <i>BMC Medical Genetics</i> , 2010, 11, 108.	2.1	31
337	Cigarette smoking and schizophrenia: a specific clinical and therapeutic profile? Results from the FACE-Schizophrenia cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017, 79, 332-339.	2.5	31
338	Psychiatric comorbidities in bipolar disorders: An examination of the prevalence and chronology of onset according to sex and bipolar subtype. <i>Journal of Affective Disorders</i> , 2020, 267, 258-263.	2.0	31
339	Elevated expression of complement C4 in the mouse prefrontal cortex causes schizophrenia-associated phenotypes. <i>Molecular Psychiatry</i> , 2021, 26, 3489-3501.	4.1	31
340	The HLA-G low expressor genotype is associated with protection against bipolar disorder. <i>Human Immunology</i> , 2013, 74, 593-597.	1.2	30
341	Mood disorders are associated with a more severe hypovitaminosis D than schizophrenia. <i>Psychiatry Research</i> , 2015, 229, 613-616.	1.7	30
342	Associations between residual depressive symptoms, cognition, and functioning in patients with euthymic bipolar disorder: results from the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2017, 211, 381-387.	1.7	30

#	ARTICLE	IF	CITATIONS
343	Understanding the genetic contribution of the human leukocyte antigen system to common major psychiatric disorders in a world pandemic context. <i>Brain, Behavior, and Immunity</i> , 2021, 91, 731-739.	2.0	30
344	Can the response to mood stabilizers be predicted in bipolar disorder. <i>Frontiers in Bioscience - Elite</i> , 2014, E6, 120-138.	0.9	30
345	Individuals with Autism Spectrum Disorders Do Not Use Social Stereotypes in Irony Comprehension. <i>PLoS ONE</i> , 2014, 9, e95568.	1.1	29
346	Circadian abnormalities as markers of susceptibility in bipolar disorders. <i>Frontiers in Bioscience - Scholar</i> , 2014, S6, 120-137.	0.8	29
347	Complex nature of apparently balanced chromosomal rearrangements in patients with autism spectrum disorder. <i>Molecular Autism</i> , 2015, 6, 19.	2.6	29
348	<i>Toxoplasma gondii</i> exposure may modulate the influence of TLR2 genetic variation on bipolar disorder: a gene-environment interaction study. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 11.	0.8	29
349	A Multilevel Functional Study of a <i>SNAP25</i> At-Risk Variant for Bipolar Disorder and Schizophrenia. <i>Journal of Neuroscience</i> , 2017, 37, 10389-10397.	1.7	29
350	Relationships between low-grade peripheral inflammation and psychotropic drugs in schizophrenia: results from the national FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 541-553.	1.8	29
351	Childhood maltreatment and polygenic risk in bipolar disorders. <i>Bipolar Disorders</i> , 2020, 22, 174-181.	1.1	29
352	No association between dopamine D1, D2, and D3 receptor genes and manic-depressive illness. <i>Biological Psychiatry</i> , 1998, 44, 644-647.	0.7	28
353	Opiate antagonists in children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2000, 9, S44-S50.	2.8	28
354	Social cognition in autism is associated with the neurodevelopment of the posterior superior temporal sulcus. <i>Acta Psychiatrica Scandinavica</i> , 2017, 136, 517-525.	2.2	28
355	Heritability of the melatonin synthesis variability in autism spectrum disorders. <i>Scientific Reports</i> , 2017, 7, 17746.	1.6	28
356	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	1.3	28
357	Variations of the Candidate <i>SEZ6L2</i> Gene on Chromosome 16p11.2 in Patients with Autism Spectrum Disorders and in Human Populations. <i>PLoS ONE</i> , 2011, 6, e17289.	1.1	28
358	Clinical subtypes and age at onset in schizophrenic siblings. <i>Psychiatry Research</i> , 1992, 41, 107-114.	1.7	27
359	Decreased serotonin transporter binding in unaffected relatives of manic depressive patients. <i>Biological Psychiatry</i> , 1999, 46, 1703-1706.	0.7	27
360	Association between the <i>PPP3CC</i> gene, coding for the calcineurin gamma catalytic subunit, and bipolar disorder. <i>Behavioral and Brain Functions</i> , 2008, 4, 2.	1.4	27

#	ARTICLE	IF	CITATIONS
361	Consequences of delayed diagnosis of bipolar disorders. <i>L'Encephale</i> , 2011, 37, S173-S175.	0.3	27
362	MRI exploration of pineal volume in bipolar disorder. <i>Journal of Affective Disorders</i> , 2011, 135, 377-379.	2.0	27
363	Long-term risk of myocardial infarction and stroke in bipolar I disorder: A population-based Cohort Study. <i>Journal of Affective Disorders</i> , 2016, 194, 120-127.	2.0	27
364	Latent toxoplasma infection in real-world schizophrenia: Results from the national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2018, 201, 373-380.	1.1	27
365	Machine learning for predicting psychotic relapse at 24 years in schizophrenia in the national FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 8-18.	2.5	27
366	The use of a gene expression signature and connectivity map to repurpose drugs for bipolar disorder. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 775-783.	1.3	27
367	Collaborative Strategies in the Molecular Genetics of the Major Psychoses. <i>British Journal of Psychiatry</i> , 1991, 158, 605-610.	1.7	26
368	Verbal Skills in Relatives of Autistic Females. <i>Cortex</i> , 1995, 31, 723-733.	1.1	26
369	Platelet Serotonergic Predictors of Clinical Improvement in Obsessive Compulsive Disorder. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 18-23.	0.7	26
370	Links between sleep and body mass index in bipolar disorders: An exploratory study. <i>European Psychiatry</i> , 2015, 30, 89-93.	0.1	26
371	Factors associated with direct health care costs in schizophrenia: Results from the FACE-SZ French dataset. <i>European Neuropsychopharmacology</i> , 2018, 28, 24-36.	0.3	26
372	The Patient-Reported Experience Measure for Improving Quality of care in Mental health (PREMIUM) project in France: study protocol for the development and implementation strategy. <i>Patient Preference and Adherence</i> , 2019, Volume 13, 165-177.	0.8	26
373	Prevention of COVID-19 by drug repurposing: rationale from drugs prescribed for mental disorders. <i>Drug Discovery Today</i> , 2020, 25, 1287-1290.	3.2	26
374	An investigation of ribosomal protein L10 gene in autism spectrum disorders. <i>BMC Medical Genetics</i> , 2009, 10, 7.	2.1	25
375	Correlations between cognitive performances and psychotic or schizotypal dimensions. <i>European Psychiatry</i> , 2009, 24, 244-250.	0.1	25
376	Mutation screening of ASMT, the last enzyme of the melatonin pathway, in a large sample of patients with Intellectual Disability. <i>BMC Medical Genetics</i> , 2011, 12, 17.	2.1	25
377	11q24.2 microdeletions in autism spectrum disorders: Relation to brain structures. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 3019-3030.	0.7	25
378	Outcomes for bipolar patients assessed in the French expert center network: A 24-year follow-up observational study (FondaMental Advanced Centers of Expertise for Bipolar Disorder [FACE-BD]). <i>Bipolar Disorders</i> , 2017, 19, 651-660.	1.1	25

#	ARTICLE	IF	CITATIONS
379	Oxytocin Fails to Recruit Serotonergic Neurotransmission in the Autistic Brain. <i>Cerebral Cortex</i> , 2018, 28, 4169-4178.	1.6	25
380	Neurodevelopmental subtypes of bipolar disorder are related to cortical folding patterns: An international multicenter study. <i>Bipolar Disorders</i> , 2018, 20, 721-732.	1.1	25
381	Overexpression of complement component C4 in the dorsolateral prefrontal cortex, parietal cortex, superior temporal gyrus and associative striatum of patients with schizophrenia. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 216-225.	2.0	25
382	Association between anhedonia and suicidal events in patients with mood disorders: A 3-year prospective study. <i>Depression and Anxiety</i> , 2021, 38, 17-27.	2.0	25
383	Neuroimaging biomarkers in bipolar disorder. <i>Frontiers in Bioscience - Elite</i> , 2012, E4, 593.	0.9	25
384	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	2.4	25
385	Is autism associated with anomalous dominance?. <i>Journal of Autism and Developmental Disorders</i> , 1988, 18, 539-551.	1.7	24
386	Bipolar sensation seeking is associated with a propensity to abuse rather than to temperamental characteristics. <i>European Psychiatry</i> , 2001, 16, 289-292.	0.1	24
387	Mutation screening of the ARX gene in patients with autism. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 228-230.	1.1	24
388	Episodic memory and self-awareness in Asperger Syndrome: Analysis of memory narratives. <i>Research in Autism Spectrum Disorders</i> , 2013, 7, 1062-1067.	0.8	24
389	Rural-urban variation in incidence of psychosis in France: a prospective epidemiologic study in two contrasted catchment areas. <i>BMC Psychiatry</i> , 2014, 14, 78.	1.1	24
390	Cerebellar parcellation in schizophrenia and bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2019, 140, 468-476.	2.2	24
391	Verbal versus visuospatial abilities in relatives of autistic females. <i>Developmental Neuropsychology</i> , 1995, 11, 139-155.	1.0	23
392	Searching for Alternative Phenotypes in Psychiatric Genetics. , 2003, 77, 145-162.		23
393	Apolipoprotein E in schizophrenia: A French association study and meta-analysis. , 2003, 119B, 18-23.		23
394	Lack of association between 5HT2A receptor gene haplotype, bipolar disorder and its clinical subtypes in a West European sample. <i>American Journal of Medical Genetics Part A</i> , 2004, 129B, 29-33.	2.4	23
395	Pharmacogenetic study of atypical antipsychotic drug response: Involvement of the norepinephrine transporter gene. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 491-494.	1.1	23
396	Positive and negative life events and reasons for living modulate suicidal ideation in a sample of patients with history of suicide attempts. <i>Journal of Psychiatric Research</i> , 2017, 88, 64-71.	1.5	23

#	ARTICLE	IF	CITATIONS
397	Pathogenicity of Antibodies against NMDA Receptor: Molecular Insights into Autoimmune Psychosis. <i>Trends in Neurosciences</i> , 2018, 41, 502-511.	4.2	23
398	Longitudinal relationships between cognition and functioning over 2 years in euthymic patients with bipolar disorder: a cross-lagged panel model approach with the FACE-BD cohort. <i>British Journal of Psychiatry</i> , 2021, 218, 80-87.	1.7	23
399	Genome-wide association study of pediatric obsessive-compulsive traits: shared genetic risk between traits and disorder. <i>Translational Psychiatry</i> , 2021, 11, 91.	2.4	23
400	A double amino-acid change in the HLA-A peptide-binding groove is associated with response to psychotropic treatment in patients with schizophrenia. <i>Translational Psychiatry</i> , 2015, 5, e608-e608.	2.4	22
401	Revisiting the association between childhood trauma and psychosis in bipolar disorder: A quasi-dimensional path-analysis. <i>Journal of Psychiatric Research</i> , 2017, 84, 73-79.	1.5	22
402	Neuropsychological functioning, age, and medication adherence in bipolar disorder. <i>PLoS ONE</i> , 2017, 12, e0184313.	1.1	22
403	Disruption of Conscious Access in Psychosis Is Associated with Altered Structural Brain Connectivity. <i>Journal of Neuroscience</i> , 2021, 41, 513-523.	1.7	22
404	The relationship between immune and cognitive dysfunction in mood and psychotic disorder: a systematic review and a meta-analysis. <i>Molecular Psychiatry</i> , 2022, 27, 3237-3246.	4.1	22
405	Adenylosuccinate lyase (ADSL) and infantile autism: Absence of previously reported point mutation. <i>American Journal of Medical Genetics Part A</i> , 1995, 60, 554-557.	2.4	21
406	The DRD2 gene and the risk for alcohol dependence in bipolar patients. <i>European Psychiatry</i> , 2000, 15, 103-108.	0.1	21
407	Alcohol use disorders are associated with increased affective lability in bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 208, 316-324.	2.0	21
408	Tobacco smoking and other substance use disorders associated with recurrent suicide attempts in bipolar disorder. <i>Journal of Affective Disorders</i> , 2019, 256, 348-357.	2.0	21
409	Identification of inflammatory subgroups of schizophrenia and bipolar disorder patients with HERV-W ENV antigenemia by unsupervised cluster analysis. <i>Translational Psychiatry</i> , 2021, 11, 377.	2.4	21
410	A Digital Companion, the Emma App, for Ecological Momentary Assessment and Prevention of Suicide: Quantitative Case Series Study. <i>JMIR MHealth and UHealth</i> , 2020, 8, e15741.	1.8	21
411	Metabolic Syndrome and Illness Severity Predict Relapse at 1-Year Follow-Up in Schizophrenia. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .	1.1	21
412	Prevalence of Metabolic Syndrome and Associated Factors in a Cohort of Individuals With Treatment-Resistant Depression. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	1.1	21
413	Manic Depressive Illness and Tyrosine Hydroxylase Gene: Linkage Heterogeneity and Association. <i>Neurobiology of Disease</i> , 1997, 4, 337-349.	2.1	20
414	Analysis of ten candidate genes in autism by association and linkage. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 125-128.	2.4	20

#	ARTICLE	IF	CITATIONS
415	Therapeutic and neurophysiologic aspects of transcranial magnetic stimulation in schizophrenia. <i>Neurophysiologie Clinique</i> , 2006, 36, 185-194.	1.0	20
416	Mutation analysis of the NSD1 gene in patients with autism spectrum disorders and macrocephaly. <i>BMC Medical Genetics</i> , 2007, 8, 68.	2.1	20
417	Convergent Lines of Evidence Support LRP8 as a Susceptibility Gene for Psychosis. <i>Molecular Neurobiology</i> , 2016, 53, 6608-6619.	1.9	20
418	Childhood trauma and psychosis: Beyond the association. <i>Child Abuse and Neglect</i> , 2017, 72, 227-235.	1.3	20
419	Identifying a neuroanatomical signature of schizophrenia, reproducible across sites and stages, using machine learning with structured sparsity. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 571-580.	2.2	20
420	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.1	20
421	Higher in vivo Cortical Intracellular Volume Fraction Associated with Lithium Therapy in Bipolar Disorder: A Multicenter NODDI Study. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 171-176.	4.0	20
422	Decreased Cortical Thickness in the Anterior Cingulate Cortex in Adults with Autism. <i>Journal of Autism and Developmental Disorders</i> , 2019, 49, 1402-1409.	1.7	20
423	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	1.7	20
424	Immune Signatures of Treatment-Resistant Schizophrenia: A Fundamental Academic Centers of Expertise for Schizophrenia (FACE-SZ) Study. <i>Schizophrenia Bulletin Open</i> , 2021, 2, sgab012.	0.9	20
425	Natural killer cells in first-episode psychosis: an innate immune signature?. <i>Molecular Psychiatry</i> , 2021, 26, 5297-5306.	4.1	20
426	Cerebellar Atypicalities in Autism?. <i>Biological Psychiatry</i> , 2022, 92, 674-682.	0.7	20
427	No evidence for physical anhedonia as a candidate symptom or an endophenotype in bipolar affective disorder. <i>Bipolar Disorders</i> , 2007, 9, 706-712.	1.1	19
428	Self-reported childhood trauma correlates with schizotypal measures in schizophrenia but not bipolar pedigrees. <i>Psychological Medicine</i> , 2009, 39, 365-370.	2.7	19
429	Dectin-1 Polymorphism: A Genetic Disease Specifier in Autism Spectrum Disorders?. <i>PLoS ONE</i> , 2015, 10, e0137339.	1.1	19
430	Adherence to medication is associated with non-planning impulsivity in euthymic bipolar disorder patients. <i>Journal of Affective Disorders</i> , 2015, 184, 60-66.	2.0	19
431	Sleep quality and emotional reactivity cluster in bipolar disorders and impact on functioning. <i>European Psychiatry</i> , 2017, 45, 190-197.	0.1	19
432	The MHC/HLA Gene Complex in Major Psychiatric Disorders: Emerging Roles and Implications. <i>Current Behavioral Neuroscience Reports</i> , 2018, 5, 179-188.	0.6	19

#	ARTICLE	IF	CITATIONS
433	A study of the real-world effectiveness of group psychoeducation for bipolar disorders: Is change in illness perception a key mediator of benefit?. <i>Journal of Affective Disorders</i> , 2018, 227, 713-720.	2.0	19
434	Emotional hyperreactivity and cardiometabolic risk in remitted bipolar patients: a machine learning approach. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 348-359.	2.2	19
435	Prevalence and determinants of cognitive impairment in the euthymic phase of bipolar disorders: results from the FACE-BD cohort. <i>Psychological Medicine</i> , 2019, 49, 519-527.	2.7	19
436	Clinical guidelines for the management of depression with specific comorbid psychiatric conditions French recommendations from experts (the French Association for Biological Psychiatry and) <i>Tj ETQq0 0 0 rgBT /Overlock 1019 50 617</i>		
437	Effects of depression and cognitive impairment on quality of life in older adults with schizophrenia spectrum disorder: Results from a multicenter study. <i>Journal of Affective Disorders</i> , 2019, 256, 164-175.	2.0	19
438	Increased risk of ADHD in families with ASD. <i>European Child and Adolescent Psychiatry</i> , 2019, 28, 281-288.	2.8	19
439	A preliminary study on early onset schizophrenia and bipolar disorder: large polyglutamine expansions are not involved. <i>Psychiatry Research</i> , 1997, 72, 141-144.	1.7	18
440	Serotonin transporter gene polymorphisms and affective disorder-related phenotypes. <i>Current Opinion in Psychiatry</i> , 2002, 15, 49-58.	3.1	18
441	Comparison of Five Actigraphy Scoring Methods with Bipolar Disorder. <i>Behavioral Sleep Medicine</i> , 2013, 11, 275-282.	1.1	18
442	Violent suicidal behaviour in bipolar disorder is associated with nitric oxide synthase 3 gene polymorphism. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 218-225.	2.2	18
443	Resolution of a manic episode treated with activated charcoal: Evidence for a brain-gut axis in bipolar disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 1221-1223.	1.3	18
444	Gaze direction detection in autism spectrum disorder. <i>Autism</i> , 2017, 21, 100-107.	2.4	18
445	Chronic low-grade peripheral inflammation is associated with severe nicotine dependence in schizophrenia: results from the national multicentric FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 465-472.	1.8	18
446	Affect lability predicts occurrence of suicidal ideation in bipolar patients: a two-year prospective study. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 460-469.	2.2	18
447	HLA genetics in bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 464-471.	2.2	18
448	Human Autoantibodies Against N-Methyl-D-Aspartate Receptor Modestly Alter Dopamine D1 Receptor Surface Dynamics. <i>Frontiers in Psychiatry</i> , 2019, 10, 670.	1.3	18
449	Persistence of dysfunctional natural killer cells in adults with high-functioning autism spectrum disorders: stigma/consequence of unresolved early infectious events?. <i>Molecular Autism</i> , 2019, 10, 22.	2.6	18
450	Towards a Cognitive Phenotype for Autism: Increased Prevalence of Executive Dysfunction and Superior Spatial Span amongst Siblings of Children with Autism. , 1999, 40, 705.		18

#	ARTICLE	IF	CITATIONS
451	Paracentric inversion of chromosome 2 associated with cryptic duplication of 2q14 and deletion of 2q37 in a patient with autism. <i>American Journal of Medical Genetics, Part A</i> , 2010, 152A, 2346-2354.	0.7	17
452	European Network of Bipolar Research Expert Centre (ENBREC): a network to foster research and promote innovative care. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 2.	0.8	17
453	Interaction between SLC6A4 promoter variants and childhood trauma on the age at onset of bipolar disorders. <i>Scientific Reports</i> , 2015, 5, 16301.	1.6	17
454	WAIS-IV Seven-Subtest Short Form: Validity and Clinical Use in Schizophrenia. <i>Archives of Clinical Neuropsychology</i> , 2016, 31, 915-925.	0.3	17
455	A genome wide association study suggests the association of muskelin with early onset bipolar disorder: Implications for a GABAergic epileptogenic neurogenesis model. <i>Journal of Affective Disorders</i> , 2017, 208, 120-129.	2.0	17
456	Birth by cesarean section and schizophrenia: results from the multicenter FACE-SZ data-set. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 587-594.	1.8	17
457	The influence of prior reputation and reciprocity on dynamic trust-building in adults with and without autism spectrum disorder. <i>Cognition</i> , 2018, 172, 1-10.	1.1	17
458	Immunoglobulin sub-class distribution in bipolar disorder and schizophrenia: potential relationship with latent <i>Toxoplasma Gondii</i> infection. <i>BMC Psychiatry</i> , 2018, 18, 239.	1.1	17
459	HLA Polymorphism in Regressive and Non-Regressive Autism: A Preliminary Study. <i>Autism Research</i> , 2020, 13, 182-186.	2.1	17
460	Allostatic load, emotional hyper-reactivity, and functioning in individuals with bipolar disorder. <i>Bipolar Disorders</i> , 2020, 22, 711-721.	1.1	17
461	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021, 47, 1674-1684.	2.3	17
462	Viewpoint European COVID-19 exit strategy for people with severe mental disorders: Too little, but not yet too late. <i>Brain, Behavior, and Immunity</i> , 2021, 94, 15-17.	2.0	17
463	Low peripheral mitochondrial DNA copy number during manic episodes of bipolar disorders is associated with disease severity and inflammation. <i>Brain, Behavior, and Immunity</i> , 2021, 98, 349-356.	2.0	17
464	Psychotic, Mood, and Anxiety Disorders and Venous Thromboembolism: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2020, 82, 838-849.	1.3	17
465	No association between DUP25 and anxiety disorders. <i>American Journal of Medical Genetics Part A</i> , 2004, 128B, 80-83.	2.4	16
466	Pharmacogenetic of response efficacy to antipsychotics in schizophrenia: pharmacodynamic aspects. Review and implications for clinical research. <i>Fundamental and Clinical Pharmacology</i> , 2010, 24, 139-160.	1.0	16
467	European collaborative study of early-onset bipolar disorder: Evidence for genetic heterogeneity on 2q14 according to age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 1425-1433.	1.1	16
468	Metabolic and psychiatric effects of acyl coenzyme A binding protein (ACBP)/diazepam binding inhibitor (DBI). <i>Cell Death and Disease</i> , 2020, 11, 502.	2.7	16

#	ARTICLE	IF	CITATIONS
469	Association between coffee, tobacco, and alcohol daily consumption and sleep/wake cycle: an actigraphy study in euthymic patients with bipolar disorders. <i>Chronobiology International</i> , 2020, 37, 712-722.	0.9	16
470	Childhood maltreatment and clinical severity of treatment-resistant depression in a French cohort of outpatients (FACE-DR): One-year follow-up. <i>Depression and Anxiety</i> , 2020, 37, 365-374.	2.0	16
471	Shape analysis of the cingulum, uncinata and arcuate fasciculi in patients with bipolar disorder. <i>Journal of Psychiatry and Neuroscience</i> , 2017, 42, 27-36.	1.4	16
472	Clinical and autoimmune features of a patient with autism spectrum disorder seropositive for anti-NMDA-receptor autoantibody. <i>Dialogues in Clinical Neuroscience</i> , 2017, 19, 65-70.	1.8	16
473	Public and Nonprofit Funding for Research on Mental Disorders in France, the United Kingdom, and the United States. <i>Journal of Clinical Psychiatry</i> , 2012, 73, e906-e912.	1.1	16
474	Predictors of functional impairment in bipolar disorder: Results from 13 cohorts from seven countries by the global bipolar cohort collaborative. <i>Bipolar Disorders</i> , 2022, 24, 709-719.	1.1	16
475	Further epidemiological evidence for anticipation in schizophrenia. <i>Biomedicine and Pharmacotherapy</i> , 1997, 51, 376-380.	2.5	15
476	Clinical predictors of response to olanzapine or risperidone during acute episode of schizophrenia. <i>Psychiatry Research</i> , 2010, 179, 12-18.	1.7	15
477	Exploring the relationships between tobacco smoking and schizophrenia in first-degree relatives. <i>Psychiatry Research</i> , 2012, 200, 674-678.	1.7	15
478	Immuno-inflammatory markers of bipolar disorder: a review of evidence. <i>Frontiers in Bioscience - Elite</i> , 2012, E4, 2170.	0.9	15
479	Atypical Social Judgment and Sensitivity to Perceptual Cues in Autism Spectrum Disorders. <i>Journal of Autism and Developmental Disorders</i> , 2016, 46, 1574-1581.	1.7	15
480	Emotional reactivity, functioning, and C-reactive protein alterations in remitted bipolar patients: Clinical relevance of a dimensional approach. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 788-798.	1.3	15
481	A re-examination of antidepressant treatment-emergent mania in bipolar disorders: evidence of gender differences. <i>Acta Psychiatrica Scandinavica</i> , 2017, 135, 479-488.	2.2	15
482	Risk factors for increased duration of untreated psychosis. Results from the FACE-SZ dataset. <i>Schizophrenia Research</i> , 2018, 195, 529-533.	1.1	15
483	Association of symptoms of attention deficit-hyperactivity disorder and impulsive-aggression with severity of suicidal behavior in adult attempters. <i>Scientific Reports</i> , 2019, 9, 4593.	1.6	15
484	Drugs used to treat bipolar disorder act via microRNAs to regulate expression of genes involved in neurite outgrowth. <i>Journal of Psychopharmacology</i> , 2020, 34, 370-379.	2.0	15
485	Lithium prevents grey matter atrophy in patients with bipolar disorder: an international multicenter study. <i>Psychological Medicine</i> , 2021, 51, 1201-1210.	2.7	15
486	Strategies and foundations for scientific discovery in longitudinal studies of bipolar disorder. <i>Bipolar Disorders</i> , 2022, 24, 499-508.	1.1	15

#	ARTICLE	IF	CITATIONS
487	Subtyping familial schizophrenia: Reliability, concordance, and stability. <i>Psychiatry Research</i> , 1990, 34, 77-88.	1.7	14
488	No gender effect on age at onset in familial schizophrenia?. <i>American Journal of Psychiatry</i> , 1992, 149, 1409a-1409.	4.0	14
489	Relationship of HLA to Schizophrenia not supported in multiplex families. <i>Psychiatry Research</i> , 1992, 41, 99-105.	1.7	14
490	Search for copy number variants in chromosomes 15q11-q13 and 22q11.2 in obsessive compulsive disorder. <i>BMC Medical Genetics</i> , 2010, 11, 100.	2.1	14
491	Autoantibodies to neurotransmitter receptors and ion channels: from neuromuscular to neuropsychiatric disorders. <i>Frontiers in Genetics</i> , 2013, 4, 181.	1.1	14
492	Prevalence of psychotic disorders in an urban area of France. <i>BMC Psychiatry</i> , 2015, 15, 204.	1.1	14
493	Clinical utility of the Multiple Errands Test in schizophrenia: A preliminary assessment. <i>Psychiatry Research</i> , 2016, 240, 390-397.	1.7	14
494	Sleep quality, chronotype and metabolic syndrome components in bipolar disorders during the remission period: Results from the FACE-BD cohort. <i>Chronobiology International</i> , 2017, 34, 1114-1124.	0.9	14
495	Predictors of rapid high weight gain in schizophrenia: Longitudinal analysis of the French FACE-SZ cohort. <i>Journal of Psychiatric Research</i> , 2017, 94, 62-69.	1.5	14
496	Self-reported pain in patients with schizophrenia. Results from the national first-step FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 85, 62-68.	2.5	14
497	Saccadic eye movements in adults with high-functioning autism spectrum disorder. <i>Autism</i> , 2018, 22, 195-204.	2.4	14
498	Hypovitaminosis D is associated with depression and anxiety in schizophrenia: Results from the national FACE-SZ cohort.. <i>Psychiatry Research</i> , 2018, 270, 104-110.	1.7	14
499	Assessment of Translocator Protein Density, as Marker of Neuroinflammation, in Major Depressive Disorder: A Pilot, Multicenter, Comparative, Controlled, Brain PET Study (INFLADEP Study). <i>Frontiers in Psychiatry</i> , 2018, 9, 326.	1.3	14
500	Psychiatric and physical outcomes of long-term use of lithium in older adults with bipolar disorder and major depressive disorder: A cross-sectional multicenter study. <i>Journal of Affective Disorders</i> , 2019, 259, 210-217.	2.0	14
501	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020, 46, 517-529.	2.3	14
502	Social Anxiety in Children and Adolescents With Autism Spectrum Disorders Contribute to Impairments in Social Communication and Social Motivation. <i>Frontiers in Psychiatry</i> , 2020, 11, 710.	1.3	14
503	Relationship Between Serum NMDA Receptor Antibodies and Response to Antipsychotic Treatment in First-Episode Psychosis. <i>Biological Psychiatry</i> , 2021, 90, 9-15.	0.7	14
504	Heterogeneous Pattern of Selective Pressure for PRRT2 in Human Populations, but No Association with Autism Spectrum Disorders. <i>PLoS ONE</i> , 2014, 9, e88600.	1.1	14

#	ARTICLE	IF	CITATIONS
505	Two TaqI dimorphic sites at the human β -hydroxylase locus. <i>Nucleic Acids Research</i> , 1989, 17, 5871-5871.	6.5	13
506	Allergic sensitization in infantile autism. <i>Journal of Autism and Developmental Disorders</i> , 1993, 23, 419-420.	1.7	13
507	A SCAN-SADS comparison study of psychotic subjects and their first-degree relatives. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993, 242, 352-356.	1.8	13
508	High-functioning autism spectrum disorder and fragile X syndrome: report of two affected sisters. <i>Molecular Autism</i> , 2012, 3, 5.	2.6	13
509	Genetic heterogeneity according to age at onset in bipolar disorder: A combined positional cloning and candidate gene approach. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 653-659.	1.1	13
510	A self administered executive functions ecological questionnaire (the Behavior Rating Inventory of Executive Functions) for children with mental illness. <i>Mental Illness</i> , 2013, 5, 4.	0.8	13
511	Affect intensity measure in bipolar disorders: A multidimensional approach. <i>Journal of Affective Disorders</i> , 2014, 157, 8-13.	2.0	13
512	Genetic association between a 3'UTR variant of NOD2 and bipolar disorder. <i>Immunobiology</i> , 2014, 219, 766-771.	0.8	13
513	Quality of life instruments used in mental health research: Properties and utilization. <i>Psychiatry Research</i> , 2014, 215, 1-8.	1.7	13
514	National funding for mental health research in Finland, France, Spain and the United Kingdom. <i>European Neuropsychopharmacology</i> , 2017, 27, 892-899.	0.3	13
515	The HLA-C Genetic Contribution to Bipolar Disorder: A Trans-Ethnic Replication. <i>Immunological Investigations</i> , 2018, 47, 593-604.	1.0	13
516	Intracellular Pathogen Infections and Immune Response in Autism. <i>NeuroImmunoModulation</i> , 2018, 25, 271-279.	0.9	13
517	Which actigraphic variables optimally characterize the sleep-wake cycle of individuals with bipolar disorders?. <i>Acta Psychiatrica Scandinavica</i> , 2019, 139, 269-279.	2.2	13
518	Sexual dysfunctions are associated with major depression, chronic inflammation and anticholinergic consumption in the real-world schizophrenia FACE-SZ national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109654.	2.5	13
519	EFFECT OF THE TFM MUTATION ON HANDEDNESS IN MICE. <i>Journal of Endocrinology</i> , 1989, 121, R5-R7.	1.2	12
520	Cytogenetic studies of familial schizophrenics. <i>Biological Psychiatry</i> , 1991, 29, 624-625.	0.7	12
521	Investigation of two variants in the DOPA decarboxylase gene in patients with autism. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 466-470.	2.4	12
522	Stimulus-reward association and reversal learning in individuals with Asperger Syndrome. <i>Research in Autism Spectrum Disorders</i> , 2009, 3, 913-923.	0.8	12

#	ARTICLE	IF	CITATIONS
523	Feelings of regret and disappointment in adults with high-functioning autism. <i>Cortex</i> , 2014, 58, 112-122.	1.1	12
524	Effect of early trauma on the sleep quality of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2016, 206, 261-267.	2.0	12
525	Reduced saccadic inhibition of return to moving eyes in autism spectrum disorders. <i>Vision Research</i> , 2016, 127, 115-121.	0.7	12
526	Validation and refinement of the clinical staging model in a French cohort of outpatient with schizophrenia (FACE-SZ). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 226-234.	2.5	12
527	Eveningness and poor sleep quality contribute to depressive residual symptoms and behavioral inhibition in patients with bipolar disorder. <i>Chronobiology International</i> , 2020, 37, 101-110.	0.9	12
528	Characterization of depressed bipolar patients with current suicidal ideation. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 289-304.	1.3	12
529	Trajectories of medication adherence in patients with Bipolar Disorder along 2 years-follow-up. <i>Journal of Affective Disorders</i> , 2021, 282, 812-819.	2.0	12
530	Chemoinformatic Analysis of Psychotropic and Antihistaminic Drugs in the Light of Experimental Anti-SARS-CoV-2 Activities. <i>Advances and Applications in Bioinformatics and Chemistry</i> , 2021, Volume 14, 71-85.	1.6	12
531	Methodological problems in meta-analysis of association studies between bipolar affective disorder and the tyrosine hydroxylase gene. , 1998, 81, 349-350.		11
532	European Union investment and countries' involvement in mental health research between 2007 and 2013. <i>Acta Psychiatrica Scandinavica</i> , 2016, 134, 138-149.	2.2	11
533	Impact of a cis-associated gene expression SNP on chromosome 20q11.22 on bipolar disorder susceptibility, hippocampal structure and cognitive performance. <i>British Journal of Psychiatry</i> , 2016, 208, 128-137.	1.7	11
534	Comorbidity between schizophrenia and keratoconus. <i>Psychiatry Research</i> , 2017, 247, 315-316.	1.7	11
535	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). <i>Frontiers in Psychiatry</i> , 2017, 8, 244.	1.3	11
536	Reconsideration of the factorial structure of the Barratt Impulsiveness Scale (BIS-11): Assessment of impulsivity in a large population of euthymic bipolar patients. <i>Journal of Affective Disorders</i> , 2019, 253, 203-209.	2.0	11
537	Activation Levels, Cardiovascular Risk, and Functional Impairment in Remitted Bipolar Patients: Clinical Relevance of a Dimensional Approach. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 45-47.	4.0	11
538	Unipolar mania: Identification and characterisation of cases in France and the United Kingdom. <i>Journal of Affective Disorders</i> , 2020, 263, 228-235.	2.0	11
539	Confirmations, advances and recommendations for the daily care of schizophrenia based on the French national FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 101, 109927.	2.5	11
540	Non-alcoholic fatty liver disease in a sample of individuals with bipolar disorders: results from the FACE-BD cohort. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 82-91.	2.2	11

#	ARTICLE	IF	CITATIONS
541	A conceptual framework to develop a patient-reported experience measure of the quality of mental health care: a qualitative study of the PREMIUM project in France. <i>Journal of Market Access & Health Policy</i> , 2021, 9, 1885789.	0.8	11
542	Decreased phenol sulfotransferase activities associated with hyperserotonemia in autism spectrum disorders. <i>Translational Psychiatry</i> , 2021, 11, 23.	2.4	11
543	Childhood Trauma increases suicidal behaviour in a treatment-resistant depression population: a FACE-DR report. <i>Journal of Psychiatric Research</i> , 2021, 135, 20-27.	1.5	11
544	Disruption of circadian rhythm and risk of autism spectrum disorder: role of immune-inflammatory, oxidative stress, metabolic and neurotransmitter pathways. <i>Reviews in the Neurosciences</i> , 2022, 33, 93-109.	1.4	11
545	Fecal Supernatant from Adult with Autism Spectrum Disorder Alters Digestive Functions, Intestinal Epithelial Barrier, and Enteric Nervous System. <i>Microorganisms</i> , 2021, 9, 1723.	1.6	11
546	Major depression, sleep, hostility and body mass index are associated with impaired quality of life in schizophrenia. Results from the FACE-SZ cohort.. <i>Journal of Affective Disorders</i> , 2020, 274, 617-623.	2.0	11
547	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	1.7	11
548	Association between serum lithium level and incidence of COVID-19 infection. <i>British Journal of Psychiatry</i> , 2022, 221, 425-427.	1.7	11
549	Is Rett syndrome a chromosome breakage syndrome?. <i>American Journal of Medical Genetics Part A</i> , 1994, 51, 602-605.	2.4	10
550	Searching Across Diagnostic Boundaries. <i>Schizophrenia Bulletin</i> , 2014, 40, 946-948.	2.3	10
551	Seasonal pattern in bipolar disorders and cardio-vascular risk factors: A study from the FACE-BD cohort. <i>Chronobiology International</i> , 2017, 34, 845-854.	0.9	10
552	Metabolic syndrome and actigraphy measures of sleep and circadian rhythms in bipolar disorders during remission. <i>Acta Psychiatrica Scandinavica</i> , 2018, 138, 155-162.	2.2	10
553	Relationship between childhood trauma and level of insight in schizophrenia: A path-analysis in the national FACE-SZ dataset. <i>Schizophrenia Research</i> , 2019, 208, 90-96.	1.1	10
554	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019, 49, 2600-2607.	2.7	10
555	The HLA 8.1 ancestral haplotype in schizophrenia: dual implication in neuro-synaptic pruning and autoimmunity?. <i>Acta Psychiatrica Scandinavica</i> , 2020, 141, 169-171.	2.2	10
556	Towards precision medicine: What are the stratification hypotheses to identify homogeneous inflammatory subgroups. <i>European Neuropsychopharmacology</i> , 2021, 45, 108-121.	0.3	10
557	Clinical predictors of recurrences in bipolar disorders type 1 and 2: A FACE-BD longitudinal study. <i>Journal of Psychiatric Research</i> , 2021, 134, 129-137.	1.5	10
558	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	1.6	10

#	ARTICLE	IF	CITATIONS
559	A specific impairment in cognitive control in individuals with high-functioning autism. <i>Journal of Psychiatric Research</i> , 2014, 58, 26-35.	1.5	9
560	Accelerated time course of saccadic inhibition of return in individuals with autism spectrum disorders. <i>Experimental Brain Research</i> , 2015, 233, 767-775.	0.7	9
561	Reply: Sleep in Patients with Remitted Bipolar Disorders: Analyses stratified on actigraphy devices, age and gender. <i>Acta Psychiatrica Scandinavica</i> , 2015, 131, 400-400.	2.2	9
562	Identification of a Bipolar Disorder Vulnerable Gene CHDH at 3p21.1. <i>Molecular Neurobiology</i> , 2017, 54, 5166-5176.	1.9	9
563	Molecular Pathogenicity of Anti-NMDA Receptor Autoantibody From Patients With First-Episode Psychosis. <i>American Journal of Psychiatry</i> , 2018, 175, 382-383.	4.0	9
564	Influence of Venus and Mars in the cognitive sky of schizophrenia. Results from the first-step national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2018, 195, 357-365.	1.1	9
565	European mental health research resources: Picture and recommendations of the ROAMER project. <i>European Neuropsychopharmacology</i> , 2019, 29, 179-194.	0.3	9
566	Clinical characteristics of obstructive sleep apnea in bipolar disorders. <i>Journal of Affective Disorders</i> , 2019, 245, 1-7.	2.0	9
567	Use of a serious game to strengthen medication adherence in euthymic patients with bipolar disorder following a psychoeducational programme: A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2020, 262, 182-188.	2.0	9
568	Adherence to treatment guidelines in clinical practice for using electroconvulsive therapy in major depressive episode. <i>Journal of Affective Disorders</i> , 2020, 264, 318-323.	2.0	9
569	Trajectories of functioning in bipolar disorders: A longitudinal study in the FondaMental Advanced Centers of Expertise in Bipolar Disorders cohort. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 985-996.	1.3	9
570	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. <i>Brain Sciences</i> , 2020, 10, 962.	1.1	9
571	A comprehensive model of predictors of quality of life in older adults with schizophrenia: results from the CSA study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1411-1425.	1.6	9
572	A new genetic locus for antipsychotic-induced weight gain: A genome-wide study of first-episode psychosis patients using amisulpride (from the OPTiMiSE cohort). <i>Journal of Psychopharmacology</i> , 2020, 34, 524-531.	2.0	9
573	Antihistamine and cationic amphiphilic drugs, old molecules as new tools against the COVID-19?. <i>Medical Hypotheses</i> , 2021, 148, 110508.	0.8	9
574	Violent suicide attempt history in elderly patients with bipolar disorder: The role of sex, abdominal obesity, and verbal memory: Results from the FACE-BD cohort (FondaMental Advanced center of) Tj ETQq0 0 0 rgB2.0 Overlock 10 Tf 50	2.1	9
575	Association between childhood maltreatment and the clinical course of bipolar disorders: A survival analysis of mood recurrences. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 373-383.	2.2	9
576	Handedness and schizotypal features in healthy subjects. <i>World Journal of Biological Psychiatry</i> , 2008, 9, 121-125.	1.3	8

#	ARTICLE	IF	CITATIONS
577	Memory for past events: movement and action chains in high-functioning autism spectrum disorders. <i>Experimental Brain Research</i> , 2013, 226, 325-334.	0.7	8
578	Genetics of emotional reactivity in bipolar disorders. <i>Journal of Affective Disorders</i> , 2015, 188, 101-106.	2.0	8
579	Spatial distribution of psychotic disorders in an urban area of France: an ecological study. <i>Scientific Reports</i> , 2016, 6, 26190.	1.6	8
580	Small area-level variation in the incidence of psychotic disorders in an urban area in France: an ecological study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 951-960.	1.6	8
581	Using admixture analysis to examine birth cohort effects on age at onset of bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2016, 133, 205-213.	2.2	8
582	Association between CRP genetic diversity and bipolar disorder comorbid complications. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 4.	0.8	8
583	Minimum clinically important differences for the Functioning Assessment Short Test and a battery of neuropsychological tests in bipolar disorders: results from the FACE-BD cohort. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e144.	1.8	8
584	An Association Between Serotonin 1A Receptor, Gray Matter Volume, and Sociability in Healthy Subjects and in Autism Spectrum Disorder. <i>Autism Research</i> , 2020, 13, 1843-1855.	2.1	8
585	Influence of childhood maltreatment on prevalence, onset, and persistence of psychiatric comorbidities and suicide attempts in bipolar disorders. <i>European Psychiatry</i> , 2022, 65, 1-32.	0.1	8
586	Sampling strategy in linkage studies of affective disorders. <i>Psychological Medicine</i> , 1990, 20, 573-579.	2.7	7
587	Failure to replicate linkage between chromosome 5q11-q13 markers and schizophrenia in 28 families. <i>Psychiatry Research</i> , 1992, 44, 171-179.	1.7	7
588	Fragile X syndrome. II. Cognitive and behavioral correlates of mutations of the FMR-1 gene. <i>European Psychiatry</i> , 1996, 11, 233-243.	0.1	7
589	Analysis of transmission of novel polymorphisms in the somatostatin receptor 5 (SSTR5) gene in patients with autism. <i>American Journal of Medical Genetics Part A</i> , 2003, 121B, 100-104.	2.4	7
590	Effects of Add-On Cilostazol on Cognition in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 659-661.	0.7	7
591	Genetic and molecular exploration of UHMK1 in schizophrenic patients. <i>Psychiatric Genetics</i> , 2011, 21, 315-318.	0.6	7
592	Heterozygous FA2H mutations in autism spectrum disorders. <i>BMC Medical Genetics</i> , 2013, 14, 124.	2.1	7
593	Smoking behavior characteristics of non-selected smokers with childhood attention-deficit/hyperactivity disorder (AD/HD) history: a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014, 264, 379-389.	1.8	7
594	Association between childhood dimensions of attention deficit hyperactivity disorder and adulthood clinical severity of bipolar disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 382-392.	1.3	7

#	ARTICLE	IF	CITATIONS
595	Advanced Paternal Age is associated with earlier schizophrenia onset in offspring. Results from the national multicentric FACE-SZ cohort. <i>Psychiatry Research</i> , 2017, 254, 218-223.	1.7	7
596	Exploring venlafaxine pharmacokinetic variability with a phenotyping approach, a multicentric french-swiss study (MARVEL study). <i>BMC Pharmacology & Toxicology</i> , 2017, 18, 70.	1.0	7
597	A multi-dimensional approach to the relationship between insight and aggressiveness in schizophrenia: Findings from the FACE-SZ cohort. <i>Schizophrenia Research</i> , 2019, 204, 38-45.	1.1	7
598	Inflammatory DEpression Advances in Schizophrenia (IDEAS): A precision medicine approach of the national FACE-SZ cohort. <i>Journal of Affective Disorders</i> , 2019, 245, 468-474.	2.0	7
599	Overlap and Mutual Distinctions Between Clinical Recovery and Personal Recovery in People With Schizophrenia in a One-Year Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 382-394.	2.3	7
600	DNA hydrolysing IgG catalytic antibodies: an emerging link between psychoses and autoimmunity. <i>NPI Schizophrenia</i> , 2021, 7, 13.	2.0	7
601	Variables as Mediators or Moderators in Predicting Relapse to Any Type of Mood Episode in a Bipolar Maintenance Study. <i>Journal of Clinical Psychiatry</i> , 2012, 73, e913-e917.	1.1	7
602	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 114, 110479.	2.5	7
603	A one year prevalence study of schizophrenia on Reunion Island. <i>European Psychiatry</i> , 1997, 12, 284-288.	0.1	6
604	lbogaine-Associated Psychosis in Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2011, 31, 659.	0.7	6
605	Genome-wide Association Study Identifies Genetic Variation in Neurocan as a Susceptibility Factor for Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2011, 88, 396.	2.6	6
606	A bipolar disorder patient becoming asymptomatic after adjunctive anti-filarasis treatment: a case report. <i>BMC Psychiatry</i> , 2013, 13, 81.	1.1	6
607	Do the treasures of "big data"™ combined with behavioural intervention therapies contain the key to the mystery of large psychiatric issues?. <i>Acta Psychiatrica Scandinavica</i> , 2014, 130, 406-407.	2.2	6
608	IL6/IL6R genetic diversity and plasma IL6 levels in bipolar disorder: An Indo-French study. <i>Heliyon</i> , 2019, 5, e01124.	1.4	6
609	Evolution and characteristics of the use of valproate in women of childbearing age with bipolar disorder: Results from the FACE-BD cohort. <i>Journal of Affective Disorders</i> , 2020, 276, 963-969.	2.0	6
610	Clinical characteristics of bipolar disorders with postpartum depressive onset. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 107, 110225.	2.5	6
611	Key findings on bipolar disorders from the longitudinal FondaMental Advanced Center of Expertise-Bipolar Disorder (FACE-BD) cohort. <i>Journal of Affective Disorders</i> , 2022, 307, 149-156.	2.0	6
612	Hemisphere asymmetry of alpha burst sequential organization in depression. <i>International Journal of Psychophysiology</i> , 1989, 8, 169-183.	0.5	5

#	ARTICLE	IF	CITATIONS
613	Idiopathic Basal Ganglia Calcification and Pathological Hoarding. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2012, 24, E9-E9.	0.9	5
614	Relationship between incidence and prevalence in psychotic disorders: An incidenceâ€“prevalenceâ€“mortality model. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1719.	1.1	5
615	Drugs used in the treatment of bipolar disorder and their effects on cholesterol biosynthesis â€“ A possible therapeutic mechanism. <i>World Journal of Biological Psychiatry</i> , 2019, 20, 766-777.	1.3	5
616	Gene expression and response prediction to amisulpride in the OPTiMiSE first episode psychoses. <i>Neuropsychopharmacology</i> , 2020, 45, 1637-1644.	2.8	5
617	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020, 46, 1327-1334.	2.3	5
618	Contribution of common and rare damaging variants in familial forms of bipolar disorder and phenotypic outcome. <i>Translational Psychiatry</i> , 2020, 10, 124.	2.4	5
619	The Complement C4 Genetic Diversity in First Episode Psychosis of the OPTiMiSE Cohort. <i>Schizophrenia Bulletin Open</i> , 2021, 2, .	0.9	5
620	Building brain capital. <i>Neuron</i> , 2021, 109, 1430-1432.	3.8	5
621	The course of bipolar disorder as a function of the presence and sequence of onset of comorbid alcohol use disorders in outpatients attending the Fondamental Advanced Centres of Expertise. <i>Journal of Affective Disorders</i> , 2021, 287, 196-203.	2.0	5
622	Comparison of three scales (BIS, SUMD and BCIS) for measuring insight dimensions and their evolution after one-year of follow-up: Findings from the FACE-SZ Cohort. <i>Psychiatry Research</i> , 2021, 303, 114044.	1.7	5
623	HLA-E circulating and genetic determinants in schizophrenia and bipolar disorder. <i>Scientific Reports</i> , 2021, 11, 20260.	1.6	5
624	Abnormal C-reactive protein (CRP) levels in schizophrenia and schizoaffective disorders. Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2015, 30, S112-S112.	0.1	4
625	Is it time for immunoâ€“psychiatry in bipolar disorder and suicidal behaviour?. <i>Acta Psychiatrica Scandinavica</i> , 2015, 132, 159-160.	2.2	4
626	Psychiatric disability as mediator of the neurocognition-functioning link in schizophrenia spectrum disorders: SEM analysis using the Evaluation of Cognitive Processes involved in Disability in Schizophrenia (ECPDS) scale. <i>Schizophrenia Research</i> , 2018, 201, 196-203.	1.1	4
627	Air pollution and psychiatric disorders: Current and future challenges. <i>Bipolar Disorders</i> , 2020, 22, 437-439.	1.1	4
628	â€œReading the Mind in the Eyesâ€“in Autistic Adults is Modulated by Valence and Difficulty: An InFoR Study. <i>Autism Research</i> , 2021, 14, 380-388.	2.1	4
629	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. <i>PLoS ONE</i> , 2021, 16, e0250148.	1.1	4
630	Clinical features and outcomes of COVID-19 patients hospitalized for psychiatric disorders: a French multi-centered prospective observational study. <i>Psychological Medicine</i> , 2021, , 1-9.	2.7	4

#	ARTICLE	IF	CITATIONS
631	Pharmacological treatment profiles in the FACE-BD cohort: An unsupervised machine learning study, applied to a nationwide bipolar cohort. <i>Journal of Affective Disorders</i> , 2021, 286, 309-319.	2.0	4
632	Association of high-sensitivity C-reactive protein with susceptibility to Schizophrenia in Tunisian population. <i>L'Encephale</i> , 2020, 46, 241-247.	0.3	4
633	Preventive Medication Patterns in Bipolar Disorder and Their Relationship With Comorbid Substance Use Disorders in a Cross-National Observational Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 813256.	1.3	4
634	PM2.5 and PM10 air pollution peaks are associated with emergency department visits for psychotic and mood disorders. <i>Environmental Science and Pollution Research</i> , 2022, 29, 88577-88586.	2.7	4
635	Selective Attention Impairment in Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 779-781.	0.5	3
636	Reduced 3- <i>O</i> -methyl-dopa levels in OCD patients and their unaffected parents is associated with the low activity M158 COMT allele. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010, 153B, 542-548.	1.1	3
637	Recently discovered properties of aspirin may be doubly helpful in bipolar disorders. <i>Medical Hypotheses</i> , 2014, 82, 640-641.	0.8	3
638	Evolution of public and non-profit funding for mental health research in France between 2007 and 2011. <i>European Neuropsychopharmacology</i> , 2015, 25, 2339-2348.	0.3	3
639	TLR4 gene polymorphism associated with lifetime cigarette smoking in bipolar disorder. <i>Journal of Neuroimmunology</i> , 2017, 305, 96-101.	1.1	3
640	T145. ALTERATIONS IN SUPERFICIAL WHITE MATTER IN THE FRONTAL CORTEX IN SCHIZOPHRENIA: A DWI STUDY USING A NOVEL ATLAS. <i>Schizophrenia Bulletin</i> , 2018, 44, S172-S172.	2.3	3
641	Screening for cognitive deficits with the Evaluation of Cognitive Processes involved in Disability in Schizophrenia scale. <i>Clinical Rehabilitation</i> , 2019, 33, 113-119.	1.0	3
642	Trustworthiness and Dominance Personality Traits™ Judgments in Adults with Autism Spectrum Disorder. <i>Journal of Autism and Developmental Disorders</i> , 2019, 49, 4535-4546.	1.7	3
643	Temporal preparation in adults with autistic spectrum disorder: The variable foreperiod effect. <i>Autism Research</i> , 2021, 14, 2393-2404.	2.1	3
644	Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 827-838.	1.8	3
645	Recommendations of the schizophrenia expert center network for the screening prevention and treatment of sleep disorders based on the results from the real-world schizophrenia FACE-SZ national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 110, 110275.	2.5	3
646	Childhood maltreatment and metabolic syndrome in bipolar disorders: In search of moderators. <i>Psychoneuroendocrinology</i> , 2021, 131, 105327.	1.3	3
647	Redefining peripheral inflammation signature in schizophrenia based on the real-world FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110335.	2.5	3
648	Linkage and association of the glutamate receptor 6 gene with autism. , 0, .		3

#	ARTICLE	IF	CITATIONS
649	Autism, language delay and mental retardation in a patient with 7q11 duplication. <i>BMJ Case Reports</i> , 2009, 2009, bcr0520091911-bcr0520091911.	0.2	3
650	Retinal electrophysiology and transition to psychiatric disorders in subjects under the influence of cannabis. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 113, 110466.	2.5	3
651	Visual attention and inhibitory control in children, teenagers and adults with autism without intellectual disability: results of oculomotor tasks from a 2-year longitudinal follow-up study (InFoR). <i>Molecular Autism</i> , 2021, 12, 71.	2.6	3
652	Cognitive impairments in treatment-resistant depression: Results from the French cohort of outpatients (FACE-DR). <i>Journal of Affective Disorders Reports</i> , 2021, 6, 100272.	0.9	3
653	Naltrexone open trial with a 5-year-old-boy. A social rebound reaction. <i>Acta Paedopsychiatrica</i> , 1992, 55, 169-73.	0.1	3
654	Direct medical cost of bipolar disorder: Insights from the FACE-BD longitudinal cohort. <i>Journal of Affective Disorders</i> , 2022, 306, 223-231.	2.0	3
655	Occurrence of Side Effects in Treatment-Resistant Depression: Role of Clinical, Socio-Demographic and Environmental Characteristics. <i>Frontiers in Psychiatry</i> , 2021, 12, 795666.	1.3	3
656	Naltrexone in infantile autism. <i>Journal of Autism and Developmental Disorders</i> , 1994, 24, 236-239.	1.7	2
657	Fragile X syndrome. I. An overview on its genetic mechanism. <i>European Psychiatry</i> , 1996, 11, 227-232.	0.1	2
658	Segmentation of Short Association Bundles in Massive Tractography Datasets Using a Multi-subject Bundle Atlas. <i>Lecture Notes in Computer Science</i> , 2011, , 701-708.	1.0	2
659	Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2015, 30, S130-S130.	0.1	2
660	Reduced social coordination in Autism Spectrum Disorders. <i>Research in Autism Spectrum Disorders</i> , 2016, 26, 71-79.	0.8	2
661	242. Superficial White Matter Integrity in Autism Spectrum Disorders. <i>Biological Psychiatry</i> , 2017, 81, S99-S100.	0.7	2
662	Superficial white matter integrity in autism spectrum disorders. <i>European Neuropsychopharmacology</i> , 2017, 27, S700-S701.	0.3	2
663	Does childhood experience of attention-deficit hyperactivity disorder symptoms increase sleep/wake cycle disturbances as measured with actigraphy in adult patients with bipolar disorder?. <i>Chronobiology International</i> , 2019, 36, 1124-1130.	0.9	2
664	Characteristics associated with the risk of psychosis among immigrants and their descendants in France. <i>Brain and Behavior</i> , 2021, 11, e02096.	1.0	2
665	Discriminant value of repetitive behaviors in families with autism spectrum disorder and obsessional compulsive disorder probands. <i>Autism Research</i> , 2021, 14, 2373-2382.	2.1	2
666	No alteration of leukocyte telomere length in first episode psychosis. <i>Psychiatry Research</i> , 2021, 301, 113941.	1.7	2

#	ARTICLE	IF	CITATIONS
667	Editorial: The Crossroads Between Immunological Disorders and Neuropsychiatric Diseases. A Case for Schizophrenia. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 733997.	1.8	2
668	Psychotropics and COVID-19: An analysis of safety and prophylaxis. <i>L'Encephale</i> , 2021, 47, 564-588.	0.3	2
669	Family Studies of Affective Disorders with 11p15.5 DNA Markers. , 1992, , 164-172.		2
670	GÃ©nÃ©tique et psychiatrie : Ã la recherche de phÃ©notypes.. <i>Medecine/Sciences</i> , 1998, 14, 1406.	0.0	2
671	Patients' health literacy in psychotic disorders. <i>Neuropsychiatric Disease and Treatment</i> , 2007, 3, 511-7.	1.0	2
672	Autisme, la piste gÃ©nÃ©tique se confirme. <i>Enfance</i> , 2009, NÂ° 1, 93-98.	0.1	2
673	Precision-medicine findings from the FACE-SZ cohort to develop motivation-enhancing programs in real-world schizophrenia. <i>World Journal of Biological Psychiatry</i> , 2022, 23, 703-714.	1.3	2
674	Self-Reported Pain and Emotional Reactivity in Bipolar Disorder: A Prospective FACE-BD Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 893.	1.0	2
675	Immuno-metabolic profile of patients with psychotic disorders and metabolic syndrome. Results from the FACE-SZ cohort. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 22, 100436.	1.3	2
676	A Reflection Upon the Contribution of Retinal and Cortical Electrophysiology to Time of Information Processing in Psychiatric Disorders. <i>Frontiers in Psychiatry</i> , 2022, 13, 856498.	1.3	2
677	Relationship between neurocognition and theory of mind as a function of symptomatic profile in schizophrenia: results from the national FACE-SZ cohort. <i>Cognitive Neuropsychiatry</i> , 2022, 27, 49-68.	0.7	2
678	Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, , 1.	1.8	2
679	Psychiatric symptoms and mortality in older adults with major psychiatric disorders: results from a multicenter study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2023, 273, 627-638.	1.8	2
680	Endogenous opioids and childhood autism. <i>Regulatory Peptides</i> , 1994, 53, S169-S170.	1.9	1
681	Anticipation in schizophrenia: New light on a controversial problem. <i>European Psychiatry</i> , 1996, 11, 221s-222s.	0.1	1
682	Ãtude des profils cognitifs chez les apparentÃ©s de personnes avec autisme: hypothÃ©se d'un manque de flexibilitÃ© cognitive?. <i>Annales Medico-Psychologiques</i> , 2009, 167, 704-708.	0.2	1
683	Endogenous retrovirus type W GAG and ENV antigenaemia in serum of schizophrenic patients. <i>Retrovirology</i> , 2009, 6, P71.	0.9	1
684	Aspirin for prevention of cardiovascular events in bipolar disorders. <i>Psychiatry Research</i> , 2014, 219, 238-239.	1.7	1

#	ARTICLE	IF	CITATIONS
685	Combined Effect of TLR2 Gene Polymorphism and Early Life Stress On the Age at Onset of Bipolar Disorders. <i>European Psychiatry</i> , 2015, 30, 445.	0.1	1
686	Psychiatric Co-morbidities in a French Cohort of Adults with High-functioning Autism (HFA). <i>European Psychiatry</i> , 2017, 41, S136-S136.	0.1	1
687	T240. Relationship Between Cognitive Performance and Superficial White Matter Integrity in the Cingulate Cortex in Schizophrenia: A DWI Study Using a Novel Atlas. <i>Biological Psychiatry</i> , 2018, 83, S222.	0.7	1
688	31.4 GENETIC, IMMUNOLOGICAL AND BIOCHEMICAL MARKERS OF TREATMENT RESPONSE IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2018, 44, S51-S51.	2.3	1
689	Sleep and Circadian Profiles of Bipolar Disorder: From Chronobiology to Novel Therapeutic Strategies. <i>Current Psychiatry Reviews</i> , 2014, 10, 235-247.	0.9	1
690	Toward a modern search for schizophrenia genes. <i>Dialogues in Clinical Neuroscience</i> , 2001, 3, 99-108.	1.8	1
691	Autisme, la piste g�n�tologique se confirme. <i>Enfance</i> , 2009, 2009, 93.	0.1	1
692	C-Reactive Protein in Bipolar Disorder in an Indian Clinical Setting. <i>Journal of Clinical and Diagnostic Research JCDR</i> , 0, , .	0.8	1
693	CADPS functional mutations in patients with bipolar disorder increase the sensitivity to stress. <i>Molecular Psychiatry</i> , 2022, 27, 1145-1157.	4.1	1
694	Chapter 5.2 Defining phenotypes for psychiatric genetics. <i>Handbook of Behavioral Neuroscience</i> , 1999, 13, 773-782.	0.0	0
695	388. From candidate symptoms and endophenotypes to candidate genes. <i>Biological Psychiatry</i> , 2000, 47, S118.	0.7	0
696	Automatic recognition of cerebral sulci in schizophrenia using a congregation of neural networks. <i>European Neuropsychopharmacology</i> , 2002, 12, 330-331.	0.3	0
697	Fenotipos marginales en el autismo: una revisi�n de los estudios cl�nicos, bioqu�micos y cognitivos. <i>European Psychiatry (Ed Espa�ola)</i> , 2002, 9, 421-429.	0.0	0
698	Autism and autistics disorders. , 2006, , 249-263.		0
699	Predictors of Treatment Response in Pediatric Obsessive-Compulsive Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2009, 48, 573.	0.3	0
700	A SELF ADMINISTERED "ECOLOGICAL" QUESTIONNAIRE (BRIEF-A) PROVIDES A SENSITIVE MEASURE OF EXECUTIVE DEFICITS IN SCHIZOPHRENIC SUBJECTS. <i>Schizophrenia Research</i> , 2010, 117, 445.	1.1	0
701	S.01.04 The HERV family of new biological entities and their neuroinflammatory properties. <i>European Neuropsychopharmacology</i> , 2011, 21, S185.	0.3	0
702	Treating depression: Diagnosing and treating circadian abnormalities in depression: Current antidepressants. <i>European Neuropsychopharmacology</i> , 2011, 21, S669-S670.	0.3	0

#	ARTICLE	IF	CITATIONS
703	Poster #110 NO ASSOCIATION BETWEEN SNAP-25 GENE POLYMORPHISMS AND WEIGHT GAIN IN ANTIPSYCHOTIC TREATMENT OF SCHIZOPHRENIA. Schizophrenia Research, 2012, 136, S225.	1.1	0
704	P.1.f.001 Drug repositioning of anti-inflammatory drugs in major psychiatric disorders. European Neuropsychopharmacology, 2013, 23, S185.	0.3	0
705	Analysis of pathogenic autoantibodies against the N-methyl-d-aspartate glutamate receptor in schizophrenia. Journal of Neuroimmunology, 2014, 275, 101.	1.1	0
706	Anti-inflammatory drugs add-on therapy in major psychiatric disorders. European Psychiatry, 2015, 30, S24-S25.	0.1	0
707	P.1.e.023 Functional mutations in CADPS identified in patients with early-onset bipolar disorder. European Neuropsychopharmacology, 2015, 25, S222-S223.	0.3	0
708	Innovations thérapeutiques en immuno-psychiatrie. European Psychiatry, 2015, 30, S24-S24.	0.1	0
709	PL.04.01 Is it time for immuno-psychiatry?. European Neuropsychopharmacology, 2015, 25, S108.	0.3	0
710	Immuno-inflammation in bipolar disorder: Genetic and environmental risk factors. Neurology Psychiatry and Brain Research, 2016, 22, 15-16.	2.0	0
711	Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ dataset. European Psychiatry, 2016, 33, S98-S98.	0.1	0
712	Birth by cesarean section and schizophrenia. Results from the multi-center FACE-SZ dataset. European Psychiatry, 2016, 33, S98-S98.	0.1	0
713	Toward a better characterisation and management of treatment-resistant depression in France through the network of expert centers (FondaMental). European Neuropsychopharmacology, 2017, 27, S786-S787.	0.3	0
714	Management of treatment resistant depression: A comparison between French expert consensus guidelines and international evidence based guidelines. European Psychiatry, 2017, 41, S525-S525.	0.1	0
715	Gender specific behavioral alterations are associated with gut dysbiosis in mice exposed to multifactorial early-life adversity. European Neuropsychopharmacology, 2017, 27, S682-S683.	0.3	0
716	T132. ASSESSMENT OF CROSS-NATIONAL EQUIVALENCE OF THE COMMUNITY ASSESSMENT OF PSYCHIC EXPERIENCES (CAPE). Schizophrenia Bulletin, 2018, 44, S166-S167.	2.3	0
717	T114. SCHIZOTYPAL PERSONALITY QUESTIONNAIRE-BRIEF: FACTOR STRUCTURE ANALYSIS IN A NONCLINICAL ROMANIAN SAMPLE. Schizophrenia Bulletin, 2018, 44, S160-S160.	2.3	0
718	M22 COMMON AND RARE DAMAGING VARIANTS BOTH CONTRIBUTE TO FAMILIAL FORM OF BIPOLAR DISORDER AND EXPLAIN DIFFERENCE IN CLINICAL MANIFESTATIONS IN MULTIPLEX FAMILIES. European Neuropsychopharmacology, 2019, 29, S178.	0.3	0
719	F3. CHILDHOOD MALTREATMENT AND POLYGENIC RISK IN BIPOLAR DISORDERS. Schizophrenia Bulletin, 2019, 45, S255-S256.	2.3	0
720	17.4 STRATIFICATION AND PREDICTION OF REMISSION IN FIRST-EPISEODE PSYCHOSIS PATIENTS: THE OPTIMISE COHORT STUDY. Schizophrenia Bulletin, 2019, 45, S116-S117.	2.3	0

#	ARTICLE	IF	CITATIONS
721	Lithium therapy in bipolar disorder is associated with higher in-vivo cortical neurite density. <i>European Neuropsychopharmacology</i> , 2019, 29, S38-S39.	0.3	0
722	A MULTI-LEVEL FUNCTIONAL STUDY OF A SNAP25 AT-RISK VARIANT FOR BIPOLAR DISORDER AND SCHIZOPHRENIA. <i>European Neuropsychopharmacology</i> , 2019, 29, S1009-S1010.	0.3	0
723	Short White Matter Tracts Myelinization is Associated With Impaired Social Cognition in Autism Spectrum Disorder: A NODDI and Relaxometry Study. <i>Biological Psychiatry</i> , 2020, 87, S339.	0.7	0
724	Neuroimaging Evidence for Increased Neurite Density in Patients Taking Lithium: A Replication Study. <i>Psychotherapy and Psychosomatics</i> , 2021, 90, 71-72.	4.0	0
725	Is Autism Spectrum Disorder Related to Immune Dysfunction(s)? . , 2021, , 215-225.		0
726	Commentary: 20-Year Trends in the Pharmacologic Treatment of Bipolar Disorder by Psychiatrists in Outpatient Care Settings. <i>Frontiers in Psychiatry</i> , 2020, 11, 592593.	1.3	0
727	Human Endogenous Retrovirus as Missing Link in the Global Etiopathogenesis of Schizophrenia and Bipolar Disorder. , 2021, , 159-168.		0
728	The Human Leukocyte Antigen System in Psychiatry: Where Do We Stand?. , 2021, , 169-181.		0
729	Pharmacological treatment profiles in the FACE-BD cohort: Treatment description and complete data for bipolar subtypes. <i>Data in Brief</i> , 2021, 36, 107004.	0.5	0
730	El gen de DRD2 y el riesgo de dependencia de alcohol en pacientes bipolares. <i>European Psychiatry (Ed Tj ETQq0 0 0 rgBT /Overlock 10 T</i>	0.9	0
731	La bÃ±squeda de sensaciones bipolar se asocia con una propensiÃ±n al abuso mÃ±s bien que a caracterÃ±sticas temperamentales. <i>European Psychiatry (Ed EspaÃ±ola)</i> , 2001, 8, 531-535.	0.0	0
732	Temperamento en la esquizofrenia: un estudio del Cuestionario Tridimensional de la Personalidad (TPQ). <i>European Psychiatry (Ed EspaÃ±ola)</i> , 2003, 10, 243-247.	0.0	0
733	Antidepressant-induced Mania, Rapid Cycling and the Serotonin Transporter Gene Polymorphism. <i>Pharmacopsychiatry</i> , 2005, 38, .	1.7	0
734	DiagnÃ±sticos psiquiÃ±tricos y rasgos de personalidad asociados con el deterioro de la capacidad de toma de decisiones. <i>European Psychiatry (Ed EspaÃ±ola)</i> , 2008, 15, 23-30.	0.0	0
735	SÃ±ndrome del cromosoma X frÃ±gil. I. Una idea general sobre su mecanismo genÃ©tico. <i>European Psychiatry (Ed EspaÃ±ola)</i> , 1997, 4, 98-104.	0.0	0
736	Un estudio de la prevalencia anual de la esquizofrenia en la Isla ReuniÃ±n. <i>European Psychiatry (Ed Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.0	0
737	Clinical Features and Outcomes of COVID-19 Patients Hospitalized for Psychiatric Disorders: A French Multi-Centered Prospective Observational Study. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
738	Reader Response: Clinical, Neuroimmunologic, and CSF Investigations in First Episode Psychosis. <i>Neurology</i> , 2022, 98, 905-906.	1.5	0