

# Yeonhwa Park

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2263642/publications.pdf>

Version: 2024-02-01

166  
papers

10,181  
citations

61977

43  
h-index

36025

97  
g-index

167  
all docs

167  
docs citations

167  
times ranked

7750  
citing authors



#	ARTICLE	IF	CITATIONS
1	The Nrf2a pathway impacts zebrafish offspring development with maternal preconception exposure to perfluorobutanesulfonic acid. <i>Chemosphere</i> , 2022, 287, 132121.	8.2	6
2	Membrane polarization in non-neuronal cells as a potential mechanism of metabolic disruption by depolarizing insecticides. <i>Food and Chemical Toxicology</i> , 2022, 160, 112804.	3.6	3
3	Permethrin inhibits tube formation and viability of endothelial cells. <i>Journal of the Science of Food and Agriculture</i> , 2022, , .	3.5	1
4	Transcriptome analysis provides insight into deltamethrin-induced fat accumulation in 3T3-L1 adipocytes. <i>Pesticide Biochemistry and Physiology</i> , 2022, 184, 105114.	3.6	2
5	Nrf2a dependent and independent effects of early life exposure to 3,3'-dichlorobiphenyl (PCB-11) in zebrafish ( <i>Danio rerio</i> ). <i>Aquatic Toxicology</i> , 2022, 249, 106219.	4.0	2
6	Azelaic Acid Promotes <i>Caenorhabditis elegans</i> Longevity at Low Temperature Via an Increase in Fatty Acid Desaturation. <i>Pharmaceutical Research</i> , 2021, 38, 15-26.	3.5	5
7	Curcumin reduced fat accumulation in <i>Caenorhabditis elegans</i> . <i>Current Research in Food Science</i> , 2021, 4, 551-556.	5.8	8
8	Effect of encapsulated edible halophyte with different biopolymers on the inhibition of sodium absorption in mouse. <i>Food Science and Nutrition</i> , 2021, 9, 1972-1979.	3.4	0
9	Developmental exposures to perfluorooctanesulfonic acid (PFOS) impact embryonic nutrition, pancreatic morphology, and adiposity in the zebrafish, <i>Danio rerio</i> . <i>Environmental Pollution</i> , 2021, 275, 116644.	7.5	29
10	Maternal preconception PFOS exposure of <i>Drosophila melanogaster</i> alters reproductive capacity, development, morphology and nutrient regulation. <i>Food and Chemical Toxicology</i> , 2021, 151, 112153.	3.6	11
11	Natural Products in the Prevention of Metabolic Diseases: Lessons Learned from the 20th KAST Frontier Scientists Workshop. <i>Nutrients</i> , 2021, 13, 1881.	4.1	4
12	Methylglyoxal influences development of <i>Caenorhabditis elegans</i> via lin-41-dependent pathway. <i>Food and Chemical Toxicology</i> , 2021, 152, 112238.	3.6	1
13	<i>Caenorhabditis elegans</i> as a model for obesity research. <i>Current Research in Food Science</i> , 2021, 4, 692-697.	5.8	18
14	Cafestol increases fat oxidation and energy expenditure in <i>Caenorhabditis elegans</i> via DAF-12-dependent pathway. <i>Food Chemistry</i> , 2020, 307, 125537.	8.2	19
15	Fat-lowering effects of isorhamnetin are via NHR-49-dependent pathway in <i>Caenorhabditis elegans</i> . <i>Current Research in Food Science</i> , 2020, 2, 70-76.	5.8	16
16	Butein inhibits lipogenesis in <i>Caenorhabditis elegans</i> . <i>BioFactors</i> , 2020, 46, 777-787.	5.4	6
17	Perfluorooctanesulfonic acid (PFOS) and perfluorobutanesulfonic acid (PFBS) impaired reproduction and altered offspring physiological functions in <i>Caenorhabditis elegans</i> . <i>Food and Chemical Toxicology</i> , 2020, 145, 111695.	3.6	30
18	Kahweol Reduces Food Intake of <i>Caenorhabditis elegans</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 9683-9689.	5.2	6



#	ARTICLE	IF	CITATIONS
19	Perfluorobutanesulfonic acid (PFBS) induces fat accumulation in HepG2 human hepatoma. <i>Toxicological and Environmental Chemistry</i> , 2020, 102, 585-606.	1.2	7
20	Piceatannol attenuates fat accumulation and oxidative stress in steatosis-induced HepG2 cells. <i>Current Research in Food Science</i> , 2020, 3, 92-99.	5.8	23
21	How To Stabilize $\gamma$ -3 Polyunsaturated Fatty Acids (PUFAs) in an Animal Feeding Study? Effects of the Temperature, Oxygen Level, and Antioxidant on Oxidative Stability of $\gamma$ -3 PUFAs in a Mouse Diet. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 13146-13153.	5.2	10
22	Effects of Linoleic Acid-Rich Diet on Plasma Profiles of Eicosanoids and Development of Colitis in Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 7641-7647.	5.2	6
23	<i>C. elegans</i> ACAT regulates lipolysis and its related lifespan in fasting through modulation of the genes in lipolysis and insulin/IGF1 signaling. <i>BioFactors</i> , 2020, 46, 754-765.	5.4	20
24	Per- and polyfluoroalkyl substances and obesity, type 2 diabetes and non-alcoholic fatty liver disease: a review of epidemiologic findings. <i>Toxicological and Environmental Chemistry</i> , 2020, 102, 1-36.	1.2	47
25	Conjugated linoleic acid (CLA) regulates female reproduction via sex pheromone regulation without affecting larval development in <i>Drosophila melanogaster</i> . <i>Food and Life</i> , 2020, 2020, 37-45.	0.5	0
26	Development of effective heparin extraction method from pig by-products and analysis of their bioavailability. <i>Journal of Animal Science and Technology</i> , 2020, 62, 933-947.	2.5	6
27	p-Coumaric acid improves oxidative and osmosis stress responses in <i>Caenorhabditis elegans</i> . <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 1190-1197.	3.5	30
28	Mechanisms of action of coffee bioactive components on lipid metabolism. <i>Food Science and Biotechnology</i> , 2019, 28, 1287-1296.	2.6	41
29	trans-Trismethoxy resveratrol decreased fat accumulation dependent on fat-6 and fat-7 in <i>Caenorhabditis elegans</i> . <i>Food and Function</i> , 2019, 10, 4966-4974.	4.6	27
30	Thermally Processed Oil Exaggerates Colonic Inflammation and Colitis-Associated Colon Tumorigenesis in Mice. <i>Cancer Prevention Research</i> , 2019, 12, 741-750.	1.5	18
31	Deltamethrin promotes adipogenesis via AMPK $\pm$ and ER stress-mediated pathway in 3T3-L1 adipocytes and <i>Caenorhabditis elegans</i> . <i>Food and Chemical Toxicology</i> , 2019, 134, 110791.	3.6	21
32	Ivermectin decreases triglyceride accumulation by inhibiting adipogenesis of 3T3-L1 preadipocytes. <i>Food and Chemical Toxicology</i> , 2019, 131, 110576.	3.6	7
33	Chicoric acid promotes glucose uptake and Akt phosphorylation via AMP-activated protein kinase $\pm$ -dependent pathway. <i>Journal of Functional Foods</i> , 2019, 59, 8-15.	3.4	15
34	Epigallocatechin gallate (EGCG) alters body fat and lean mass through sex-dependent metabolic mechanisms in <i>Drosophila melanogaster</i> . <i>International Journal of Food Sciences and Nutrition</i> , 2019, 70, 959-969.	2.8	5
35	AAK-2 and SKN-1 Are Involved in Chicoric-Acid-Induced Lifespan Extension in <i>Caenorhabditis elegans</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 9178-9186.	5.2	30
36	The Bioactive Effects of Chicoric Acid As a Functional Food Ingredient. <i>Journal of Medicinal Food</i> , 2019, 22, 645-652.	1.5	49



#	ARTICLE	IF	CITATIONS
37	Nanoemulsion-based delivery systems for testing nutraceutical efficacy using <i>Caenorhabditis elegans</i> : Demonstration of curcumin bioaccumulation and body-fat reduction. Food Research International, 2019, 120, 157-166.	6.2	23
38	Permethrin and ivermectin modulate lipid metabolism in steatosis-induced HepG2 hepatocyte. Food and Chemical Toxicology, 2019, 125, 595-604.	3.6	36
39	Conjugated Linoleic Acid in Human Health: Effects on Weight Control. , 2019, , 355-382.		7
40	Adaptations of Skeletal Muscle Mitochondria to Obesity, Exercise, and Polyunsaturated Fatty Acids. Lipids, 2018, 53, 271-278.	1.7	20
41	<i>Caenorhabditis elegans</i> : A Convenient In Vivo Model for Assessing the Impact of Food Bioactive Compounds on Obesity, Aging, and Alzheimer's Disease. Annual Review of Food Science and Technology, 2018, 9, 1-22.	9.9	101
42	Effects of conjugated linoleic acid (CLA) on fat accumulation, activity, and proteomics analysis in <i>Caenorhabditis elegans</i> . Food Chemistry, 2018, 249, 193-201.	8.2	30
43	Lipidomic profiling reveals soluble epoxide hydrolase as a therapeutic target of obesity-induced colonic inflammation. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 5283-5288.	7.1	59
44	A living model for obesity and aging research: <i>Caenorhabditis elegans</i> . Critical Reviews in Food Science and Nutrition, 2018, 58, 741-754.	10.3	109
45	Exposure to permethrin promotes high fat diet-induced weight gain and insulin resistance in male C57BL/6J mice. Food and Chemical Toxicology, 2018, 111, 405-416.	3.6	51
46	Comprehensive in vitro and in vivo risk assessments of chitosan microparticles using human epithelial cells and <i>Caenorhabditis elegans</i> . Journal of Hazardous Materials, 2018, 341, 248-256.	12.4	25
47	Epigallocatechin-3-Gallate Reduces Fat Accumulation in <i>Caenorhabditis elegans</i> . Preventive Nutrition and Food Science, 2018, 23, 214-219.	1.6	16
48	Conjugated Linoleic Acid Regulates Body Composition and Locomotor Activity in a Sex-Dependent Manner in <i>Drosophila melanogaster</i> . Lipids, 2018, 53, 825-834.	1.7	3
49	Permethrin, a pyrethroid insecticide, regulates ERK1/2 activation through membrane depolarization-mediated pathway in HepG2 hepatocytes. Food and Chemical Toxicology, 2018, 121, 387-395.	3.6	11
50	Insecticide Exposure and Development of Nonalcoholic Fatty Liver Disease. Journal of Agricultural and Food Chemistry, 2018, 66, 10132-10138.	5.2	16
51	Nutrient Accumulation in Faba Bean Varieties. Communications in Soil Science and Plant Analysis, 2018, 49, 2064-2073.	1.4	22
52	Perfluorobutanesulfonic acid (PFBS) potentiates adipogenesis of 3T3-L1 adipocytes. Food and Chemical Toxicology, 2018, 120, 340-345.	3.6	38
53	Green coffee bean extract and 5-O-caffeoylquinic acid regulate fat metabolism in <i>Caenorhabditis elegans</i> . Journal of Functional Foods, 2018, 48, 586-593.	3.4	29
54	Application of <i>Caenorhabditis elegans</i> for Research on Endoplasmic Reticulum Stress. Preventive Nutrition and Food Science, 2018, 23, 275-281.	1.6	8



#	ARTICLE	IF	CITATIONS
55	Piceatannol extends the lifespan of <i>C. elegans</i> via DAF-16. <i>BioFactors</i> , 2017, 43, 379-387.	5.4	41
56	Deltamethrin increases the fat accumulation in 3T3-L1 adipocytes and <i>Caenorhabditis elegans</i> . <i>Food and Chemical Toxicology</i> , 2017, 101, 149-156.	3.6	42
57	3,3'-Diindolylmethane Suppresses Adipogenesis Using AMPK-Dependent Mechanism in 3T3-L1 Adipocytes and <i>Caenorhabditis elegans</i> . <i>Journal of Medicinal Food</i> , 2017, 20, 646-652.	1.5	11
58	Potential contribution of insecticide exposure and development of obesity and type 2 diabetes. <i>Food and Chemical Toxicology</i> , 2017, 105, 456-474.	3.6	52
59	4,4'-Dichlorodiphenyltrichloroethane (DDT) and 4,4'-dichlorodiphenyldichloroethylene (DDE) inhibit myogenesis in C2C12 myoblasts. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 5176-5185.	3.5	5
60	Overview of conjugated linoleic acid formation and accumulation in animal products. <i>Livestock Science</i> , 2017, 195, 105-111.	1.6	40
61	Lipidomic profiling of high-fat diet-induced obesity in mice: Importance of cytochrome P450-derived fatty acid epoxides. <i>Obesity</i> , 2017, 25, 132-140.	3.0	34
62	Piceatannol Reduces Fat Accumulation in <i>Caenorhabditis elegans</i> . <i>Journal of Medicinal Food</i> , 2017, 20, 887-894.	1.5	27
63	Permethrin potentiates adipogenesis via intracellular calcium and endoplasmic reticulum stress-mediated mechanisms in 3T3-L1 adipocytes. <i>Food and Chemical Toxicology</i> , 2017, 109, 123-129.	3.6	27
64	Environmental pollutants and type 2 diabetes: a review of human studies. <i>Toxicological and Environmental Chemistry</i> , 2017, 99, 1283-1303.	1.2	20
65	Effect of the Composition and Structure of Excipient Emulsion on the Bioaccessibility of Pesticide Residue in Agricultural Products. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 9128-9138.	5.2	19
66	Imidacloprid Promotes High Fat Diet-Induced Adiposity in Female C57BL/6J Mice and Enhances Adipogenesis in 3T3-L1 Adipocytes via the AMPK-Mediated Pathway. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 6572-6581.	5.2	51
67	Permethrin alters glucose metabolism in conjunction with high fat diet by potentiating insulin resistance and decreases voluntary activities in female C57BL/6J mice. <i>Food and Chemical Toxicology</i> , 2017, 108, 161-170.	3.6	33
68	Improving yield and mineral nutrient concentration of potato tubers through cover cropping. <i>Field Crops Research</i> , 2017, 212, 45-51.	5.1	27
69	$\omega$ -3 Polyunsaturated fatty acids and their cytochrome P450-derived metabolites suppress colorectal tumor development in mice. <i>Journal of Nutritional Biochemistry</i> , 2017, 48, 29-35.	4.2	31
70	Confocal fluorescence mapping of pH profile inside hydrogel beads (microgels) with controllable internal pH values. <i>Food Hydrocolloids</i> , 2017, 65, 198-205.	10.7	25
71	Permethrin decreased insulin-stimulated AKT phosphorylation dependent on extracellular signal-regulated kinase-1 (ERK), but not AMP-activated protein kinase $\alpha$ (AMPK $\alpha$ ), in C2C12 myotubes. <i>Food and Chemical Toxicology</i> , 2017, 109, 95-101.	3.6	15
72	Conjugated linoleic acid (CLA) influences muscle metabolism via stimulating mitochondrial biogenesis signaling in adult-onset inactivity induced obese mice. <i>European Journal of Lipid Science and Technology</i> , 2016, 118, 1305-1316.	1.5	9



#	ARTICLE	IF	CITATIONS
73	Fipronil promotes adipogenesis via AMPK $\pm$ -mediated pathway in 3T3-L1 adipocytes. Food and Chemical Toxicology, 2016, 92, 217-223.	3.6	48
74	Conjugated linoleic acid (CLA) promotes endurance capacity via peroxisome proliferator-activated receptor $\delta$ -mediated mechanism in mice. Journal of Nutritional Biochemistry, 2016, 38, 125-133.	4.2	19
75	Imidacloprid Promotes High Fat Diet-Induced Adiposity and Insulin Resistance in Male C57BL/6J Mice. Journal of Agricultural and Food Chemistry, 2016, 64, 9293-9306.	5.2	83
76	Cortisone and dexamethasone inhibit myogenesis by modulating the AKT/mTOR signaling pathway in C2C12. Bioscience, Biotechnology and Biochemistry, 2016, 80, 2093-2099.	1.3	20
77	Transcriptome profiling of Camelina sativa to identify genes involved in triacylglycerol biosynthesis and accumulation in the developing seeds. Biotechnology for Biofuels, 2016, 9, 136.	6.2	53
78	4,4'-Dichlorodiphenyltrichloroethane (DDT) and 4,4'-dichlorodiphenyldichloroethylene (DDE) promote adipogenesis in 3T3-L1 adipocyte cell culture. Pesticide Biochemistry and Physiology, 2016, 131, 40-45.	3.6	55
79	Cranberry Product Decreases Fat Accumulation in <i>Caenorhabditis elegans</i> . Journal of Medicinal Food, 2016, 19, 427-433.	1.5	44
80	Delivery of dietary triglycerides to <i>Caenorhabditis elegans</i> using lipid nanoparticles: Nanoemulsion-based delivery systems. Food Chemistry, 2016, 202, 451-457.	8.2	33
81	Impact of Conjugated Linoleic Acid (CLA) on Skeletal Muscle Metabolism. Lipids, 2016, 51, 159-178.	1.7	33
82	Conjugated Linoleic Acid: Potential Health Benefits as a Functional Food Ingredient. Annual Review of Food Science and Technology, 2016, 7, 221-244.	9.9	177
83	Effects of salts on oxidative stability of lipids in Tween-20 stabilized oil-in-water emulsions. Food Chemistry, 2016, 197, 1130-1135.	8.2	38
84	Conjugated Linoleic Acid and Postmenopausal Women's Health. Journal of Food Science, 2015, 80, R1137-43.	3.1	7
85	Effects of Postweaning Administration of Conjugated Linoleic Acid on Development of Obesity in Nescient Basic Helix-Loop-Helix 2 Knockout Mice. Journal of Agricultural and Food Chemistry, 2015, 63, 5212-5223.	5.2	8
86	Conjugated Linoleic Acid (CLA) Stimulates Mitochondrial Biogenesis Signaling by the Upregulation of PPAR $\gamma$ Coactivator 1 $\alpha$ (PGC1 $\alpha$ ) in C2C12 Cells. Lipids, 2015, 50, 329-338.	1.7	29
87	Preventive effects of cranberry products on experimental colitis induced by dextran sulphate sodium in mice. Food Chemistry, 2015, 167, 438-446.	8.2	45
88	ATF3 Mediates Anti-Cancer Activity of Trans-10, cis-12-Conjugated Linoleic Acid in Human Colon Cancer Cells. Biomolecules and Therapeutics, 2015, 23, 134-140.	2.4	21
89	A Pyrethroid Pesticide, Permethrin, Alters Lipid Metabolism and Voluntary Activities in Mice. FASEB Journal, 2015, 29, 776.2.	0.5	2
90	Effects of Imidacloprid on Myogenesis in C2C12 Myoblasts. FASEB Journal, 2015, 29, 612.5.	0.5	0



#	ARTICLE	IF	CITATIONS
91	Effects of Early Administration of Conjugated Linoleic Acid on Development of Obesity in Nescient Basic Helix-Loop-Helix 2 Knockout Mice. FASEB Journal, 2015, 29, 608.19.	0.5	0
92	Permethrin Alters Adipogenesis in 3T3-L1 Adipocytes and Causes Insulin Resistance in C2C12 Myotubes. Journal of Biochemical and Molecular Toxicology, 2014, 28, 418-424.	3.0	53
93	Conjugated Linoleic Acid in Human Health Effects on Weight Control. , 2014, , 429-446.		7
94	trans-10,cis-12 CLA promotes osteoblastogenesis via SMAD mediated mechanism in bone marrow mesenchymal stem cells. Journal of Functional Foods, 2014, 8, 367-376.	3.4	17
95	Permethrin, a pyrethroid insecticide, impairs insulin-stimulated glucose uptake in C2C12 myotubes (1142.7). FASEB Journal, 2014, 28, 1142.7.	0.5	0
96	Conjugated linoleic acid and calcium co-supplementation improves bone health in ovariectomised mice. Food Chemistry, 2013, 140, 280-288.	8.2	22
97	Dietary conjugated nonadecadienoic acid prevents adult-onset obesity in nescient basic helix-loop-helix 2 knockout mice. Journal of Nutritional Biochemistry, 2013, 24, 556-566.	4.2	9
98	trans-10,cis-12 Conjugated linoleic acid promotes bone formation by inhibiting adipogenesis by peroxisome proliferator activated receptor- $\beta$ -dependent mechanisms and by directly enhancing osteoblastogenesis from bone marrow mesenchymal stem cells. Journal of Nutritional Biochemistry, 2013, 24, 672-679.	4.2	20
99	Imidacloprid, a Neonicotinoid Insecticide, Potentiates Adipogenesis in 3T3-L1 Adipocytes. Journal of Agricultural and Food Chemistry, 2013, 61, 255-259.	5.2	74
100	Imidacloprid, a neonicotinoid insecticide, induces insulin resistance. Journal of Toxicological Sciences, 2013, 38, 655-660.	1.5	39
101	Permethrin, a pyrethroid insecticide, potentiates adipogenesis in 3T3-L1 adipocytes. FASEB Journal, 2013, 27, 1071.1.	0.5	0
102	Conjugated linoleic acid (CLA) activates PGC-1 $\alpha$ via AMPK and SIRT1 in C2C12 myotubes. FASEB Journal, 2013, 27, 637.25.	0.5	1
103	Organochlorine insecticides potentiate adipogenesis in 3T3-L1 adipocytes. FASEB Journal, 2013, 27, 1071.4.	0.5	0
104	Imidacloprid induces insulin resistance by protein kinase B (PKB) mediated mechanism. FASEB Journal, 2013, 27, 1169.16.	0.5	0
105	Preventive effects of cranberry products on animal model of colitis. FASEB Journal, 2013, 27, 1b398.	0.5	0
106	Preventive effects of conjugated linoleic acid on obesity by improved physical activity in nescient basic helix-loop-helix 2 knockout mice during growth period. Food and Function, 2012, 3, 1280.	4.6	9
107	Implication of Conjugated Linoleic Acid (CLA) in Human Health. Critical Reviews in Food Science and Nutrition, 2012, 52, 488-513.	10.3	321
108	Modulation of lipid digestibility using structured emulsion-based delivery systems: Comparison of in vivo and in vitro measurements. Food and Function, 2012, 3, 528.	4.6	46



#	ARTICLE	IF	CITATIONS
109	trans-10,cis-12 Conjugated Linoleic Acid Enhances Endurance Capacity by Increasing Fatty Acid Oxidation and Reducing Glycogen Utilization in Mice. <i>Lipids</i> , 2012, 47, 855-863.	1.7	32
110	Conjugated Fatty Acids as a Prevention Tool for Obesity and Osteoporosis. <i>ACS Symposium Series</i> , 2012, , 393-405.	0.5	0
111	Dietary Influences on Nonexercise Physical Activity and Energy Expenditure in C57BL/6J Mice. <i>Journal of Food Science</i> , 2012, 77, H63-8.	3.1	7
112	Conjugated fatty acids increase energy expenditure in part by increasing voluntary movement in mice. <i>Food Chemistry</i> , 2012, 133, 400-409.	8.2	22
113	Food Components with Anti-Obesity Effect. <i>Annual Review of Food Science and Technology</i> , 2011, 2, 237-257.	9.9	37
114	Interaction between dietary conjugated linoleic acid and calcium supplementation affecting bone and fat mass. <i>Journal of Bone and Mineral Metabolism</i> , 2011, 29, 268-278.	2.7	22
115	Inhibitory effect of t 10 c 12 conjugated linoleic acid (CLA) isomer on clozapine induced adipogenesis in 3T3â€L1 cells. <i>FASEB Journal</i> , 2011, 25, lb288.	0.5	0
116	Neonicotinoid insecticide imidacloprid impairs lipid metabolism in 3T3â€L1 cells. <i>FASEB Journal</i> , 2011, 25, lb300.	0.5	0
117	Effects of dietary conjugated linoleic acid (CLA) on spontaneously hypertensive rats. <i>Journal of Functional Foods</i> , 2010, 2, 54-59.	3.4	11
118	Conjugated nonadecadienoic acid is more potent than conjugated linoleic acid on body fat reduction. <i>Journal of Nutritional Biochemistry</i> , 2010, 21, 764-773.	4.2	20
119	Healthier meat products as functional foods. <i>Meat Science</i> , 2010, 86, 49-55.	5.5	170
120	transâ€10,cisâ€12 CLA suppresses osteosarcoma cells via phosphoinositide 3â€kinase pathway. <i>FASEB Journal</i> , 2010, 24, lb381.	0.5	0
121	Effects of conjugated linoleic acid (CLA) on calcium homeostasis in ovariectomized mice. <i>FASEB Journal</i> , 2010, 24, lb377.	0.5	2
122	Effects of<i>trans</i>-10,<i>cis</i>-12 Conjugated Linoleic Acid on Body Composition in Genetically Obese Mice. <i>Journal of Medicinal Food</i> , 2009, 12, 56-63.	1.5	12
123	Conjugated linoleic acid (CLA): Good or bad trans fat?. <i>Journal of Food Composition and Analysis</i> , 2009, 22, S4-S12.	3.9	115
124	Structural Design Principles for Delivery of Bioactive Components in Nutraceuticals and Functional Foods. <i>Critical Reviews in Food Science and Nutrition</i> , 2009, 49, 577-606.	10.3	788
125	Comparison of conjugated linoleic acid (CLA) and conjugated nonadecadienoic acid (CNA) with regard to lipid metabolism in mice. <i>FASEB Journal</i> , 2009, 23, 717.30.	0.5	0
126	Effect of Conjugated Linoleic Acid (CLA) on Tumor Suppression in Canine Osteosarcoma Cells. <i>FASEB Journal</i> , 2009, 23, LB501.	0.5	0



#	ARTICLE	IF	CITATIONS
127	Designing Food Structure to Control Stability, Digestion, Release and Absorption of Lipophilic Food Components. Food Biophysics, 2008, 3, 219-228.	3.0	179
128	Cosupplementation of Dietary Calcium and Conjugated Linoleic Acid (CLA) Improves Bone Mass in Mice. Journal of Food Science, 2008, 73, C556-60.	3.1	26
129	Modulation of cholesterol metabolism by Ginkgo biloba L. nuts and their extract. Food Research International, 2008, 41, 89-95.	6.2	24
130	Controlling Lipid Bioavailability through Physicochemical and Structural Approaches. Critical Reviews in Food Science and Nutrition, 2008, 49, 48-67.	10.3	365
131	Mechanisms of body fat modulation by conjugated linoleic acid (CLA). Food Research International, 2007, 40, 311-323.	6.2	189
132	Î€-Complex formation of conjugated linoleic acid with iron. Food Chemistry, 2007, 100, 972-976.	8.2	3
133	Influence of encapsulation of emulsified lipids with chitosan on their in vivo digestibility. Food Chemistry, 2007, 104, 761-767.	8.2	64
134	Conjugated Linoleic Acid (CLA) Prevents Body Fat Accumulation and Weight Gain in an Animal Model. Journal of Food Science, 2007, 72, S612-7.	3.1	56
135	EFFECTS OF CONJUGATED LINOLEIC ACID ISOMERS ON SERUM TUMOR NECROSIS FACTOR- $\alpha$ CONCENTRATION IN MICE. Journal of Food Biochemistry, 2007, 31, 252-265.	2.9	15
136	INFLUENCE OF STEARIDONIC ACID ON LIPOPROTEIN SECRETION AND FATTY ACID COMPOSITION IN HEPG2 CELLS. Journal of Food Lipids, 2007, 14, 366-376.	1.0	1
137	Effect of conjugated linoleic acid on bone formation and rheumatoid arthritis. European Journal of Pharmacology, 2007, 568, 16-24.	3.5	34
138	NF- $\kappa$ B independent inhibition of lipopolysaccharide-induced cyclooxygenase by a conjugated linoleic acid cognate, conjugated nonadecadienoic acid. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2006, 1761, 969-972.	2.4	16
139	Influence of Interfacial Composition on in Vitro Digestibility of Emulsified Lipids: Potential Mechanism for Chitosan's Ability to Inhibit Fat Digestion. Food Biophysics, 2006, 1, 21-29.	3.0	223
140	Selective conjugated fatty acids inhibit guinea pig platelet aggregation. European Journal of Pharmacology, 2006, 545, 93-99.	3.5	10
141	Conjugated linoleic acid stimulates an anti-tumorigenic protein NAG-1 in an isomer specific manner. Carcinogenesis, 2006, 27, 972-981.	2.8	111
142	Effects of trans-10,cis-12 conjugated linoleic acid and cognates on apolipoprotein B secretion in HepG2 cells. Nutrition Research, 2005, 25, 387-399.	2.9	28
143	Biological activities of conjugated fatty acids: conjugated eicosadienoic (conj. 20:2 $\omega$ c11,t13/t12,c14), eicosatrienoic (conj. 20:3 $\omega$ c8,t12,c14), and heneicosadienoic (conj. 21:2 $\omega$ c12,t14/c13,t15) acids and other metabolites of conjugated linoleic acid. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2005, 1687, 120-129.	2.4	38
144	Effects of conjugated linoleic acid on long term feeding in Fischer 344 rats. Food and Chemical Toxicology, 2005, 43, 1273-1279.	3.6	27



#	ARTICLE	IF	CITATIONS
145	Structure-activity relationship of conjugated linoleic acid and its cognates in inhibiting heparin-releasable lipoprotein lipase and glycerol release from fully differentiated 3T3-L1 adipocytes. <i>Journal of Nutritional Biochemistry</i> , 2004, 15, 561-568.	4.2	54
146	Biological activities of conjugated fatty acids: conjugated eicosadienoic (conj. 20:2?), eicosatrienoic (conj. 20:3?), and heneicosadienoic (conj. 21:2?) acids and other metabolites of conjugated linoleic acid. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2004, 1687, 120-120.	2.4	0
147	trans-10,cis-12 CLA inhibits differentiation of 3T3-L1 adipocytes and decreases PPAR $\gamma$ expression. <i>Biochemical and Biophysical Research Communications</i> , 2003, 303, 795-799.	2.1	151
148	Short-Term Intake of Conjugated Linoleic Acid Inhibits Lipoprotein Lipase and Glucose Metabolism but Does Not Enhance Lipolysis in Mouse Adipose Tissue. <i>Journal of Nutrition</i> , 2003, 133, 663-667.	2.9	50
149	Decreased antigen-induced eicosanoid release in conjugated linoleic acid-fed guinea pigs. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2002, 282, R1104-R1112.	1.8	68
150	Effects of Conjugated Linoleic Acid (CLA) on Immune Responses, Body Composition and Stearoyl-CoA Desaturase. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2002, 27, 617-627.	1.7	39
151	Inhibition of stearoyl-CoA desaturase activity by the cis-9,trans-11 isomer and the trans-10,cis-12 isomer of conjugated linoleic acid in MDA-MB-231 and MCF-7 human breast cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2002, 294, 785-790.	2.1	69
152	Differential responses of hamsters and rats fed high-fat or low-fat diets supplemented with conjugated linoleic acid. <i>Nutrition Research</i> , 2002, 22, 715-722.	2.9	39
153	Regulation of Stearoyl-CoA Desaturase Activity by the trans-10,cis-12 Isomer of Conjugated Linoleic Acid in HepG2 Cells. <i>Biochemical and Biophysical Research Communications</i> , 2001, 284, 689-693.	2.1	110
154	The biologically active isomers of conjugated linoleic acid. <i>Progress in Lipid Research</i> , 2001, 40, 283-298.	11.6	894
155	Influence of conjugated linoleic acid on body composition and target gene expression in peroxisome proliferator-activated receptor $\delta$ -null mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2001, 1533, 233-242.	2.4	131
156	The effects of dietary conjugated nonadecadienoic acid on body composition in mice. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2001, 1533, 171-174.	2.4	38
157	Lipoxygenase inhibitors inhibit heparin-releasable lipoprotein lipase activity in 3T3-L1 adipocytes and enhance body fat reduction in mice by conjugated linoleic acid. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2001, 1534, 27-33.	2.4	46
158	Comparison of Methylation Procedures for Conjugated Linoleic Acid and Artifact Formation by Commercial (Trimethylsilyl)diazomethane. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 1158-1164.	5.2	116
159	The trans-10,cis-12 Isomer of Conjugated Linoleic Acid Downregulates Stearoyl-CoA Desaturase 1 Gene Expression in 3T3-L1 Adipocytes. <i>Journal of Nutrition</i> , 2000, 130, 1920-1924.	2.9	247
160	Inhibition of hepatic stearoyl-CoA desaturase activity by trans-10,cis-12 conjugated linoleic acid and its derivatives. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000, 1486, 285-292.	2.4	154
161	Mechanisms of Action of Conjugated Linoleic Acid: Evidence and Speculation. <i>Proceedings of the Society for Experimental Biology and Medicine</i> , 2000, 223, 8-13.	1.8	270
162	Mechanisms of Action of Conjugated Linoleic Acid: Evidence and Speculation. <i>Proceedings of the Society for Experimental Biology and Medicine</i> , 2000, 223, 8-13.	1.8	15



#	ARTICLE	IF	CITATIONS
163	Evidence that the <i>trans</i> -10, <i>cis</i> -12 isomer of conjugated linoleic acid induces body composition changes in mice. <i>Lipids</i> , 1999, 34, 235-241.	1.7	724
164	Changes in body composition in mice during feeding and withdrawal of conjugated linoleic acid. <i>Lipids</i> , 1999, 34, 243-248.	1.7	284
165	Evidence that commercial calf and horse sera can contain substantial amounts of <i>trans</i> -10, <i>cis</i> -12 conjugated linoleic acid. <i>Lipids</i> , 1998, 33, 817-819.	1.7	40
166	Effect of conjugated linoleic acid on body composition in mice. <i>Lipids</i> , 1997, 32, 853-858.	1.7	1,020