

# Jana Kubštovš

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2263805/publications.pdf>

Version: 2024-02-01

37  
papers

1,204  
citations

471509

17  
h-index

377865

34  
g-index

37  
all docs

37  
docs citations

37  
times ranked

1737  
citing authors

#	ARTICLE	IF	CITATIONS
1	Depressive-like phenotype enhances relapse of nicotine seeking after forced abstinence in rats. <i>World Journal of Biological Psychiatry</i> , 2023, 24, 46-57.	2.6	2
2	Early Blockade of CB1 Receptors Ameliorates Schizophrenia-like Alterations in the Neurodevelopmental MAM Model of Schizophrenia. <i>Biomolecules</i> , 2022, 12, 108.	4.0	9
3	Effect of dexamethasone in patients with ARDS and COVID-19 (REMEDIATION) study protocol for a prospective, multi-centre, open-label, parallel-group, randomized controlled trial. <i>Trials</i> , 2022, 23, 35.	1.6	4
4	Interacting effects of the MAM model of schizophrenia and antipsychotic treatment: Untargeted proteomics approach in adipose tissue. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 108, 110165.	4.8	10
5	Crosstalk between the transcriptional regulation of dopamine D2 and cannabinoid CB1 receptors in schizophrenia: Analyses in patients and in perinatal $\delta^9$ -tetrahydrocannabinol-exposed rats. <i>Pharmacological Research</i> , 2021, 164, 105357.	7.1	43
6	Effect of dexamethasone in patients with ARDS and COVID-19 – prospective, multi-centre, open-label, parallel-group, randomised controlled trial (REMEDIATION): A structured summary of a study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 172.	1.6	15
7	Effects of low-dose alcohol exposure in adolescence on subsequent alcohol drinking in adulthood in a rat model of depression. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 757-769.	2.6	9
8	NBQX attenuates relapse of nicotine seeking but not nicotine and methamphetamine self-administration in rats. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 733-743.	2.6	5
9	Diffusion kurtosis imaging detects the time-dependent progress of pathological changes in the oral rotenone mouse model of Parkinson's disease. <i>Journal of Neurochemistry</i> , 2021, 158, 779-797.	3.9	12
10	Metabolic profile of methylazoxymethanol model of schizophrenia in rats and effects of three antipsychotics in long-acting formulation. <i>Toxicology and Applied Pharmacology</i> , 2020, 406, 115214.	2.8	12
11	Improved Pharmacokinetics and Tissue Uptake of Complexed Daidzein in Rats. <i>Pharmaceutics</i> , 2020, 12, 162.	4.5	8
12	Altered dopamine D3 receptor gene expression in MAM model of schizophrenia is reversed by peripubertal cannabidiol treatment. <i>Biochemical Pharmacology</i> , 2020, 177, 114004.	4.4	36
13	Olanzapine exposure diminishes perfusion and decreases volume of sensorimotor cortex in rats. <i>Pharmacological Reports</i> , 2019, 71, 839-847.	3.3	6
14	Diffusion Kurtosis Imaging Detects Microstructural Changes in a Methamphetamine-Induced Mouse Model of Parkinson's Disease. <i>Neurotoxicity Research</i> , 2019, 36, 724-735.	2.7	12
15	Different effects of prenatal MAM vs. perinatal THC exposure on regional cerebral blood perfusion detected by Arterial Spin Labelling MRI in rats. <i>Scientific Reports</i> , 2019, 9, 6062.	3.3	26
16	Oral administration of BDNF and/or GDNF normalizes serum BDNF level in the olfactory bulbectomized rats: A proof of concept study. <i>Pharmacological Reports</i> , 2019, 71, 669-675.	3.3	5
17	Peripubertal cannabidiol treatment rescues behavioral and neurochemical abnormalities in the MAM model of schizophrenia. <i>Neuropharmacology</i> , 2019, 146, 212-221.	4.1	59
18	Principles of diffusion kurtosis imaging and its role in early diagnosis of neurodegenerative disorders. <i>Brain Research Bulletin</i> , 2018, 139, 91-98.	3.0	72

#	ARTICLE	IF	CITATIONS
19	Both ketamine and NBQX attenuate alcohol drinking in male Wistar rats. <i>Neuroscience Letters</i> , 2018, 666, 175-180.	2.1	21
20	Low Vs. High Alcohol: Central Benefits Vs. Detriments. <i>Neurotoxicity Research</i> , 2018, 34, 860-869.	2.7	24
21	Prenatal exposure to modafinil alters behavioural response to methamphetamine in adult male mice. <i>International Journal of Developmental Neuroscience</i> , 2018, 67, 37-45.	1.6	7
22	HDAC1 and HDAC3 underlie dynamic H3K9 acetylation during embryonic neurogenesis and in schizophrenia-like animals. <i>Journal of Cellular Physiology</i> , 2018, 233, 530-548.	4.1	61
23	Poly(l:C) model of schizophrenia in rats induces sex-dependent functional brain changes detected by MRI that are not reversed by aripiprazole treatment. <i>Brain Research Bulletin</i> , 2018, 137, 146-155.	3.0	21
24	Sex and Feeding Status Differently Affect Natural Reward Seeking Behavior in Olfactory Bulbectomized Rats. <i>Frontiers in Behavioral Neuroscience</i> , 2018, 12, 255.	2.0	7
25	Reactivity to addictive drugs in the methylazoxymethanol (MAM) model of schizophrenia in male and female rats. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 129-142.	2.6	33
26	Depot risperidone-induced adverse metabolic alterations in female rats. <i>Journal of Psychopharmacology</i> , 2017, 31, 487-499.	4.0	11
27	Suppression of Methamphetamine Self-Administration by Ketamine Pre-treatment Is Absent in the Methylazoxymethanol (MAM) Rat Model of Schizophrenia. <i>Neurotoxicity Research</i> , 2017, 32, 121-133.	2.7	19
28	Differential characteristics of ketamine self-administration in the olfactory bulbectomy model of depression in male rats.. <i>Experimental and Clinical Psychopharmacology</i> , 2017, 25, 84-93.	1.8	23
29	Early and progressive microstructural brain changes in mice overexpressing human $\alpha$ -Synuclein detected by diffusion kurtosis imaging. <i>Brain, Behavior, and Immunity</i> , 2017, 61, 197-208.	4.1	28
30	Aripiprazole-induced adverse metabolic alterations in poly(l:C) neurodevelopmental model of schizophrenia in rats. <i>Neuropharmacology</i> , 2017, 123, 148-158.	4.1	16
31	Anticancer Activity of Artemisinin and its Derivatives. <i>Anticancer Research</i> , 2017, 37, 5995-6003.	1.1	104
32	Olanzapine-depot administration induces time-dependent changes in adipose tissue endocrine function in rats. <i>Psychoneuroendocrinology</i> , 2016, 73, 177-185.	2.7	28
33	Olfactory bulbectomy increases reinstatement of methamphetamine seeking after a forced abstinence in rats. <i>Behavioural Brain Research</i> , 2016, 297, 20-27.	2.2	9
34	Sex Differences in the Reinstatement of Methamphetamine Seeking after Forced Abstinence in Sprague-Dawley Rats. <i>Frontiers in Psychiatry</i> , 2015, 6, 91.	2.6	64
35	Reward related neurotransmitter changes in a model of depression: An in vivo microdialysis study. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 521-535.	2.6	22
36	Health safety issues of synthetic food colorants. <i>Regulatory Toxicology and Pharmacology</i> , 2015, 73, 914-922.	2.7	359

#	ARTICLE	IF	CITATIONS
37	PRENATAL EXPOSURE TO MODAFINIL ALTERS LOCOMOTOR BEHAVIOUR AND LEUCOCYTE PHAGOCYTOSIS IN MICE. <i>Psychiatria Danubina</i> , 0, 30, 356-366.	0.4	2