

Anat Fisher

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2265322/anat-fisher-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24
papers

208
citations

9
h-index

14
g-index

27
ext. papers

338
ext. citations

4.5
avg, IF

2.94
L-index

#	Paper	IF	Citations
24	Rapid monitoring of health services use following a policy to switch patients from originator to biosimilar etanercept-a cohort study in British Columbia.. <i>BMC Rheumatology</i> , 2022 , 6, 5	2.9	1
23	Mandatory nonmedical switching from originator to biosimilar infliximab in patients with inflammatory arthritis and psoriasis in British Columbia: a cohort study.. <i>CMAJ Open</i> , 2022 , 10, E109-E118	2.5	1
22	Comparison of Pregnancy Outcomes of Patients Treated With Ondansetron vs Alternative Antiemetic Medications in a Multinational, Population-Based Cohort. <i>JAMA Network Open</i> , 2021 , 4, e215329	10.4	3
21	Off-label postpartum use of domperidone in Canada: a multidatabase cohort study. <i>CMAJ Open</i> , 2021 , 9, E500-E509	2.5	0
20	Validity of an algorithm to identify cardiovascular deaths from administrative health records: a multi-database population-based cohort study. <i>BMC Health Services Research</i> , 2021 , 21, 758	2.9	1
19	Tofacitinib Persistence in Patients with Rheumatoid Arthritis: A Retrospective Cohort Study. <i>Journal of Rheumatology</i> , 2021 , 48, 16-24	4.1	2
18	Effectiveness and safety among direct oral anticoagulants in nonvalvular atrial fibrillation: A multi-database cohort study with meta-analysis. <i>British Journal of Clinical Pharmacology</i> , 2021 , 87, 2589-2601	3.8	1
17	Comparative effectiveness and safety of direct oral anticoagulants versus vitamin K antagonists in nonvalvular atrial fibrillation: a Canadian multicentre observational cohort study. <i>CMAJ Open</i> , 2020 , 8, E877-E886	2.5	0
16	Sodium-glucose co-transporter-2 inhibitors and the risk of urosepsis: A multi-site, prevalent new-user cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 1648-1658	6.7	4
15	Rapid monitoring of health services utilization following a shift in coverage from brand name to biosimilar drugs in British Columbia-An interim report. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 803-810	2.6	4
14	Clinical Research Needs for the Management of Chronic Rhinosinusitis with Nasal Polyps in the New Era of Biologics: A National Institute of Allergy and Infectious Diseases Workshop. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 1532-1549.e1	5.4	15
13	Fluoroquinolone use for uncomplicated urinary tract infections in women: a retrospective cohort study. <i>Clinical Microbiology and Infection</i> , 2020 , 26, 613-618	9.5	13
12	A rapid monitoring plan following a shift in coverage from brand name to biosimilar drugs for rheumatoid arthritis in British Columbia. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 796-802	2.6	3
11	Sodium-Glucose Cotransporter-2 Inhibitors and the Risk for Diabetic Ketoacidosis : A Multicenter Cohort Study. <i>Annals of Internal Medicine</i> , 2020 , 173, 417-425	8	38
10	Sodium-Glucose Cotransporter 2 Inhibitors and the Risk of Below-Knee Amputation: A Multicenter Observational Study. <i>Diabetes Care</i> , 2020 , 43, 2444-2452	14.6	13
9	Sodium glucose cotransporter 2 inhibitors and risk of major adverse cardiovascular events: multi-database retrospective cohort study. <i>BMJ, The</i> , 2020 , 370, m3342	5.9	28
8	Policy-induced selection bias in pharmacoepidemiology: The example of coverage for Alzheimer's medications in British Columbia. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1067-1076	2.6	3

7	Comparative Effectiveness Of Fluoroquinolone Antibiotic Use In Uncomplicated Acute Exacerbations Of COPD: A Multi-Cohort Study. <i>International Journal of COPD</i> , 2019 , 14, 2939-2946	3	3
6	Tolerability of Cholinesterase Inhibitors: A Population-Based Study of Persistence, Adherence, and Switching. <i>Drugs and Aging</i> , 2017 , 34, 221-231	4.7	15
5	Cholinesterase Inhibitor Utilization: The Impact of Provincial Drug Policy on Discontinuation. <i>Value in Health</i> , 2016 , 19, 688-96	3.3	10
4	Heterogeneity in Comparisons of Discontinuation of Tumor Necrosis Factor Antagonists in Rheumatoid Arthritis - A Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0168005	3.7	4
3	Prescriber preference for a particular tumour necrosis factor antagonist drug and treatment discontinuation: population-based cohort. <i>BMJ Open</i> , 2014 , 4, e005532	3	8
2	Comparative persistence of the TNF antagonists in rheumatoid arthritis--a population-based cohort study. <i>PLoS ONE</i> , 2014 , 9, e105193	3.7	28
1	Weight and inflammation are the major determinants of vascular dysfunction in the aortae of db/db mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2011 , 383, 483-92	3.4	10