

Guido Fadda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2267948/guido-fadda-publications-by-year.pdf>

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181
papers

4,266
citations

35
h-index

58
g-index

192
ext. papers

4,871
ext. citations

3.5
avg, IF

5.13
L-index

#	Paper	IF	Citations
181	High-Grade Urothelial Carcinoma (HGUC) 2022 , 97-114		1
180	Impact of mobile devices on cancer diagnosis in cytology. <i>Diagnostic Cytopathology</i> , 2022 , 50, 34-45	1.4	2
179	Subcutaneous implantation of oncocytic thyroid cell aggregates nine years later from thyroidectomy. A case report.. <i>International Journal of Surgery Case Reports</i> , 2022 , 93, 106935	0.8	
178	Granular cell tumor of the trachea mimicking an infiltrating thyroid cancer. A case report.. <i>International Journal of Surgery Case Reports</i> , 2022 , 94, 107031	0.8	0
177	M1 Polarized Tumor-Associated Macrophages (TAMs) as Promising Prognostic Signature in Stage III Gastric Adenocarcinomas. <i>Gastrointestinal Disorders</i> , 2021 , 3, 207-217	0.8	
176	Sistema di refertazione globale della citologia tiroidea: confronto tra il sistema italiano 2014 e il sistema US Bethesda 2017. <i>L Endocrinologo</i> , 2021 , 22, 509	0	
175	Metastatic thyroid carcinoma mimicking as a primary neoplasia of the kidney: A case report. <i>Molecular and Clinical Oncology</i> , 2021 , 15, 268	1.6	
174	Overview of the Ultrasound Classification Systems in the Field of Thyroid Cytology. <i>Cancers</i> , 2021 , 13,	6.6	2
173	How limited molecular testing can also offer diagnostic and prognostic evaluation of thyroid nodules processed with liquid-based cytology: Role of TERT promoter and BRAF V600E mutation analysis. <i>Cancer Cytopathology</i> , 2021 , 129, 819-829	3.9	2
172	Is it possible to intraoperatively modulate the extent of thyroidectomy in small papillary thyroid carcinoma?. <i>Surgery</i> , 2021 , 169, 77-81	3.6	3
171	Assessing the diagnostic accuracy for pleomorphic adenoma and Warthin tumor by employing the Milan System for Reporting Salivary Gland Cytopathology: An international, multi-institutional study. <i>Cancer Cytopathology</i> , 2021 , 129, 43-52	3.9	4
170	Combined molecular and mathematical analysis of long noncoding RNAs expression in fine needle aspiration biopsies as novel tool for early diagnosis of thyroid cancer. <i>Endocrine</i> , 2021 , 72, 711-720	4	5
169	Modulating the extension of thyroidectomy in patients with papillary thyroid carcinoma pre-operatively eligible for lobectomy: reliability of ipsilateral central neck dissection. <i>Endocrine</i> , 2021 , 72, 437-444	4	1
168	Reporting Thyroid Cytology in a Globalized World. <i>Endocrines</i> , 2021 , 2, 311-319	0.8	1
167	Fine-Needle Aspiration of the Thyroid Gland 2021 , 108-117.e2		
166	Analytical validation of a novel targeted next-generation sequencing assay for mutation detection in thyroid nodule aspirates and tissue. <i>Endocrine</i> , 2020 , 69, 451-455	4	6
165	Exploring the Inter-observer Agreement Among the Members of the Italian Consensus for the Classification and Reporting of Thyroid Cytology. <i>Endocrine Pathology</i> , 2020 , 31, 301-306	4.2	2

164	Cytologic and histologic samples from patients infected by the novel coronavirus 2019 SARS-CoV-2: An Italian institutional experience focusing on biosafety procedures. <i>Cancer Cytopathology</i> , 2020 , 128, 317-320	3.9	23
163	Performance of a dual-component molecular assay in cytologically indeterminate thyroid nodules. <i>Endocrine</i> , 2020 , 68, 458-465	4	17
162	Biosafety in surgical pathology in the era of SARS-Cov2 pandemia. A statement of the Italian Society of Surgical Pathology and Cytology. <i>Pathologica</i> , 2020 , 112, 59-63	1.9	19
161	Biosafety procedures for handling intraoperative surgical samples during COVID-19 pandemic: an Italian pathology laboratory experience. <i>Pathologica</i> , 2020 , 112, 174-177	1.9	0
160	Follow-Up or Surgery for Indeterminate Thyroid Nodules: Could the CUT Score Application Be a Support for Decision-Making in the Preoperative Assessment?. <i>Thyroid</i> , 2020 , 30, 65-71	6.2	4
159	PD-L1 and thyroid cytology: A possible diagnostic and prognostic marker. <i>Cancer Cytopathology</i> , 2020 , 128, 177-189	3.9	3
158	Description of a new biosafe procedure for cytological specimens from patients with COVID-19 processed by liquid-based preparations. <i>Cancer Cytopathology</i> , 2020 , 128, 905-909	3.9	5
157	Global impact of the COVID-19 pandemic on cytopathology practice: Results from an international survey of laboratories in 23 countries. <i>Cancer Cytopathology</i> , 2020 , 128, 885-894	3.9	16
156	Relevance of rosette patterns in variants of papillary thyroid carcinoma. <i>Cytopathology</i> , 2020 , 31, 533-540	4.3	0
155	Impatto della diagnosi citologica TIR3a sulle decisioni dell'Endocrinologo. <i>L Endocrinologo</i> , 2020 , 21, 56-58	5.8	1
154	The Italian Reporting System for Thyroid Cytology 2019 , 53-57	5.7	0
153	A large series of hyalinizing trabecular tumors: Cytomorphology and ancillary techniques on fine needle aspiration. <i>Cancer Cytopathology</i> , 2019 , 127, 390-398	3.9	6
152	Mucoepidermoid carcinoma, acinic cell carcinoma, and adenoid cystic carcinoma on fine-needle aspiration biopsy and The Milan System: an international multi-institutional study. <i>Journal of the American Society of Cytopathology</i> , 2019 , 8, 270-277	2.4	10
151	Application of the Milan System for Reporting Submandibular Gland Cytopathology: An international, multi-institutional study. <i>Cancer Cytopathology</i> , 2019 , 127, 306-315	3.9	20
150	The immunocytochemical expression of VE-1 (BRAF V600E-related) antibody identifies the aggressive variants of papillary thyroid carcinoma on liquid-based cytology. <i>Cytopathology</i> , 2019 , 30, 460-467	1.3	5
149	Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features (NIFTP): Update and Diagnostic Considerations-a Review. <i>Endocrine Pathology</i> , 2019 , 30, 155-162	4.2	17
148	Management of thyroid cytological material, preanalytical procedures and bio-banking. <i>Cytopathology</i> , 2019 , 30, 7-16	1.3	4
147	Cytologic Diagnosis of Oncocytic Neoplasms of the Thyroid Gland: The Importance of the Clinical Scenario. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019 , 27, 726-731	1.9	0

146	Comparison between cytospin and liquid-based cytology in cerebrospinal fluid diagnosis of neoplastic diseases: A single institution experience. <i>Cytopathology</i> , 2019 , 30, 236-240	1.3	1
145	To Obtain More With Less: Cytologic Samples With Ancillary Molecular Techniques-The Useful Role of Liquid-Based Cytology. <i>Archives of Pathology and Laboratory Medicine</i> , 2018 , 142, 299-307	5	15
144	Morphology combined with ancillary techniques: An algorithm approach for thyroid nodules. <i>Cytopathology</i> , 2018 , 29, 418-427	1.3	8
143	The risk of malignancy of atypical urothelial cells of undetermined significance in patients treated with chemohyperthermia or electromotive drug administration. <i>Cancer Cytopathology</i> , 2018 , 126, 200-206	3.9	9
142	Neoplasm 2018 , 55-83		4
141	Pathology and Immunohistochemistry in Thyroid Tumors 2018 , 3-12		1
140	A novel nonsense EIF1AX mutation identified in a thyroid nodule histologically diagnosed as oncocytic carcinoma. <i>Endocrine</i> , 2018 , 62, 492-495	4	7
139	"Suspicious" salivary gland FNA: Risk of malignancy and interinstitutional variability. <i>Cancer Cytopathology</i> , 2018 , 126, 94-100	3.9	20
138	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features in the pediatric age group. <i>Cancer Cytopathology</i> , 2018 , 126, 27-35	3.9	12
137	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP): Implications for the risk of malignancy (ROM) in the Bethesda System for Reporting Thyroid Cytopathology (TBSRTC). <i>Cancer Cytopathology</i> , 2018 , 126, 20-26	3.9	48
136	Italian consensus on diagnosis and treatment of differentiated thyroid cancer: joint statements of six Italian societies. <i>Journal of Endocrinological Investigation</i> , 2018 , 41, 849-876	5.2	95
135	Molecular Testing in EBUS-TBNA Specimens of Lung Adenocarcinoma: A Study of Concordance Between Cell Block Method and Liquid-Based Cytology in Appraising Sample Cellularity and EGFR Mutations. <i>Molecular Diagnosis and Therapy</i> , 2018 , 22, 723-728	4.5	8
134	Risk factors for central neck lymph node metastases in follicular variant vs. classic papillary thyroid carcinoma. <i>Endocrine</i> , 2018 , 62, 64-70	4	7
133	Morphological features that can predict BRAF -mutated carcinoma in paediatric thyroid cytology. <i>Cytopathology</i> , 2017 , 28, 55-64	1.3	6
132	BRAF Mutation in a Follicular Thyroid Adenoma: A Case Report. <i>International Journal of Surgical Pathology</i> , 2017 , 25, 348-351	1.2	13
131	Diagnosis and Treatment of Metastases to the Thyroid Gland: a Meta-Analysis. <i>Endocrine Pathology</i> , 2017 , 28, 112-120	4.2	19
130	FNA biopsy of secondary nonlymphomatous malignancies in salivary glands: A multi-institutional study of 184 cases. <i>Cancer Cytopathology</i> , 2017 , 125, 91-103	3.9	17
129	"Atypical" salivary gland fine needle aspiration: Risk of malignancy and interinstitutional variability. <i>Diagnostic Cytopathology</i> , 2017 , 45, 1088-1094	1.4	40

128	Incidence, malignancy rates of diagnoses and cyto-histological correlations in the new Italian Reporting System for Thyroid Cytology: An institutional experience. <i>Cytopathology</i> , 2017 , 28, 503-508	1.3	16
127	Cyto-histology in NET: what is necessary today and what is the future?. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2017 , 18, 381-391	10.5	15
126	Assessment of VAV2 Expression Refines Prognostic Prediction in Adrenocortical Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 3491-3498	5.6	24
125	The expression of monocarboxylate transporters in thyroid carcinoma can be associated with the morphological features of BRAF mutation. <i>Endocrine</i> , 2017 , 56, 379-387	4	
124	Livin/BIRC7 expression as malignancy marker in adrenocortical tumors. <i>Oncotarget</i> , 2017 , 8, 9323-9338	3.3	20
123	DIAGNOSIS OF ENDOCRINE DISEASE: High-yield thyroid fine-needle aspiration cytology: an update focused on ancillary techniques improving its accuracy. <i>European Journal of Endocrinology</i> , 2016 , 174, R53-63	6.5	15
122	The Bethesda System for Reporting Thyroid Cytopathology: Proposed Modifications and Updates for the Second Edition from an International Panel. <i>Acta Cytologica</i> , 2016 , 60, 399-405	3	88
121	Thyroid FNA: New classifications and new interpretations. <i>Cancer Cytopathology</i> , 2016 , 124, 457-66	3.9	33
120	The cytological diagnosis of a 'benign thyroid lesion': is it a real safe diagnosis for the patient?. <i>Cytopathology</i> , 2016 , 27, 168-75	1.3	6
119	Minichromosome maintenance protein 7 as prognostic marker of tumor aggressiveness in pituitary adenoma patients. <i>European Journal of Endocrinology</i> , 2016 , 174, 307-14	6.5	15
118	The role of fine-needle aspiration in the thyroid nodules of elderly patients. <i>Oncotarget</i> , 2016 , 7, 11850-9.3	3	7
117	Cytology of Thyroid Lesions 2016 , 25-35		
116	Cytology of Head and Neck Lesions 2016 , 753-805		
115	Noninvasive follicular thyroid neoplasm with papillary-like nuclear features (NIFTP): A changing paradigm in thyroid surgical pathology and implications for thyroid cytopathology. <i>Cancer Cytopathology</i> , 2016 , 124, 616-20	3.9	91
114	Comparison between cytospin and liquid-based cytology in urine specimens classified according to the Paris System for Reporting Urinary Cytology. <i>Cancer Cytopathology</i> , 2016 , 124, 519-23	3.9	36
113	The evaluation of miRNAs on thyroid FNAC: the promising role of miR-375 in follicular neoplasms. <i>Endocrine</i> , 2016 , 54, 723-732	4	29
112	The Bethesda System for Reporting Thyroid Cytopathology: proposed modifications and updates for the second edition from an international panel. <i>Journal of the American Society of Cytopathology</i> , 2016 , 5, 245-251	2.4	1
111	The impact of FNAC in the management of salivary gland lesions: Institutional experiences leading to a risk-based classification scheme. <i>Cancer Cytopathology</i> , 2016 , 124, 388-96	3.9	82

110	The potential of liquid-based cytology in lymph node cytological evaluation: the role of morphology and the aid of ancillary techniques. <i>Cytopathology</i> , 2016 , 27, 50-8	1.3	7
109	Ipsilateral Central Neck Dissection Plus Frozen Section Examination Versus Prophylactic Bilateral Central Neck Dissection in cN0 Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2015 , 22, 2302-8 ¹	3.1	39
108	Large non-functioning parathyroid cysts: our institutional experience of a rare entity and a possible pitfall in thyroid cytology. <i>Cytopathology</i> , 2015 , 26, 114-21	1.3	14
107	Uncommon BRAF mutations in the follicular variant of thyroid papillary carcinoma: New insights. <i>Cancer Cytopathology</i> , 2015 , 123, 593-602	3.9	14
106	A meta-analytic review of the Bethesda System for Reporting Thyroid Cytopathology: Has the rate of malignancy in indeterminate lesions been underestimated?. <i>Cancer Cytopathology</i> , 2015 , 123, 713-22	3.9	112
105	Is thyroid gland only a "land" for primary malignancies? role of morphology and immunocytochemistry. <i>Diagnostic Cytopathology</i> , 2015 , 43, 374-80	1.4	11
104	Well-differentiated thyroid cancer with a minor poorly differentiated component: clonal heterogeneity through the prognostic role of CXCR4 and BRAF analysis. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2015 , 23, 196-201	1.9	3
103	The Role of CD56 in Thyroid Fine Needle Aspiration Cytology: A Pilot Study Performed on Liquid Based Cytology. <i>PLoS ONE</i> , 2015 , 10, e0132939	3.7	16
102	Immunohistochemical Diagnosis of Thyroid Tumors. <i>Surgical Pathology Clinics</i> , 2014 , 7, 491-500	3.9	4
101	Role of BRAFV600E in the first preclinical model of multifocal infiltrating myopericytoma development and microenvironment. <i>Journal of the National Cancer Institute</i> , 2014 , 106,	9.7	28
100	Thyroglossal duct cyst cancer most likely arises from a thyroid gland remnant. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 67-72	5.1	11
99	Is morphology alone able to predict BRAF-mutated malignancies on thyroid FNAC?. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 247-8	5.1	12
98	Italian consensus for the classification and reporting of thyroid cytology. <i>Journal of Endocrinological Investigation</i> , 2014 , 37, 593-9	5.2	225
97	Papillary thyroid microcarcinoma: a painstaking category to manage. <i>Clinical Endocrinology</i> , 2014 , 81, 785-6	3.4	3
96	Morphological parameters able to predict BRAF(V600E) -mutated malignancies on thyroid fine-needle aspiration cytology: Our institutional experience. <i>Cancer Cytopathology</i> , 2014 , 122, 883-91	3.9	30
95	Usefulness of (18)F-FDG PET/CT in a rare case of malignant pseudothyroiditis. <i>Clinical Nuclear Medicine</i> , 2014 , 39, e163-5	1.7	2
94	Actual incidence and clinical behaviour of follicular thyroid carcinoma: an institutional experience. <i>Scientific World Journal, The</i> , 2014 , 2014, 952095	2.2	14
93	Parathyroid gland involvement by thyroid cancer: results from a large series of thyroidectomies performed in two italian university hospitals and review of the literature. <i>Journal of Thyroid Research</i> , 2014 , 2014, 685425	2.6	1

92	The role of thyroid fine-needle aspiration cytology in the pediatric population: an institutional experience. <i>Cancer Cytopathology</i> , 2014 , 122, 359-67	3.9	19
91	A rare case of solitary fibrous tumor of the adrenal gland detected by (18)F-FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2014 , 39, 475-7	1.7	11
90	The nightmare of indeterminate follicular proliferations: when liquid-based cytology and ancillary techniques are not a moon landing but a realistic plan. <i>Acta Cytologica</i> , 2014 , 58, 543-51	3	10
89	Performance of the forward-viewing linear echoendoscope for fine-needle aspiration of solid and cystic lesions throughout the gastrointestinal tract: a large single-center experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1801-7	5.2	5
88	Papillary thyroid carcinoma with predominant spindle cell component: report of two rare cases and discussion on the differential diagnosis with other spindled thyroid neoplasm. <i>Endocrine Pathology</i> , 2014 , 25, 307-14	4.2	8
87	Analysis of immunocytochemical and molecular BRAF expression in thyroid carcinomas: a cytohistologic institutional experience. <i>Cancer Cytopathology</i> , 2014 , 122, 527-35	3.9	37
86	Calcitonin measurement in fine-needle aspirate washouts vs. cytologic examination for diagnosis of primary or metastatic medullary thyroid carcinoma. <i>Acta Otorhinolaryngologica Italica</i> , 2014 , 34, 399-405 ^{2.8}	2.8	14
85	Parathyroid-gland ultrasonography in clinical and therapeutic evaluation of renal secondary hyperparathyroidism. <i>Radiologia Medica</i> , 2013 , 118, 707-22	6.5	7
84	Secondary malignancies of the uterine cervix: a potential diagnostic pitfall. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013 , 463, 23-9	5.1	12
83	BRAF (V600E) mutation analysis on liquid-based cytology-processed aspiration biopsies predicts bilaterality and lymph node involvement in papillary thyroid microcarcinoma. <i>Cancer Cytopathology</i> , 2013 , 121, 291-7	3.9	86
82	Can a gene-expression classifier with high negative predictive value solve the indeterminate thyroid fine-needle aspiration dilemma?. <i>Cancer Cytopathology</i> , 2013 , 121, 403	3.9	6
81	Detection of ectopic thyroid remnants: a serious diagnostic dilemma. When molecular biology and immunohistochemistry can solve the problem. <i>Pathology Research and Practice</i> , 2013 , 209, 59-61	3.4	11
80	Diagnostic and prognostic role of HBME-1, galectin-3, and E-cadherin in poorly differentiated and anaplastic thyroid carcinomas. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2013 , 21, 237-41 ^{1.9}	1.9	24
79	The cytologic category of oncocytic (Hurthle) cell neoplasm mostly includes low-risk lesions at histology: an institutional experience. <i>European Journal of Endocrinology</i> , 2013 , 169, 649-55	6.5	27
78	Diagnostic and prognostic value of immunocytochemistry and BRAF mutation analysis on liquid-based biopsies of thyroid neoplasms suspicious for carcinoma. <i>European Journal of Endocrinology</i> , 2013 , 168, 853-9	6.5	55
77	Histology and immunohistochemistry of the parathyroid glands in renal secondary hyperparathyroidism refractory to vitamin D or cinacalcet therapy. <i>European Journal of Endocrinology</i> , 2013 , 168, 811-9	6.5	10
76	Markedly increased 18F-FDG uptake in a nonfunctioning adrenal adenoma mimicking malignancy. <i>Clinical Nuclear Medicine</i> , 2013 , 38, e333-5	1.7	4
75	Aggressive papillary thyroid microcarcinoma: prognostic factors and therapeutic strategy. <i>Clinical Nuclear Medicine</i> , 2013 , 38, 25-8	1.7	63

74	SCF(βTRCP) suppresses angiogenesis and thyroid cancer cell migration by promoting ubiquitination and destruction of VEGF receptor 2. <i>Journal of Experimental Medicine</i> , 2012 , 209, 1289-307 ^{16.6}	68
73	Morphological and immunocytochemical diagnosis of thyroiditis: Comparison between conventional and liquid-based cytology. <i>Diagnostic Cytopathology</i> , 2012 , 40, 404-9	1.4 8
72	Images in endocrine pathology: spindle cell lesion of the thyroid gland. <i>Endocrine Pathology</i> , 2012 , 23, 132-4	4.2 5
71	Application of liquid-based cytology to fine-needle aspiration biopsies of the thyroid gland. <i>Frontiers in Endocrinology</i> , 2012 , 3, 57	5.7 26
70	Transesophageal endoscopic ultrasound-guided transcarotid fine needle aspiration of a positron emission tomography (PET)-positive mediastinal lymph node. <i>Endoscopy</i> , 2012 , 44 Suppl 2 UCTN, E402-3 ^{3.4}	3
69	Cribiform-morular variant of papillary thyroid carcinoma in an 8-year-old girl: a case report with immunohistochemical and molecular testing. <i>International Journal of Surgical Pathology</i> , 2012 , 20, 629-32 ^{1.2}	15
68	Blood presence of circulating oncofetal fibronectin mRNA, by RT-PCR, does not represent a useful specific marker for the management and follow-up of thyroid cancer patients. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 715-20	5.9 2
67	SCFβ-TRCP suppresses angiogenesis and thyroid cancer cell migration by promoting ubiquitination and destruction of VEGF receptor 2. <i>Journal of Cell Biology</i> , 2012 , 197, i12-i12	7.3
66	Angiogenesis in hand chondroma: an immunohistochemical study. <i>International Journal of Immunopathology and Pharmacology</i> , 2011 , 24, 143-7	3
65	Overexpression of estrogen receptor-β in human papillary thyroid carcinomas studied by laser-capture microdissection and molecular biology. <i>Cancer Science</i> , 2011 , 102, 1921-7	6.9 34
64	The Chernobyl thyroid cancer experience: pathology. <i>Clinical Oncology</i> , 2011 , 23, 261-7	2.8 52
63	Colonic carcinoma metastatic to the endometrium: the importance of clinical history in averting misdiagnosis as a primary endometrial carcinoma. <i>International Journal of Surgical Pathology</i> , 2011 , 19, 787-90	1.2 7
62	Liquid-based cytology in fine-needle aspiration biopsies of the thyroid gland. <i>Acta Cytologica</i> , 2011 , 55, 389-400	3 100
61	Follicular thyroid neoplasms can be classified as low- and high-risk according to HBME-1 and Galectin-3 expression on liquid-based fine-needle cytology. <i>European Journal of Endocrinology</i> , 2011 , 165, 447-53	6.5 85
60	Recurrent renal hyperparathyroidism due to parathyromatosis. <i>CKJ: Clinical Kidney Journal</i> , 2011 , 4, 318-20	2
59	Thyroid fine needle aspiration cytology processed by ThinPrep: an additional slide decreased the number of inadequate results. <i>Cytopathology</i> , 2010 , 21, 97-102	1.3 51
58	Nodular disease and parafollicular C-cell distribution: results from a prospective and retrospective clinico-pathological study on the thyroid isthmus. <i>European Journal of Endocrinology</i> , 2010 , 162, 137-43 ^{6.5}	9
57	Surgical treatment of thyroid diseases in elderly patients. <i>American Journal of Surgery</i> , 2010 , 200, 467-72 ^{2.7}	32

56	Endoscopic ultrasound-guided fine-needle aspiration with liquid-based cytologic preparation in the diagnosis of primary pancreatic lymphoma. <i>Pancreas</i> , 2010 , 39, 1299-302	2.6	23
55	Papillary thyroid microcarcinoma: extrathyroidal extension, lymph node metastases, and risk factors for recurrence in a high prevalence of goiter area. <i>World Journal of Surgery</i> , 2010 , 34, 1214-21	3.3	110
54	Usefulness of the combination of ultrasonography and 99mTc-sestamibi scintigraphy in the preoperative evaluation of uremic secondary hyperparathyroidism. <i>Head and Neck</i> , 2010 , 32, 1226-35	4.2	35
53	The role of fine-needle aspiration performed with liquid-based cytology in the surgical management of thyroid lesions. <i>In Vivo</i> , 2010 , 24, 333-7	2.3	6
52	Cytological classification of thyroid nodules. Proposal of the SIAPEC-IAP Italian Consensus Working Group. <i>Pathologica</i> , 2010 , 102, 405-8	1.9	111
51	Diagnostic efficacy of conventional as compared to liquid-based cytology in thyroid lesions: evaluation of 10,360 fine needle aspiration cytology cases. <i>Acta Cytologica</i> , 2009 , 53, 659-66	3	41
50	FOXA1 is a potential oncogene in anaplastic thyroid carcinoma. <i>Clinical Cancer Research</i> , 2009 , 15, 3680-9	2.9	68
49	Evaluation of hilar biliary strictures by using a newly developed forward-viewing therapeutic echoendoscope: preliminary results of an ongoing experience. <i>Gastrointestinal Endoscopy</i> , 2009 , 69, 356-60	5.2	30
48	The role of HPV detection and typing in diagnosis of pulmonary metastatic squamous cell carcinoma of the uterine cervix. <i>Histopathology</i> , 2008 , 53, 604-6	7.3	6
47	Relevance of immunocytochemistry on thin-layer cytology in thyroid lesions suspicious for medullary carcinoma: a case-control study. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2008 , 16, 548-53	1.9	18
46	Thin-layer liquid-based preparation of non-gynaecological exfoliative and fine-needle aspiration biopsy cytology. <i>Diagnostic Histopathology</i> , 2008 , 14, 563-570	0.7	14
45	Solitary fibrous tumour of thyroid: report of two cases with immunohistochemical features and literature review. <i>Head and Neck Pathology</i> , 2008 , 2, 231-5	3.3	16
44	Application of liquid-based preparation to non-gynaecologic exfoliative cytology. <i>Pathologica</i> , 2008 , 100, 461-5	1.9	9
43	Thyroid carcinomas with a variable insular component: prognostic significance of histopathologic patterns. <i>Cancer</i> , 2007 , 110, 1209-17	6.4	28
42	Metastases to the thyroid gland: prevalence, clinicopathological aspects and prognosis: a 10-year experience. <i>Clinical Endocrinology</i> , 2007 , 66, 565-71	3.4	103
41	Ovarian serous carcinoma presenting with mediastinal lymphadenopathy 20 months before the intraabdominal mass: role of immunohistochemistry. <i>Gynecologic Oncology</i> , 2007 , 104, 497-500	4.9	4
40	Ovarian endometrioma with atypias: description of a case. <i>Fertility and Sterility</i> , 2007 , 88, 1438.e15-7	4.8	
39	Value of routine measurement of serum calcitonin concentrations in patients with nodular thyroid disease: A multicenter study. <i>Journal of Endocrinological Investigation</i> , 2006 , 29, 427-37	5.2	53

38	Fine-needle aspiration biopsy of thyroid lesions processed by thin-layer cytology: one-year institutional experience with histologic correlation. <i>Thyroid</i> , 2006 , 16, 975-81	6.2	36
37	Gene expression profiling of adrenal cortical tumors by cDNA macroarray analysis. Results of a preliminary study. <i>Biomedicine and Pharmacotherapy</i> , 2006 , 60, 186-90	7.5	18
36	Diagnostic relevance of the immunohistochemical detection of growth factors in benign and malignant cartilaginous tumors. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2006 , 14, 334-40	1.0	5
35	Diagnostic efficacy of immunocytochemistry on fine needle aspiration biopsies processed by thin-layer cytology. <i>Acta Cytologica</i> , 2006 , 50, 129-35	3	46
34	Simultaneous immunohistochemical expression of HBME-1 and galectin-3 differentiates papillary carcinomas from hyperfunctioning lesions of the thyroid. <i>Histopathology</i> , 2006 , 48, 795-800	7.3	74
33	Granular cell tumour on conventional cytology and thin-layer smears. <i>Cytopathology</i> , 2005 , 16, 259-61	1.3	5
32	Safety of video-assisted thyroidectomy versus conventional surgery. <i>Head and Neck</i> , 2005 , 27, 58-64	4.2	78
31	Immunocytochemical evaluation of thyroid neoplasms on thin-layer smears from fine-needle aspiration biopsies. <i>Cancer</i> , 2005 , 105, 87-95	6.4	82
30	Asymptomatic intrathyroidal parathyroid adenoma. Report of a case with a cytologic differential diagnosis including thyroid neoplasms. <i>Acta Cytologica</i> , 2004 , 48, 437-40	3	12
29	Management of cystic or predominantly cystic thyroid nodules: the role of ultrasound-guided fine-needle aspiration biopsy. <i>Thyroid</i> , 2004 , 14, 43-7	6.2	74
28	Does the fine-needle aspiration diagnosis of "Hürthle-cell neoplasm/follicular neoplasm with oncocytic features" denote increased risk of malignancy?. <i>Diagnostic Cytopathology</i> , 2004 , 31, 307-12	1.4	123
27	Solitary liver metastasis from Hürthle cell thyroid cancer: a case report and review of the literature. <i>Journal of Endocrinological Investigation</i> , 2004 , 27, 52-6	5.2	24
26	BRAF(V599E) mutation is the leading genetic event in adult sporadic papillary thyroid carcinomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2414-20	5.6	235
25	Diagnostic lobectomy for unilateral follicular nodules of the thyroid gland. <i>Surgery Today</i> , 2004 , 34, 557-9	3	4
24	Neurocutaneous island flap:: an experimental model using the rabbit ear. <i>Annals of Plastic Surgery</i> , 2004 , 53, 146-9	1.7	4
23	Unsuspected testicular metastases from Merkel cell carcinoma: a case report with therapeutic implications. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2004 , 27, 636-7	2.7	6
22	Cytologic diagnosis of pulmonary lesions. <i>Rays</i> , 2004 , 29, 357-61		9
21	Coexistence of a parathyroid adenoma and parathyroid cyst causing primary hyperparathyroidism. <i>Journal of Endocrinological Investigation</i> , 2003 , 26, 679-82	5.2	7

20	Correlation between fine needle aspiration biopsy and histologic findings in parotid masses. Personal experience. <i>Acta Otorhinolaryngologica Italica</i> , 2003 , 23, 314-8	2.8	23
19	Diffuse hyperplastic oncocytosis of the parotid gland. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2002 , 55, 151-2		8
18	Oligodendroglioma arising within a mature cystic ovarian teratoma: case report and review of the literature. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002 , 81, 896-7	3.8	12
17	Macrofollicular encapsulated variant of papillary thyroid carcinoma as a potential pitfall in histologic and cytologic diagnosis. A report of three cases. <i>Acta Cytologica</i> , 2002 , 46, 555-9	3	17
16	Thyroid tumors in children and adolescents: preoperative study. <i>European Journal of Pediatric Surgery</i> , 2001 , 11, 154-7	1.9	9
15	Free peritoneal grafts for patch urethroplasty in male rabbits. <i>Journal of Urology</i> , 2001 , 165, 578-80	2.5	11
14	An original technique for bladder autoaugmentation with protective abdominal rectus muscle flaps: an experimental study in rats. <i>Journal of Surgical Research</i> , 2001 , 99, 169-74	2.5	4
13	Cystic Medullary Thyroid Carcinoma: Report of a Case with Morphological and Clinical Correlations. <i>Endocrine Pathology</i> , 2000 , 11, 373-377	4.2	8
12	Proliferating cell nuclear antigen labelling index in localised pigmented villo-nodular synovitis and its relationship to the size of nodules. <i>International Orthopaedics</i> , 2000 , 24, 197-201	3.8	7
11	Preliminary experiences with contact endoscopy of the larynx. <i>European Archives of Oto-Rhino-Laryngology</i> , 2000 , 257, 68-71	3.5	21
10	Dyshormonogenetic Goiter Pathology: A Review. <i>International Journal of Surgical Pathology</i> , 1999 , 7, 125-131	1.2	6
9	Histology and aspiration cytology of benign thyroid diseases. <i>Rays</i> , 1999 , 24, 182-96		7
8	Fine needle aspiration of a warthin-like thyroid tumor. Report of a case with differential diagnostic criteria vs. other lymphocyte-rich thyroid lesions. <i>Acta Cytologica</i> , 1998 , 42, 998-1002	3	23
7	Role of planimetric analysis in diagnosing thyroid follicular lesions on fine needle aspiration biopsies: a study with histologic correlation 1998 , 20, 192-8		
6	Papillary thyroid carcinoma mimicking an autonomous functioning nodule. <i>European Journal of Surgical Oncology</i> , 1997 , 23, 569	3.6	7
5	Choledochocele: changing trends in diagnosis and management. <i>Surgery Today</i> , 1996 , 26, 281-5	3	38
4	Disseminated bone marrow metastases of insular thyroid carcinoma detected by radioiodine whole-body scintigraphy. <i>Journal of Nuclear Medicine</i> , 1996 , 37, 633-6	8.9	8
3	Morphologic and planimetric diagnosis of follicular thyroid lesions on fine needle aspiration cytology 1995 , 17, 247-56		4

2	DNA ploidy pattern in human chronic liver diseases and hepatic nodular lesions. Flow cytometric analysis on echo-guided needle liver biopsy. <i>Cancer</i> , 1994 , 73, 281-8	6.4	40
1	Spinal neurenteric cyst in association with syringomyelia: case report. <i>World Neurosurgery</i> , 1992 , 37, 202-7		18