

Tobias J Weismüller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2267996/publications.pdf>

Version: 2024-02-01

86
papers

3,951
citations

230014

27
h-index

134545

62
g-index

103
all docs

103
docs citations

103
times ranked

5672
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact on follow-up strategies in patients with primary sclerosing cholangitis. <i>Liver International</i> , 2023, 43, 127-138.	1.9	15
2	New-onset autoimmune hepatitis following mRNA COVID-19 vaccination in a 36-year-old woman with primary sclerosing cholangitis – should we be more vigilant?. <i>Journal of Hepatology</i> , 2022, 76, 218-220.	1.8	28
3	Model for end-stage liver disease underestimates mortality of patients with acute-on-chronic liver failure waiting for liver transplantation. <i>Digestive and Liver Disease</i> , 2022, 54, 784-790.	0.4	4
4	Impact of regular additional endobiliary radiofrequency ablation on survival of patients with advanced extrahepatic cholangiocarcinoma under systemic chemotherapy. <i>Scientific Reports</i> , 2022, 12, 1011.	1.6	12
5	Management of esophageal perforations in infants by endoscopic vacuum therapy: a single center case series. <i>BMC Gastroenterology</i> , 2022, 22, .	0.8	7
6	Non-invasive assessment of liver fibrosis in autoimmune hepatitis: Diagnostic value of liver magnetic resonance parametric mapping including extracellular volume fraction. <i>Abdominal Radiology</i> , 2021, 46, 2458-2466.	1.0	11
7	Induction of cytotoxic effector cells towards cholangiocellular, pancreatic, and colorectal tumor cells by activation of the immune checkpoint CD40/CD40L on dendritic cells. <i>Cancer Immunology, Immunotherapy</i> , 2021, 70, 1451-1464.	2.0	23
8	Role of Intraductal RFA: A Novel Tool in the Palliative Care of Perihilar Cholangiocarcinoma. <i>Visceral Medicine</i> , 2021, 37, 39-47.	0.5	7
9	Intensified Endoscopic Evaluation for Biliary Complications After Orthotopic Liver Transplantation. <i>Annals of Transplantation</i> , 2021, 26, e928907.	0.5	4
10	Tumor Infiltrating Neutrophils Are Frequently Found in Adenocarcinomas of the Biliary Tract and Their Precursor Lesions with Possible Impact on Prognosis. <i>Journal of Personalized Medicine</i> , 2021, 11, 233.	1.1	4
11	Primary sclerosing cholangitis with moderately elevated serum IgG4 – characterization and outcome of a distinct variant phenotype. <i>Liver International</i> , 2021, , .	1.9	1
12	Upper Abdominal Pain Following Endoscopic Ultrasound-Guided Pancreatic Biopsy. <i>Deutsches A&#x0308;rzteblatt International</i> , 2021, 118, 461.	0.6	0
13	Multimodal and systemic therapy with cabozantinib for treatment of recurrent hepatocellular carcinoma after liver transplantation. <i>Medicine (United States)</i> , 2021, 100, e27082.	0.4	5
14	Disturbed hepatic sulfation capacity: another piece of the puzzle in the complex pathogenetic mechanism of primary sclerosing cholangitis?. <i>Polish Archives of Internal Medicine</i> , 2021, 131, 779-780.	0.3	0
15	A Combined TLR7/TLR9/GATA3 Score Can Predict Prognosis in Biliary Tract Cancer. <i>Diagnostics</i> , 2021, 11, 1597.	1.3	1
16	Double is not always better: rare cause of chronic pain and weight loss in an Asian female patient with an anomaly of the bile duct system. <i>Gastrointestinal Endoscopy</i> , 2021, , .	0.5	0
17	Ruxolitinib for treatment of polycythemia vera and myelofibrosis in patients after liver transplantation. <i>Clinical Case Reports (discontinued)</i> , 2021, 9, e04782.	0.2	2
18	Percutaneous transhepatic cholangiodrainage in patients with PSC: a multicentre, retrospective analysis. , 2021, 59, .		1

#	ARTICLE	IF	CITATIONS
19	Primär sklerosierende Cholangitis. , 2021, , 377-382.		0
20	TIPS for the management of stomal variceal bleeding due to cirrhotic and non-cirrhotic portal hypertension. Zeitschrift Fur Gastroenterologie, 2021, , .	0.2	0
21	Management of post-operative pancreatic fistulas following Longmireâ€“Traverso pylorus-preserving pancreatoduodenectomy by endoscopic vacuum-assisted closure therapy. BMC Gastroenterology, 2021, 21, 425.	0.8	7
22	First Line and Second Line Chemotherapy in Advanced Cholangiocarcinoma and Impact of Dose Reduction of Chemotherapy: A Retrospective Analysis. Frontiers in Oncology, 2021, 11, 717397.	1.3	8
23	Dye chromoendoscopy leads to a higher adenoma detection in the duodenum and stomach in patients with familial adenomatous polyposis. Endoscopy International Open, 2020, 08, E1308-E1314.	0.9	5
24	Direct acute respiratory distress syndrome after gastric perforation caused by an intragastric balloon: a case report. BMC Anesthesiology, 2020, 20, 182.	0.7	1
25	Transpapillary tissue sampling of biliary strictures: balloon dilatation prior to forceps biopsy improves sensitivity and accuracy. Scientific Reports, 2020, 10, 17423.	1.6	8
26	Variation in Bile Microbiome by the Etiology of Cholestatic Liver Disease. Liver Transplantation, 2020, 26, 1652-1657.	1.3	8
27	Endoscopic resection of a giant gastric fundus adenoma with highâ€“grade dysplasia by a multiâ€“step endoscopic mucosal resection and submucosal dissection hybrid technique. Digestive Endoscopy, 2020, 32, e47-e48.	1.3	0
28	Genetic variants of UDPâ€“glucuronosyltransferase 1A genes are associated with disease presentation and outcome in primary sclerosing cholangitis. Liver International, 2020, 40, 1645-1654.	1.9	2
29	Editorial: shining a light on cholangiocarcinomaâ€“a new dawn for photodynamic therapy? Authorsâ€™ reply. Alimentary Pharmacology and Therapeutics, 2019, 49, 953-954.	1.9	0
30	Transcutaneous vagal nerve stimulation improves gastroenteric complaints in Parkinsonâ€™s disease patients. NeuroRehabilitation, 2019, 45, 449-451.	0.5	16
31	Recommendations on the Use of Magnetic Resonance Imaging for Collaborative Multicenter Studies in Primary Sclerosing Cholangitis. Hepatology, 2019, 69, 1358-1359.	3.6	7
32	Combined photodynamic therapy with systemic chemotherapy for unresectable cholangiocarcinoma. Alimentary Pharmacology and Therapeutics, 2019, 49, 437-447.	1.9	55
33	Percutaneous transgastral biliodigestive diversion as treatment option for benign recurrent intrahepatic cholestasis. Liver International, 2019, 39, 222-222.	1.9	1
34	Genetic association analysis identifies variants associated with disease progression in primary sclerosing cholangitis. Gut, 2018, 67, 1517-1524.	6.1	42
35	Combined photodynamic therapy with systemic chemotherapy improves survival of patients with irresectable cholangiocarcinoma. Journal of Hepatology, 2018, 68, S206.	1.8	0
36	Endoscopic Ultrasound-Guided Drainage and Treatment of Symptomatic Pancreatic Fluid Collection following Acute or Acute-on-Chronic Pancreatitis â€“ A Single Center Case Series. Zentralblatt Fur Chirurgie, 2018, 143, 577-585.	0.3	3

#	ARTICLE	IF	CITATIONS
37	Follow-up magnetic resonance imaging/3D-magnetic resonance cholangiopancreatography in patients with primary sclerosing cholangitis: challenging for experts to interpret. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 169-178.	1.9	34
38	Patient Age, Sex, and Inflammatory Bowel Disease Phenotype Associate With Course of Primary Sclerosing Cholangitis. <i>Gastroenterology</i> , 2017, 152, 1975-1984.e8.	0.6	355
39	Genome-wide association study of primary sclerosing cholangitis identifies new risk loci and quantifies the genetic relationship with inflammatory bowel disease. <i>Nature Genetics</i> , 2017, 49, 269-273.	9.4	230
40	Risk estimation for biliary tract cancer: Development and validation of a prognostic score. <i>Liver International</i> , 2017, 37, 1852-1860.	1.9	21
41	Compartment-specific distribution of human intestinal innate lymphoid cells is altered in HIV patients under effective therapy. <i>PLoS Pathogens</i> , 2017, 13, e1006373.	2.1	85
42	Chromoendoscopy in combination with random biopsies does not improve detection of gastric cancer foci in CDH1 mutation positive patients. <i>Endoscopy International Open</i> , 2016, 04, E1305-E1310.	0.9	27
43	Biliary strictures and recurrence after liver transplantation for primary sclerosing cholangitis: A retrospective multicenter analysis. <i>Liver Transplantation</i> , 2016, 22, 42-52.	1.3	111
44	No Evidence That Azathioprine Increases Risk of Cholangiocarcinoma in Patients With Primary Sclerosing Cholangitis. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1806-1812.	2.4	15
45	Primär sklerosierende Cholangitis. , 2016, , 101-107.		0
46	Criteria Used in Clinical Practice to Guide Immunosuppressive Treatment in Patients with Primary Sclerosing Cholangitis. <i>PLoS ONE</i> , 2015, 10, e0140525.	1.1	8
47	A pocket guide to identify patients at risk for chronic kidney disease after liver transplantation. <i>Transplant International</i> , 2015, 28, 519-528.	0.8	16
48	Gadoxetate disodium in patients with primary sclerosing cholangitis: An analysis of hepatobiliary contrast excretion. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 106-112.	1.9	14
49	Differential Serum Levels of Eosinophilic Eotaxins in Primary Sclerosing Cholangitis, Primary Biliary Cirrhosis, and Autoimmune Hepatitis. <i>Journal of Interferon and Cytokine Research</i> , 2014, 34, 204-214.	0.5	49
50	Low Risk of Hepatocellular Carcinoma in Patients With Primary Sclerosing Cholangitis With Cirrhosis. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 1733-1738.	2.4	66
51	962 HEPATOCELLULAR CARCINOMA DOES NOT SIGNIFICANTLY CONTRIBUTE TO THE RISK OF HEPATOBILIARY MALIGNANCY IN CIRRHOTIC PATIENTS WITH PRIMARY SCLEROSING CHOLANGITIS. <i>Journal of Hepatology</i> , 2013, 58, S396.	1.8	0
52	Antineutrophil cytoplasmic antibodies in bile are associated with disease activity in primary sclerosing cholangitis. <i>Scandinavian Journal of Gastroenterology</i> , 2013, 48, 1205-1212.	0.6	10
53	Urine proteomic analysis differentiates cholangiocarcinoma from primary sclerosing cholangitis and other benign biliary disorders. <i>Gut</i> , 2013, 62, 122-130.	6.1	131
54	954 PRIMARY SCLEROSING CHOLANGITIS WITH FEATURES OF AUTOIMMUNE HEPATITIS: CHARACTERISTICS AT FIRST PRESENTATION AND LONG TERM OUTCOME IN A LARGE, MULTICENTER COHORT FROM GERMANY. <i>Journal of Hepatology</i> , 2013, 58, S393.	1.8	0

#	ARTICLE	IF	CITATIONS
55	97 BILIARY STRICTURES AND RECURRENT DISEASE AFTER LIVER TRANSPLANTATION FOR PRIMARY SCLEROSING CHOLANGITIS – A LARGE, MULTICENTER COHORT ANALYSIS WITH LONG-TERM FOLLOW-UP. <i>Journal of Hepatology</i> , 2013, 58, S42-S43.	1.8	0
56	Genome-wide association analysis in Primary sclerosing cholangitis and ulcerative colitis identifies risk loci at <i>GPR35</i> and <i>TCF4</i> . <i>Hepatology</i> , 2013, 58, 1074-1083.	3.6	150
57	Dense genotyping of immune-related disease regions identifies nine new risk loci for primary sclerosing cholangitis. <i>Nature Genetics</i> , 2013, 45, 670-675.	9.4	339
58	Screening colonoscopy in liver transplant candidates: risks and findings. <i>Clinical Transplantation</i> , 2013, 27, E161-8.	0.8	13
59	Measurement of IgG4 in bile: a new approach for the diagnosis of IgG4-associated cholangiopathy. <i>Endoscopy</i> , 2012, 44, 48-52.	1.0	40
60	Prospective Analysis of Upper and Lower Gastrointestinal Screening Endoscopy as Part of the Candidate Evaluation before Liver Transplantation. <i>Transplantation</i> , 2012, 94, 225.	0.5	0
61	112 URINE PROTEOMIC ANALYSIS DIFFERENTIATES CHOLANGIOCARCINOMA FROM PRIMARY SCLEROSING CHOLANGITIS AND OTHER BENIGN BILIARY DISEASES. <i>Journal of Hepatology</i> , 2012, 56, S49-S50.	1.8	0
62	Extended analysis of a genome-wide association study in primary sclerosing cholangitis detects multiple novel risk loci. <i>Journal of Hepatology</i> , 2012, 57, 366-375.	1.8	196
63	Renal Comorbidity After Solid Organ and Stem Cell Transplantation. <i>American Journal of Transplantation</i> , 2012, 12, 1691-1699.	2.6	25
64	Gastrointestinal: PEG feeding tube migration into the colon; a late manifestation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012, 27, 1254-1254.	1.4	8
65	Value of the preoperative SOFT-score, P-SOFT-score, SALT-score and labMELD-score for the prediction of short-term patient and graft survival of high-risk liver transplant recipients with a pre-transplant labMELD-score ≥ 30 . <i>Annals of Transplantation</i> , 2012, 17, 11-17.	0.5	14
66	Three Genetic Susceptibility Loci Indicate a Role for IL2, REL and CARD9 in Primary Sclerosing Cholangitis. <i>Gastroenterology</i> , 2011, 140, S-906.	0.6	0
67	Epidemiological trends in incidence and mortality of hepatobiliary cancers in Germany. <i>Scandinavian Journal of Gastroenterology</i> , 2011, 46, 1092-1098.	0.6	94
68	Medical and endoscopic therapy of primary sclerosing cholangitis. <i>Bailliere's Best Practice and Research in Clinical Gastroenterology</i> , 2011, 25, 741-752.	1.0	18
69	Asparagus and jejunal-through-PEG: An unhappy encounter in intrajejunal levodopa infusion therapy. <i>Parkinsonism and Related Disorders</i> , 2011, 17, 67-69.	1.1	14
70	Multicentric evaluation of model for end-stage liver disease-based allocation and survival after liver transplantation in Germany - limitations of the "sickest first"-concept. <i>Transplant International</i> , 2011, 24, 91-99.	0.8	134
71	Genome-wide association analysis in primary sclerosing cholangitis identifies two non-HLA susceptibility loci. <i>Nature Genetics</i> , 2011, 43, 17-19.	9.4	221
72	Bile proteomic profiles differentiate cholangiocarcinoma from primary sclerosing cholangitis and choledocholithiasis. <i>Hepatology</i> , 2011, 53, 875-884.	3.6	143

#	ARTICLE	IF	CITATIONS
73	Three ulcerative colitis susceptibility loci are associated with primary sclerosing cholangitis and indicate a role for <i>IL2, REL</i> , and <i>CARD9</i> . <i>Hepatology</i> , 2011, 53, 1977-1985.	3.6	110
74	Serum ferritin concentration and transferrin saturation before liver transplantation predict decreased long-term recipient survival. <i>Hepatology</i> , 2011, 54, 2114-2124.	3.6	42
75	Peripapillary Duodenal Varices as a Rare Cause of Severe Bleeding in a Patient with No Other Signs of Portal Hypertension – Successful Endoscopic Treatment with Cyanoacrylate Injection. <i>Zeitschrift Fur Gastroenterologie</i> , 2011, 49, 591-595.	0.2	2
76	Ferritin and liver allocation? Impact on mortality not only on the waiting list but also after orthotopic liver transplantation should be considered. <i>Hepatology</i> , 2010, 52, 392-393.	3.6	5
77	Reply: Ferritin and Liver Allocation? Impact on Mortality Not Only on the Waiting List But Also After Orthotopic Liver Transplantation Should Be Considered. <i>Hepatology</i> , 2010, 52, 393-393.	3.6	0
78	Mutational Characterization of the Bile Acid Receptor TGR5 in Primary Sclerosing Cholangitis. <i>PLoS ONE</i> , 2010, 5, e12403.	1.1	106
79	Routine bile collection for microbiological analysis during cholangiography and its impact on the management of cholangitis. <i>Gastrointestinal Endoscopy</i> , 2010, 72, 284-291.	0.5	102
80	Genome-Wide Association Analysis in Primary Sclerosing Cholangitis. <i>Gastroenterology</i> , 2010, 138, 1102-1111.	0.6	325
81	The introduction of MELD-based organ allocation impacts 3-month survival after liver transplantation by influencing pretransplant patient characteristics. <i>Transplant International</i> , 2009, 22, 970-978.	0.8	76
82	The challenges in primary sclerosing cholangitis – Aetiopathogenesis, autoimmunity, management and malignancy. <i>Journal of Hepatology</i> , 2008, 48, S38-S57.	1.8	138
83	Recurrence of primary sclerosing cholangitis after liver transplantation – A model for pathogenesis?. <i>Journal of Hepatology</i> , 2008, 49, 864-865.	1.8	0
84	Prediction of survival after liver transplantation by pre-transplant parameters. <i>Scandinavian Journal of Gastroenterology</i> , 2008, 43, 736-746.	0.6	70
85	Upregulation of Phospholipase D Expression and Activation in Ventricular Pressure-Overload Hypertrophy. <i>Journal of Pharmacological Sciences</i> , 2005, 98, 244-254.	1.1	17
86	Effects of Norepinephrine and Cardiotrophin-1 on Phospholipase D Activity and Incorporation of Myristic Acid Into Phosphatidylcholine in Rat Heart. <i>Journal of Pharmacological Sciences</i> , 2004, 95, 335-340.	1.1	4