

Natalie A Fini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/226861/publications.pdf>

Version: 2024-02-01

25
papers

615
citations

759233

12
h-index

642732

23
g-index

27
all docs

27
docs citations

27
times ranked

687
citing authors

#	ARTICLE	IF	CITATIONS
1	Increasing time spent engaging in moderate-to-vigorous physical activity by community-dwelling adults following a transient ischemic attack or non-disabling stroke: a systematic review. <i>Disability and Rehabilitation</i> , 2022, 44, 337-352.	1.8	13
2	How Many Hours of Device Wear Time Are Required to Accurately Measure Physical Activity Post Stroke?. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1191.	2.6	3
3	Types of physical activity performed pre and post stroke. <i>Brazilian Journal of Physical Therapy</i> , 2022, 26, 100412.	2.5	3
4	Mobility-Focused Physical Outcome Measures Over Telecommunication Technology (Zoom): Intra and Interrater Reliability Trial. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2022, 9, e38101.	2.2	3
5	Low gait speed is associated with low physical activity and high sedentary time following stroke. <i>Disability and Rehabilitation</i> , 2021, 43, 2001-2008.	1.8	21
6	Adherence to physical activity and cardiovascular recommendations during the 2 years after stroke rehabilitation discharge. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101455.	2.3	18
7	A 2-Year Longitudinal Study of Physical Activity and Cardiovascular Risk in Survivors of Stroke. <i>Physical Therapy</i> , 2021, 101, .	2.4	15
8	Personal and social factors that influence physical activity levels in community-dwelling stroke survivors: A systematic review of qualitative literature. <i>Clinical Rehabilitation</i> , 2021, 35, 1044-1055.	2.2	24
9	Look Before You Leap: Interventions Supervised via Telehealth Involving Activities in Weight-Bearing or Standing Positions for People After Stroke—A Scoping Review. <i>Physical Therapy</i> , 2021, 101, .	2.4	19
10	How to Address Physical Activity Participation After Stroke in Research and Clinical Practice. <i>Stroke</i> , 2021, 52, e274-e277.	2.0	16
11	Feasibility of a Dance Participation intervention for Extremely preterm children with Motor Impairment at preschool age (Dance PREEMIE). <i>Early Human Development</i> , 2021, 163, 105482.	1.8	3
12	Dance PREEMIE, a Dance Participation intervention for Extremely preterm children with Motor Impairment at preschool age: an Australian feasibility trial protocol. <i>BMJ Open</i> , 2020, 10, e034256.	1.9	7
13	Supervised exercise delivered via telehealth in real time to manage chronic conditions in adults: a protocol for a scoping review to inform future research in stroke survivors. <i>BMJ Open</i> , 2019, 9, e027416.	1.9	10
14	Two Days of Measurement Provides Reliable Estimates of Physical Activity Poststroke: An Observational Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019, 100, 883-890.	0.9	20
15	Activity Monitors for Increasing Physical Activity in Adult Stroke Survivors. <i>Stroke</i> , 2019, 50, STROKEAHA118023088.	2.0	3
16	Best practice guidelines for the measurement of physical activity levels in stroke survivors: a secondary analysis of an observational study. <i>International Journal of Rehabilitation Research</i> , 2018, 41, 14-19.	1.3	29
17	Activity monitors for increasing physical activity in adult stroke survivors. <i>The Cochrane Library</i> , 2018, 7, CD012543.	2.8	46
18	How Physically Active Are People Following Stroke? Systematic Review and Quantitative Synthesis. <i>Physical Therapy</i> , 2017, 97, 707-717.	2.4	209

#	ARTICLE	IF	CITATIONS
19	What is the relationship between physical activity and cardiovascular risk factors in stroke survivors post completion of rehabilitation? Protocol for a longitudinal study. <i>BMJ Open</i> , 2017, 7, e019193.	1.9	3
20	Frequency and characteristics of goal attainment following BoNT-A injection for management of spasticity. <i>Disability and Rehabilitation</i> , 2016, 38, 1927-1933.	1.8	6
21	How is physical activity monitored in people following stroke?. <i>Disability and Rehabilitation</i> , 2015, 37, 1717-1731.	1.8	83
22	Intra- and Interrater Reliability of the Modified Tardieu Scale for the Assessment of Lower Limb Spasticity in Adults With Neurologic Injuries. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 2494-2501.	0.9	45
23	Coordination of Dynamic Balance During Gait Training in People With Acquired Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2012, 93, 636-640.	0.9	6
24	Training Conditions Influence Walking Kinematics and Self-Selected Walking Speed in Patients with Neurological Impairments. <i>Journal of Neurotrauma</i> , 2011, 28, 281-287.	3.4	7
25	Activity monitors for increasing physical activity in adult stroke survivors. <i>The Cochrane Library</i> , 0, , .	2.8	1