

Zbigniew Brzzka

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2269221/zbigniew-brzozka-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

3,321
citations

31
h-index

50
g-index

168
ext. papers

3,667
ext. citations

6.4
avg, IF

5.14
L-index

#	Paper	IF	Citations
143	Functionalized UO ₂ Salenes: Neutral Receptors for Anions. <i>Journal of the American Chemical Society</i> , 1994 , 116, 4341-4351	16.4	155
142	A microfluidic-based platform for tumour spheroid culture, monitoring and drug screening. <i>Lab on A Chip</i> , 2014 , 14, 2096-104	7.2	119
141	Development of Durable K ⁺ -Selective Chemically Modified Field Effect Transistors with Functionalized Polysiloxane Membranes. <i>Analytical Chemistry</i> , 1994 , 66, 3618-3623	7.8	110
140	A Difunctional Receptor for the Simultaneous Complexation of Anions and Cations; Recognition of KH ₂ PO ₄ . <i>Angewandte Chemie International Edition in English</i> , 1994 , 33, 467-468		106
139	Future Applications of MXenes in Biotechnology, Nanomedicine, and Sensors. <i>Trends in Biotechnology</i> , 2020 , 38, 264-279	15.1	98
138	2D TiC (MXene) as a novel highly efficient and selective agent for photothermal therapy. <i>Materials Science and Engineering C</i> , 2019 , 98, 874-886	8.3	97
137	Design of neutral hydrogen ion carriers for solvent polymeric membrane electrodes of selected pH range. <i>Analytical Chemistry</i> , 1986 , 58, 2285-2289	7.8	90
136	Microfluidic devices as tools for mimicking the in vivo environment. <i>New Journal of Chemistry</i> , 2011 , 35, 979	3.6	89
135	Direct and two-stage data analysis procedures based on PCA, PLS-DA and ANN for ISE-based electronic tongue-Effect of supervised feature extraction. <i>Talanta</i> , 2005 , 67, 590-6	6.2	89
134	Classification of beverages using a reduced sensor array. <i>Sensors and Actuators B: Chemical</i> , 2004 , 103, 76-83	8.5	89
133	Lead selective electrodes based on thioamide functionalized calix[4]arenes as ionophores. <i>Analytica Chimica Acta</i> , 1994 , 298, 253-258	6.6	79
132	Long-term three-dimensional cell culture and anticancer drug activity evaluation in a microfluidic chip. <i>Biosensors and Bioelectronics</i> , 2013 , 40, 68-74	11.8	77
131	Silver selective electrodes based on thioether functionalized calix[4]arenes as ionophores. <i>Analytica Chimica Acta</i> , 1994 , 298, 245-251	6.6	72
130	Electronic tongue for flow-through analysis of beverages. <i>Sensors and Actuators B: Chemical</i> , 2006 , 118, 454-460	8.5	68
129	Spectrophotometric determination of dopamine in microliter scale using microfluidic system based on polymeric technology. <i>Analytica Chimica Acta</i> , 2005 , 540, 153-157	6.6	68
128	Novel approach of immobilization of calix[4]arene type ionophore in self-plasticized polymeric membrane. <i>Analytica Chimica Acta</i> , 2000 , 421, 93-101	6.6	65
127	LTCC based microfluidic system with optical detection. <i>Sensors and Actuators B: Chemical</i> , 2005 , 111-112, 396-402	8.5	56

126	Transduction of selective recognition by preorganized ionophores; K ⁺ selectivity of the different 1,3-diethoxycalix[4]arene crown ether conformers. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1993 , 1037		53
125	Recent progress in the engineering of multifunctional colloidal nanoparticles for enhanced photodynamic therapy and bioimaging. <i>Advances in Colloid and Interface Science</i> , 2018 , 261, 62-81	14.3	47
124	Uranyl salophenes as ionophores for phosphate-selective electrodes. <i>Sensors and Actuators B: Chemical</i> , 2000 , 68, 313-318	8.5	44
123	Acoustic radiation forces at liquid interfaces impact the performance of acoustophoresis. <i>Lab on A Chip</i> , 2014 , 14, 3394-400	7.2	42
122	Poly(l-lactic acid) and polyurethane nanofibers fabricated by solution blow spinning as potential substrates for cardiac cell culture. <i>Materials Science and Engineering C</i> , 2017 , 75, 305-316	8.3	40
121	Studies on ferrocene organothiol monolayer as an intermediate phase of potentiometric sensors with gold inner contact. <i>Sensors and Actuators B: Chemical</i> , 2005 , 111-112, 310-316	8.5	38
120	Further studies on the role of redox-active monolayer as intermediate phase of solid-state sensors. <i>Sensors and Actuators B: Chemical</i> , 2007 , 123, 480-487	8.5	36
119	Graphene as a new material in anticancer therapy-in vitro studies. <i>Sensors and Actuators B: Chemical</i> , 2017 , 243, 152-165	8.5	35
118	Cesium-selective chemically modified field effect transistors with calix[4]arene-crown-6 derivatives. <i>Analytica Chimica Acta</i> , 1995 , 310, 263-267	6.6	35
117	A Self-Assembled Bifunctional Receptor. <i>Angewandte Chemie International Edition in English</i> , 1995 , 34, 2124-2126		34
116	Mercury ion-selective polymeric membrane electrodes based on substituted diaza crown ethers. <i>Electroanalysis</i> , 1991 , 3, 855-858	3	34
115	Chemically modified field-effect transistors; potentiometric Ag ⁺ selectivity of PVC membranes based on macrocyclic thioethers. <i>Analytica Chimica Acta</i> , 1993 , 273, 139-144	6.6	34
114	Heart-on-a-Chip: An Investigation of the Influence of Static and Perfusion Conditions on Cardiac (H9C2) Cell Proliferation, Morphology, and Alignment. <i>SLAS Technology</i> , 2017 , 22, 536-546	3	33
113	Durable phosphate-selective electrodes based on uranyl salophenes. <i>Analytica Chimica Acta</i> , 2001 , 432, 79-88	6.6	33
112	Microfluidic system with electrochemical and optical detection. <i>Microelectronic Engineering</i> , 2007 , 84, 1741-1743	2.5	31
111	3D lung spheroid cultures for evaluation of photodynamic therapy (PDT) procedures in microfluidic Lab-on-a-Chip system. <i>Analytica Chimica Acta</i> , 2017 , 990, 110-120	6.6	29
110	Nitrite-selective ISE based on uranyl salophen derivatives. <i>Sensors and Actuators B: Chemical</i> , 1996 , 37, 151-155	8.5	29
109	ortho-(Aminomethyl)phenylboronic acids synthesis, structure and sugar receptor activity. <i>Applied Organometallic Chemistry</i> , 2008 , 22, 427-432	3.1	28

108	Miniaturized sodium-selective sensors based on silicon back-side contact structure with novel self-plasticizing ion-selective membranes. <i>Sensors and Actuators B: Chemical</i> , 2003 , 95, 366-372	8.5	28
107	Enhanced performance of potassium CHEMFETs by optimization of a polysiloxane membrane. <i>Sensors and Actuators B: Chemical</i> , 1994 , 18, 38-41	8.5	28
106	Monitoring of cell cultures with LTCC microelectrode array. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 393, 2029-38	4.4	27
105	Uric acid determination in a miniaturized flow system with dual optical detection. <i>Sensors and Actuators B: Chemical</i> , 2008 , 130, 508-513	8.5	27
104	Towards advanced chemical microsensors-an overview. <i>Talanta</i> , 2004 , 63, 33-9	6.2	26
103	Towards REFET. <i>Sensors and Actuators B: Chemical</i> , 1999 , 57, 47-50	8.5	26
102	Studies of anticancer drug cytotoxicity based on long-term HepG2 spheroid culture in a microfluidic system. <i>Electrophoresis</i> , 2017 , 38, 1206-1216	3.6	25
101	Lab-on-a-chip systems for photodynamic therapy investigations. <i>Biosensors and Bioelectronics</i> , 2018 , 101, 37-51	11.8	25
100	Calix[4]arene derived tetraester receptors modified at their wide rim by polymerizable groups. <i>New Journal of Chemistry</i> , 1999 , 23, 757-763	3.6	25
99	Porous crosslinked PDMS-microchannels coatings. <i>Sensors and Actuators B: Chemical</i> , 2007 , 126, 68-72	8.5	24
98	Analysis of dialysate fluids with the use of a potentiometric electronic tongue. <i>Mikrochimica Acta</i> , 2008 , 163, 139-145	5.8	24
97	Anion buffering in the internal electrolyte resulting in extended durability of phosphate-selective electrodes. <i>Analytical Chemistry</i> , 2003 , 75, 3270-3	7.8	24
96	Assessment of water quality based on multiparameter fiber optic probe. <i>Sensors and Actuators B: Chemical</i> , 1998 , 51, 208-213	8.5	23
95	Architecture and method of fabrication PDMS system for uric acid determination. <i>Sensors and Actuators B: Chemical</i> , 2007 , 121, 445-451	8.5	23
94	NH ₄ ⁺ -sensitive chemically modified field effect transistors based on siloxane membranes for flow-cell applications. <i>Analytica Chimica Acta</i> , 1999 , 401, 105-110	6.6	23
93	Microsystem with micropillar array for three- (gel-embaded) and two-dimensional cardiac cell culture. <i>Sensors and Actuators B: Chemical</i> , 2018 , 254, 973-983	8.5	23
92	Potentiometric Study of Urease Kinetics over pH 5.368.21. <i>Electroanalysis</i> , 2003 , 15, 460-466	3	22
91	Multi-ion analysis based on versatile sensor head. <i>Sensors and Actuators B: Chemical</i> , 2001 , 78, 320-325	8.5	22

90	A microfluidic system to study the cytotoxic effect of drugs: the combined effect of celecoxib and 5-fluorouracil on normal and cancer cells. <i>Mikrochimica Acta</i> , 2013 , 180, 895-901	5.8	21
89	Development of a three-dimensional microfluidic system for long-term tumor spheroid culture. <i>Sensors and Actuators B: Chemical</i> , 2012 , 173, 908-913	8.5	21
88	Evaluation of cytotoxic effect of 5-fluorouracil on human carcinoma cells in microfluidic system. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 1544-1551	8.5	21
87	Microfluidic platform for photodynamic therapy cytotoxicity analysis of nanoencapsulated indocyanine-type photosensitizers. <i>Biomicrofluidics</i> , 2016 , 10, 014116	3.2	21
86	Evaluation of photodynamic therapy (PDT) procedures using microfluidic system. <i>Analytica Chimica Acta</i> , 2011 , 683, 149-55	6.6	20
85	Novel head for testing and measurement of chemical microsensors. <i>Analytica Chimica Acta</i> , 2001 , 429, 347-355	6.6	20
84	Adhesion of MRC-5 and A549 cells on poly(dimethylsiloxane) surface modified by proteins. <i>Electrophoresis</i> , 2016 , 37, 536-44	3.6	20
83	Switching of ion selectivity of membranes by lipophilic ionic sites. <i>Analytica Chimica Acta</i> , 1996 , 326, 1636168	16.8	18
82	Evaluation of nanoencapsulated verteporfin's cytotoxicity using a microfluidic system. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 127, 39-48	3.5	18
81	The effect of anionic dicephalic surfactants on fabrication of varied-core nanocarriers for sustained release of porphyrin photosensitizers. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2017 , 166, 169-179	6.7	17
80	Durable NH ₄ ⁺ -sensitive CHEMFET. <i>Sensors and Actuators B: Chemical</i> , 1997 , 44, 527-531	8.5	17
79	Nanoliter detectors for flow systems. <i>Sensors and Actuators A: Physical</i> , 2004 , 115, 245-251	3.9	17
78	Design of miniaturized nitrite sensors based on silicon structure with back-side contacts. <i>Sensors and Actuators B: Chemical</i> , 2002 , 83, 109-114	8.5	17
77	Studies on effectiveness of PTT on 3D tumor model under microfluidic conditions using aptamer-modified nanoshells. <i>Biosensors and Bioelectronics</i> , 2019 , 126, 214-221	11.8	17
76	A549 and MRC-5 cell aggregation in a microfluidic system. <i>Biomicrofluidics</i> , 2017 , 11, 024110	3.2	16
75	Double casting prototyping with a thermal aging step for fabrication of 3D microstructures in poly(dimethylsiloxane). <i>AIMS Biophysics</i> , 2016 , 3, 553-562	0.8	16
74	Solvent polymeric membrane pH catheter electrode for intraluminal measurements in the upper gastrointestinal tract. <i>Medical and Biological Engineering and Computing</i> , 1987 , 25, 414-9	3.1	15
73	Cellulose based bulk pH optomembranes. <i>Sensors and Actuators B: Chemical</i> , 1998 , 48, 471-475	8.5	14

72	Comparative study of the selectivities of membranes based on cyclic- and open-chain thioethers. <i>Analyst, The</i> , 1989 , 114, 1431	5	14
71	Biological characterization of the modified poly(dimethylsiloxane) surfaces based on cell attachment and toxicity assays. <i>Biomicrofluidics</i> , 2018 , 12, 044105	3.2	13
70	Efficient reagent immobilization procedure for ion-sensitive optomembranes. <i>Sensors and Actuators B: Chemical</i> , 1997 , 39, 207-211	8.5	13
69	Self-regulating heater for microfluidic reactors. <i>Sensors and Actuators B: Chemical</i> , 2006 , 114, 893-896	8.5	13
68	Diaza crown ethers bearing heterocyclic ligating groups on nitrogen atoms and their complexing properties with divalent inorganic cations. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1990 , 9, 259-265		13
67	Different action of nanoencapsulated meso-tetraphenylporphyrin in breast spheroid co-culture and mono-culture under microfluidic conditions. <i>Sensors and Actuators B: Chemical</i> , 2018 , 275, 69-77	8.5	12
66	Influence of the ortho-methoxyalkyl substituent on the properties of phenylboronic acids. <i>Journal of Molecular Structure</i> , 2013 , 1035, 190-197	3.4	12
65	A microfluidic device with fluorimetric detection for intracellular components analysis. <i>Biomedical Microdevices</i> , 2011 , 13, 431-40	3.7	11
64	Ag ⁺ -selective electrodes based on lipophilic thioethers. <i>Sensors and Actuators B: Chemical</i> , 1995 , 24, 1838-187		11
63	Co-delivery of IR-768 and daunorubicin using mPEG-b-PLGA micelles for synergistic enhancement of combination therapy of melanoma. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2020 , 211, 111981	6.7	11
62	Evaluation of biological activity of quantum dots in a microsystem. <i>Electrophoresis</i> , 2016 , 37, 425-31	3.6	10
61	Lab-on-a-Chip Microdevice with Contactless Conductivity Detector. <i>Metrology and Measurement Systems</i> , 2013 , 20, 299-306		10
60	Determination of creatinine in clinical samples based on flow-through microsystem. <i>Analytica Chimica Acta</i> , 2005 , 540, 181-185	6.6	10
59	Comparison of two thermochromic solutions for fibre optic temperature probes. <i>Sensors and Actuators A: Physical</i> , 1999 , 76, 203-207	3.9	10
58	Cytotoxicity studies of selected cadmium-based quantum dots on 2D vs. 3D cell cultures. <i>New Journal of Chemistry</i> , 2018 , 42, 12787-12795	3.6	9
57	Multi-function microsystem for cells migration analysis and evaluation of photodynamic therapy procedure in coculture. <i>Biomicrofluidics</i> , 2012 , 6, 44116	3.2	8
56	Durability of membranes containing uranyl salophenes. <i>Materials Science and Engineering C</i> , 2001 , 18, 93-97	8.3	8
55	Anion selectivities of membranes based on HgII complexes of calix[4]arene derivatives. <i>Electroanalysis</i> , 1996 , 8, 75-78	3	8

54	Chemically modified ion-sensitive field-effect transistors: elimination of the liquid junction potential in a double sensor flow-injection analysis cell. <i>Analytica Chimica Acta</i> , 1993 , 276, 347-352	6.6	8
53	Synergistic effect of the combination therapy on ovarian cancer cells under microfluidic conditions. <i>Analytica Chimica Acta</i> , 2020 , 1100, 138-148	6.6	8
52	Selective cancer-killing ability of new efficient porphyrin-based nanophotosensitizer in Lab-on-a-chip system. <i>Sensors and Actuators B: Chemical</i> , 2019 , 282, 665-674	8.5	8
51	Determination of Acid β -Galactosidase Activity: Methodology and Perspectives. <i>Indian Journal of Clinical Biochemistry</i> , 2014 , 29, 57-62	2.2	7
50	Durability of phosphate-selective CHEMFETs. <i>Sensors and Actuators B: Chemical</i> , 2001 , 78, 315-319	8.5	7
49	Combinations of regenerative medicine and Lab-on-a-chip systems: New hope to restoring the proper function of pancreatic islets in diabetes. <i>Biosensors and Bioelectronics</i> , 2020 , 167, 112451	11.8	7
48	Lab-on-a-chip system integrated with nanofiber mats used as a potential tool to study cardiovascular diseases (CVDs). <i>Sensors and Actuators B: Chemical</i> , 2021 , 330, 129291	8.5	7
47	Effect of a high surface-to-volume ratio on fluorescence-based assays. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 403, 151-5	4.4	6
46	Fiber optic probe for monitoring of drinking water 1997 ,		6
45	The 10th anniversary of MXenes: Challenges and prospects for their surface modification toward future biotechnological applications.. <i>Advanced Drug Delivery Reviews</i> , 2022 , 182, 114099	18.5	6
44	Islet-on-a-chip: Biomimetic micropillar-based microfluidic system for three-dimensional pancreatic islet cell culture. <i>Biosensors and Bioelectronics</i> , 2021 , 183, 113215	11.8	6
43	The influence of selected β -mercaptocarboxylate ligands on physicochemical properties and biological activity of Cd-free, zinc-copper-indium sulfide colloidal nanocrystals. <i>Materials Science and Engineering C</i> , 2019 , 97, 583-592	8.3	6
42	Effect of downscaling on the linearity range of a calibration curve in spectrofluorimetry. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 4551-6	4.4	5
41	Bonding-less (B-less) fabrication of polymeric microsystems. <i>Microfluidics and Nanofluidics</i> , 2009 , 7, 733-737		5
40	The microfluidic system for studies of carcinoma and normal cells interactions after photodynamic therapy (PDT) procedures. <i>Biomicrofluidics</i> , 2011 , 5, 41101-411016	3.2	5
39	Application of optical fibres in oxidation-reduction titrations. <i>Sensors and Actuators B: Chemical</i> , 1995 , 29, 374-377	8.5	5
38	Ein selbstassoziierender difunktioneller Rezeptor. <i>Angewandte Chemie</i> , 1995 , 107, 2300-2302	3.6	5
37	A multilayered cancer-on-a-chip model to analyze the effectiveness of new-generation photosensitizers. <i>Analyst, The</i> , 2020 , 145, 6937-6947	5	5

36	Studies on influence of polymer modifiers for fluorescent nanocrystals' cytotoxicity. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 127, 193-201	3.5	5
35	3D and 2D cell models in a novel microfluidic tool for evaluation of highly chemically and microbiologically pure graphene oxide (GO) as an effective drug carrier. <i>Sensors and Actuators B: Chemical</i> , 2020 , 302, 127064	8.5	5
34	Three-layer poly(methyl methacrylate) microsystem for analysis of lysosomal enzymes for diagnostic purposes. <i>Analytica Chimica Acta</i> , 2015 , 853, 702-709	6.6	4
33	Bonding technique of polymer layer with ceramic elements of analytical microsystems 2006 ,		4
32	Technological aspects of potentiometric BSC-type microsensor fabrication 2001 , 4516, 32		4
31	Polymer track membranes as a trap support for reagent in fiber optic sensors 1996 , 59, 719-723		4
30	The application of 5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane to the extraction of metal ions. <i>Analytica Chimica Acta</i> , 1985 , 172, 257-263	6.6	4
29	Substrate inhibition of lysosomal hydrolases: β -Galactosidase A and β -glucocerebrosidase. <i>Clinical Biochemistry</i> , 2011 , 44, 941-3	3.5	3
28	Molecular recognition of pyrimidine and xanthine bases by lipophilic calixarenes derived from resorcinol. Part II. <i>Materials Science and Engineering C</i> , 2001 , 18, 117-120	8.3	3
27	Membrane ion-selective electrodes for gold determination in cyanide solutions. <i>Electroanalysis</i> , 1990 , 2, 601-605	3	3
26	Simulation of hypoxia of myocardial cells in microfluidic systems. <i>Scientific Reports</i> , 2020 , 10, 15524	4.9	3
25	Well-defined Graphene Oxide as a Potential Component in Lung Cancer Therapy. <i>Current Cancer Drug Targets</i> , 2020 , 20, 47-58	2.8	2
24	Lab-on-a-Chip Dedicated for Cell Engineering. <i>Springer Series in Chemical Physics</i> , 2013 , 253-269	0.3	2
23	Development of NH ₄ ⁺ -sensitive polymer membranes for long-term performance microsensors 1997 ,		2
22	A new technology for microfluidic structures preparation based on a photoimageable ceramic. <i>Microsystem Technologies</i> , 2007 , 13, 657-661	1.7	2
21	Cytotoxic properties of graphene derivatives depending on origin and type of cell line. <i>Journal of Materials Research</i> , 2020 , 35, 2385-2395	2.5	2
20	SIA hybrid electronic tongue for cell culture monitoring 2017 ,		1
19	Cytotoxicity studies of CdSeS/ZnS quantum dots on cell culture in microfluidic system 2014 ,		1

18	Calix[4]amidocrowns and Calix[4]amidocryptands Bridged at the Wide Rim. <i>Monatshefte für Chemie</i> , 1998 , 129, 1169-1181	1.4	1
17	Microfluidic Systems for Cardiac Cell Culture Characterization 2018 , 155-167		1
16	Study of Stem Cells Influence on Cardiac Cells Cultured with a Cyanide-P-Trifluoromethoxyphenylhydrazine in Organ-on-a-Chip System. <i>Biosensors</i> , 2021 , 11,	5.9	1
15	Advanced 3D Spheroid Culture for Evaluation of Photodynamic Therapy in Microfluidic System. <i>Procedia Engineering</i> , 2016 , 168, 403-406		1
14	Why Can Organoids Improve Current Organ-on-Chip Platforms? 2022 , 1, 69-84		1
13	Nanoconjugates of graphene oxide derivatives and meso-tetraphenylporphyrin: a new avenue for anticancer photodynamic therapies Cell-on-a-Chip analysis. <i>New Journal of Chemistry</i> , 2020 , 44, 18770-18779	3.6	0
12	Microfluidic Systems 2018 , 3-21		0
11	Lab-on-a-chip Systems for Cellomics Materials and Technology 2018 , 23-53		0
10	Calix[4]Resorcinarene Derivatives as Ionophores for Cations Studied in Polymeric (PVC) Membrane 1998 , 263-266		
9	Lab-on-a-Chip Systems for Biomedical Analysis 2022 , 1-30		
8	Design of Miniaturized Solid-State Sensors Based on Silicon Structure with Back-Side Contacts 2001 , 402-405		
7	Lab-on-a-Chip System for Developing and Fluorescence Imaging a Three-Dimensional Model of Pancreatic Islets Under Flow Conditions. <i>ECS Meeting Abstracts</i> , 2020 , MA2020-01, 1984-1984		0
6	The Evaluation the Efficiency of Photodynamic Therapy with Meso-Tetraphenylporphyrin As a Photosensitizer and Modified Graphene Oxide As a Drug Carrier Using Microfluidic Device. <i>ECS Meeting Abstracts</i> , 2020 , MA2020-01, 1951-1951		0
5	Studies on electroporation and electrochemotherapy of adherent cells monolayer using electrode modules of specific geometry. <i>Sensors and Actuators B: Chemical</i> , 2022 , 351, 130889	8.5	
4	Organ-on-a-chip Systems 2018 , 55-78		
3	Lab-on-a-Chip Systems for Biomedical Analysis 2022 , 1-30		
2	Investigation of the Therapeutic Potential of New Antidiabetic Compounds Using Islet-on-a-Chip Microfluidic Model. <i>Biosensors</i> , 2022 , 12, 302	5.9	
1	Lab-on-a-Chip Systems for Biomedical Analysis 2022 , 679-707		

