

Zbigniew Brzã³zka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2269221/publications.pdf>

Version: 2024-02-01

161
papers

4,265
citations

109137

35
h-index

138251

58
g-index

168
all docs

168
docs citations

168
times ranked

4480
citing authors

#	ARTICLE	IF	CITATIONS
1	Studies on electroporation and electrochemotherapy of adherent cells monolayer using electrode modules of specific geometry. <i>Sensors and Actuators B: Chemical</i> , 2022, 351, 130889.	4.0	0
2	The 10th anniversary of MXenes: Challenges and prospects for their surface modification toward future biotechnological applications. <i>Advanced Drug Delivery Reviews</i> , 2022, 182, 114099.	6.6	28
3	Versatile and Easily Designable Polyester-Laser Toner Interfaces for Site-Oriented Adsorption of Antibodies. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3771.	1.8	0
4	Investigation of the Therapeutic Potential of New Antidiabetic Compounds Using Islet-on-a-Chip Microfluidic Model. <i>Biosensors</i> , 2022, 12, 302.	2.3	3
5	Why Can Organoids Improve Current Organ-on-Chip Platforms?. <i>Organoids</i> , 2022, 1, 69-84.	1.8	3
6	Lab-on-a-Chip Systems for Biomedical Analysis. , 2022, , 679-707.		0
7	Lab-on-a-chip system integrated with nanofiber mats used as a potential tool to study cardiovascular diseases (CVDs). <i>Sensors and Actuators B: Chemical</i> , 2021, 330, 129291.	4.0	20
8	Study of Stem Cells Influence on Cardiac Cells Cultured with a Cyanide-P-Trifluoromethoxyphenylhydrazone in Organ-on-a-Chip System. <i>Biosensors</i> , 2021, 11, 131.	2.3	6
9	Lab-on-a-Chip System for Developing and Fluorescence Imaging a Three-Dimensional Model of Pancreatic Islets Under Flow Conditions. <i>ECS Meeting Abstracts</i> , 2021, MA2021-01, 1396-1396.	0.0	1
10	Application of Printer Toner As a Versatile Intermediate for Protein Immobilization in Flexible Immunosensing Platforms. <i>ECS Meeting Abstracts</i> , 2021, MA2021-01, 1405-1405.	0.0	0
11	(IMCS First Place Best Paper Award) A Novel Lab-on-a-Chip Microdevice for Study the Effectiveness of Electrochemotherapy. <i>ECS Meeting Abstracts</i> , 2021, MA2021-01, 1393-1393.	0.0	0
12	(Invited) In-Vitro Studies on Nanomaterials and Anticancer Therapies Using Lab-on-a-Chip Microsystems. <i>ECS Meeting Abstracts</i> , 2021, MA2021-01, 1597-1597.	0.0	0
13	Islet-on-a-chip: Biomimetic micropillar-based microfluidic system for three-dimensional pancreatic islet cell culture. <i>Biosensors and Bioelectronics</i> , 2021, 183, 113215.	5.3	14
14	3D and 2D cell models in a novel microfluidic tool for evaluation of highly chemically and microbiologically pure graphene oxide (GO) as an effective drug carrier. <i>Sensors and Actuators B: Chemical</i> , 2020, 302, 127064.	4.0	11
15	Future Applications of MXenes in Biotechnology, Nanomedicine, and Sensors. <i>Trends in Biotechnology</i> , 2020, 38, 264-279.	4.9	161
16	Synergistic effect of the combination therapy on ovarian cancer cells under microfluidic conditions. <i>Analytica Chimica Acta</i> , 2020, 1100, 138-148.	2.6	16
17	Nanoconjugates of graphene oxide derivatives and <i>meso</i> -tetraphenylporphyrin: a new avenue for anticancer photodynamic therapies – Cell-on-a-Chip analysis. <i>New Journal of Chemistry</i> , 2020, 44, 18770-18779.	1.4	4
18	Cytotoxic properties of graphene derivatives depending on origin and type of cell line. <i>Journal of Materials Research</i> , 2020, 35, 2385-2395.	1.2	3

#	ARTICLE	IF	CITATIONS
19	Co-delivery of IR-768 and daunorubicin using mPEG-b-PLGA micelles for synergistic enhancement of combination therapy of melanoma. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2020, 211, 111981.	1.7	14
20	Combinations of regenerative medicine and Lab-on-a-chip systems: New hope to restoring the proper function of pancreatic islets in diabetes. <i>Biosensors and Bioelectronics</i> , 2020, 167, 112451.	5.3	11
21	A multilayered cancer-on-a-chip model to analyze the effectiveness of new-generation photosensitizers. <i>Analyst</i> , The, 2020, 145, 6937-6947.	1.7	11
22	Simulation of hypoxia of myocardial cells in microfluidic systems. <i>Scientific Reports</i> , 2020, 10, 15524.	1.6	3
23	Well-defined Graphene Oxide as a Potential Component in Lung Cancer Therapy. <i>Current Cancer Drug Targets</i> , 2020, 20, 47-58.	0.8	5
24	A Novel Lab-on-a-Chip Microdevice for Study the Effectiveness of Electrochemotherapy. <i>ECS Meeting Abstracts</i> , 2020, MA2020-01, 1953-1953.	0.0	0
25	Lab-on-a-Chip System for Developing and Fluorescence Imaging a Three-Dimensional Model of Pancreatic Islets Under Flow Conditions. <i>ECS Meeting Abstracts</i> , 2020, MA2020-01, 1984-1984.	0.0	0
26	The Evaluation the Efficiency of Photodynamic Therapy with Meso-Tetraphenylporphirin As a Photosensitizer and Modified Graphene Oxide As a Drug Carrier Using Microfluidic Device. <i>ECS Meeting Abstracts</i> , 2020, MA2020-01, 1951-1951.	0.0	0
27	(Invited) Nanomaterials and Anticancer Therapies in-Vitro Studies Using Lab-on-a-Chip Microsystems. <i>ECS Meeting Abstracts</i> , 2020, MA2020-01, 2346-2346.	0.0	0
28	The influence of selected γ -mercaptopropionate ligands on physicochemical properties and biological activity of Cd-free, zinc-copper-indium sulfide colloidal nanocrystals. <i>Materials Science and Engineering C</i> , 2019, 97, 583-592.	3.8	8
29	Studies on effectiveness of PTT on 3D tumor model under microfluidic conditions using aptamer-modified nanoshells. <i>Biosensors and Bioelectronics</i> , 2019, 126, 214-221.	5.3	29
30	Selective cancer-killing ability of new efficient porphyrin-based nanophotosensitizer in Lab-on-a-chip system. <i>Sensors and Actuators B: Chemical</i> , 2019, 282, 665-674.	4.0	10
31	2D Ti ₂ C (MXene) as a novel highly efficient and selective agent for photothermal therapy. <i>Materials Science and Engineering C</i> , 2019, 98, 874-886.	3.8	159
32	Hollow gold nanoshells modified with PEG: synthesis and application as photothermal agents. , 2019, , .		0
33	Lab-on-a-chip systems for photodynamic therapy investigations. <i>Biosensors and Bioelectronics</i> , 2018, 101, 37-51.	5.3	35
34	Organ-on-a-chip Systems. , 2018, , 55-78.		0
35	Microfluidic Systems. , 2018, , 3-21.		2
36	Lab-on-a-chip Systems for Cellomics Materials and Technology. , 2018, , 23-53.		1

#	ARTICLE	IF	CITATIONS
37	Microsystem with micropillar array for three- (gel-embaded) and two-dimensional cardiac cell culture. <i>Sensors and Actuators B: Chemical</i> , 2018, 254, 973-983.	4.0	30
38	Recent progress in the engineering of multifunctional colloidal nanoparticles for enhanced photodynamic therapy and bioimaging. <i>Advances in Colloid and Interface Science</i> , 2018, 261, 62-81.	7.0	59
39	Cytotoxicity studies of selected cadmium-based quantum dots on 2D vs. 3D cell cultures. <i>New Journal of Chemistry</i> , 2018, 42, 12787-12795.	1.4	13
40	Different action of nanoencapsulated meso-tetraphenylporphyrin in breast spheroid co-culture and mono-culture under microfluidic conditions. <i>Sensors and Actuators B: Chemical</i> , 2018, 275, 69-77.	4.0	19
41	Biological characterization of the modified poly(dimethylsiloxane) surfaces based on cell attachment and toxicity assays. <i>Biomicrofluidics</i> , 2018, 12, 044105.	1.2	23
42	Microfluidic Systems for Cardiac Cell Culture – Characterization. , 2018, , 155-167.		1
43	Studies of anticancer drug cytotoxicity based on long-term HepG2 spheroid culture in a microfluidic system. <i>Electrophoresis</i> , 2017, 38, 1206-1216.	1.3	38
44	Poly(L-lactic acid) and polyurethane nanofibers fabricated by solution blow spinning as potential substrates for cardiac cell culture. <i>Materials Science and Engineering C</i> , 2017, 75, 305-316.	3.8	57
45	Heart-on-a-Chip: An Investigation of the Influence of Static and Perfusion Conditions on Cardiac (H9C2) Cell Proliferation, Morphology, and Alignment. <i>SLAS Technology</i> , 2017, 22, 536-546.	1.0	41
46	A549 and MRC-5 cell aggregation in a microfluidic Lab-on-a-chip system. <i>Biomicrofluidics</i> , 2017, 11, 024110.	1.2	22
47	3D lung spheroid cultures for evaluation of photodynamic therapy (PDT) procedures in microfluidic Lab-on-a-Chip system. <i>Analytica Chimica Acta</i> , 2017, 990, 110-120.	2.6	46
48	SIA hybrid electronic tongue for cell culture monitoring. , 2017, , .		1
49	Microfluidic system for monitoring of cardiac (H9C2) cell proliferation. <i>Proceedings of SPIE</i> , 2017, , .	0.8	0
50	The effect of anionic dicephalic surfactants on fabrication of varied-core nanocarriers for sustained release of porphyrin photosensitizers. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2017, 166, 169-179.	1.7	20
51	Graphene as a new material in anticancer therapy-in vitro studies. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 152-165.	4.0	44
52	Adhesion of MRC-5 and A549 cells on poly(dimethylsiloxane) surface modified by proteins. <i>Electrophoresis</i> , 2016, 37, 536-544.	1.3	24
53	Advanced 3D Spheroid Culture for Evaluation of Photodynamic Therapy in Microfluidic System. <i>Procedia Engineering</i> , 2016, 168, 403-406.	1.2	3
54	Microfluidic platform for photodynamic therapy cytotoxicity analysis of nanoencapsulated indocyanine-type photosensitizers. <i>Biomicrofluidics</i> , 2016, 10, 014116.	1.2	21

#	ARTICLE	IF	CITATIONS
55	Evaluation of nanoencapsulated verteporfin's cytotoxicity using a microfluidic system. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 127, 39-48.	1.4	19
56	Studies on influence of polymer modifiers for fluorescent nanocrystals' cytotoxicity. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 127, 193-201.	1.4	7
57	Evaluation of biological activity of quantum dots in a microsystem. <i>Electrophoresis</i> , 2016, 37, 425-431.	1.3	11
58	Double casting prototyping with a thermal aging step for fabrication of 3D microstructures in poly(dimethylsiloxane). <i>AIMS Biophysics</i> , 2016, 3, 553-562.	0.3	19
59	Anticancer photodynamic therapy based on the use of a microsystem. <i>Proceedings of SPIE</i> , 2015, , .	0.8	0
60	Three-layer poly(methyl methacrylate) microsystem for analysis of lysosomal enzymes for diagnostic purposes. <i>Analytica Chimica Acta</i> , 2015, 853, 702-709.	2.6	5
61	Anticancer photodynamic therapy based on the use of a microsystem. , 2015, , .		0
62	Cytotoxicity studies of CdSeS/ZnS quantum dots on cell culture in microfluidic system. , 2014, , .		1
63	Determination of Acid β -Galactosidase Activity: Methodology and Perspectives. <i>Indian Journal of Clinical Biochemistry</i> , 2014, 29, 57-62.	0.9	7
64	Acoustic radiation forces at liquid interfaces impact the performance of acoustophoresis. <i>Lab on A Chip</i> , 2014, 14, 3394-3400.	3.1	52
65	A microfluidic-based platform for tumour spheroid culture, monitoring and drug screening. <i>Lab on A Chip</i> , 2014, 14, 2096-2104.	3.1	146
66	Effect of downscaling on the linearity range of a calibration curve in spectrofluorimetry. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 4551-4556.	1.9	5
67	A microfluidic system to study the cytotoxic effect of drugs: the combined effect of celecoxib and 5-fluorouracil on normal and cancer cells. <i>Mikrochimica Acta</i> , 2013, 180, 895-901.	2.5	25
68	Influence of the ortho-methoxyalkyl substituent on the properties of phenylboronic acids. <i>Journal of Molecular Structure</i> , 2013, 1035, 190-197.	1.8	13
69	â€œLab-on-a-Chipâ€•Dedicated for Cell Engineering. <i>Springer Series in Chemical Physics</i> , 2013, , 253-269.	0.2	2
70	Long-term three-dimensional cell culture and anticancer drug activity evaluation in a microfluidic chip. <i>Biosensors and Bioelectronics</i> , 2013, 40, 68-74.	5.3	87
71	Lab-on-a-Chip Microdevice with Contactless Conductivity Detector. <i>Metrology and Measurement Systems</i> , 2013, 20, 299-306.	1.4	10
72	Multi-function microsystem for cells migration analysis and evaluation of photodynamic therapy procedure in coculture. <i>Biomicrofluidics</i> , 2012, 6, 044116.	1.2	10

#	ARTICLE	IF	CITATIONS
73	Development of a three-dimensional microfluidic system for long-term tumor spheroid culture. <i>Sensors and Actuators B: Chemical</i> , 2012, 173, 908-913.	4.0	24
74	Effect of a high surface-to-volume ratio on fluorescence-based assays. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 151-155.	1.9	7
75	Microfluidic devices as tools for mimicking the in vivo environment. <i>New Journal of Chemistry</i> , 2011, 35, 979.	1.4	105
76	Evaluation of cytotoxic effect of 5-fluorouracil on human carcinoma cells in microfluidic system. <i>Sensors and Actuators B: Chemical</i> , 2011, 160, 1544-1551.	4.0	23
77	A microfluidic device with fluorimetric detection for intracellular components analysis. <i>Biomedical Microdevices</i> , 2011, 13, 431-440.	1.4	11
78	Evaluation of photodynamic therapy (PDT) procedures using microfluidic system. <i>Analytica Chimica Acta</i> , 2011, 683, 149-155.	2.6	23
79	Substrate inhibition of lysosomal hydrolases: α -Galactosidase A and β -glucocerebrosidase. <i>Clinical Biochemistry</i> , 2011, 44, 941-943.	0.8	3
80	The microfluidic system for studies of carcinoma and normal cells interactions after photodynamic therapy (PDT) procedures. <i>Biomicrofluidics</i> , 2011, 5, 041101.	1.2	5
81	Bonding-less (B-less) fabrication of polymeric microsystems. <i>Microfluidics and Nanofluidics</i> , 2009, 7, 733-737.	1.0	9
82	Monitoring of cell cultures with LTCC microelectrode array. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 393, 2029-2038.	1.9	29
83	Analysis of dialysate fluids with the use of a potentiometric electronic tongue. <i>Mikrochimica Acta</i> , 2008, 163, 139-145.	2.5	27
84	<i>ortho</i> -(Aminomethyl)phenylboronic acids synthesis, structure and sugar receptor activity. <i>Applied Organometallic Chemistry</i> , 2008, 22, 427-432.	1.7	28
85	Uric acid determination in a miniaturized flow system with dual optical detection. <i>Sensors and Actuators B: Chemical</i> , 2008, 130, 508-513.	4.0	31
86	Hybrid microstructures for capillary electrophoresis with micro-channel in photosensitive layer. , 2007, , .		2
87	Further studies on the role of redox-active monolayer as intermediate phase of solid-state sensors. <i>Sensors and Actuators B: Chemical</i> , 2007, 123, 480-487.	4.0	42
88	Microfluidic system with electrochemical and optical detection. <i>Microelectronic Engineering</i> , 2007, 84, 1741-1743.	1.1	35
89	Architecture and method of fabrication PDMS system for uric acid determination. <i>Sensors and Actuators B: Chemical</i> , 2007, 121, 445-451.	4.0	25
90	Porous crosslinked PDMS-microchannels coatings. <i>Sensors and Actuators B: Chemical</i> , 2007, 126, 68-72.	4.0	26

#	ARTICLE	IF	CITATIONS
91	A new technology for microfluidic structures preparation based on a photoimageable ceramic. <i>Microsystem Technologies</i> , 2007, 13, 657-661.	1.2	2
92	Self-regulating heater for microfluidic reactors. <i>Sensors and Actuators B: Chemical</i> , 2006, 114, 893-896.	4.0	18
93	Electronic tongue for flow-through analysis of beverages. <i>Sensors and Actuators B: Chemical</i> , 2006, 118, 454-460.	4.0	79
94	<title>Bonding technique of polymer layer with ceramic elements of analytical microsystems</title>. , 2006, , .		7
95	Fiber optic flow system for potable water monitoring. , 2005, , .		0
96	Studies on ferrocene organothioli monolayer as an intermediate phase of potentiometric sensors with gold inner contact. <i>Sensors and Actuators B: Chemical</i> , 2005, 111-112, 310-316.	4.0	46
97	LTCC based microfluidic system with optical detection. <i>Sensors and Actuators B: Chemical</i> , 2005, 111-112, 396-402.	4.0	68
98	Spectrophotometric determination of dopamine in microliter scale using microfluidic system based on polymeric technology. <i>Analytica Chimica Acta</i> , 2005, 540, 153-157.	2.6	79
99	Determination of creatinine in clinical samples based on flow-through microsystem. <i>Analytica Chimica Acta</i> , 2005, 540, 181-185.	2.6	11
100	Direct and two-stage data analysis procedures based on PCA, PLS-DA and ANN for ISE-based electronic tongueâ€”Effect of supervised feature extraction. <i>Talanta</i> , 2005, 67, 590-596.	2.9	102
101	Towards Advanced Chemical Microsensors. <i>ChemInform</i> , 2004, 35, no.	0.1	0
102	Nanoliter detectors for flow systems. <i>Sensors and Actuators A: Physical</i> , 2004, 115, 245-251.	2.0	21
103	Classification of beverages using a reduced sensor array. <i>Sensors and Actuators B: Chemical</i> , 2004, 103, 76-83.	4.0	102
104	Towards advanced chemical microsensorsâ€”an overview. <i>Talanta</i> , 2004, 63, 33-39.	2.9	30
105	<title>Application of optical fibers in microfluidic structures</title>. , 2004, , .		0
106	Potentiometric Study of Urease Kinetics over pH 5.36-8.21. <i>Electroanalysis</i> , 2003, 15, 460-466.	1.5	22
107	Miniaturized sodium-selective sensors based on silicon back-side contact structure with novel self-plasticizing ion-selective membranes. <i>Sensors and Actuators B: Chemical</i> , 2003, 95, 366-372.	4.0	33
108	Anion Buffering in the Internal Electrolyte Resulting in Extended Durability of Phosphate-Selective Electrodes. <i>Analytical Chemistry</i> , 2003, 75, 3270-3273.	3.2	24

#	ARTICLE	IF	CITATIONS
109	New ion-sensitive field effect transistors (ISFETs) with backside contacts for flow analysis. , 2003, , .		0
110	Chloride sensor based on a new potentiometric transducer. , 2003, 5124, 69.		0
111	Determination of total metal pollutants in water with optical detection. , 2003, 5124, 215.		0
112	Design of miniaturized nitrite sensors based on silicon structure with back-side contacts. Sensors and Actuators B: Chemical, 2002, 83, 109-114.	4.0	18
113	<title>Technological aspects of potentiometric BSC-type microsensor fabrication</title> . , 2001, 4516, 32.		4
114	Durability of membranes containing uranyl salophenes. Materials Science and Engineering C, 2001, 18, 93-97.	3.8	10
115	Molecular recognition of pyrimidine and xanthine bases by lipophilic calixarenes derived from resorcinol. Part II. Materials Science and Engineering C, 2001, 18, 117-120.	3.8	3
116	Novel head for testing and measurement of chemical microsensors. Analytica Chimica Acta, 2001, 429, 347-355.	2.6	22
117	ISE 2000: The International Society of Electrochemistry, 51st Annual Meeting: "Electrochemistry at the Turn of the Millennium"™, Warsaw, 3-8 September, 2000. Journal of Electroanalytical Chemistry, 2001, 509, 1.	1.9	0
118	Durability of phosphate-selective CHEMFETs. Sensors and Actuators B: Chemical, 2001, 78, 315-319.	4.0	9
119	Multi-ion analysis based on versatile sensor head. Sensors and Actuators B: Chemical, 2001, 78, 320-325.	4.0	22
120	Durable phosphate-selective electrodes based on uranyl salophenes. Analytica Chimica Acta, 2001, 432, 79-88.	2.6	39
121	Design of Miniaturized Solid-State Sensors Based on Silicon Structure with Back-Side Contacts. , 2001, , 402-405.		0
122	Novel approach of immobilization of calix[4]arene type ionophore in "self-plasticized"™ polymeric membrane. Analytica Chimica Acta, 2000, 421, 93-101.	2.6	74
123	Uranyl salophenes as ionophores for phosphate-selective electrodes. Sensors and Actuators B: Chemical, 2000, 68, 313-318.	4.0	54
124	Comparison of two thermochromic solutions for fibre optic temperature probes. Sensors and Actuators A: Physical, 1999, 76, 203-207.	2.0	10
125	Towards REFET. Sensors and Actuators B: Chemical, 1999, 57, 47-50.	4.0	28
126	NH ₄ ⁺ -sensitive chemically modified field effect transistors based on siloxane membranes for flow-cell applications. Analytica Chimica Acta, 1999, 401, 105-110.	2.6	24

#	ARTICLE	IF	CITATIONS
127	Calix[4]arene derived tetraester receptors modified at their wide rim by polymerizable groups. <i>New Journal of Chemistry</i> , 1999, 23, 757-763.	1.4	28
128	Calix[4]amidocrowns and Calix[4]amidocryptands Bridged at the Wide Rim. <i>Monatshefte für Chemie</i> , 1998, 129, 1169-1181.	0.9	3
129	Cellulose based bulk pH optomembranes. <i>Sensors and Actuators B: Chemical</i> , 1998, 48, 471-475.	4.0	15
130	Assessment of water quality based on multiparameter fiber optic probe. <i>Sensors and Actuators B: Chemical</i> , 1998, 51, 208-213.	4.0	55
131	Calix[4]Resorcinarene Derivatives as Ionophores for Cations Studied in Polymeric (PVC) Membrane. , 1998, , 263-266.		0
132	<title>LabWindows: tool and environment for sensor design</title>. , 1997, , .		0
133	<title>Development of NH<math>\langle inf \rangle \langle roman \rangle 4 \langle /roman \rangle \langle /inf \rangle \langle formula \rangle \langle formula \rangle \langle sup \rangle \langle roman \rangle + \langle /roman \rangle \langle /sup \rangle \langle /formula \rangle</title>-sensitive polymer membranes for long-term performance microsensors</title>. , 1997, , .		2
134	<title>Anion-selective CHEMFETs</title>. , 1997, , .		2
135	<title>Fiber optic probe for monitoring of drinking water</title>. , 1997, , .		14
136	Durable NH ₄ ⁺ -sensitive CHEMFET. <i>Sensors and Actuators B: Chemical</i> , 1997, 44, 527-531.	4.0	20
137	Efficient reagent immobilization procedure for ion-sensitive optomembranes. <i>Sensors and Actuators B: Chemical</i> , 1997, 39, 207-211.	4.0	38
138	Anion selectivities of membranes based on Hg ^{II} complexes of calix[4]arene derivatives. <i>Electroanalysis</i> , 1996, 8, 75-78.	1.5	10
139	Polymer track membranes as a trap support for reagent in fiber optic sensors. , 1996, 59, 719-723.		19
140	Switching of ion selectivity of membranes by lipophilic ionic sites. <i>Analytica Chimica Acta</i> , 1996, 326, 163-168.	2.6	23
141	Nitrite-selective ISE based on uranyl salophen derivatives. <i>Sensors and Actuators B: Chemical</i> , 1996, 37, 151-155.	4.0	36
142	A Self-Assembled Bifunctional Receptor. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 2124-2126.	4.4	42
143	Cesium-selective chemically modified field effect transistors with calix[4]arene-crown-6 derivatives. <i>Analytica Chimica Acta</i> , 1995, 310, 263-267.	2.6	42
144	Ag ⁺ -selective electrodes based on lipophilic thioethers. <i>Sensors and Actuators B: Chemical</i> , 1995, 24, 183-187.	4.0	14

#	ARTICLE	IF	CITATIONS
145	Application of optical fibres in oxidation-reduction titrations. <i>Sensors and Actuators B: Chemical</i> , 1995, 29, 374-377.	4.0	30
146	Lead selective electrodes based on thioamide functionalized calix[4]arenes as ionophores. <i>Analytica Chimica Acta</i> , 1994, 298, 253-258.	2.6	99
147	Silver selective electrodes based on thioether functionalized calix[4]arenes as ionophores. <i>Analytica Chimica Acta</i> , 1994, 298, 245-251.	2.6	90
148	A Difunctional Receptor for the Simultaneous Complexation of Anions and Cations; Recognition of KH ₂ PO ₄ . <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 467-468.	4.4	138
149	Enhanced performance of potassium CHEMFETs by optimization of a polysiloxane membrane. <i>Sensors and Actuators B: Chemical</i> , 1994, 18, 38-41.	4.0	29
150	Functionalized UO ₂ Salenes: Neutral Receptors for Anions. <i>Journal of the American Chemical Society</i> , 1994, 116, 4341-4351.	6.6	192
151	Development of Durable K ⁺ -Selective Chemically Modified Field Effect Transistors with Functionalized Polysiloxane Membranes. <i>Analytical Chemistry</i> , 1994, 66, 3618-3623.	3.2	137
152	Chemically modified field-effect transistors; potentiometric Ag ⁺ selectivity of PVC membranes based on macrocyclic thioethers. <i>Analytica Chimica Acta</i> , 1993, 273, 139-144.	2.6	43
153	Chemically modified ion-sensitive field-effect transistors: elimination of the liquid junction potential in a double sensor flow-injection analysis cell. <i>Analytica Chimica Acta</i> , 1993, 276, 347-352.	2.6	10
154	Transduction of selective recognition by preorganized ionophores; K ⁺ selectivity of the different 1,3-diethoxycalix[4]arene crown ether conformers. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1993, , 1037.	0.9	57
155	Mercury ion-selective polymeric membrane electrodes based on substituted diaza crown ethers. <i>Electroanalysis</i> , 1991, 3, 855-858.	1.5	38
156	Diaza crown ethers bearing heterocyclic ligating groups on nitrogen atoms and their complexing properties with divalent inorganic cations. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1990, 9, 259-265.	1.6	14
157	Membrane ion-selective electrodes for gold determination in cyanide solutions. <i>Electroanalysis</i> , 1990, 2, 601-605.	1.5	3
158	Comparative study of the selectivities of membranes based on cyclic- and open-chain thioethers. <i>Analyst</i> , 1989, 114, 1431.	1.7	16
159	Solvent polymeric membrane pH catheter electrode for intraluminal measurements in the upper gastrointestinal tract. <i>Medical and Biological Engineering and Computing</i> , 1987, 25, 414-419.	1.6	18
160	Design of neutral hydrogen ion carriers for solvent polymeric membrane electrodes of selected pH range. <i>Analytical Chemistry</i> , 1986, 58, 2285-2289.	3.2	121
161	The application of 5,5,7,12,12,14-hexamethyl-1,4,8,11-tetraazacyclotetradecane to the extraction of metal ions. <i>Analytica Chimica Acta</i> , 1985, 172, 257-263.	2.6	4