

Eunsil Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/227023/publications.pdf>

Version: 2024-02-01

73
papers

1,934
citations

279798

23
h-index

276875

41
g-index

74
all docs

74
docs citations

74
times ranked

3676
citing authors

#	ARTICLE	IF	CITATIONS
1	Genomic portrait of resectable hepatocellular carcinomas: Implications of <i>RB1</i> and <i>FCF19</i> aberrations for patient stratification. <i>Hepatology</i> , 2014, 60, 1972-1982.	7.3	345
2	LI-RADS Classification and Prognosis of Primary Liver Cancers at Gadoteric Acid-enhanced MRI. <i>Radiology</i> , 2019, 290, 388-397.	7.3	125
3	Alternative Lengthening of Telomeres in Primary Pancreatic Neuroendocrine Tumors Is Associated with Aggressive Clinical Behavior and Poor Survival. <i>Clinical Cancer Research</i> , 2017, 23, 1598-1606.	7.0	101
4	Diagnostic criteria for hepatocellular carcinoma ≤ 2 cm with hepatocyte-specific contrast-enhanced magnetic resonance imaging. <i>Journal of Hepatology</i> , 2016, 64, 1099-1107.	3.7	93
5	Intrahepatic Cholangiocarcinoma in Patients with Cirrhosis: Differentiation from Hepatocellular Carcinoma by Using Gadoteric Acid-enhanced MR Imaging and Dynamic CT. <i>Radiology</i> , 2017, 282, 771-781.	7.3	73
6	Anti-miR-21 Suppresses Hepatocellular Carcinoma Growth via Broad Transcriptional Network Deregulation. <i>Molecular Cancer Research</i> , 2015, 13, 1009-1021.	3.4	69
7	Combined hepatocellular-cholangiocarcinoma: Gadoteric acid-enhanced MRI findings correlated with pathologic features and prognosis. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 267-280.	3.4	59
8	Overexpression of the <i>wip1</i> gene abrogates the p38 MAPK/p53/Wip1 pathway and silences p16 expression in human breast cancers. <i>Breast Cancer Research and Treatment</i> , 2007, 101, 269-278.	2.5	58
9	Granular cell tumor of the gastrointestinal tract: histologic and immunohistochemical analysis of 98 cases. <i>Human Pathology</i> , 2015, 46, 813-819.	2.0	56
10	Patient-derived multicellular tumor spheroids towards optimized treatment for patients with hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 109.	8.6	43
11	Radiologic-Pathologic Correlation of Hepatobiliary Phase Hypointense Nodules without Arterial Phase Hyperenhancement at Gadoteric Acid-enhanced MRI: A Multicenter Study. <i>Radiology</i> , 2020, 296, 335-345.	7.3	42
12	Assessment of liver fibrosis severity using computed tomography-based liver and spleen volumetric indices in patients with chronic liver disease. <i>European Radiology</i> , 2020, 30, 3486-3496.	4.5	42
13	CT Features of Metastatic Linitis Plastica to the Rectum in Patients with Peritoneal Carcinomatosis. <i>American Journal of Roentgenology</i> , 2000, 174, 463-466.	2.2	39
14	Increased number of metastatic lymph nodes in adenocarcinoma of the ampulla of Vater as a prognostic factor: A proposal of new nodal classification. <i>Surgery</i> , 2014, 155, 74-84.	1.9	39
15	High throughput molecular profiling reveals differential mutation patterns in intrahepatic cholangiocarcinomas arising in chronic advanced liver diseases. <i>Modern Pathology</i> , 2014, 27, 731-739.	5.5	38
16	Signet ring cell component predicts aggressive behaviour in colorectal mucinous adenocarcinoma. <i>Pathology</i> , 2019, 51, 384-391.	0.6	38
17	Immunogenomic landscape of hepatocellular carcinoma with immune cell stroma and EBV-positive tumor-infiltrating lymphocytes. <i>Journal of Hepatology</i> , 2019, 71, 91-103.	3.7	37
18	Intimate association of visceral obesity with non-alcoholic fatty liver disease in healthy Asians: A case-control study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 1666-1672.	2.8	35

#	ARTICLE	IF	CITATIONS
19	Standardized Pathology Report for Colorectal Cancer, 2nd Edition. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 1-19.	1.1	35
20	Survival effect of tumor size and extrapancreatic extension in surgically resected pancreatic cancer: proposal for improved T classification. <i>Human Pathology</i> , 2014, 45, 2341-2346.	2.0	32
21	Clinicopathologic and prognostic associations of KRAS and BRAF mutations in small intestinal adenocarcinoma. <i>Modern Pathology</i> , 2016, 29, 402-415.	5.5	31
22	KRAS and PIK3CA mutations in colorectal adenocarcinomas correlate with aggressive histological features and behavior. <i>Human Pathology</i> , 2017, 65, 21-30.	2.0	27
23	Characterization of Hepatocellular Carcinoma Patients with FGF19 Amplification Assessed by Fluorescence in situ Hybridization: A Large Cohort Study. <i>Liver Cancer</i> , 2019, 8, 12-23.	7.7	27
24	Liver cirrhosis caused by <i>Exophiala dermatitidis</i> . <i>Journal of Medical Microbiology</i> , 2009, 58, 674-677.	1.8	22
25	Prognostic significance of CDX2 and mucin expression in small intestinal adenocarcinoma. <i>Modern Pathology</i> , 2014, 27, 1364-1374.	5.5	21
26	Optimal methods for measuring eligibility for liver transplant in hepatocellular carcinoma patients undergoing transarterial chemoembolization. <i>Journal of Hepatology</i> , 2015, 62, 1076-1084.	3.7	21
27	Overexpression of C-reactive Protein as a Poor Prognostic Marker of Resectable Hepatocellular Carcinomas. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 105-111.	1.1	20
28	Clinical and Prognostic Significances of Cytokeratin 19 and KIT Expression in Surgically Resectable Pancreatic Neuroendocrine Tumors. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 30-36.	1.1	18
29	SHP2 is induced by the HBx-NF- κ B pathway and contributes to fibrosis during human early hepatocellular carcinoma development. <i>Oncotarget</i> , 2017, 8, 27263-27276.	1.8	17
30	Clinicopathological Features and Prognosis of Hepatic Epithelioid Hemangioendothelioma After Liver Resection and Transplantation. <i>Annals of Transplantation</i> , 2016, 21, 784-790.	0.9	17
31	Loss of Progesterone Receptor Expression Is an Early Tumorigenesis Event Associated with Tumor Progression and Shorter Survival in Pancreatic Neuroendocrine Tumor Patients. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 388-395.	1.1	17
32	Genomic Alterations in the RB Pathway Indicate Prognostic Outcomes of Early-Stage Lung Adenocarcinoma. <i>Clinical Cancer Research</i> , 2015, 21, 2613-2623.	7.0	16
33	Comprehensive characterization of viral integrations and genomic aberrations in HBV-infected intrahepatic cholangiocarcinomas. <i>Hepatology</i> , 2022, 75, 997-1011.	7.3	16
34	Presence of eosinophilic precursors in the human thymus: Evidence for intra-thymic differentiation of cells in eosinophilic lineage. <i>Pathology International</i> , 1995, 45, 655-662.	1.3	15
35	A Case of Acute Q Fever Hepatitis Diagnosed by F-18 FDG PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2012, 46, 125-128.	1.0	15
36	Validation of the eighth edition of the American Joint Committee on Cancer staging system for ampulla of Vater cancer. <i>Surgery</i> , 2018, 163, 1071-1079.	1.9	15

#	ARTICLE	IF	CITATIONS
37	Xanthogranulomatous cholecystitis shows overlapping histological features with IgG4-related cholecystitis. <i>Histopathology</i> , 2018, 72, 569-579.	2.9	15
38	Altered AKAP12 expression in portal fibroblasts and liver sinusoids mediates transition from hepatic fibrogenesis to fibrosis resolution. <i>Experimental and Molecular Medicine</i> , 2018, 50, 1-13.	7.7	14
39	Pathology-MRI Correlation of Hepatocarcinogenesis: Recent Update. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 218-229.	1.1	12
40	Morphological and biochemical analysis of anti-nuclear matrix protein antibodies in human sera. <i>Journal of Korean Medical Science</i> , 1999, 14, 27.	2.5	11
41	Clinical features, outcomes, and genetic analysis in Korean children with Alagille syndrome. <i>Pediatrics International</i> , 2015, 57, 552-557.	0.5	11
42	Extrafollicular reticulum cells in pathologic lymph nodes. <i>Journal of Korean Medical Science</i> , 1994, 9, 9.	2.5	10
43	Fibrosing cholestatic hepatitis: a report of three cases. <i>Journal of Korean Medical Science</i> , 2000, 15, 111.	2.5	10
44	Magnetic Resonance Imaging Findings of Biliary Adenofibroma. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2019, 74, 356.	0.4	10
45	Molecular detection of <i>Coxiella burnetii</i> from the formalin-fixed tissues of Q fever patients with acute hepatitis. <i>PLoS ONE</i> , 2017, 12, e0180237.	2.5	10
46	Isocitrate dehydrogenase as a marker of centrilobular hepatic necrosis in the experimental model of rats1. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2001, 16, 328-332.	2.8	9
47	Genomic change in hepatitis B virus associated with development of hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2016, 22, 5393.	3.3	9
48	Guanabenz Acetate Induces Endoplasmic Reticulum Stress-Related Cell Death in Hepatocellular Carcinoma Cells. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 94-103.	1.1	9
49	The clinical implications of G1-G6 transcriptomic signature and 5-gene score in Korean patients with hepatocellular carcinoma. <i>BMC Cancer</i> , 2018, 18, 571.	2.6	8
50	Pancreatic serous cystic neoplasms accompanying other pancreatic tumors. <i>Human Pathology</i> , 2017, 60, 104-113.	2.0	7
51	Progressive Familial Intrahepatic Cholestasis in Korea: A Clinicopathological Study of Five Patients. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 253-260.	1.1	7
52	Expression of promyelocytic leukemia protein increases during the differentiation of human neuroblastoma cells. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003, 442, 278-283.	2.8	6
53	Notch3 signaling is associated with MUC5AC expression and favorable prognosis in patients with small intestinal adenocarcinomas. <i>Pathology Research and Practice</i> , 2014, 210, 501-507.	2.3	6
54	Prognostic Molecular Indices of Resectable Hepatocellular Carcinoma: Implications of S100P for Early Recurrence. <i>Annals of Surgical Oncology</i> , 2021, 28, 6466-6478.	1.5	6

#	ARTICLE	IF	CITATIONS
55	Clinicopathological and molecular characterization of chromophobe hepatocellular carcinoma. <i>Liver International</i> , 2021, 41, 2499-2510.	3.9	6
56	Hepatocellular Carcinoma Arising in a Huge Hepatocellular Adenoma with Bone Marrow Metaplasia. <i>Journal of Pathology and Translational Medicine</i> , 2018, 52, 226-231.	1.1	6
57	Histological expression of methionine adenosyl transferase (MAT) 2A as a post-surgical prognostic surrogate in patients with hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2018, 117, 892-901.	1.7	5
58	C-reactive Protein Overexpression in the Background Liver of Hepatitis B Virus-Associated Hepatocellular Carcinoma Is a Prognostic Biomarker. <i>Journal of Pathology and Translational Medicine</i> , 2018, 52, 267-274.	1.1	5
59	Kinase anchoring protein 12 is downregulated in human hepatocellular carcinoma and its deficiency in mice aggravates thioacetamide-induced liver injury. <i>Oncology Letters</i> , 2018, 16, 5907-5915.	1.8	4
60	CT Features of Primary Graft Nonfunction after Liver Transplantation. <i>Radiology</i> , 2016, 281, 465-473.	7.3	3
61	Clinical Outcome of Surgically Resected Pancreatic Intraductal Papillary Mucinous Neoplasm According to the Marginal Status: A Single Center Experience. <i>Korean Journal of Pathology</i> , 2010, 44, 410.	1.3	3
62	Standardising the histological assessment of late post-transplant biopsies from paediatric liver allograft recipients. <i>Liver Transplantation</i> , 2022, , .	2.4	3
63	Clinicobiochemical prediction of biopsy-proven cases of severe hepatic fibrosis in patients with chronic hepatitis C infection. <i>BMJ Open</i> , 2014, 4, e006255.	1.9	2
64	Role of 15-hydroxyprostaglandin dehydrogenase down-regulation on the prognosis of hepatocellular carcinoma. <i>Clinical and Molecular Hepatology</i> , 2014, 20, 28.	8.9	2
65	Two Cases of Pediatric Collagenous Gastritis Each Presenting with Refractory Iron Deficiency Anemia and Chronic Diarrhea. <i>Pediatric Gastroenterology, Hepatology and Nutrition</i> , 2012, 15, 183.	1.2	1
66	Clinical validity of Metroticket calculator in transplant patients undergoing prior chemoembolization for hepatocellular carcinoma. <i>Hepatology International</i> , 2017, 11, 209-219.	4.2	1
67	Value of discrepancy of the central scar-like structure between dynamic CT and gadoxetate disodium-enhanced MRI in differentiation of focal nodular hyperplasia and hepatocellular adenoma. <i>European Journal of Radiology</i> , 2021, 139, 109730.	2.6	1
68	Thymic epithelial cells of severe combined immunodeficiency (SCID) mice. <i>Journal of Korean Medical Science</i> , 1994, 9, 35.	2.5	0
69	Endodermal sinus tumor: immunophenotypic expression of a carcinoma. <i>Journal of Korean Medical Science</i> , 1994, 9, 93.	2.5	0
70	Overexpression of promyelocytic leukemia protein is correlated with poor prognostic markers in hepatocellular carcinoma. <i>Basic and Applied Pathology</i> , 2008, 1, 39-45.	0.2	0
71	Distribution of hepatic stem cell markers in human liver with massive hepatic necrosis. <i>Basic and Applied Pathology</i> , 2010, 3, 39-45.	0.2	0
72	Clinicopathologic Analysis of the Liver Explant with Severe Hepatitis A Virus Infection. <i>Korean Journal of Pathology</i> , 2011, 45, S48.	1.3	0

#	ARTICLE	IF	CITATIONS
73	The effects of immune checkpoint modulators on the clinical course of patients with resectable hepatocellular carcinoma. <i>Journal of Liver Cancer</i> , 2022, 22, 40-50.	1.1	0