

H-M Chang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2271155/h-m-chang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

134
papers

3,022
citations

30
h-index

48
g-index

140
ext. papers

3,815
ext. citations

5.1
avg, IF

5.61
L-index

#	Paper	IF	Citations
134	Connective tissue growth factor mediates bone morphogenetic protein 2-induced increase in hyaluronan production in luteinized human granulosa cells.. <i>Reproductive Biology and Endocrinology</i> , 2022 , 20, 65	5	
133	BMP2 suppresses the production of pentraxin 3 in human endometrial stromal and decidual stromal cells.. <i>FASEB Journal</i> , 2022 , 36, e22319	0.9	1
132	Recent progress in the treatment of women with diminished ovarian reserve. <i>Gynecology and Obstetrics Clinical Medicine</i> , 2021 ,		1
131	Bone morphogenetic protein 2 inhibits growth differentiation factor 8-induced cell signaling via upregulation of gremlin2 expression in human granulosa-lutein cells. <i>Reproductive Biology and Endocrinology</i> , 2021 , 19, 173	5	1
130	Raman spectroscopy of follicular fluid and plasma with machine-learning algorithms for polycystic ovary syndrome screening. <i>Molecular and Cellular Endocrinology</i> , 2021 , 523, 111139	4.4	7
129	Roles of TGF- β Superfamily Proteins in Extravillous Trophoblast Invasion. <i>Trends in Endocrinology and Metabolism</i> , 2021 , 32, 170-189	8.8	10
128	BONE MORPHOGENETIC PROTEIN 2 PROMOTES HUMAN TROPHOBLAST CELL INVASION AND ENDOTHELIAL-LIKE TUBE FORMATION THROUGH ID1-MEDIATED UP-REGULATION OF IGF BINDING PROTEIN-3. <i>Journal of Hypertension</i> , 2021 , 39, e340	1.9	
127	A Lancet Commission on 70 years of women's reproductive, maternal, newborn, child, and adolescent health in China. <i>Lancet, The</i> , 2021 , 397, 2497-2536	40	38
126	Outcomes comparison of IVF/ICSI among different trigger methods for final oocyte maturation: A systematic review and meta-analysis. <i>FASEB Journal</i> , 2021 , 35, e21696	0.9	2
125	The interleukin 6 trans-signaling increases prostaglandin E2 production in human granulosa cells. <i>Biology of Reproduction</i> , 2021 , 105, 1189-1204	3.9	
124	Gonadotropin-releasing hormone analogs: Mechanisms of action and clinical applications in female reproduction. <i>Frontiers in Neuroendocrinology</i> , 2021 , 60, 100876	8.9	3
123	Melatonin improves the effect of cryopreservation on human oocytes by suppressing oxidative stress and maintaining the permeability of the oolemma. <i>Journal of Pineal Research</i> , 2021 , 70, e12707	10.4	14
122	The BMP2 Signaling Axis Promotes Invasive Differentiation of Human Trophoblasts. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 607332	5.7	6
121	Bone morphogenetic protein 2 upregulates SERPINE2 expression through noncanonical SMAD2/3 and p38 MAPK signaling pathways in human granulosa-lutein cells. <i>FASEB Journal</i> , 2021 , 35, e21845	0.9	4
120	TGF- β inhibits microvascular-like formation by decreasing VCAM1 and ICAM1 via the upregulation of SNAIL in human granulosa cells. <i>Molecular and Cellular Endocrinology</i> , 2021 , 535, 111395	4.4	0
119	BMP6 increases CD68 expression by up-regulating CTGF expression in human granulosa-lutein cells. <i>Molecular and Cellular Endocrinology</i> , 2021 , 536, 111414	4.4	
118	Dysregulated BMP2 in the Placenta May Contribute to Early-Onset Preeclampsia by Regulating Human Trophoblast Expression of Extracellular Matrix and Adhesion Molecules.. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 768669	5.7	1

117	TGF- β induces VEGF expression in human granulosa-lutein cells: a potential mechanism for the pathogenesis of ovarian hyperstimulation syndrome. <i>Experimental and Molecular Medicine</i> , 2020 , 52, 450-460	12.8	12
116	Loss of CDYL Results in Suppression of CTNNB1 and Decreased Endometrial Receptivity. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 105	5.7	10
115	TGF- β promotes vitamin D-induced prostaglandin E2 synthesis by upregulating vitamin D receptor expression in human granulosa-lutein cells. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020 , 318, E710-E722	6	4
114	TGF- β Increases GDNF Production by Upregulating the Expression of GDNF and Furin in Human Granulosa-Lutein Cells. <i>Cells</i> , 2020 , 9,	7.9	7
113	ALK4-SMAD3/4 mediates the effects of activin A on the upregulation of PAI-1 in human granulosa lutein cells. <i>Molecular and Cellular Endocrinology</i> , 2020 , 505, 110731	4.4	2
112	Transvaginal ovarian drilling followed by controlled ovarian stimulation from the next day improves ovarian response for the poor responders with polycystic ovary syndrome during IVF treatment: a pilot study. <i>Reproductive Biology and Endocrinology</i> , 2020 , 18, 7	5	2
111	Adjuvant treatment strategies in ovarian stimulation for poor responders undergoing IVF: a systematic review and network meta-analysis. <i>Human Reproduction Update</i> , 2020 , 26, 247-263	15.8	46
110	Betacellulin enhances ovarian cancer cell migration by up-regulating Connexin43 via MEK-ERK signaling. <i>Cellular Signalling</i> , 2020 , 65, 109439	4.9	5
109	Bone morphogenetic protein 2 promotes human trophoblast cell invasion and endothelial-like tube formation through ID1-mediated upregulation of IGF binding protein-3. <i>FASEB Journal</i> , 2020 , 34, 3151-3164	9.9	9
108	Bone morphogenetic protein 2 induces the activation of WNT/ β -catenin signaling and human trophoblast invasion through up-regulating BAMBI. <i>Cellular Signalling</i> , 2020 , 67, 109489	4.9	12
107	The p38 signaling pathway mediates the TGF- β -induced increase in type I collagen deposition in human granulosa cells. <i>FASEB Journal</i> , 2020 , 34, 15591-15604	0.9	3
106	ALK3-SMAD1/5 Signaling Mediates the BMP2-Induced Decrease in PGE2 Production in Human Endometrial Stromal Cells and Decidual Stromal Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 573028	5.7	4
105	BMP2 increases the production of BDNF through the upregulation of proBDNF and furin expression in human granulosa-lutein cells. <i>FASEB Journal</i> , 2020 , 34, 16129-16143	0.9	5
104	GDF8 Promotes the Cell Invasiveness in Human Trophoblasts by Upregulating the Expression of Follistatin-Like 3 Through the ALK5-SMAD2/3 Signaling Pathway. <i>Frontiers in Cell and Developmental Biology</i> , 2020 , 8, 573781	5.7	3
103	The regulation of IGFBP3 by BMP2 has a role in human endometrial remodeling. <i>FASEB Journal</i> , 2020 , 34, 15462-15479	0.9	4
102	Review: Recent advances in the understanding of the pathophysiology of neuromyelitis optica spectrum disorder. <i>Neuropathology and Applied Neurobiology</i> , 2020 , 46, 199-218	5.2	22
101	Bone morphogenetic protein 6 affects cell-cell communication by altering the expression of Connexin43 in human granulosa-lutein cells. <i>Molecular and Cellular Endocrinology</i> , 2019 , 498, 110548	4.4	1
100	TGF- β promotes hyaluronan synthesis by upregulating hyaluronan synthase 2 expression in human granulosa-lutein cells. <i>Cellular Signalling</i> , 2019 , 63, 109392	4.9	4

99	ID3 mediates the TGF- β -induced suppression of matrix metalloproteinase-1 in human granulosa cells. <i>FEBS Journal</i> , 2019 , 286, 4310-4327	5.7	4
98	SMAD-dependent signaling mediates morphogenetic protein 6-induced stimulation of connective tissue growth factor in luteinized human granulosa cells <i>Biology of Reproduction</i> , 2019 , 101, 445-456	3.9	3
97	Activin A promotes ovarian cancer cell migration by suppressing E-cadherin expression. <i>Experimental Cell Research</i> , 2019 , 382, 111471	4.2	7
96	ALK4-SMAD2/3-SMAD4 signaling mediates the activin A-induced suppression of PTX3 in human granulosa-lutein cells. <i>Molecular and Cellular Endocrinology</i> , 2019 , 493, 110485	4.4	8
95	Identification of potential metabolic biomarkers of polycystic ovary syndrome in follicular fluid by SWATH mass spectrometry. <i>Reproductive Biology and Endocrinology</i> , 2019 , 17, 45	5	19
94	Prevalence of polycystic ovary syndrome in a metabolically healthy obese population. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 146, 164-169	4	9
93	CCN2 Mediates S1P-Induced Upregulation of COX2 Expression in Human Granulosa-Lutein Cells. <i>Cells</i> , 2019 , 8,	7.9	1
92	Increased Expression of KISS1 and KISS1 Receptor in Human Granulosa Lutein Cells-Potential Pathogenesis of Polycystic Ovary Syndrome. <i>Reproductive Sciences</i> , 2019 , 26, 1429-1438	3	10
91	Neurotrophins and glial cell line-derived neurotrophic factor in the ovary: physiological and pathophysiological implications. <i>Human Reproduction Update</i> , 2019 , 25, 224-242	15.8	44
90	BMP6 increases TGF- β production by up-regulating furin expression in human granulosa-lutein cells. <i>Cellular Signalling</i> , 2019 , 55, 109-118	4.9	10
89	Potential roles for the kisspeptin/kisspeptin receptor system in implantation and placentation. <i>Human Reproduction Update</i> , 2019 , 25, 326-343	15.8	28
88	Bone morphogenetic protein 2 increases lysyl oxidase activity via up-regulation of snail in human granulosa-lutein cells. <i>Cellular Signalling</i> , 2019 , 53, 201-211	4.9	5
87	Cell-Cell Interactions in Ovarian Follicles: Role of TGF- β Superfamily Members 2019 , 107-125		2
86	Regulation of LH secretion by RFRP-3 - From the hypothalamus to the pituitary. <i>Frontiers in Neuroendocrinology</i> , 2019 , 52, 12-21	8.9	16
85	SNAIL Mediates TGF- β -Induced Downregulation of Pentraxin 3 Expression in Human Granulosa Cells. <i>Endocrinology</i> , 2018 , 159, 1644-1657	4.8	20
84	Follicular localization of growth differentiation factor 8 and its receptors in normal and polycystic ovary syndrome ovaries. <i>Biology of Reproduction</i> , 2018 , 98, 683-694	3.9	8
83	Elevated CD14CD16 Monocytes in Hyperhomocysteinemia-Associated Insulin Resistance in Polycystic Ovary Syndrome. <i>Reproductive Sciences</i> , 2018 , 25, 1629-1636	3	4
82	TGF- β up-regulates cadherin-11 expression through Snail: A potential mechanism for human trophoblast cell differentiation. <i>Cellular Signalling</i> , 2018 , 43, 55-61	4.9	11

81	Lithium chloride inhibits StAR and progesterone production through GSK-3 β and ERK1/2 signaling pathways in human granulosa-lutein cells. <i>Molecular and Cellular Endocrinology</i> , 2018 , 461, 89-99	4.4	11
80	Bone Morphogenetic Protein 2 Promotes Human Trophoblast Cell Invasion by Inducing Activin A Production. <i>Endocrinology</i> , 2018 , 159, 2815-2825	4.8	18
79	GDNF-Induced Downregulation of miR-145-5p Enhances Human Oocyte Maturation and Cumulus Cell Viability. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 2510-2521	5.6	12
78	BMP6 Downregulates GDNF Expression Through SMAD1/5 and ERK1/2 Signaling Pathways in Human Granulosa-Lutein Cells. <i>Endocrinology</i> , 2018 , 159, 2926-2938	4.8	16
77	Physiological roles of activins in the human ovary. <i>Journal of Bio-X Research</i> , 2018 , 1, 111-119	0.4	1
76	Transcriptome Landscape of Human Folliculogenesis Reveals Oocyte and Granulosa Cell Interactions. <i>Molecular Cell</i> , 2018 , 72, 1021-1034.e4	17.6	116
75	TGF- β inhibits human trophoblast cell invasion by upregulating cyclooxygenase-2. <i>Placenta</i> , 2018 , 68, 44-51	3.4	15
74	Mesenchymal stem cell-derived angiogenin promotes primordial follicle survival and angiogenesis in transplanted human ovarian tissue. <i>Reproductive Biology and Endocrinology</i> , 2017 , 15, 18	5	33
73	Hyperhomocysteinemia Promotes Insulin Resistance and Adipose Tissue Inflammation in PCOS Mice Through Modulating M2 Macrophage Polarization via Estrogen Suppression. <i>Endocrinology</i> , 2017 , 158, 1181-1193	4.8	15
72	TGF- β induces endometrial cancer cell adhesion and migration by up-regulating integrin α β via SMAD-independent MEK-ERK1/2 signaling. <i>Cellular Signalling</i> , 2017 , 34, 92-101	4.9	15
71	Kisspeptin/Kisspeptin Receptor System in the Ovary. <i>Frontiers in Endocrinology</i> , 2017 , 8, 365	5.7	55
70	Lithium Chloride Increases COX-2 Expression and PGE2 Production in a Human Granulosa-Lutein SVOG Cell Line Via a GSK-3 β /Catenin Signaling Pathway. <i>Endocrinology</i> , 2017 , 158, 2813-2825	4.8	9
69	ALK2/ALK3-BMPR2/ACVR2A Mediate BMP2-Induced Downregulation of Pentraxin 3 Expression in Human Granulosa-Lutein Cells. <i>Endocrinology</i> , 2017 , 158, 3501-3511	4.8	20
68	TGF- β Inhibits Human Trophoblast Cell Invasion by Upregulating Connective Tissue Growth Factor Expression. <i>Endocrinology</i> , 2017 , 158, 3620-3628	4.8	25
67	Growth hormone-releasing hormone antagonist inhibits the invasiveness of human endometrial cancer cells by down-regulating twist and N-cadherin expression. <i>Oncotarget</i> , 2017 , 8, 4410-4421	3.3	9
66	Sphingosine-1-phosphate promotes ovarian cancer cell proliferation by disrupting Hippo signaling. <i>Oncotarget</i> , 2017 , 8, 27166-27176	3.3	11
65	Connective tissue growth factor mediates TGF- β -induced low-grade serous ovarian tumor cell apoptosis. <i>Oncotarget</i> , 2017 , 8, 85224-85233	3.3	7
64	SMAD1/5 mediates bone morphogenetic protein 2-induced up-regulation of BAMBI expression in human granulosa-lutein cells. <i>Cellular Signalling</i> , 2017 , 37, 52-61	4.9	12

63	Bone morphogenetic protein 2 regulates cell-cell communication by down-regulating connexin43 expression in luteinized human granulosa cells. <i>Molecular Human Reproduction</i> , 2017 , 23, 155-165	4.4	18
62	Activin A upregulates PTGS2 expression and increases PGE2 production in human granulosa-lutein cells. <i>Reproduction</i> , 2016 , 152, 655-664	3.8	11
61	hCG-induced Sprouty2 mediates amphiregulin-stimulated COX-2/PGE2 up-regulation in human granulosa cells: a potential mechanism for the OHSS. <i>Scientific Reports</i> , 2016 , 6, 31675	4.9	9
60	Oocyte-somatic cell interactions in the human ovary-novel role of bone morphogenetic proteins and growth differentiation factors. <i>Human Reproduction Update</i> , 2016 , 23, 1-18	15.8	137
59	Transforming growth factor- β increases lysyl oxidase expression by downregulating MIR29A in human granulosa lutein cells. <i>Reproduction</i> , 2016 , 152, 205-13	3.8	28
58	Sphingosine-1-phosphate induces COX-2 expression and PGE2 production in human granulosa cells through a S1P1/3-mediated YAP signaling. <i>Cellular Signalling</i> , 2016 , 28, 643-51	4.9	21
57	Growth differentiation factor 8 suppresses cell proliferation by up-regulating CTGF expression in human granulosa cells. <i>Molecular and Cellular Endocrinology</i> , 2016 , 422, 9-17	4.4	32
56	Effects of growth differentiation factor 8 on steroidogenesis in human granulosa-lutein cells. <i>Fertility and Sterility</i> , 2016 , 105, 520-8	4.8	44
55	GnRH regulates trophoblast invasion via RUNX2-mediated MMP2/9 expression. <i>Molecular Human Reproduction</i> , 2016 , 22, 119-29	4.4	28
54	TGF- β stimulates migration of type II endometrial cancer cells by down-regulating PTEN via activation of SMAD and ERK1/2 signaling pathways. <i>Oncotarget</i> , 2016 , 7, 61262-61272	3.3	20
53	Sprouty2 inhibits amphiregulin-induced down-regulation of E-cadherin and cell invasion in human ovarian cancer cells. <i>Oncotarget</i> , 2016 , 7, 81645-81660	3.3	10
52	Activin B promotes endometrial cancer cell migration by down-regulating E-cadherin via SMAD-independent MEK-ERK1/2-SNAIL signaling. <i>Oncotarget</i> , 2016 , 7, 40060-40072	3.3	14
51	Betacellulin induces Slug-mediated down-regulation of E-cadherin and cell migration in ovarian cancer cells. <i>Oncotarget</i> , 2016 , 7, 28881-90	3.3	17
50	Differential activation of noncanonical SMAD2/SMAD3 signaling by bone morphogenetic proteins causes disproportionate induction of hyaluronan production in immortalized human granulosa cells. <i>Molecular and Cellular Endocrinology</i> , 2016 , 428, 17-27	4.4	17
49	Activin A-induced increase in LOX activity in human granulosa-lutein cells is mediated by CTGF. <i>Reproduction</i> , 2016 , 152, 293-301	3.8	19
48	Connective tissue growth factor mediates growth differentiation factor 8-induced increase of lysyl oxidase activity in human granulosa-lutein cells. <i>Molecular and Cellular Endocrinology</i> , 2016 , 434, 186-98	4.4	25
47	Growth differentiation factor 8 induces SKOV3 ovarian cancer cell migration and E-cadherin down-regulation. <i>Cellular Signalling</i> , 2016 , 28, 1615-22	4.9	11
46	EGF-Induced Connexin43 Negatively Regulates Cell Proliferation in Human Ovarian Cancer. <i>Journal of Cellular Physiology</i> , 2016 , 231, 111-9	7	16

45	EpCAM is up-regulated by EGF via ERK1/2 signaling and suppresses human epithelial ovarian cancer cell migration. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 457, 256-61	3.4	10
44	Transforming growth factor- β stimulates human ovarian cancer cell migration by up-regulating connexin43 expression via Smad2/3 signaling. <i>Cellular Signalling</i> , 2015 , 27, 1956-62	4.9	22
43	Transforming growth factor- β up-regulates connexin43 expression in human granulosa cells. <i>Human Reproduction</i> , 2015 , 30, 2190-201	5.7	43
42	TGF- β up-regulates connexin43 expression: a potential mechanism for human trophoblast cell differentiation. <i>Journal of Cellular Physiology</i> , 2015 , 230, 1558-66	7	32
41	Transforming growth factor- β induces human ovarian cancer cell invasion by down-regulating E-cadherin in a Snail-independent manner. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 461, 128-35	3.4	15
40	Recombinant BMP4 and BMP7 increase activin A production by up-regulating inhibin α subunit and furin expression in human granulosa-lutein cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E375-86	5.6	26
39	BMP4 and BMP7 Suppress StAR and Progesterone Production via ALK3 and SMAD1/5/8-SMAD4 in Human Granulosa-Lutein Cells. <i>Endocrinology</i> , 2015 , 156, 4269-80	4.8	26
38	Recombinant BMP4 and BMP7 downregulate pentraxin 3 in human granulosa cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E365-74	5.6	28
37	Activin B induces human endometrial cancer cell adhesion, migration and invasion by up-regulating integrin β via SMAD2/3 signaling. <i>Oncotarget</i> , 2015 , 6, 31659-73	3.3	18
36	Activin A, B and AB decrease progesterone production by down-regulating StAR in human granulosa cells. <i>Molecular and Cellular Endocrinology</i> , 2015 , 412, 290-301	4.4	34
35	Gonadotropin-releasing hormone type II (GnRH-II) agonist regulates the motility of human decidual endometrial stromal cells: possible effect on embryo implantation and pregnancy. <i>Biology of Reproduction</i> , 2015 , 92, 98	3.9	14
34	β 1,4-Galactosyltransferase III suppresses extravillous trophoblast invasion through modifying α 5 β 1-integrin glycosylation. <i>Placenta</i> , 2015 , 36, 357-64	3.4	20
33	Growth Differentiation Factor-8 Decreases StAR Expression Through ALK5-Mediated Smad3 and ERK1/2 Signaling Pathways in Luteinized Human Granulosa Cells. <i>Endocrinology</i> , 2015 , 156, 4684-94	4.8	19
32	Growth differentiation factor 8 down-regulates pentraxin 3 in human granulosa cells. <i>Molecular and Cellular Endocrinology</i> , 2015 , 404, 82-90	4.4	30
31	Gonadotropin-releasing hormone regulates human trophoblastic cell invasion via TWIST-induced N-cadherin expression. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E19-29	5.6	23
30	Loss of Sprouty2 in human high-grade serous ovarian carcinomas promotes EGF-induced E-cadherin down-regulation and cell invasion. <i>FEBS Letters</i> , 2015 , 589, 302-9	3.8	8
29	TGF- β Up-Regulates Connective Tissue Growth Factor Expression in Human Granulosa Cells through Smad and ERK1/2 Signaling Pathways. <i>PLoS ONE</i> , 2015 , 10, e0126532	3.7	31
28	Oocyte-derived BMP15 but not GDF9 down-regulates connexin43 expression and decreases gap junction intercellular communication activity in immortalized human granulosa cells. <i>Molecular Human Reproduction</i> , 2014 , 20, 373-83	4.4	58

27	Amphiregulin induces human ovarian cancer cell invasion by down-regulating E-cadherin expression. <i>FEBS Letters</i> , 2014 , 588, 3998-4007	3.8	18
26	TGF- β induces COX-2 expression and PGE2 production in human granulosa cells through Smad signaling pathways. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E1217-26	5.6	46
25	Effects of recombinant activins on steroidogenesis in human granulosa-lutein cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E1922-32	5.6	44
24	TGF- β downregulates StAR expression and decreases progesterone production through Smad3 and ERK1/2 signaling pathways in human granulosa cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E2234-43	5.6	46
23	Theca-derived BMP4 and BMP7 down-regulate connexin43 expression and decrease gap junction intercellular communication activity in immortalized human granulosa cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E437-45	5.6	27
22	Gonadal steroids regulate the expression of aggrecanases in human endometrial stromal cells in vitro. <i>Journal of Cellular and Molecular Medicine</i> , 2013 , 17, 1325-34	5.6	10
21	Hypoxia-inducible factor 1 alpha mediates epidermal growth factor-induced down-regulation of E-cadherin expression and cell invasion in human ovarian cancer cells. <i>Cancer Letters</i> , 2013 , 329, 197-206	9.9	50
20	Antimüllerian hormone inhibits follicle-stimulating hormone-induced adenylyl cyclase activation, aromatase expression, and estradiol production in human granulosa-lutein cells. <i>Fertility and Sterility</i> , 2013 , 100, 585-92.e1	4.8	117
19	Transforming growth factor- β inhibits trophoblast cell invasion by inducing Snail-mediated down-regulation of vascular endothelial-cadherin protein. <i>Journal of Biological Chemistry</i> , 2013 , 288, 33181-92	5.4	72
18	BMP15 suppresses progesterone production by down-regulating StAR via ALK3 in human granulosa cells. <i>Molecular Endocrinology</i> , 2013 , 27, 2093-104		57
17	Transgenerational glucose intolerance with Igf2/H19 epigenetic alterations in mouse islet induced by intrauterine hyperglycemia. <i>Diabetes</i> , 2012 , 61, 1133-42	0.9	199
16	Gonadotrophin-releasing hormone antagonist induces apoptosis in human decidual stromal cells: effect on GADD45 and MAPK signaling. <i>Human Reproduction</i> , 2012 , 27, 795-804	5.7	10
15	Rapid effect of GNRH1 on follicle-stimulating hormone beta gene expression in LbetaT2 mouse pituitary cells requires the progesterone receptor. <i>Biology of Reproduction</i> , 2009 , 81, 243-9	3.9	8
14	Cell motility and spreading are suppressed by HOXA4 in ovarian cancer cells: possible involvement of beta1 integrin. <i>Molecular Cancer Research</i> , 2009 , 7, 1425-37	6.6	41
13	Gonadotropin-releasing hormone type II induces apoptosis of human endometrial cancer cells by activating GADD45alpha. <i>Cancer Research</i> , 2009 , 69, 4202-8	10.1	23
12	Multiple roles of the candidate oncogene ZNF217 in ovarian epithelial neoplastic progression. <i>International Journal of Cancer</i> , 2007 , 120, 1863-73	7.5	40
11	Endocrine signaling in ovarian surface epithelium and cancer. <i>Human Reproduction Update</i> , 2007 , 13, 143-62	15.8	65
10	Extra-pituitary function of GnRH-I and GnRH-II in human reproduction. <i>FASEB Journal</i> , 2006 , 20, A352	0.9	

9	Adenosine triphosphate induces activation of caspase-3 in apoptosis of human granulosa-luteal cells. <i>Endocrine Journal</i> , 2005 , 52, 327-35	2.9	17
8	Activin receptor signaling. <i>Growth Factors</i> , 2004 , 22, 105-10	1.6	55
7	Constitutive and conditional cadherin expression in cultured human ovarian surface epithelium: influence of family history of ovarian cancer. <i>International Journal of Cancer</i> , 1999 , 81, 180-8	7.5	72
6	Constitutive and conditional cadherin expression in cultured human ovarian surface epithelium: Influence of family history of ovarian cancer 1999 , 81, 180		3
5	Interaction of prostaglandin F2alpha and gonadotropin-releasing hormone on progesterone and estradiol production in human granulosa-luteal cells. <i>Biology of Reproduction</i> , 1997 , 57, 1346-53	3.9	36
4	Long-term growth and steroidogenic potential of human granulosa-lutein cells immortalized with SV40 large T antigen. <i>Molecular and Cellular Endocrinology</i> , 1996 , 120, 169-76	4.4	110
3	Porcine calbindin-D9k gene: expression in endometrium, myometrium, and placenta in the absence of a functional estrogen response element in intron A. <i>Biology of Reproduction</i> , 1995 , 52, 115-23	3.9	27
2	Molecular cloning of the full-length cDNA encoding the human calbindin-D9k. <i>FEBS Letters</i> , 1992 , 307, 224-8	3.8	30
1	Stimulation of progesterone and prostaglandin E2 production by lipoxygenase metabolites of arachidonic acid. <i>FEBS Letters</i> , 1989 , 244, 154-8	3.8	13