## Vincent Deramecourt

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/2271208/vincent-deramecourt-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117	13,077	41	114
papers	citations	h-index	g-index
127	16,115 ext. citations	5.8	4.86
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
117	Cognitive composites for genetic frontotemporal dementia: GENFI-Cog <i>Alzheimerps Research and Therapy</i> , <b>2022</b> , 14, 10	9	Ο
116	Examining empathy deficits across familial forms of frontotemporal dementia within the GENFI cohort <i>Cortex</i> , <b>2022</b> , 150, 12-28	3.8	
115	Ce que la neuropathologie nous a appris ces 20 dernifies annéis sur les maladies cfbrales [] expression cognitive. <i>La Presse Mèlicale Formation</i> , <b>2022</b> ,	О	
114	Brain Peri-Hematomal Area, a Strategic Interface for Blood Clearance: A Human Neuropathological and Transcriptomic Study <i>Stroke</i> , <b>2022</b> , 101161STROKEAHA121037751	6.7	О
113	Conceptual framework for the definition of preclinical and prodromal frontotemporal dementia. <i>Alzheimerp</i> and Dementia, <b>2021</b> ,	1.2	2
112	Gene Expression Imputation Across Multiple Tissue Types Provides Insight Into the Genetic Architecture of Frontotemporal Dementia and Its Clinical Subtypes. <i>Biological Psychiatry</i> , <b>2021</b> , 89, 825-	. <del>8</del> 33	3
111	Primary Progressive Aphasia Associated With Mutations: New Insights Into the Nonamyloid Logopenic Variant. <i>Neurology</i> , <b>2021</b> , 97, e88-e102	6.5	5
110	Common variants in Alzheimer disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , <b>2021</b> , 12, 3417	17.4	23
109	Neutrophil extracellular traps (NETs) infiltrate haematoma and surrounding brain tissue after intracerebral haemorrhage: A post-mortem study. <i>Neuropathology and Applied Neurobiology</i> , <b>2021</b> , 47, 867-877	5.2	3
108	Impairment of episodic memory in genetic frontotemporal dementia: A GENFI study. <i>Alzheimerps and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , <b>2021</b> , 13, e12185	5.2	1
107	Progression of Behavioral Disturbances and Neuropsychiatric Symptoms in Patients With Genetic Frontotemporal Dementia. <i>JAMA Network Open</i> , <b>2021</b> , 4, e2030194	10.4	14
106	Primary progressive aphasias associated with C9orf72 expansions: Another side of the story. <i>Cortex</i> , <b>2021</b> , 145, 145-159	3.8	1
105	Characteristics and progression of patients with frontotemporal dementia in a regional memory clinic network. <i>Alzheimerps Research and Therapy</i> , <b>2021</b> , 13, 19	9	9
104	Plasma progranulin levels for frontotemporal dementia in clinical practice: a 10-year French experience. <i>Neurobiology of Aging</i> , <b>2020</b> , 91, 167.e1-167.e9	5.6	10
103	The TMEM240 Protein, Mutated in SCA21, Is Expressed in Purkinje Cells and Synaptic Terminals. <i>Cerebellum</i> , <b>2020</b> , 19, 358-369	4.3	4
102	Post-Mortem 7.0-Tesla Magnetic Resonance Imaging of the Hippocampus in Progressive Supranuclear Palsy with and without Cerebral Amyloid Angiopathy. <i>NeuroSci</i> , <b>2020</b> , 1, 115-120	1.7	
101	Isolated parkinsonism is an atypical presentation of GRN and C9orf72 gene mutations. <i>Parkinsonism and Related Disorders</i> , <b>2020</b> , 80, 73-81	3.6	5

## (2017-2020)

100	Mendelian randomization implies no direct causal association between leukocyte telomere length and amyotrophic lateral sclerosis. <i>Scientific Reports</i> , <b>2020</b> , 10, 12184	4.9	1
99	Small vessel disease pathological changes in neurodegenerative and vascular dementias concomitant with autonomic dysfunction. <i>Brain Pathology</i> , <b>2020</b> , 30, 191-202	6	18
98	Genetic meta-analysis of diagnosed Alzheimer <b>B</b> disease identifies new risk loci and implicates Alltau, immunity and lipid processing. <i>Nature Genetics</i> , <b>2019</b> , 51, 414-430	36.3	917
97	Relations between C9orf72 expansion size in blood, age at onset, age at collection and transmission across generations in patients and presymptomatic carriers. <i>Neurobiology of Aging</i> , <b>2019</b> , 74, 234.e1-234.e8	5.6	23
96	Plasma amyloid levels within the Alzheimer® process and correlations with central biomarkers. <i>Alzheimer</i> and Dementia, <b>2018</b> , 14, 858-868	1.2	70
95	Cerebral microbleeds and CSF Alzheimer biomarkers in primary progressive aphasias. <i>Neurology</i> , <b>2018</b> , 90, e1057-e1065	6.5	8
94	Magnetic resonance imaging changes following natalizumab discontinuation in multiple sclerosis patients with progressive multifocal leukoencephalopathy. <i>Multiple Sclerosis Journal</i> , <b>2018</b> , 24, 1902-19	o <del>5</del> 8	0
93	Progress toward standardized diagnosis of vascular cognitive impairment: Guidelines from the Vascular Impairment of Cognition Classification Consensus Study. <i>Alzheimerps and Dementia</i> , <b>2018</b> , 14, 280-292	1.2	136
92	Aging and cerebrovascular lesions in pure and in mixed neurodegenerative and vascular dementia brains: a neuropathological study. <i>Folia Neuropathologica</i> , <b>2018</b> , 56, 81-87	2.6	43
91	PTK2B/Pyk2 overexpression improves a mouse model of Alzheimerß disease. <i>Experimental Neurology</i> , <b>2018</b> , 307, 62-73	5.7	23
90	Immune-related genetic enrichment in frontotemporal dementia: An analysis of genome-wide association studies. <i>PLoS Medicine</i> , <b>2018</b> , 15, e1002487	11.6	77
89	Different tau species lead to heterogeneous tau pathology propagation and misfolding. <i>Acta Neuropathologica Communications</i> , <b>2018</b> , 6, 132	7.3	50
88	A C6orf10/LOC101929163 locus is associated with age of onset in C9orf72 carriers. <i>Brain</i> , <b>2018</b> , 141, 2895-2907	11.2	25
87	Genetic architecture of sporadic frontotemporal dementia and overlap with Alzheimer® and Parkinson® diseases. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2017</b> , 88, 152-164	5.5	76
86	Cerebrovascular Lesions in Mixed Neurodegenerative Dementia: A Neuropathological and Magnetic Resonance Study. <i>European Neurology</i> , <b>2017</b> , 78, 1-5	2.1	6
85	Gene-based association studies report genetic links for clinical subtypes of frontotemporal dementia. <i>Brain</i> , <b>2017</b> , 140, 1437-1446	11.2	38
84	The Vascular Impairment of Cognition Classification Consensus Study. <i>Alzheimerps and Dementia</i> , <b>2017</b> , 13, 624-633	1.2	106
83	Topographic distribution of brain iron deposition and small cerebrovascular lesions in amyotrophic lateral sclerosis and in frontotemporal lobar degeneration: a post-mortem 7.0-tesla magnetic resonance imaging study with neuropathological correlates. <i>Acta Neurologica Belgica</i> , <b>2017</b> , 117, 873-87	1.5 78	9

82	Low Prevalence and Clinical Effect of Vascular Risk Factors in Early-Onset Alzheimer <b>ß</b> Disease. Journal of Alzheimer <b>ß</b> Disease, <b>2017</b> , 60, 1045-1054	4.3	12
81	Frequency and topography of small cerebrovascular lesions in vascular and in mixed dementia: a post-mortem 7-tesla magnetic resonance imaging study with neuropathological correlates. <i>Folia Neuropathologica</i> , <b>2017</b> , 55, 31-37	2.6	5
80	Contribution to Alzheimerß disease risk of rare variants in TREM2, SORL1, and ABCA7 in 1779 cases and 1273 controls. <i>Neurobiology of Aging</i> , <b>2017</b> , 59, 220.e1-220.e9	5.6	83
79	Alcohol and psychotropic drugs: risk factors for orthostatic hypotension in elderly fallers. <i>Journal of Human Hypertension</i> , <b>2017</b> , 31, 299-304	2.6	20
78	SORL1 rare variants: a major risk factor for familial early-onset Alzheimerß disease. <i>Molecular Psychiatry</i> , <b>2016</b> , 21, 831-6	15.1	71
77	A novel Alzheimer disease locus located near the gene encoding tau protein. <i>Molecular Psychiatry</i> , <b>2016</b> , 21, 108-17	15.1	175
76	The Topography of Cortical Microinfarcts in Neurodegenerative Diseases and in Vascular Dementia: A Postmortem 7.0-Tesla Magnetic Resonance Imaging Study. <i>European Neurology</i> , <b>2016</b> , 76, 57-61	2.1	8
75	The MAPT gene is differentially methylated in the progressive supranuclear palsy brain. <i>Movement Disorders</i> , <b>2016</b> , 31, 1883-1890	7	19
74	Topographic distribution of white matter changes and lacunar infarcts in neurodegenerative and vascular dementia syndromes: A post-mortem 7.0-tesla magnetic resonance imaging study. <i>European Stroke Journal</i> , <b>2016</b> , 1, 122-129	5.6	4
73	REPLY. American Journal of Neuroradiology, <b>2016</b> , 37, E12	4.4	
73 72	REPLY. American Journal of Neuroradiology, 2016, 37, E12  Punctate pattern: A promising imaging marker for the diagnosis of natalizumab-associated PML. Neurology, 2016, 86, 1516-23	4·4 6.5	51
	Punctate pattern: A promising imaging marker for the diagnosis of natalizumab-associated PML.	6.5	51
72	Punctate pattern: A promising imaging marker for the diagnosis of natalizumab-associated PML.  Neurology, 2016, 86, 1516-23  Loss of VPS13C Function in Autosomal-Recessive Parkinsonism Causes Mitochondrial Dysfunction	6.5	
72 71	Punctate pattern: A promising imaging marker for the diagnosis of natalizumab-associated PML. <i>Neurology</i> , <b>2016</b> , 86, 1516-23  Loss of VPS13C Function in Autosomal-Recessive Parkinsonism Causes Mitochondrial Dysfunction and Increases PINK1/Parkin-Dependent Mitophagy. <i>American Journal of Human Genetics</i> , <b>2016</b> , 98, 500-Limiting Factors of Brain Donation in Neurodegenerative Diseases: The Example of French Memory	6.5 -5 <del>1</del> 13	225
7 <sup>2</sup> 7 <sup>1</sup> 7 <sup>0</sup>	Punctate pattern: A promising imaging marker for the diagnosis of natalizumab-associated PML. <i>Neurology</i> , <b>2016</b> , 86, 1516-23  Loss of VPS13C Function in Autosomal-Recessive Parkinsonism Causes Mitochondrial Dysfunction and Increases PINK1/Parkin-Dependent Mitophagy. <i>American Journal of Human Genetics</i> , <b>2016</b> , 98, 500-Limiting Factors of Brain Donation in Neurodegenerative Diseases: The Example of French Memory Clinics. <i>Journal of Alzheimerp Disease</i> , <b>2016</b> , 49, 1075-83  The topography of cortical microbleeds in frontotemporal lobar degeneration: a post-mortem	6.5 -513 4-3	225
7 <sup>2</sup> 7 <sup>1</sup> 7 <sup>0</sup>	Punctate pattern: A promising imaging marker for the diagnosis of natalizumab-associated PML. <i>Neurology</i> , <b>2016</b> , 86, 1516-23  Loss of VPS13C Function in Autosomal-Recessive Parkinsonism Causes Mitochondrial Dysfunction and Increases PINK1/Parkin-Dependent Mitophagy. <i>American Journal of Human Genetics</i> , <b>2016</b> , 98, 500-Limiting Factors of Brain Donation in Neurodegenerative Diseases: The Example of French Memory Clinics. <i>Journal of Alzheimer</i> , <i>Disease</i> , <b>2016</b> , 49, 1075-83  The topography of cortical microbleeds in frontotemporal lobar degeneration: a post-mortem 7.0-tesla magnetic resonance study. <i>Folia Neuropathologica</i> , <b>2016</b> , 54, 149-55  Reduced Tau protein expression is associated with frontotemporal degeneration with progranulin	6.5 -5¶3 4.3	225
7 <sup>2</sup> 7 <sup>1</sup> 7 <sup>0</sup> 69 68	Punctate pattern: A promising imaging marker for the diagnosis of natalizumab-associated PML. <i>Neurology</i> , <b>2016</b> , 86, 1516-23  Loss of VPS13C Function in Autosomal-Recessive Parkinsonism Causes Mitochondrial Dysfunction and Increases PINK1/Parkin-Dependent Mitophagy. <i>American Journal of Human Genetics</i> , <b>2016</b> , 98, 500-Limiting Factors of Brain Donation in Neurodegenerative Diseases: The Example of French Memory Clinics. <i>Journal of Alzheimer</i> , <i>Disease</i> , <b>2016</b> , 49, 1075-83  The topography of cortical microbleeds in frontotemporal lobar degeneration: a post-mortem 7.0-tesla magnetic resonance study. <i>Folia Neuropathologica</i> , <b>2016</b> , 54, 149-55  Reduced Tau protein expression is associated with frontotemporal degeneration with progranulin mutation. <i>Acta Neuropathologica Communications</i> , <b>2016</b> , 4, 74  The incidence of post-mortem neurodegenerative and cerebrovascular pathology in mixed	6.5 -513 4.3 2.6	2225 2 2

64	Seizures in dominantly inherited Alzheimer disease. <i>Neurology</i> , <b>2016</b> , 87, 912-9	6.5	49
63	Shared genetic contribution to Ischaemic Stroke and Alzheimerß Disease. <i>Annals of Neurology</i> , <b>2016</b> , 79, 739-747	9.4	42
62	Clusterin/Apolipoprotein J immunoreactivity is associated with white matter damage in cerebral small vessel diseases. <i>Neuropathology and Applied Neurobiology</i> , <b>2016</b> , 42, 194-209	5.2	14
61	The significance of cortical cerebellar microbleeds and microinfarcts in neurodegenerative and cerebrovascular diseases. A post-mortem 7.0-tesla magnetic resonance study with neuropathological correlates. <i>Cerebrovascular Diseases</i> , <b>2015</b> , 39, 138-43	3.2	33
60	On the identification of low allele frequency mosaic mutations in the brains of Alzheimerß disease patients. <i>Alzheimer</i> ß and Dementia, <b>2015</b> , 11, 1265-76	1.2	47
59	A geographical cluster of progressive supranuclear palsy in northern France. <i>Neurology</i> , <b>2015</b> , 85, 1293	-3@9	41
58	Brain Magnetic Susceptibility Changes in Patients with Natalizumab-Associated Progressive Multifocal Leukoencephalopathy. <i>American Journal of Neuroradiology</i> , <b>2015</b> , 36, 2296-302	4.4	23
57	Convergent genetic and expression data implicate immunity in Alzheimerß disease. <i>Alzheimerß and Dementia</i> , <b>2015</b> , 11, 658-71	1.2	146
56	Lateral Temporal Lobe: An Early Imaging Marker of the Presymptomatic GRN Disease?. <i>Journal of Alzheimerps Disease</i> , <b>2015</b> , 47, 751-9	4.3	27
55	Detection of Cortical Microbleeds in Postmortem Brains of Patients with Lewy Body Dementia: A 7.0-Tesla Magnetic Resonance Imaging Study with Neuropathological Correlates. <i>European Neurology</i> , <b>2015</b> , 74, 158-61	2.1	9
54	Topography of Cortical Microbleeds in Alzheimerß Disease with and without Cerebral Amyloid Angiopathy: A Post-Mortem 7.0-Tesla MRI Study <b>2015</b> , 6, 437-43		13
53	Unusual features of Creutzfeldt-Jakob disease followed-up in a memory clinic. <i>Journal of Neurology</i> , <b>2014</b> , 261, 696-701	5.5	8
52	Cerebral amyloid angiopathy revealed by rapidly progressing leptomeningeal lesions. <i>Journal of Neurology</i> , <b>2014</b> , 261, 1432-5	5.5	1
51	Post-mortem 7.0-tesla magnetic resonance study of cortical microinfarcts in neurodegenerative diseases and vascular dementia with neuropathological correlates. <i>Journal of the Neurological Sciences</i> , <b>2014</b> , 346, 85-9	3.2	40
50	Neuronal substrate of cognitive impairment in post-stroke dementia. <i>Brain</i> , <b>2014</b> , 137, 2404-5	11.2	4
49	Frontotemporal dementia and its subtypes: a genome-wide association study. <i>Lancet Neurology, The</i> , <b>2014</b> , 13, 686-99	24.1	207
48	Prevalence of small cerebral bleeds in patients with progressive supranuclear palsy: a neuropathological study with 7.0-Tesla magnetic resonance imaging correlates. <i>Folia Neuropathologica</i> , <b>2014</b> , 52, 421-7	2.6	4
47	Microvascular pathology and morphometrics of sporadic and hereditary small vessel diseases of the brain. <i>Brain Pathology</i> , <b>2014</b> , 24, 495-509	6	49

46	Iron deposits in post-mortem brains of patients with neurodegenerative and cerebrovascular diseases: a semi-quantitative 7.0 T magnetic resonance imaging study. <i>European Journal of Neurology</i> , <b>2014</b> , 21, 1026-31	6	39
45	Consensus brain-derived protein, extraction protocol for the study of human and murine brain proteome using both 2D-DIGE and mini 2DE immunoblotting. <i>Journal of Visualized Experiments</i> , <b>2014</b> ,	1.6	6
44	Neuron volumes in hippocampal subfields in delayed poststroke and aging-related dementias. <i>Journal of Neuropathology and Experimental Neurology</i> , <b>2014</b> , 73, 305-11	3.1	19
43	Gene-wide analysis detects two new susceptibility genes for Alzheimerß disease. <i>PLoS ONE</i> , <b>2014</b> , 9, e94661	3.7	90
42	Prevalence of cerebrovascular lesions in patients with Lewy body dementia: a neuropathological study. <i>Clinical Neurology and Neurosurgery</i> , <b>2013</b> , 115, 1094-7	2	22
41	Meta-analysis of 74,046 individuals identifies 11 new susceptibility loci for Alzheimer <b>ß</b> disease. <i>Nature Genetics</i> , <b>2013</b> , 45, 1452-8	36.3	2714
40	Superficial siderosis of the central nervous system: a post-mortem 7.0-tesla magnetic resonance imaging study with neuropathological correlates. <i>Cerebrovascular Diseases</i> , <b>2013</b> , 36, 412-7	3.2	21
39	Vascular neuropathology and cognitive decline. <i>Revue Neurologique</i> , <b>2013</b> , 169, 765-71	3	4
38	Quantitative vascular pathology and phenotyping familial and sporadic cerebral small vessel diseases. <i>Brain Pathology</i> , <b>2013</b> , 23, 547-57	6	34
37	C9ORF72 repeat expansions in the frontotemporal dementias spectrum of diseases: a flow-chart for genetic testing. <i>Journal of Alzheimerps Disease</i> , <b>2013</b> , 34, 485-99	4.3	80
36	Lentiviral delivery of the human wild-type tau protein mediates a slow and progressive neurodegenerative tau pathology in the rat brain. <i>Molecular Therapy</i> , <b>2013</b> , 21, 1358-68	11.7	27
35	Microbleeds in postmortem brains of patients with Alzheimer disease: a T2*-weighted gradient-echo 7.0 T magnetic resonance imaging study. <i>Alzheimer Disease and Associated Disorders</i> , <b>2013</b> , 27, 162-7	2.5	16
34	Reasons that prevent the inclusion of Alzheimer® disease patients in clinical trials. <i>British Journal of Clinical Pharmacology</i> , <b>2013</b> , 75, 1089-97	3.8	19
33	Neuropathology of frontotemporal lobar degeneration: a review. <i>Dementia E Neuropsychologia</i> , <b>2013</b> , 7, 19-26	2.1	16
32	Juvenile frontotemporal dementia with parkinsonism associated with tau mutation G389R. <i>Journal of Alzheimerp</i> Disease, <b>2013</b> , 37, 769-76	4.3	18
31	A new decision tree combining Abeta 1-42 and p-Tau levels in Alzheimerß diagnosis. <i>Current Alzheimer Research</i> , <b>2013</b> , 10, 357-64	3	16
30	Detection of microbleeds in post-mortem brains of patients with frontotemporal lobar degeneration: a 7.0-Tesla magnetic resonance imaging study with neuropathological correlates. <i>European Journal of Neurology</i> , <b>2012</b> , 19, 1355-60	6	26
29	The French series of autosomal dominant early onset Alzheimerß disease cases: mutation spectrum and cerebrospinal fluid biomarkers. <i>Journal of Alzheimerps Disease</i> , <b>2012</b> , 30, 847-56	4.3	94

## (2010-2012)

28	Definite behavioral variant of frontotemporal dementia with C9ORF72 expansions despite positive Alzheimerß disease cerebrospinal fluid biomarkers. <i>Journal of Alzheimerß Disease</i> , <b>2012</b> , 32, 19-22	4.3	25
27	Clinical, neuropathological, and biochemical characterization of the novel tau mutation P332S. <i>Journal of Alzheimerp Disease</i> , <b>2012</b> , 31, 741-9	4.3	22
26	Contribution of single photon emission computed tomography to the differential diagnosis of dementia in a memory clinic. <i>Journal of Alzheimerps Disease</i> , <b>2012</b> , 30, 833-45	4.3	15
25	Cerebrovascular lesions in patients with frontotemporal lobar degeneration: a neuropathological study. <i>Neurodegenerative Diseases</i> , <b>2012</b> , 9, 170-5	2.3	14
24	Staging and natural history of cerebrovascular pathology in dementia. <i>Neurology</i> , <b>2012</b> , 78, 1043-50	6.5	179
23	Methionine synthase deficiency: a rare cause of adult-onset leukoencephalopathy. <i>Neurology</i> , <b>2012</b> , 79, 386-8	6.5	12
22	Hippocampal neuronal atrophy and cognitive function in delayed poststroke and aging-related dementias. <i>Stroke</i> , <b>2012</b> , 43, 808-14	6.7	104
21	De la maladie de Pick aux dfhences fronto-temporales. <i>Bulletin De Lp</i> Academie Nationale De Medecine, <b>2012</b> , 196, 431-443	0.1	
20	Prevalence of small cerebral bleeds in patients with a neurodegenerative dementia: a neuropathological study. <i>Journal of the Neurological Sciences</i> , <b>2011</b> , 300, 63-6	3.2	63
19	Mis-splicing of Tau exon 10 in myotonic dystrophy type 1 is reproduced by overexpression of CELF2 but not by MBNL1 silencing. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2011</b> , 1812, 732-4	4 <b>2</b> .9	42
18	The impact of cerebral amyloid angiopathy on the occurrence of cerebrovascular lesions in demented patients with Alzheimer features: a neuropathological study. <i>European Journal of Neurology</i> , <b>2011</b> , 18, 913-8	6	46
17	An 88-year old woman with long-lasting parkinsonism. <i>Brain Pathology</i> , <b>2011</b> , 21, 465-8	6	
16	Sensitivity of revised diagnostic criteria for the behavioural variant of frontotemporal dementia. <i>Brain</i> , <b>2011</b> , 134, 2456-77	11.2	2970
15	Comparison of 7.0-T TB-magnetic resonance imaging of cerebral bleeds in post-mortem brain sections of Alzheimer patients with their neuropathological correlates. <i>Cerebrovascular Diseases</i> , <b>2011</b> , 31, 511-7	3.2	70
14	Hippocampal microbleed on a post-mortem t(2)*-weighted gradient-echo 7.0-tesla magnetic resonance imaging?. <i>Case Reports in Neurology</i> , <b>2011</b> , 3, 223-6	1	4
13	Prediction of pathology in primary progressive language and speech disorders. <i>Neurology</i> , <b>2010</b> , 74, 42-	<b>%</b> .5	164
12	What are the causes of pre-existing dementia in patients with intracerebral haemorrhages?. <i>Brain</i> , <b>2010</b> , 133, 3281-9	11.2	64
11	CHMP2B mutations are rare in French families with frontotemporal lobar degeneration. <i>Journal of Neurology</i> , <b>2010</b> , 257, 2032-6	5.5	19

10	Filamin-A and Myosin VI colocalize with fibrillary Tau protein in Alzheimer disease and FTDP-17 brains. <i>Brain Research</i> , <b>2010</b> , 1345, 182-9	3.7	22
9	Plasma progranulin levels predict progranulin mutation status in frontotemporal dementia patients and asymptomatic family members. <i>Brain</i> , <b>2009</b> , 132, 583-91	11.2	315
8	Bilateral temporal glioma presenting as a paraneoplastic limbic encephalitis with pure cognitive impairment. <i>Neurologist</i> , <b>2009</b> , 15, 208-11	1.6	13
7	Genome-wide association study identifies variants at CLU and CR1 associated with Alzheimer <b>B</b> disease. <i>Nature Genetics</i> , <b>2009</b> , 41, 1094-9	36.3	1819
6	Alzheimer disease with cerebrovascular disease and vascular dementia: clinical features and course compared with Alzheimer disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , <b>2009</b> , 80, 133-9	5.5	54
5	Deletion of the progranulin gene in patients with frontotemporal lobar degeneration or Parkinson disease. <i>Neurobiology of Disease</i> , <b>2008</b> , 31, 41-5	7.5	50
4	Tau as a biomarker of neurodegenerative diseases. <i>Biomarkers in Medicine</i> , <b>2008</b> , 2, 363-84	2.3	61
3	Phenotype variability in progranulin mutation carriers: a clinical, neuropsychological, imaging and genetic study. <i>Brain</i> , <b>2008</b> , 131, 732-46	11.2	275
2	Absence of beta-amyloid deposits after immunization in Alzheimer disease with Lewy body dementia. <i>Archives of Neurology</i> , <b>2007</b> , 64, 583-7		57
1	Biochemical staging of synucleinopathy and amyloid deposition in dementia with Lewy bodies. Journal of Neuropathology and Experimental Neurology, <b>2006</b> , 65, 278-88	3.1	75