
Anna Listkowska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2272290/publications.pdf Version: 2024-02-01



| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Results of an international comparison of activity measurements of 68Ge. Applied Radiation and Isotopes, 2018, 134, 385-390. | 1.5 | 8 |
| 2 | Impurities in Tc-99m radiopharmaceutical solution obtained from Mo-100 in cyclotron. Applied Radiation and Isotopes, 2018, 134, 85-88. | 1.5 | 7 |
| 3 | Standardisation and half-life measurements of 111 In. Applied Radiation and Isotopes, 2016, 109, 345-348. | 1.5 | 5 |
| 4 | Standardization of Sm-153 solution by absolute methods. Applied Radiation and Isotopes, 2014, 87, 19-23. | 1.5 | 4 |
| 5 | Comparison of 99Tcm and 1311 in Polish hospitals, 2007. Applied Radiation and Isotopes, 2010, 68, 1278-1281. | 1.5 | 3 |
| 6 | A NEW LARGE-VOLUME METAL REFERENCE STANDARD FOR RADIOACTIVE WASTE MANAGEMENT. Radiation Protection Dosimetry, 2015, 168, ncv309. | 0.8 | 3 |
| 7 | Comparison of 131 I activity measurements at the NCBJ RC POLATOM and the ENEA-INMRI linked to the BIPM SIR system. Applied Radiation and Isotopes, 2018, 134, 380-384. | 1.5 | 2 |
| 8 | Proficiency test of 90Y and 89Sr activity measurements in Polish hospitals. Applied Radiation and Isotopes, 2014, 87, 24-26. | 1.5 | 0 |
| 9 | Bilateral comparison of 14C activity measurements at the NCBJ RC POLATOM and the ENEA-INMRI. Journal of Radioanalytical and Nuclear Chemistry, 2017, 314, 721-725. | 1.5 | 0 |
| 10 | Preparation method and quality control of multigamma volume sources with different matrices. Applied Radiation and Isotopes, 2018, 134, 126-130. | 1.5 | 0 |