

Kirill Kosilov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2273314/publications.pdf>

Version: 2024-02-01

35
papers

252
citations

932766

10
h-index

996533

15
g-index

35
all docs

35
docs citations

35
times ranked

218
citing authors

#	ARTICLE	IF	CITATIONS
1	A randomized, controlled trial of effectiveness and safety of management of OAB symptoms in elderly men and women with standard-dosed combination of solifenacin and mirabegron. Archives of Gerontology and Geriatrics, 2015, 61, 212-216.	1.4	33
2	Additional correction of OAB symptoms by two anti-muscarinics for men over 50 years old with residual symptoms of moderate prostatic obstruction after treatment with Tamsulosin. Aging Male, 2015, 18, 44-48.	0.9	24
3	Cognitive functions and health-related quality of life in men with benign prostatic hyperplasia and symptoms of overactive bladder when treated with a combination of tamsulosin and solifenacin in a higher dosage. Aging Male, 2018, 21, 121-129.	0.9	23
4	Effectiveness of Solifenacin and Trosipium for Managing of Severe Symptoms of Overactive Bladder in Patients With Benign Prostatic Hyperplasia. American Journal of Men's Health, 2016, 10, 157-163.	0.7	19
5	Effectiveness of combined high-dosed trospium and solifenacin depending on severity of OAB symptoms in elderly men and women under cyclic therapy. Central European Journal of Urology, 2014, 67, 43-8.	0.2	15
6	Influence of the Short-term Intake of High Doses of Solifenacin and Trosipium on Cognitive Function and Health-Related Quality of Life in Older Women With Urinary Incontinence. International Neurourology Journal, 2018, 22, 41-50.	0.5	15
7	The optimal duration of alarm therapy use in children with primary monosymptomatic nocturnal enuresis. Journal of Pediatric Urology, 2018, 14, 447.e1-447.e6.	0.6	14
8	The effective tool for self-assessment of adherence to treatment in patients with benign prostatic obstruction and overactive bladder symptoms. Aging Male, 2017, 20, 39-44.	0.9	11
9	Maintenance of the Therapeutic Effect of Two High-Dosage Antimuscarinics in the Management of Overactive Bladder in Elderly Women. International Neurourology Journal, 2013, 17, 191.	0.5	11
10	Comparative effectiveness of combined high-dosed Trospium and Solifenacin for severe OAB symptoms in age-related aspect. International Journal of Urological Nursing, 2015, 9, 108-113.	0.1	10
11	Management of Overactive Bladder (OAB) in Elderly Men and Women with Combined, High-Dosed Antimuscarinics without Increased Side Effects. UroToday International Journal, 2013, 06, .	0.1	9
12	Night diuresis stimulation increases efficiency of alarm intervention. Journal of Pediatric Urology, 2015, 11, 261.e1-261.e5.	0.6	7
13	Treatment compliance of working persons to high-dose antimuscarinic therapies: a randomized trial. Therapeutic Advances in Urology, 2016, 8, 239-248.	0.9	7
14	Socioeconomic status and health-related quality of life among adults and older with overactive bladder. International Journal for Quality in Health Care, 2019, 31, 289-297.	0.9	7
15	Social, Economic, and Medical Factors Associated With Solifenacin Therapy Compliance Among Workers Who Suffer From Lower Urinary Tract Symptoms. International Neurourology Journal, 2016, 20, 240-249.	0.5	6
16	Health-related quality of life's dependence on socio-economic status and demographic characteristics among men with benign prostatic hyperplasia. Andrologia, 2018, 50, e12892.	1.0	5
17	The Impact of Variable Factors on the Health-Related Quality of Life in the Elderly in Japan and Russia. Current Aging Science, 2020, 13, 119-128.	0.4	5
18	Self-assessment of treatment compliance with antimuscarinic drugs and lower urinary tract condition among women with urinary incontinence. International Urogynecology Journal, 2017, 28, 1663-1669.	0.7	4

#	ARTICLE	IF	CITATIONS
19	Long-term adherence to antimuscarinic drugs when treating overactive bladder in the older: Subjective reason and objective factors. <i>Investigative and Clinical Urology</i> , 2017, 58, 109.	1.0	4
20	Effectiveness of a new tool for self-evaluation of adherence to antimuscarinic drug treatment in older patients of both sexes with urge incontinence. <i>Geriatrics and Gerontology International</i> , 2018, 18, 115-122.	0.7	4
21	The Risk of Sexual Dysfunction and Effectiveness of Treatment of Benign Prostatic Hyperplasia With Severe Lower Urinary Tract Dysfunction With Combination of Dutasteride and Solifenacin. <i>Journal of Sexual Medicine</i> , 2018, 15, 1579-1590.	0.3	3
22	Health-related quality of life and socioeconomic status of imprisoned middle-age and elderly persons. <i>Social Theory and Health</i> , 2019, 17, 75-88.	1.0	3
23	The Analysis of the Effects of Executive Functions, Working Memory and Other Factors on Medication Adherence in Elderly Men with Benign Prostatic Hyperplasia and Overactive Bladder Symptoms. <i>Current Aging Science</i> , 2020, 13, 72-80.	0.4	3
24	Efficacy of a combination of dutasteride, tadalafil, and solifenacin in the treatment of previously unsuccessful patients. <i>Asian Journal of Urology</i> , 2021, 9, 42-50.	0.5	3
25	Influence of current state of executive function and working memory on adherence to antimuscarinic therapy in older women with OAB. <i>European Journal of Obstetrics and Gynecology and Reproductive Biology: X</i> , 2019, 4, 100086.	0.6	2
26	Factors of tiroprium treatment compliance among unemployed older persons. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016, 7, 124-130.	0.7	1
27	Comparison of objective and subjective factors in the adherence to antimuscarinics when treating overactive bladder in employed persons. <i>Therapeutic Advances in Urology</i> , 2017, 9, 271-279.	0.9	1
28	Cognitive status and health-related quality of life for medical students. <i>IssledovaniĀ I Praktika V Medicine</i> , 2021, 8, 85-96.	0.1	1
29	ANALYSIS OF SELF-EVALUATION OF HEALTH AND MORBIDITY AMONG SENIOR STUDENTS OF MEDICAL AND HUMANITARIAN SPECIALTIES. <i>Social Aspects of Population Health</i> , 2019, 65, 2-2.	0.1	1
30	ADHERENCE TO INTERACTIVE COMMUNICATIONS AND SELF-ASSESSMENT OF HEALTH-RELATED QUALITY OF LIFE IN MEDICAL UNIVERSITY STUDENTS. <i>International Journal of Humanities and Social Science</i> , 2021, 12, 55-69.	0.1	1
31	Factors of adherence to treatment with tiroprium in employees. <i>Urological Science</i> , 2017, 28, 139-146.	0.2	0
32	Predictors of the quality of life of medical university students in the initial period of schooling. <i>Rossiiskii Meditsinskii Zhurnal: Organ Ministerstva Zdravookhraneniia RSFSR</i> , 2021, 27, 5-16.	0.1	0
33	SELF-ASSESSMENT OF PHYSICAL CHARACTERISTICS OF QUALITY OF LIFE, MORBIDITY, SOCIO-ECONOMIC STATUS AND ACADEMIC PERFORMANCE OF RUSSIAN AND CHINESE MEDICAL STUDENTS IN THE NEIGHBORING TERRITORIES OF THE FAR EAST. <i>Social Aspects of Population Health</i> , 2020, 66, 2-2.	0.1	0
34	The impact of the objective state and self-esteem of health on academic performance in senior students of medical and humanitarian specialties, taking into account various environmental factors. <i>IssledovaniĀ I Praktika V Medicine</i> , 2020, 7, 108-118.	0.1	0
35	Interrelation of activity in social networks, behavioral culture of health, and self-assessment of physical status among students of medical universities. <i>Rossiiskii Meditsinskii Zhurnal: Organ Ministerstva Zdravookhraneniia RSFSR</i> , 2022, 27, 543-553.	0.1	0