

# Kirill Kosilov

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2273314/publications.pdf>

Version: 2024-02-01

35  
papers

252  
citations

932766

10  
h-index

996533

15  
g-index

35  
all docs

35  
docs citations

35  
times ranked

218  
citing authors

#	ARTICLE	IF	CITATIONS
1	Interrelation of activity in social networks, behavioral culture of health, and self-assessment of physical status among students of medical universities. Rossiiskii Meditsinskii Zhurnal: Organ Ministerstva Zdravookhraneniia RSFSR, 2022, 27, 543-553.	0.1	0
2	Cognitive status and health-related quality of life for medical students. IssledovaniĀ I Praktika V Medicine, 2021, 8, 85-96.	0.1	1
3	Efficacy of a combination of dutasteride, tadalafil, and solifenacin in the treatment of previously unsuccessful patients. Asian Journal of Urology, 2021, 9, 42-50.	0.5	3
4	Predictors of the quality of life of medical university students in the initial period of schooling. Rossiiskii Meditsinskii Zhurnal: Organ Ministerstva Zdravookhraneniia RSFSR, 2021, 27, 5-16.	0.1	0
5	ADHERENCE TO INTERACTIVE COMMUNICATIONS AND SELF-ASSESSMENT OF HEALTH-RELATED QUALITY OF LIFE IN MEDICAL UNIVERSITY STUDENTS. International Journal of Humanities and Social Science, 2021, 12, 55-69.	0.1	1
6	The Analysis of the Effects of Executive Functions, Working Memory and Other Factors on Medication Adherence in Elderly Men with Benign Prostatic Hyperplasia and Overactive Bladder Symptoms. Current Aging Science, 2020, 13, 72-80.	0.4	3
7	The Impact of Variable Factors on the Health-Related Quality of Life in the Elderly in Japan and Russia. Current Aging Science, 2020, 13, 119-128.	0.4	5
8	SELF-ASSESSMENT OF PHYSICAL CHARACTERISTICS OF QUALITY OF LIFE, MORBIDITY, SOCIO-ECONOMIC STATUS AND ACADEMIC PERFORMANCE OF RUSSIAN AND CHINESE MEDICAL STUDENTS IN THE NEIGHBORING TERRITORIES OF THE FAR EAST. Social Aspects of Population Health, 2020, 66, 2-2.	0.1	0
9	The impact of the objective state and self-esteem of health on academic performance in senior students of medical and humanitarian specialties, taking into account various environmental factors. IssledovaniĀ I Praktika V Medicine, 2020, 7, 108-118.	0.1	0
10	Health-related quality of life and socioeconomic status of imprisoned middle-age and elderly persons. Social Theory and Health, 2019, 17, 75-88.	1.0	3
11	Socioeconomic status and health-related quality of life among adults and older with overactive bladder. International Journal for Quality in Health Care, 2019, 31, 289-297.	0.9	7
12	Influence of current state of executive function and working memory on adherence to antimuscarinic therapy in older women with OAB. European Journal of Obstetrics and Gynecology and Reproductive Biology: X, 2019, 4, 100086.	0.6	2
13	ANALYSIS OF SELF-EVALUATION OF HEALTH AND MORBIDITY AMONG SENIOR STUDENTS OF MEDICAL AND HUMANITARIAN SPECIALTIES. Social Aspects of Population Health, 2019, 65, 2-2.	0.1	1
14	Health-related quality of life's dependence on socio-economic status and demographic characteristics among men with benign prostatic hyperplasia. Andrologia, 2018, 50, e12892.	1.0	5
15	Effectiveness of a new tool for self-evaluation of adherence to antimuscarinic drug treatment in older patients of both sexes with urge incontinence. Geriatrics and Gerontology International, 2018, 18, 115-122.	0.7	4
16	Cognitive functions and health-related quality of life in men with benign prostatic hyperplasia and symptoms of overactive bladder when treated with a combination of tamsulosin and solifenacin in a higher dosage. Aging Male, 2018, 21, 121-129.	0.9	23
17	The Risk of Sexual Dysfunction and Effectiveness of Treatment of Benign Prostatic Hyperplasia With Severe Lower Urinary Tract Dysfunction With Combination of Dutasteride and Solifenacin. Journal of Sexual Medicine, 2018, 15, 1579-1590.	0.3	3
18	The optimal duration of alarm therapy use in children with primary monosymptomatic nocturnal enuresis. Journal of Pediatric Urology, 2018, 14, 447.e1-447.e6.	0.6	14

#	ARTICLE	IF	CITATIONS
19	Influence of the Short-term Intake of High Doses of Solifenacin and Trospium on Cognitive Function and Health-Related Quality of Life in Older Women With Urinary Incontinence. <i>International Neurourology Journal</i> , 2018, 22, 41-50.	0.5	15
20	The effective tool for self-assessment of adherence to treatment in patients with benign prostatic obstruction and overactive bladder symptoms. <i>Aging Male</i> , 2017, 20, 39-44.	0.9	11
21	Factors of adherence to treatment with trospium in employees. <i>Urological Science</i> , 2017, 28, 139-146.	0.2	0
22	Self-assessment of treatment compliance with antimuscarinic drugs and lower urinary tract condition among women with urinary incontinence. <i>International Urogynecology Journal</i> , 2017, 28, 1663-1669.	0.7	4
23	Comparison of objective and subjective factors in the adherence to antimuscarinics when treating overactive bladder in employed persons. <i>Therapeutic Advances in Urology</i> , 2017, 9, 271-279.	0.9	1
24	Long-term adherence to antimuscarinic drugs when treating overactive bladder in the older: Subjective reason and objective factors. <i>Investigative and Clinical Urology</i> , 2017, 58, 109.	1.0	4
25	Factors of trospium treatment compliance among unemployed older persons. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2016, 7, 124-130.	0.7	1
26	Treatment compliance of working persons to high-dose antimuscarinic therapies: a randomized trial. <i>Therapeutic Advances in Urology</i> , 2016, 8, 239-248.	0.9	7
27	Effectiveness of Solifenacin and Trospium for Managing of Severe Symptoms of Overactive Bladder in Patients With Benign Prostatic Hyperplasia. <i>American Journal of Men's Health</i> , 2016, 10, 157-163.	0.7	19
28	Social, Economic, and Medical Factors Associated With Solifenacin Therapy Compliance Among Workers Who Suffer From Lower Urinary Tract Symptoms. <i>International Neurourology Journal</i> , 2016, 20, 240-249.	0.5	6
29	Comparative effectiveness of combined high-dosed Trospium and Solifenacin for severe <sc>OAB</sc> symptoms in age-related aspect. <i>International Journal of Urological Nursing</i> , 2015, 9, 108-113.	0.1	10
30	Additional correction of OAB symptoms by two anti-muscarinics for men over 50 years old with residual symptoms of moderate prostatic obstruction after treatment with Tamsulosin. <i>Aging Male</i> , 2015, 18, 44-48.	0.9	24
31	A randomized, controlled trial of effectiveness and safety of management of OAB symptoms in elderly men and women with standard-dosed combination of solifenacin and mirabegron. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 212-216.	1.4	33
32	Night diuresis stimulation increases efficiency of alarm intervention. <i>Journal of Pediatric Urology</i> , 2015, 11, 261.e1-261.e5.	0.6	7
33	Effectiveness of combined high-dosed trospium and solifenacin depending on severity of OAB symptoms in elderly men and women under cyclic therapy. <i>Central European Journal of Urology</i> , 2014, 67, 43-8.	0.2	15
34	Management of Overactive Bladder (OAB) in Elderly Men and Women with Combined, High-Dosed Antimuscarinics without Increased Side Effects. <i>UroToday International Journal</i> , 2013, 06, .	0.1	9
35	Maintenance of the Therapeutic Effect of Two High-Dosage Antimuscarinics in the Management of Overactive Bladder in Elderly Women. <i>International Neurourology Journal</i> , 2013, 17, 191.	0.5	11