## Ming-Chyi Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2275571/publications.pdf

Version: 2024-02-01

430874 454955 66 1,136 18 30 g-index citations h-index papers 66 66 66 1819 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Exploration of microbiota targets for major depressive disorder and mood related traits. Journal of Psychiatric Research, 2019, 111, 74-82.	3.1	105
2	The Genetic Architecture of Depression in Individuals of East Asian Ancestry. JAMA Psychiatry, 2021, 78, 1258.	11.0	88
3	Impact of Multiple Types of Childhood Trauma Exposure on Risk of Psychiatric Comorbidity Among Alcoholic Inpatients. Alcoholism: Clinical and Experimental Research, 2012, 36, 1099-1107.	2.4	76
4	Risk of Cardiovascular Diseases and Stroke Events in Methamphetamine Users. Journal of Clinical Psychiatry, 2016, 77, 1396-1403.	2.2	74
5	Reduced Expression of Circadian Clock Genes in Male Alcoholic Patients. Alcoholism: Clinical and Experimental Research, 2010, 34, 1899-1904.	2.4	69
6	FKBP5 Moderates Alcohol Withdrawal Severity: Human Genetic Association and Functional Validation in Knockout Mice. Neuropsychopharmacology, 2014, 39, 2029-2038.	5.4	54
7	Alcohol Dependence, Consumption of Alcoholic Energy Drinks and Associated Work Characteristics in the Taiwan Working Population. Alcohol and Alcoholism, 2012, 47, 372-379.	1.6	48
8	Differential Patterns of Serum Brain-Derived Neurotrophic Factor Levels in Alcoholic Patients With and Without Delirium Tremens During Acute Withdrawal. Alcoholism: Clinical and Experimental Research, 2011, 35, 126-131.	2.4	44
9	Oxidative stress status in recently abstinent methamphetamine abusers. Psychiatry and Clinical Neurosciences, 2013, 67, 92-100.	1.8	37
10	Similar psychotic and cognitive profile between ketamine dependence with persistent psychosis and schizophrenia. Schizophrenia Research, 2018, 199, 313-318.	2.0	37
11	Familiality and clinical outcomes of sleep disturbances in major depressive and bipolar disorders. Journal of Psychosomatic Research, 2014, 76, 61-67.	2.6	32
12	Cognitive profile of ketamine-dependent patients compared with methamphetamine-dependent patients and healthy controls. Psychopharmacology, 2018, 235, 2113-2121.	3.1	26
13	Traumatic brain injury and affective disorder: A nationwide cohort study in Taiwan, 2000–2010. Journal of Affective Disorders, 2016, 191, 56-61.	4.1	24
14	Cancer incidence in people with affective disorder: nationwide cohort study in Taiwan, 1997–2010. British Journal of Psychiatry, 2014, 205, 183-188.	2.8	23
15	Orexin-A Levels in Relation to the Risk of Metabolic Syndrome in Patients with Schizophrenia Taking Antipsychotics. International Journal of Neuropsychopharmacology, 2019, 22, 28-36.	2.1	22
16	Restless legs syndrome following the combined use of quetiapine and paroxetine. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 1139-1140.	4.8	20
17	Potential benefit of lamotrigine in managing ketamine use disorder. Medical Hypotheses, 2016, 87, 97-100.	1.5	20
18	Smartphone-based support system (SoberDiary) coupled with a Bluetooth breathalyser for treatment-seeking alcohol-dependent patients. Addictive Behaviors, 2017, 65, 174-178.	3.0	20

#	Article	IF	Citations
19	Association of Craving and Depressive Symptoms in Ketamineâ€Dependent Patients Undergoing Withdrawal Treatment. American Journal on Addictions, 2020, 29, 43-50.	1.4	20
20	Orexin-A level elevation in recently abstinent male methamphetamine abusers. Psychiatry Research, 2016, 239, 9-11.	3.3	18
21	Transcriptome Changes in Relation to Manic Episode. Frontiers in Psychiatry, 2019, 10, 280.	2.6	18
22	Cystitis associated with chronic ketamine abuse. Psychiatry and Clinical Neurosciences, 2009, 63, 591-591.	1.8	15
23	Decreased Blood Levels of Oxytocin in Ketamine-Dependent Patients During Early Abstinence. Frontiers in Psychiatry, 2018, 9, 633.	2.6	14
24	Neurofilament light chain as novel blood biomarker of disturbed neuroaxonal integrity in patients with ketamine dependence. World Journal of Biological Psychiatry, 2021, 22, 713-721.	2.6	14
25	Could schizoaffective disorder, schizophrenia and bipolar I disorder be distinguishable using cognitive profiles?. Psychiatry Research, 2018, 266, 79-84.	3.3	12
26	Chronic ketamine abuse is associated with orexin-A reduction and ACTH elevation. Psychopharmacology, 2020, 237, 45-53.	3.1	12
27	Comparison of Oxidative <scp>DNA</scp> Damage Between Alcoholâ€Dependent Patients With and Without Delirium Tremens. Alcoholism: Clinical and Experimental Research, 2014, 38, 2523-2528.	2.4	11
28	Quetiapine-associated leucopenia and thrombocytopenia: a case report. BMC Psychiatry, 2015, 15, 110.	2.6	11
29	Consumption of Alcoholic Energy Drinks Is Associated with Work-related Injury or Disease Among Manual Workers in Taiwan. Alcohol and Alcoholism, 2015, 50, 458-462.	1.6	10
30	Cortisol awakening response in patients with bipolar disorder during acute episodes and partial remission: A pilot study. Psychiatry Research, 2017, 258, 594-597.	3.3	10
31	Structural, functional, and neurochemical neuroimaging of methamphetamine-associated psychosis: A systematic review. Psychiatry Research - Neuroimaging, 2019, 292, 23-31.	1.8	9
32	Relationship between metabolic syndrome and acylated/desacylated ghrelin ratio in patients with schizophrenia under olanzapine medication. Journal of Psychopharmacology, 2020, 34, 86-92.	4.0	9
33	Predicting Suicide Attempts among Treatmentâ€Seeking Male Alcoholics: An Exploratory Study. Suicide and Life-Threatening Behavior, 2013, 43, 429-438.	1.9	8
34	Different demographic and drinking profiles of motorcyclists and car drivers with the first-time offense of driving/riding under the influence of alcohol. Accident Analysis and Prevention, 2020, 134, 105330.	5 <b>.</b> 7	8
35	Alcohol Dependence in Taiwan: From Epidemiology to Biomedicine. Journal of Experimental and Clinical Medicine, 2012, 4, 108-112.	0.2	7
36	Association Between Childhood Adversities and Suicide Attempts Among Alcoholic Inpatients in Taiwan. Journal of Studies on Alcohol and Drugs, 2013, 74, 559-564.	1.0	7

#	Article	IF	CITATIONS
37	Patterns of medical utilization before the first hospitalization for women with anorexia nervosa in Taiwan. Journal of Psychosomatic Research, 2017, 102, 1-7.	2.6	7
38	Increased blood 8-hydroxy-2-deoxyguanosine levels in methamphetamine users during early abstinence. American Journal of Drug and Alcohol Abuse, 2018, 44, 395-402.	2.1	7
39	Orexin-a elevation in antipsychotic-treated compared to drug-free patients with schizophrenia: A medication effect independent of metabolic syndrome. Journal of the Formosan Medical Association, 2022, 121, 2172-2181.	1.7	7
40	Obsessive-compulsive symptoms in patients with schizophrenia: Relationships with olanzapine pharmacological parameters, psychopathology, and quality of life. Psychiatry Research, 2019, 276, 1-5.	3.3	6
41	Lack of Efficacy of Dextromethorphan in Managing Alcohol Withdrawal. Journal of Clinical Psychopharmacology, 2014, 34, 149-152.	1.4	5
42	Early treatment response predicted subsequent clinical response in patients with schizophrenia taking paliperidone extended-release. Psychiatry Research, 2015, 230, 13-18.	3.3	5
43	Increase in plasma CCL11 (Eotaxin-1) in patients with alcohol dependence and changes during detoxification. Brain, Behavior, and Immunity, 2022, 99, 83-90.	4.1	5
44	Differences in serum orexin-A levels between the acute and subacute withdrawal phases in individuals who use methamphetamine Experimental and Clinical Psychopharmacology, 2021, 29, 573-579.	1.8	5
45	Risk Factors for Sudden Cardiac Death Among Patients with Alcohol Dependence: A Nested Case–Control Study. Alcoholism: Clinical and Experimental Research, 2015, 39, 1797-1804.	2.4	4
46	No association of CYP2E1 genetic polymorphisms with alcohol dependence in Han Taiwanese population. Journal of the Formosan Medical Association, 2018, 117, 646-649.	1.7	4
47	Intraindividual association between shift work and risk of drinking problems: data from the Finnish Public Sector Cohort. Occupational and Environmental Medicine, 2021, 78, 465-471.	2.8	4
48	Exploring the mediating role of methamphetamine use in the relationship between adverse childhood experiences and attempted suicide. Addictive Behaviors, 2021, 123, 107060.	3.0	4
49	Shortened leukocyte telomere length in young adults who use methamphetamine. Translational Psychiatry, 2021, 11, 519.	4.8	4
50	Delirium Associated With Griseofulvin and Disulfiram Coadministration. Journal of Clinical Psychopharmacology, 2015, 35, 477-478.	1.4	4
51	Dose-related hyperprolactinemia induced by venlafaxine. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2009, 33, 733-734.	4.8	3
52	Photosensitivity reaction associated with selective serotonin reâ€uptake inhibitors: Possible crossâ€sensitivity?. Psychiatry and Clinical Neurosciences, 2014, 68, 244-244.	1.8	3
53	Identification and medical utilization of incident cases of alcohol dependence: A population-based case-control study. Drug and Alcohol Dependence, 2018, 188, 216-223.	3.2	3
54	Increased Nectin-4 levels in chronic ketamine abusers and the relationship with lower urinary tract symptoms. Environmental Toxicology and Pharmacology, 2021, 87, 103714.	4.0	3

#	Article	IF	CITATIONS
55	Effects of caffeinated alcoholic beverages with low alcohol and high caffeine content on cognitive and motor functions. Human Psychopharmacology, 2017, 32, e2634.	1.5	3
56	Ketamine Abuse: Past and Present. , 2020, , 1-14.		3
57	Associations of Genetic Variants of Methylenetetrahydrofolate Reductase and Serum Folate Levels with Metabolic Parameters in Patients with Schizophrenia. International Journal of Environmental Research and Public Health, 2021, 18, 11333.	2.6	3
58	Psychosis associated with high dose of <scp>Z</scp> oletil. Psychiatry and Clinical Neurosciences, 2016, 70, 364-365.	1.8	2
59	Transient anger attacks associated with bifrontal transcranial direct current stimulation. Brain Stimulation, 2017, 10, 981-982.	1.6	2
60	The possible mediating effect of alcohol dependence on the relationship between adverse childhood experiences and attempted suicide. Alcohol, 2018, 73, 9-15.	1.7	2
61	Psychiatric manifestations of paramethoxymethamphetamine users in Taiwan. Journal of the Formosan Medical Association, 2021, 121, 725-725.	1.7	2
62	Examining factors associated with postintervention recidivism in DUI repeat offenders after alcohol treatment: One-year follow-up study. Journal of Substance Abuse Treatment, 2021, 130, 108426.	2.8	2
63	Clinical correlates of inpatient adolescent drug users in Taiwan. Journal of the Formosan Medical Association, 2021, 120, 1036-1038.	1.7	1
64	Healthcare utilization and psychiatric and physical comorbidities before suicide mortality in patients with methamphetamine use disorder: A nationwide case–control study. Addictive Behaviors, 2022, 126, 107192.	3.0	1
65	Association between dopamine D2 receptor (DRD2) genetic variants and alcohol dependence in Han Chinese in Taiwan. Psychiatry Research, 2014, 220, 1174-1175.	3.3	0
66	Challenge of caring for patients with severe mental illness during the COVID-19 epidemic in Taiwan. Asian Journal of Psychiatry, 2021, 55, 102488.	2.0	0