

Fabrice Laval

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2275804/publications.pdf>

Version: 2024-02-01

18
papers

1,259
citations

567281

15
h-index

839539

18
g-index

21
all docs

21
docs citations

21
times ranked

2338
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Netrin-1 promotes naive pluripotency through Neo1 and Unc5b co-regulation of Wnt and MAPK signalling. <i>Nature Cell Biology</i> , 2020, 22, 389-400. | 10.3 | 24 |
| 2 | Cellular Pliancy and the Multistep Process of Tumorigenesis. <i>Cancer Cell</i> , 2018, 33, 164-172. | 16.8 | 79 |
| 3 | Netrin-1 regulates somatic cell reprogramming and pluripotency maintenance. <i>Nature Communications</i> , 2015, 6, 7398. | 12.8 | 34 |
| 4 | Regulation by miR181 Family of the Dependence Receptor CDON Tumor Suppressive Activity in Neuroblastoma. <i>Journal of the National Cancer Institute</i> , 2014, 106, . | 6.3 | 27 |
| 5 | Pluripotent genes in avian stem cells. <i>Development Growth and Differentiation</i> , 2013, 55, 41-51. | 1.5 | 16 |
| 6 | Dependence receptor TrkC is a putative colon cancer tumor suppressor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3017-3022. | 7.1 | 85 |
| 7 | Ncoa3 functions as an essential Esrrb coactivator to sustain embryonic stem cell self-renewal and reprogramming. <i>Genes and Development</i> , 2012, 26, 2286-2298. | 5.9 | 84 |
| 8 | Bmi1 facilitates primitive endoderm formation by stabilizing Gata6 during early mouse development. <i>Genes and Development</i> , 2012, 26, 1445-1458. | 5.9 | 21 |
| 9 | MicroRNA Regulation of Cbx7 Mediates a Switch of Polycomb Orthologs during ESC Differentiation. <i>Cell Stem Cell</i> , 2012, 10, 33-46. | 11.1 | 191 |
| 10 | Astacinâ€like metalloâ€endopeptidase is dynamically expressed in embryonic stem cells and embryonic epithelium during morphogenesis. <i>Developmental Dynamics</i> , 2012, 241, 574-582. | 1.8 | 10 |
| 11 | Reprogramming capacity of Nanog is functionally conserved in vertebrates and resides in a unique homeodomain. <i>Development (Cambridge)</i> , 2011, 138, 4853-4865. | 2.5 | 69 |
| 12 | Reprogramming capacity of Nanog is functionally conserved in vertebrates and resides in a unique homeodomain. <i>Journal of Cell Science</i> , 2011, 124, e1-e1. | 2.0 | 0 |
| 13 | Chicken embryonic stem cells as a nonâ€mammalian embryonic stem cell model. <i>Development Growth and Differentiation</i> , 2010, 52, 101-114. | 1.5 | 36 |
| 14 | Ring1B and Suv39h1 delineate distinct chromatin states at bivalent genes during early mouse lineage commitment. <i>Development (Cambridge)</i> , 2010, 137, 2483-2492. | 2.5 | 102 |
| 15 | Role of miR-34c microRNA in the late steps of spermatogenesis. <i>Rna</i> , 2010, 16, 720-731. | 3.5 | 239 |
| 16 | Ectopic expression of Cvh (Chicken Vasa homologue) mediates the reprogramming of chicken embryonic stem cells to a germ cell fate. <i>Developmental Biology</i> , 2009, 330, 73-82. | 2.0 | 62 |
| 17 | The Oct4 homologue PouV and Nanog regulate pluripotency in chicken embryonic stem cells. <i>Development (Cambridge)</i> , 2007, 134, 3549-3563. | 2.5 | 175 |
| 18 | Chicken Stem Cells as a Model to Generate Transgenic Chicken: Present and Perspectives. <i>Journal of Poultry Science</i> , 2006, 43, 313-322. | 1.6 | 2 |