

# Qifa Song

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2276210/publications.pdf>

Version: 2024-02-01

32  
papers

1,595  
citations

933447

10  
h-index

434195

31  
g-index

34  
all docs

34  
docs citations

34  
times ranked

3964  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical and epidemiological features of 36 children with coronavirus disease 2019 (COVID-19) in Zhejiang, China: an observational cohort study. <i>Lancet Infectious Diseases</i> , The, 2020, 20, 689-696.	9.1	966
2	Assessment of Hypokalemia and Clinical Characteristics in Patients With Coronavirus Disease 2019 in Wenzhou, China. <i>JAMA Network Open</i> , 2020, 3, e2011122.	5.9	184
3	Decontamination of surgical face masks and N95 respirators by dry heat pasteurization for one hour at 70°C. <i>American Journal of Infection Control</i> , 2020, 48, 880-882.	2.3	95
4	Identification of <i>Staphylococcus argenteus</i> in Eastern China based on a nonribosomal peptide synthetase (NRPS) gene. <i>Future Microbiology</i> , 2016, 11, 1113-1121.	2.0	52
5	Overview of the development of quinolone resistance in <i>Salmonella</i> species in China, 2005&ndash;2016. <i>Infection and Drug Resistance</i> , 2018, Volume 11, 267-274.	2.7	27
6	Absent immune response to SARS-CoV-2 in a 3-month recurrence of coronavirus disease 2019 (COVID-19) case. <i>Infection</i> , 2021, 49, 57-61.	4.7	25
7	Lack of Associations between Elevated Serum Uric Acid and Components of Metabolic Syndrome Such as Hypertension, Dyslipidemia, and T2DM in Overweight and Obese Chinese Adults. <i>Journal of Diabetes Research</i> , 2019, 2019, 1-8.	2.3	18
8	Î²-Haemolytic group A streptococci emm75 carrying altered pyrogenic exotoxin A linked to scarlet fever in adults. <i>Journal of Infection</i> , 2008, 56, 261-267.	3.3	15
9	Exposure to SARS-CoV-2 in a high transmission setting increases the risk of severe COVID-19 compared with exposure to a low transmission setting?. <i>Journal of Travel Medicine</i> , 2020, 27, .	3.0	14
10	Prevalence and Characteristics of Enterotoxin B-Producing <i>Staphylococcus aureus</i> Isolated from Food Sources: A Particular Cluster of ST188 Strains was Identified. <i>Journal of Food Science</i> , 2016, 81, M715-8.	3.1	11
11	K-means clustering of overweight and obese population using quantile-transformed metabolic data. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019, Volume 12, 1573-1582.	2.4	11
12	Genetically Similar Isolates of <i>Salmonella enterica</i> Serotype Enteritidis Persistent in China for a Long-Term Period. <i>Journal of Food Science</i> , 2016, 81, M1778-81.	3.1	9
13	<i>Salmonella</i> Species' Persistence and Their High Level of Antimicrobial Resistance in Flooded Man-Made Rivers in China. <i>Microbial Drug Resistance</i> , 2018, 24, 1404-1411.	2.0	9
14	Profiles of <i>gyrA</i> Mutations and Plasmid-Mediated Quinolone Resistance Genes in <i>Shigella</i> Isolates with Different Levels of Fluoroquinolone Susceptibility. <i>Infection and Drug Resistance</i> , 2020, Volume 13, 2285-2290.	2.7	9
15	Phenotypic and Genotypic Characterization of <i>Salmonella enterica</i> Serovar Enteritidis Isolates Associated with a Mousse Cake-Related Outbreak of Gastroenteritis in Ningbo, China. <i>Foodborne Pathogens and Disease</i> , 2015, 12, 433-440.	1.8	8
16	Epidemiological Characteristics and Clinical Treatment Outcome of Typhoid Fever in Ningbo, China, 2005&ndash;2014: Pulsed-Field Gel Electrophoresis Results Revealing Great Proportion of Common Transmission Sources. <i>Japanese Journal of Infectious Diseases</i> , 2017, 70, 513-517.	1.2	8
17	Predominance of community-associated sequence type 59 methicillin-resistant <i>Staphylococcus aureus</i> in a paediatric intensive care unit. <i>Journal of Medical Microbiology</i> , 2018, 67, 408-414.	1.8	8
18	High Prevalence and Properties of Enterotoxin-Producing <i>Staphylococcus aureus</i> ST5 Strains of Food Sources in China. <i>Foodborne Pathogens and Disease</i> , 2016, 13, 386-390.	1.8	7

#	ARTICLE	IF	CITATIONS
19	Clinical features and follow-up of pediatric patients hospitalized for COVID-19. <i>Pediatric Pulmonology</i> , 2021, 56, 1967-1975.	2.0	7
20	Fluoroquinolone resistance in multidrug-resistant <i>Mycobacterium tuberculosis</i> independent of fluoroquinolone use. <i>European Respiratory Journal</i> , 2017, 50, 1701633.	6.7	6
21	Analysis of Inflammatory and Homeostatic Roles of Tissue-resident Macrophages in the Progression of Cholesteatoma by RNA-Seq. <i>Immunological Investigations</i> , 2021, 50, 609-621.	2.0	5
22	Time-Series Analysis of Continuous Glucose Monitoring Data to Predict Treatment Efficacy in Patients with T2DM. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 2187-2197.	3.6	5
23	Characterization of enterotoxin A-producing <i>Staphylococcus aureus</i> . <i>Infection and Drug Resistance</i> , 2018, Volume 11, 531-538.	2.7	3
24	Characterization of ciprofloxacin-resistant and ESBL-producing <i>Salmonella</i> enteric serotype Derby in Eastern China. <i>BMC Microbiology</i> , 2019, 19, 61.	3.3	3
25	Toward a clinically based classification of disease severity for paediatric COVID-19 – Authors' reply. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 22-23.	9.1	3
26	Categorization of $\beta$ -cell capacity in patients with obesity via OGTT using K-means clustering. <i>Endocrine Connections</i> , 2020, 9, 135-143.	1.9	3
27	Changing antimicrobial resistance patterns and trends of <i>Shigella</i> isolates in Ningbo, mid-east China, 2005–2013. <i>International Journal of Antimicrobial Agents</i> , 2015, 45, 559-560.	2.5	2
28	Expansion of <i>Salmonella</i> Typhi clonal lineages with ampicillin resistance and reduced ciprofloxacin susceptibility in Eastern China. <i>Infection and Drug Resistance</i> , 2019, Volume 12, 2215-2221.	2.7	2
29	Construction of <i>Neisseria gonorrhoeae</i> porin B plasmid recombinant and its expression in <i>E. coli</i> . <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2005, 25, 251-253.	1.0	1
30	Methicillin-sensitive <i>Staphylococcus aureus</i> and emerging dominant sequence type 188 <i>Staphylococcus aureus</i> in severe community-associated infections. <i>International Journal of Antimicrobial Agents</i> , 2018, 51, 533-534.	2.5	1
31	Relationship Between Thyroid Hormone and Liver Steatosis Analysis Parameter in Obese Participants: A Case-Control Study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2022, Volume 15, 887-896.	2.4	1
32	Antimicrobial resistance, virulence, and molecular characterization of aquatic, clinical, and environmental <i>Vibrio parahaemolyticus</i> isolated from Ningbo, China. <i>Journal of Food Safety</i> , 2019, 39, e12650.	2.3	0