Susan J Bartlett

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2277141/publications.pdf Version: 2024-02-01

		29994	33814
262	11,324	54	99
papers	citations	h-index	g-index
273	273	273	12192
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Relationship of Physical Activity and Television Watching With Body Weight and Level of Fatness Among Children. JAMA - Journal of the American Medical Association, 1998, 279, 938.	3.8	1,059
2	Television Watching, Energy Intake, and Obesity in US Children. JAMA Pediatrics, 2001, 155, 360.	3.6	648
3	Effects of Lifestyle Activity vs Structured Aerobic Exercise in Obese Women <subtitle>A Randomized Trial</subtitle> . JAMA - Journal of the American Medical Association, 1999, 281, 335.	3.8	538
4	Improving the content validity of the mixed methods appraisal tool: aÂmodified e-Delphi study. Journal of Clinical Epidemiology, 2019, 111, 49-59.e1.	2.4	441
5	Patient adherence in COPD. Thorax, 2008, 63, 831-838.	2.7	403
6	Tumor necrosis factor inhibitor therapy and risk of serious postoperative orthopedic infection in rheumatoid arthritis. Arthritis and Rheumatism, 2006, 55, 333-337.	6.7	245
7	Maternal Depressive Symptoms and Adherence to Therapy in Inner-City Children With Asthma. Pediatrics, 2004, 113, 229-237.	1.0	210
8	Abnormal body composition phenotypes in older rheumatoid arthritis patients: Association with disease characteristics and pharmacotherapies. Arthritis and Rheumatism, 2008, 59, 807-815.	6.7	197
9	Childhood Asthma and the Indoor Environment. Chest, 1991, 100, 922-926.	0.4	182
10	Exercise in the treatment of obesity: Effects of four interventions on body composition, resting energy expenditure, appetite, and mood Journal of Consulting and Clinical Psychology, 1997, 65, 269-277.	1.6	180
11	Reliability and Validity of Selected PROMIS Measures in People with Rheumatoid Arthritis. PLoS ONE, 2015, 10, e0138543.	1.1	164
12	The Association Between Depression, Lung Function, and Health-Related Quality of Life Among Adults With Cystic Fibrosis. Chest, 2007, 132, 231-237.	0.4	163
13	Maternal Depressive Symptoms and Emergency Department Use Among Inner-city Children With Asthma. JAMA Pediatrics, 2001, 155, 347.	3.6	154
14	Emerging Guidelines for Patient Engagement in Research. Value in Health, 2017, 20, 481-486.	0.1	144
15	Can Inexpensive Signs Encourage the Use of Stairs? Results from a Community Intervention. Annals of Internal Medicine, 1998, 129, 363.	2.0	142
16	Impact of weight loss on health-related quality of life. Quality of Life Research, 1999, 8, 275-277.	1.5	136
17	The Role of Weight Management in the Treatment of Adult Obstructive Sleep Apnea. An Official American Thoracic Society Clinical Practice Guideline. American Journal of Respiratory and Critical Care Medicine, 2018, 198, e70-e87.	2.5	136
18	Relationship between Body Weight Gain and Significant Knee, Hip, and Back Pain in Older Americans. Obesity, 2003, 11, 1159-1162.	4.0	132

#	Article	IF	CITATIONS
19	Identifying core domains to assess flare in rheumatoid arthritis: an OMERACT international patient and provider combined Delphi consensus. Annals of the Rheumatic Diseases, 2012, 71, 1855-1860.	O.5	131
20	The case for an international patient-reported outcomes measurement information system (PROMIS®) initiative. Health and Quality of Life Outcomes, 2013, 11, 210.	1.0	127
21	Efficacy of Sibutramine for the Treatment of Binge Eating Disorder: A Randomized Multicenter Placebo-Controlled Double-Blind Study. American Journal of Psychiatry, 2008, 165, 51-58.	4.0	126
22	A controlled comparison of three very-low-calorie diets: effects on weight, body composition, and symptoms. American Journal of Clinical Nutrition, 1992, 55, 811-817.	2.2	121
23	'I'm hurting, I want to kill myself': rheumatoid arthritis flare is more than a high joint countan international patient perspective on flare where medical help is sought. Rheumatology, 2012, 51, 69-76.	0.9	121
24	Association of autoimmunity to peptidyl arginine deiminase type 4 with genotype and disease severity in rheumatoid arthritis. Arthritis and Rheumatism, 2008, 58, 1958-1967.	6.7	119
25	Health-related quality of life among obese persons seeking and not currently seeking treatment. , 2000, 27, 101-105.		117
26	Optimal Strategies for Reporting Pain in Clinical Trials and Systematic Reviews: Recommendations from an OMERACT 12 Workshop. Journal of Rheumatology, 2015, 42, 1962-1970.	1.0	116
27	Association of body composition with disability in rheumatoid arthritis: Impact of appendicular fat and lean tissue mass. Arthritis and Rheumatism, 2008, 59, 1407-1415.	6.7	114
28	Patient-reported outcomes: pathways to better health, better services, and better societies. Quality of Life Research, 2016, 25, 1103-1112.	1.5	107
29	The Scleroderma Patient-centered Intervention Network (SPIN) Cohort: protocol for a cohort multiple randomised controlled trial (cmRCT) design to support trials of psychosocial and rehabilitation interventions in a rare disease context. BMJ Open, 2013, 3, e003563.	0.8	104
30	Early Administration of Systemic Corticosteroids Reduces Hospital Admission Rates for Children With Moderate and Severe Asthma Exacerbation. Annals of Emergency Medicine, 2012, 60, 84-91.e3.	0.3	100
31	Enhancing Medication Adherence Among Inner-City Children with Asthma: Results from Pilot Studies. Journal of Asthma, 2002, 39, 47-54.	0.9	99
32	OMERACT Filter 2.1: Elaboration of the Conceptual Framework for Outcome Measurement in Health Intervention Studies. Journal of Rheumatology, 2019, 46, 1021-1027.	1.0	97
33	Environmental tobacco smoke exposure and nocturnal symptoms among inner-city children with asthma. Journal of Allergy and Clinical Immunology, 2002, 110, 147-153.	1.5	96
34	Behavioral treatment of obese binge eaters: do they need different care?. Journal of Psychosomatic Research, 1998, 44, 375-384.	1.2	94
35	Randomized trial of the effect of drug presentation on asthma outcomes: The American Lung Association Asthma Clinical Research Centers. Journal of Allergy and Clinical Immunology, 2009, 124, 436-444.e8.	1.5	94
36	Using eHealth Technologies: Interests, Preferences, and Concerns of Older Adults. Interactive Journal of Medical Research, 2017, 6, e3.	0.6	94

#	Article	IF	CITATIONS
37	Depressive Symptoms and Adherence to Asthma Therapy After Hospital Discharge. Chest, 2006, 130, 1034-1038.	0.4	92
38	Relationship of dieting history to resting metabolic rate, body composition, eating behavior, and subsequent weight loss. American Journal of Clinical Nutrition, 1992, 56, 203S-208S.	2.2	87
39	Impact of Interview Mode on Accuracy of Child and Parent Report of Adherence With Asthma-Controller Medication. Pediatrics, 2007, 120, e471-e477.	1.0	87
40	Relation of weight loss to changes in serum lipids and lipoproteins in obese women. American Journal of Clinical Nutrition, 1995, 62, 350-357.	2.2	82
41	Montreal Accord on Patient-Reported Outcomes (PROs) use series – Paper 3: patient-reported outcomes can facilitate shared decision-making and guide self-management. Journal of Clinical Epidemiology, 2017, 89, 125-135.	2.4	79
42	Encouraging Patients To Become More Physically Active: The Physician's Role. Annals of Internal Medicine, 1997, 127, 395.	2.0	78
43	Spirituality, well-being, and quality of life in people with rheumatoid arthritis. Arthritis and Rheumatism, 2003, 49, 778-783.	6.7	77
44	Associations between personal exposure to air pollutants and lung function tests and cardiovascular indices among children with asthma living near an industrial complex and petroleum refineries. Environmental Research, 2014, 132, 38-45.	3.7	74
45	Do Asthma Medication Beliefs Mediate the Relationship Between Minority Status and Adherence to Therapy?. Journal of Asthma, 2008, 45, 33-37.	0.9	73
46	Prevalence of Significant Knee Pain Among Older Americans: Results From the Third National Health and Nutrition Examination Survey. Journal of the American Geriatrics Society, 1999, 47, 1435-1438.	1.3	70
47	T cell polarization identifies distinct clinical phenotypes in scleroderma lung disease. Arthritis and Rheumatism, 2008, 58, 1165-1174.	6.7	66
48	Association of body fat with Câ€reactive protein in rheumatoid arthritis. Arthritis and Rheumatism, 2008, 58, 2632-2641.	6.7	66
49	Yoga in Sedentary Adults with Arthritis: Effects of a Randomized Controlled Pragmatic Trial. Journal of Rheumatology, 2015, 42, 1194-1202.	1.0	66
50	Validation of the Patient-Reported Outcomes Measurement Information System (PROMIS)-57 and -29 item short forms among kidney transplant recipients. Quality of Life Research, 2019, 28, 815-827.	1.5	66
51	Establishing a Core Domain Set to Measure Rheumatoid Arthritis Flares: Report of the OMERACT 11 RA Flare Workshop. Journal of Rheumatology, 2014, 41, 799-809.	1.0	65
52	Development of System-level Performance Measures for Evaluation of Models of Care for Inflammatory Arthritis in Canada. Journal of Rheumatology, 2016, 43, 530-540.	1.0	63
53	The Effectiveness of Web-Based Asthma Self-Management System, My Asthma Portal (MAP): A Pilot Randomized Controlled Trial. Journal of Medical Internet Research, 2016, 18, e313.	2.1	59
54	The effect of vitamin D and frailty on mortality among non-institutionalized US older adults. European Journal of Clinical Nutrition, 2012, 66, 1024-1028.	1.3	58

#	Article	IF	CITATIONS
55	Montreal Accord on Patient-Reported Outcomes (PROs) use series – Paper 4: patient-reported outcomes can inform clinical decision making in chronic care. Journal of Clinical Epidemiology, 2017, 89, 136-141.	2.4	57
56	Weight loss and health-related quality of life: Results at 1-year follow-up. Eating Behaviors, 2004, 5, 85-88.	1.1	55
57	Sertraline and Relapse Prevention Training Following Treatment by Very‣ow alorie Diet: A Controlled Clinical Trial. Obesity, 1995, 3, 549-557.	4.0	54
58	Yoga for Arthritis: A Scoping Review. Rheumatic Disease Clinics of North America, 2011, 37, 33-46.	0.8	54
59	Updating the OMERACT Filter: Implications for Patient-reported Outcomes. Journal of Rheumatology, 2014, 41, 1011-1015.	1.0	54
60	Identifying flares in rheumatoid arthritis: reliability and construct validation of the OMERACT RA Flare Core Domain Set. RMD Open, 2016, 2, e000225.	1.8	54
61	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. Rheumatology, 2018, 57, 1623-1631.	0.9	53
62	Psychosocial consequences of weight cycling Journal of Consulting and Clinical Psychology, 1996, 64, 587-592.	1.6	52
63	Access and Use of Medical Care among Obese Persons. Obesity, 2000, 8, 403-406.	4.0	51
64	Using patient-reported outcomes and PROMIS in research and clinical applications: experiences from the PCORI pilot projects. Quality of Life Research, 2016, 25, 2109-2116.	1.5	51
65	Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. Rheumatology, 2017, 56, 1302-1311.	0.9	51
66	Prescription Medications: A Modifiable Contributor to Obesity. Southern Medical Journal, 1999, 92, 898-904.	0.3	49
67	Montreal Accord on Patient-Reported Outcomes (PROs) use series – Paper 2: terminology proposed to measure what matters in health. Journal of Clinical Epidemiology, 2017, 89, 119-124.	2.4	49
68	Identifying common trajectories of joint space narrowing over two years in knee osteoarthritis. Arthritis Care and Research, 2011, 63, 1722-1728.	1.5	44
69	Estimating Health-Related Quality of Life in Obese Individuals. Disease Management and Health Outcomes, 1998, 3, 61-70.	0.3	43
70	Understanding and optimizing brain health in HIV now: protocol for a longitudinal cohort study with multiple randomized controlled trials. BMC Neurology, 2016, 16, 8.	0.8	43
71	Patient-reported outcomes in RA care improve patient communication, decision-making, satisfaction and confidence: qualitative results. Rheumatology, 2020, 59, 1662-1670.	0.9	42
72	Exploring Perceptions of Barriers, Facilitators, and Motivators to Physical Activity Among Female Bariatric Patients. American Journal of Health Promotion, 2016, 30, 536-544.	0.9	41

#	Article	IF	CITATIONS
73	Flares in Patients with Rheumatoid Arthritis after Total Hip and Total Knee Arthroplasty: Rates, Characteristics, and Risk Factors. Journal of Rheumatology, 2018, 45, 604-611.	1.0	41
74	Exercise in the treatment of obesity: effects of four interventions on body composition, resting energy expenditure, appetite, and mood. Journal of Consulting and Clinical Psychology, 1997, 65, 269-77.	1.6	41
75	Are health care professionals advising adults with arthritis to become more physically active?. Arthritis and Rheumatism, 2005, 53, 279-283.	6.7	40
76	Feasibility and Domain Validation of Rheumatoid Arthritis (RA) Flare Core Domain Set: Report of the OMERACT 2014 RA Flare Group Plenary. Journal of Rheumatology, 2015, 42, 2185-2189.	1.0	40
77	Are Overweight and Obese Adults With Arthritis Being Advised to Lose Weight?. Journal of Clinical Rheumatology, 2007, 13, 12-15.	0.5	39
78	Daily spiritual experiences of older adults with and without arthritis and the relationship to health outcomes. Arthritis and Rheumatism, 2008, 59, 122-128.	6.7	38
79	Overweight, Obesity, and the Likelihood of Achieving Sustained Remission in Early Rheumatoid Arthritis: Results From a Multicenter Prospective Cohort Study. Arthritis Care and Research, 2018, 70, 1185-1191.	1.5	38
80	Obesity and symptoms of depression contribute independently to the poor asthma control of obesity. Respiratory Medicine, 2014, 108, 1100-1107.	1.3	34
81	Comparison of an in vitro tuberculosis interferon-gamma assay with delayed-type hypersensitivity testing for detection of latent Mycobacterium tuberculosis: a pilot study in rheumatoid arthritis. Journal of Rheumatology, 2008, 35, 770-5.	1.0	34
82	PROMIS Fatigue short forms are reliable and valid in adults with rheumatoid arthritis. Journal of Patient-Reported Outcomes, 2019, 3, 14.	0.9	33
83	"Stiffness Has Different Meanings, I Think, to Everyone― Examining Stiffness From the Perspective of People Living With Rheumatoid Arthritis. Arthritis Care and Research, 2014, 66, 1662-1672.	1.5	32
84	Heterogeneous Disease Trajectories Explain Variable Radiographic, Function and Quality of Life Outcomes in the Canadian Early Arthritis Cohort (CATCH). PLoS ONE, 2015, 10, e0135327.	1.1	32
85	The Madison Avenue effect: How drug presentation style influences adherence and outcome in patients with asthma. Journal of Allergy and Clinical Immunology, 2011, 127, 406-411.	1.5	31
86	Validation of the Selfâ€Efficacy for Managing Chronic Disease Scale: A Scleroderma Patientâ€Centered Intervention Network Cohort Study. Arthritis Care and Research, 2016, 68, 1195-1200.	1.5	31
87	Indoor Air Quality and Health: Reproducibility of Respiratory Symptoms and Reported Home Dampness and Molds using a Self-Administered Questionnaire. Indoor Air, 1994, 4, 2-7.	2.0	30
88	New directions for patient-centred care in scleroderma: the Scleroderma Patient-centred Intervention Network (SPIN). Clinical and Experimental Rheumatology, 2012, 30, S23-9.	0.4	28
89	Effect of a web-based chronic disease management system on asthma control and health-related quality of life: study protocol for a randomized controlled trial. Trials, 2011, 12, 260.	0.7	27
90	Integrating Patients into Meaningful Real-World Research. Annals of the American Thoracic Society, 2014, 11, S112-S117.	1.5	27

#	Article	IF	CITATIONS
91	Leisure time physical activity, smoking and risk of recent symptomatic urolithiasis: Survey of stone clinic patients. Canadian Urological Association Journal, 2015, 9, 257.	0.3	27
92	Montreal Accord on Patient-Reported Outcomes (PROs) use series–Paper 7: modern perspectives of measurement validation emphasize justification of inferences based on patient reported outcome scores. Journal of Clinical Epidemiology, 2017, 89, 154-159.	2.4	27
93	Television Watching and Fatness in Children. JAMA - Journal of the American Medical Association, 1998, 280, 1230-1232.	3.8	27
94	SAT0127â€REAL-WORLD PREDICTORS OF STARTING DIFFERENT ADVANCED DMARD TREATMENTS IN RHEUMATOID ARTHRITIS: A PROSPECTIVE INVESTIGATION FROM THE CANADIAN EARLY ARTHRITIS COHORT (CATCH) GROUP. Annals of the Rheumatic Diseases, 2020, 79, 999-1000.	0.5	27
95	Physiologic changes after diet combined with structured aerobic exercise or lifestyle activity. Metabolism: Clinical and Experimental, 2002, 51, 1528-1533.	1.5	26
96	Montreal Accord on Patient-Reported Outcomes (PROs) use series – Paper 8: patient-reported outcomes in electronic health records can inform clinical and policy decisions. Journal of Clinical Epidemiology, 2017, 89, 160-167.	2.4	26
97	Content and Construct Validity, Reliability, and Responsiveness of the Rheumatoid Arthritis Flare Questionnaire: OMERACT 2016 Workshop Report. Journal of Rheumatology, 2017, 44, 1536-1543.	1.0	25
98	Changes in mental health symptoms from pre-COVID-19 to COVID-19 among participants with systemic sclerosis from four countries: A Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. Journal of Psychosomatic Research, 2020, 139, 110262.	1.2	25
99	Effects of a multi-faceted education and support programme on anxiety symptoms among people with systemic sclerosis and anxiety during COVID-19 (SPIN-CHAT): a two-arm parallel, partially nested, randomised, controlled trial. Lancet Rheumatology, The, 2021, 3, e427-e437.	2.2	24
100	Effects of a culturally sensitive sign on the use of stairs in African American commuters. International Journal of Public Health, 2006, 51, 373-380.	2.7	23
101	Using Optimal Test Assembly Methods for Shortening Patientâ€Reported Outcome Measures: Development and Validation of the Cochin Hand Function Scaleâ€6: A Scleroderma Patientâ€Centered Intervention Network Cohort Study. Arthritis Care and Research, 2016, 68, 1704-1713.	1.5	23
102	Outcome Measures in Rheumatology - Interventions for medication Adherence (OMERACT-Adherence) Core Domain Set for Trials of Interventions for Medication Adherence in Rheumatology: 5 Phase Study Protocol. Trials, 2018, 19, 204.	0.7	23
103	Self-management across chronic diseases: Targeting education and support needs. Patient Education and Counseling, 2020, 103, 398-404.	1.0	23
104	Exploring Sources of Emotional Distress among People Living with Scleroderma: A Focus Group Study. PLoS ONE, 2016, 11, e0152419.	1.1	22
105	The role of exercise in modifying outcomes for people with multiple sclerosis: a randomized trial. BMC Neurology, 2013, 13, 69.	0.8	21
106	Yoga in Rheumatic Diseases. Current Rheumatology Reports, 2013, 15, 387.	2.1	21
107	Consensus Building in OMERACT: Recommendations for Use of the Delphi for Core Outcome Set Development. Journal of Rheumatology, 2019, 46, 1041-1046.	1.0	21
108	Protocol for a partially nested randomised controlled trial to evaluate the effectiveness of the scleroderma patient-centered intervention network COVID-19 home-isolation activities together (SPIN-CHAT) program to reduce anxiety among at-risk scleroderma patients. Journal of Psychosomatic Research, 2020, 135, 110132.	1.2	21

#	Article	IF	CITATIONS
109	Validation of the COVID-19 Fears Questionnaires for Chronic Medical Conditions: A Scleroderma Patient-centered Intervention Network COVID-19 Cohort study. Journal of Psychosomatic Research, 2020, 139, 110271.	1.2	20
110	A Randomized Controlled Trial to Assess Effectiveness of a Spiritually-Based Intervention to Help Chronically III Adults. International Journal of Psychiatry in Medicine, 2011, 41, 91-105.	0.8	19
111	More than Just Minutes of Stiffness in the Morning: Report from the OMERACT Rheumatoid Arthritis Flare Group Stiffness Breakout Sessions. Journal of Rheumatology, 2015, 42, 2182-2184.	1.0	19
112	Patient and Caregiver Priorities for Medication Adherence in Gout, Osteoporosis, and Rheumatoid Arthritis: Nominal Group Technique. Arthritis Care and Research, 2020, 72, 1410-1419.	1.5	19
113	Psychosocial consequences of weight cycling. Journal of Consulting and Clinical Psychology, 1996, 64, 587-92.	1.6	18
114	Emotional vitality in family caregivers: content validation of a theoretical framework. Quality of Life Research, 2014, 23, 2865-2872.	1.5	17
115	Exercise habits and factors associated with exercise in systemic sclerosis: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. Disability and Rehabilitation, 2018, 40, 1997-2003.	0.9	17
116	Combining online and in-person methods to evaluate the content validity of PROMIS fatigue short forms in rheumatoid arthritis. Quality of Life Research, 2018, 27, 2443-2451.	1.5	17
117	Identifying Minimal and Meaningful Change in a <scp>Patientâ€Reported</scp> Outcomes Measurement Information System for Rheumatoid Arthritis: Use of Multiple Methods and Perspectives. Arthritis Care and Research, 2022, 74, 588-597.	1.5	17
118	Adherence to Pediatric Asthma Guidelines in the Emergency Department: A Survey of Knowledge, Attitudes and Behaviour among Health Care Professionals. Canadian Respiratory Journal, 2010, 17, 175-182.	0.8	15
119	Montreal Accord on Patient-Reported Outcomes (PROs) use series – Paper 6: creating national initiatives to support development and use—the PROMIS example. Journal of Clinical Epidemiology, 2017, 89, 148-153.	2.4	15
120	Montreal Accord on Patient-Reported Outcomes (PROs) use series – Paper 1: introduction. Journal of Clinical Epidemiology, 2017, 89, 114-118.	2.4	15
121	Early Rheumatoid Arthritis Presentation, Treatment, and Outcomes in Aboriginal Patients in Canada: A Canadian Early Arthritis Cohort Study Analysis. Arthritis Care and Research, 2018, 70, 1245-1250.	1.5	15
122	Scope of Outcomes in Trials and Observational Studies of Interventions Targeting Medication Adherence in Rheumatic Conditions: A Systematic Review. Journal of Rheumatology, 2020, 47, 1565-1574.	1.0	15
123	High rates of obesity and greater associated disability among people with rheumatoid arthritis in Canada. Clinical Rheumatology, 2016, 35, 457-460.	1.0	14
124	OMERACT Development of a Core Domain Set of Outcomes for Shared Decision-making Interventions. Journal of Rheumatology, 2019, 46, 1409-1414.	1.0	14
125	Improvements in Fatigue Lag Behind Disease Remission in Early Rheumatoid Arthritis: Results From the Canadian Early Arthritis Cohort. Arthritis and Rheumatology, 2021, 73, 53-60.	2.9	14
126	The psychology of faculty demoralization in the liberal arts: Burnout, acedia, and the disintegration of idealism. New Ideas in Psychology, 1994, 12, 277-289.	1.2	13

#	Article	IF	CITATIONS
127	Shortening patient-reported outcome measures through optimal test assembly: application to the Social Appearance Anxiety Scale in the Scleroderma Patient-centered Intervention Network Cohort. BMJ Open, 2019, 9, e024010.	0.8	13
128	Patients and clinicians define symptom levels and meaningful change for PROMIS pain interference and fatigue in RA using bookmarking. Rheumatology, 2021, 60, 4306-4314.	0.9	13
129	Endorsement of the OMERACT core domain set for shared decision making interventions in rheumatology trials: Results from a multi-stepped consensus-building approach. Seminars in Arthritis and Rheumatism, 2021, 51, 593-600.	1.6	13
130	The ILAR-East Africa initiative: current needs and progress in the globalization of rheumatology. Clinical Rheumatology, 2011, 30, 251-253.	1.0	12
131	What Does the Patient Global Health Assessment in Rheumatoid Arthritis Really Tell Us? Contribution of Specific Dimensions of Healthâ€Related Quality of Life. Arthritis Care and Research, 2020, 72, 1571-1578.	1.5	12
132	Identifying barriers and facilitators to physical activity for people with scleroderma: a nominal group technique study. Disability and Rehabilitation, 2021, 43, 3339-3346.	0.9	12
133	Stiffness Is the Cardinal Symptom of Inflammatory Musculoskeletal Diseases, Yet Still Variably Measured: Report from the OMERACT 2016 Stiffness Special Interest Group. Journal of Rheumatology, 2017, 44, 1904-1910.	1.0	11
134	Physical or Occupational Therapy Use in Systemic Sclerosis: A Scleroderma Patient-centered Intervention Network Cohort Study. Journal of Rheumatology, 2019, 46, 1605-1613.	1.0	11
135	Montreal Accord on Patient-Reported Outcomes (PROs) use series – Paper 5: patient-reported outcomes can be linked to epidemiologic measures to monitor populations and inform public health decisions. Journal of Clinical Epidemiology, 2017, 89, 142-147.	2.4	10
136	High Adherence to System‣evel Performance Measures for Rheumatoid Arthritis in a National Early Arthritis Cohort Over Eight Years. Arthritis Care and Research, 2018, 70, 842-850.	1.5	10
137	Patient-centered Outcomes Research in Pulmonary, Critical Care, and Sleep Medicine. An Official American Thoracic Society Workshop Report. Annals of the American Thoracic Society, 2018, 15, 1005-1015.	1.5	10
138	Prevalence and Characteristics of Metabolic Syndrome Differ in Men and Women with Early Rheumatoid Arthritis. ACR Open Rheumatology, 2019, 1, 535-541.	0.9	10
139	Treatment Strategies in Early Rheumatoid Arthritis Methotrexate Management: Results From a Prospective Cohort. Arthritis Care and Research, 2020, 72, 1104-1111.	1.5	10
140	A Catalyst for Transforming Health Systems and Person-Centred Care: Canadian National Position Statement on Patient-Reported Outcomes. Current Oncology, 2020, 27, 90-99.	0.9	10
141	Acedia: The etiology of work-engendered depression. New Ideas in Psychology, 1990, 8, 389-396.	1.2	9
142	Is the Prevalence of Successful Weight Loss and Maintenance Higher in the General Community than the Research Clinic?. Obesity, 1999, 7, 407-413.	4.0	9
143	Emotional Vitality: Concept of Importance for Rehabilitation. Archives of Physical Medicine and Rehabilitation, 2013, 94, 1547-1554.	0.5	9
144	Factors associated with fears due to COVID-19: A Scleroderma Patient-centered Intervention Network (SPIN) COVID-19 cohort study. Journal of Psychosomatic Research, 2021, 140, 110314.	1.2	9

#	Article	IF	CITATIONS
145	Health Assessment Questionnaire at One Year Predicts Allâ€Cause Mortality in Patients With Early Rheumatoid Arthritis. Arthritis and Rheumatology, 2021, 73, 197-202.	2.9	9
146	Patient and rheumatologist perspectives on tapering DMARDs in rheumatoid arthritis: a qualitative study. Rheumatology, 2022, 61, 606-616.	0.9	9
147	Pain levels and associated factors in the Scleroderma Patient-centered Intervention Network (SPIN) cohort: a multicentre cross-sectional study. Lancet Rheumatology, The, 2021, 3, e844-e854.	2.2	9
148	Mental health before and during the pandemic in people with systemic sclerosis. Lancet Rheumatology, The, 2022, 4, e82-e85.	2.2	9
149	Increased Plasma Carnitine in Severe Alcohol Dependence. Addiction, 1989, 84, 689-693.	1.7	8
150	Reliability and Validity of Three Versions of the Brief Fear of Negative Evaluation Scale in Patients With Systemic Sclerosis: A Scleroderma Patient entered Intervention Network Cohort Study. Arthritis Care and Research, 2018, 70, 1646-1652.	1.5	8
151	Understanding coping strategies among people living with scleroderma: a focus group study. Disability and Rehabilitation, 2018, 40, 3012-3021.	0.9	8
152	Improving Benefit-harm Assessment of Therapies from the Patient Perspective: OMERACT Premeeting Toward Consensus on Core Sets for Randomized Controlled Trials. Journal of Rheumatology, 2019, 46, 1053-1058.	1.0	8
153	Patient Perspectives on DMARD Safety Concerns in Rheumatology Trials: Results from Inflammatory Arthritis Patient Focus Groups and OMERACT Attendees Discussion. Journal of Rheumatology, 2019, 46, 1168-1172.	1.0	8
154	A Bridge Too Far? Realâ€World Practice Patterns of Early Glucocorticoid Use in the Canadian Early Arthritis Cohort. ACR Open Rheumatology, 2022, 4, 57-64.	0.9	8
155	Focusing the focus group: impact of the awareness of major factors contributing to nonâ€adherence to acute paediatric asthma guidelines. Journal of Evaluation in Clinical Practice, 2011, 17, 160-167.	0.9	7
156	POS1459-HPRâ€IDENTIFYING MEANINGFUL CHANGE IN THE RA FLARE QUESTIONNAIRE SCORES IN RHEUMAT(ARTHRITIS. Annals of the Rheumatic Diseases, 2021, 80, 1014-1015.	0.5	7
157	The Scleroderma Patient-Centered Intervention Network Self-Management Program: Protocol for a Randomized Feasibility Trial. JMIR Research Protocols, 2020, 9, e16799.	0.5	7
158	Advancing Stiffness Measurement in Rheumatic Disease: Report from the Stiffness Special Interest Group at OMERACT 2018. Journal of Rheumatology, 2019, 46, 1374-1378.	1.0	6
159	Montreal Accord on Patient-Reported Outcomes (PROs) use series – Paper 9: anonymization and ethics considerations for capturing and sharing patient reported outcomes. Journal of Clinical Epidemiology, 2017, 89, 168-172.	2.4	5
160	Joint Estimation of Remission and Response for Methotrexateâ€Based DMARD Options in Rheumatoid Arthritis: A Bivariate Network Metaâ€Analysis. ACR Open Rheumatology, 2019, 1, 471-479.	0.9	5
161	Addressing Challenges in Developing a Core Domain Set in Adherence Interventions in Rheumatology: A Report from the OMERACT-Adherence Group. Journal of Rheumatology, 2019, 46, 1202-1206.	1.0	5
162	Factors associated with patient-reported likelihood of using online self-care interventions: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. BMJ Open, 2019, 9, e029542.	0.8	5

#	Article	IF	CITATIONS
163	Frequency of Symptomatic Adverse Events in Rheumatoid Arthritis: An Exploratory Online Survey. Journal of Rheumatology, 2022, 49, 998-1005.	1.0	5
164	Can Peer Review Be Kinder? Supportive Peer Review: A Re-Commitment to Kindness and a Call to Action. Canadian Journal of Kidney Health and Disease, 2022, 9, 205435812210803.	0.6	5
165	Emotional vitality in caregivers: application of Rasch Measurement Theory with secondary data to development and test a new measure. Clinical Rehabilitation, 2015, 29, 705-716.	1.0	4
166	Association of Arthritis Onset with Influenza: Analysis of the Canadian Early Inflammatory Arthritis Cohort. ACR Open Rheumatology, 2019, 1, 63-69.	0.9	4
167	Investigating Dimensions of Stiffness in Rheumatoid and Psoriatic Arthritis: The Australian Rheumatology Association Database Registry and OMERACT Collaboration. Journal of Rheumatology, 2019, 46, 1462-1469.	1.0	4
168	Palindromic Rheumatism Frequently Precedes Early Rheumatoid Arthritis: Results From an Incident Cohort. ACR Open Rheumatology, 2019, 1, 614-619.	0.9	4
169	Conversion of Functional Assessment of Chronic Illness Therapy–Fatigue to Patientâ€Reported Outcomes Measurement Information System Fatigue Scores in Two Phase III Baricitinib Rheumatoid Arthritis Trials. Arthritis Care and Research, 2021, 73, 481-488.	1.5	4
170	Barriers and Facilitators to Physical Activity for People With Scleroderma: A Scleroderma Patient entered Intervention Network Cohort Study. Arthritis Care and Research, 2022, 74, 1300-1310.	1.5	4
171	The Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program: protocol for a two-arm parallel partially nested randomized controlled feasibility trial with progression to full-scale trial. Trials, 2021, 22, 856.	0.7	4
172	Validation of the PROMIS sleep disturbance item bank computer adaptive test (CAT) in patients on renal replacement therapy. Sleep Medicine, 2022, 90, 36-43.	0.8	4
173	The impact of tofacitinib on fatigue, sleep, and health-related quality of life in patients with rheumatoid arthritis: a post hoc analysis of data from Phase 3 trials. Arthritis Research and Therapy, 2022, 24, 83.	1.6	4
174	Motivating Patients Toward Weight Loss. Physician and Sportsmedicine, 2003, 31, 29-36.	1.0	3
175	OP0178â€Body Mass Index is an Independent Risk Factor for not Achieving Sustained Remission in Early Rheumatoid Arthritis: Results from the Catch Observational Study. Annals of the Rheumatic Diseases, 2015, 74, 138.2-139.	0.5	3
176	Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. Body Image, 2017, 20, 99-106.	1.9	3
177	Pain and Self-Efficacy Among Patients With Systemic Sclerosis. Nursing Research, 2021, 70, 334-343.	0.8	3
178	Participation in and outcomes from a 12-month tailored exercise programme for people with multiple sclerosis (MSTEP©): a randomized trial. Clinical Rehabilitation, 2020, 34, 927-937.	1.0	3
179	Examination of the association of sex and race/ethnicity with appearance concerns: a Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. Clinical and Experimental Rheumatology, 2016, 34 Suppl 100, 92-99.	0.4	3
180	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program. Pilot and Feasibility Studies, 2022, 8, 45.	0.5	3

#	Article	IF	CITATIONS
181	The Application of Preference Elicitation Methods in Clinical Trial Design to Quantify Trade-Offs: A Scoping Review. Patient, 2022, 15, 423-434.	1.1	3
182	Preoperative Autologous Blood Donation by Arthritis Patients Is Associated With Preoperative Anemia and Perioperative Transfusion. Journal of Clinical Rheumatology, 2004, 10, 252-258.	0.5	2
183	Objective Measurement of Adherence with Asthma Medications. Journal of Allergy and Clinical Immunology, 2006, 117, S265.	1.5	2
184	AB1104â€Can Generic PROMIS Measures Adequately Capture Fatigue in Rheumatoid Arthritis?. Annals of the Rheumatic Diseases, 2014, 73, 1167.1-1167.	0.5	2
185	Author Response: Patient Engagement. Value in Health, 2017, 20, 1433.	0.1	2
186	OP0315â€ACHIEVING A LOW DISEASE STATE WITHIN FIRST 3 MONTHS IN EARLY RHEUMATOID ARTHRITIS RESULTS IN LOWER FATIGUE OVER 5 YEARS. , 2019, , .		2
187	PHYSIOLOGIC CHANGES AFTER WEIGHT REDUCTION WITH VIGOROUS EXERCISE AND MODERATE INTENSITY PHYSICAL ACTIVITY. Medicine and Science in Sports and Exercise, 1999, 31, S345.	0.2	2
188	Defining a patient-reported outcome measure (PROM) selection process: What criteria should be considered when choosing a PROM for routine symptom assessment in clinical practice?. Journal of Clinical Oncology, 2018, 36, 187-187.	0.8	2
189	Predictors of Influenza Vaccination in Early Rheumatoid Arthritis 2017â€2021: Results From the Canadian Early Arthritis Cohort. ACR Open Rheumatology, 2022, 4, 566-573.	0.9	2
190	The FATIGUE-PRO: a new patient-reported outcome instrument to quantify fatigue in patients affected by systemic lupus erythematosus. Rheumatology, 2022, 61, 3329-3340.	0.9	2
191	Weight Loss Success. Physician and Sportsmedicine, 2003, 31, 37-38.	1.0	1
192	THU0082â€An evaluation of flare in patients with early rheumatoid arthritis using the omeract preliminary flare questionnaire:. Annals of the Rheumatic Diseases, 2013, 71, 180.2-181.	0.5	1
193	SP0140â€Outcome Measures in Rheumatology (OMERACT): Status on the Flare Assessment Work. Annals of the Rheumatic Diseases, 2014, 73, 38.2-38.	0.5	1
194	THU0230â€Stiffness from the Perspective of People Living with Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2014, 73, 261.2-262.	0.5	1
195	FRI0103â€The Omeract Preliminary Flare Questionnaire (PFQ) is Responsive to Change and Able to Detect Clinically Important Worsening Indicating Need for Treatment Change in the Canadian Early Arthritis Cohort. Annals of the Rheumatic Diseases, 2014, 73, 418.2-419.	0.5	1
196	AB0741â€Multidimensional Health Related Quality of Life Assessment Using PROMIS (Patient Reported) Tj ETC the Rheumatic Diseases, 2014, 73, 1048.3-1049.	2q0 0 0 rg 0.5	BT /Overlock 1
197	EXERCISE PROGRAMMING FOR RHEUMATOID ARTHRITIS. ACSM's Health and Fitness Journal, 2019, 23, 19-23.	0.3	1
198	A quarter of patients time their early rheumatoid arthritis onset differently than physicians. RMD Open, 2019, 5, e000931.	1.8	1

#	Article	IF	CITATIONS
199	POS0267-HPRâ€IDENTIFYING MEANINGFUL AND DETECTABLE CHANGE FROM THE PATIENT PERSPECTIVE ACRC COMMON FATIGUE MEASURES IN RHEUMATOID ARTHRITIS. Annals of the Rheumatic Diseases, 2021, 80, 356.2-357.)SS 0.5	1
200	OP0262-HPRâ€THE NEURO-QOL UPPER EXTREMITY FUNCTION SCALE: NEW OPPORTUNITIES TO MORE RELIABLE AND PRECISELY MEASURE SELF-REPORTED HAND FUNCTION AND SELF-CARE ACTIVITIES IN PEOPLE WITH RA. Annals of the Rheumatic Diseases, 2021, 80, 159.2-160.	LY 0.5	1
201	Researchers' perspectives on methodological challenges and outcomes selection in interventional studies targeting medication adherence in rheumatic diseases: an OMERACT-adherence study. BMC Rheumatology, 2021, 5, 26.	0.6	1
202	Increasing Stair Use. Annals of Internal Medicine, 1999, 130, 617.	2.0	1
203	Lipid Profile And Glucose Tolerance After Novel Exercise Interventions For Weight Loss And Weight Maintenance. Medicine and Science in Sports and Exercise, 2005, 37, S338.	0.2	1
204	Anxiety impacts rheumatoid arthritis symptoms and health-related quality of life even at low levels. Clinical and Experimental Rheumatology, 2020, 38, 1176-1181.	0.4	1
205	Commentary. Evidence-based Cardiovascular Medicine, 2004, 8, 293-294.	0.0	0
206	The Association Between Abdominal Sagittal Diameter And Cardio-metabolic Risk In Obese Women Undergoing Weight Loss. Medicine and Science in Sports and Exercise, 2011, 43, 469.	0.2	0
207	SAT0117â€Early RA patients reporting a flare identify more tender than swollen joints:. Annals of the Rheumatic Diseases, 2013, 71, 509.3-510.	0.5	0
208	THU0273â€Changes in Patient-Reported Joint Counts and Composite Indices Can Identify Flare of Disease Activity in Recent Onset. Annals of the Rheumatic Diseases, 2014, 73, 277.3-278.	0.5	0
209	AB0086â€IL - 17 Levels with Vitamin D Repletion in Rheuamtoid Arthritis. Annals of the Rheumatic Diseases, 2014, 73, 832.2-832.	0.5	0
210	SAT0097â€Assessing Significant Flares in Rheumatoid Arthritis: Validity of the Omeract Preliminary Flare Questionnaire (PFQ) in the Canadian Early Arthritis Cohort. Annals of the Rheumatic Diseases, 2014, 73, 625.2-625.	0.5	0
211	How well do generic promis fatigue measures perform in rheumatoid arthritis?. Value in Health, 2014, 17, A196.	0.1	0
212	Creating The Canada Pro Network. Value in Health, 2014, 17, A141.	0.1	0
213	SAT0465â€Construct Validity of the Promis-29 in Systemic Sclerosis: Preliminary Results from the Scleroderma Patient-Centered Intervention Network (Spin) Cohort. Annals of the Rheumatic Diseases, 2015, 74, 829.1-829.	0.5	0
214	THU0337â€Worse Disease Trajectory in Early RA Patients is Associated with Lower Improvements in Health Related Quality of Life; Results from a Multicenter Early RA Cohort. Annals of the Rheumatic Diseases, 2015, 74, 317.2-318.	0.5	0
215	SAT0368â€How Patients Self-Manage Rheumatoid Arthritis Flares: Findings from Catch. Annals of the Rheumatic Diseases, 2015, 74, 792.3-793.	0.5	0
216	AB1188â€Patient Reported "Negative―Life Events That Cause Stress Can Impact Patient Reported Outcom in Early Rheumatoid Arthritis; An Analysis of the Catch Study. Annals of the Rheumatic Diseases, 2015, 74. 1300.2-1300.	nes 0.5	0

#	Article	IF	CITATIONS
217	S34â€Do bronchial washings improve the diagnostic sensitivity for lung cancer when endobronchial tumour is seen?. Thorax, 2015, 70, A24.2-A24.	2.7	0
218	PD51-03 LEISURE TIME PHYSICAL ACTIVITY, SMOKING AND RISK OF RECENT UROLITHIASIS. Journal of Urology, 2015, 193, .	0.2	0
219	THU0186â€Does Early Steroid Use Increase The Likelihood of Achieving Remission at 6 Months in Early RA? Results from The Canadian Early Arthritis Cohort:. Annals of the Rheumatic Diseases, 2016, 75, 252.2-253.	0.5	0
220	OP0173â€How Much of A Barrier Is Excess Weight and Smoking for Achieving Sustained Remission in Early RA? Results from The Canadian Early Arthritis Cohort. Annals of the Rheumatic Diseases, 2016, 75, 121.2-121.	0.5	0
221	THUO111â€Biologics Discontinuation and BMI Predict RA Flare Risk after Hip and Knee Arthroplasty: Table 1 Annals of the Rheumatic Diseases, 2016, 75, 219.3-220.	0.5	0
222	Prevalence of Joint Pain Before and After Bariatric Surgery and Impact on Physical Activity. Medicine and Science in Sports and Exercise, 2017, 49, 949-950.	0.2	0
223	SAT0039â€Large tender joints have the greatest impact on longitudinal trajectories of function in early rheumatoid arthritis. , 2017, , .		0
224	SAT0122â€Which multimorbid conditions are more prevalent around the time of early ra diagnosis and have the greatest impact on trajectories of disease activity in the first year? results from the canadian early arthritis cohort. , 2017, , .		0
225	AB0366â€â€œi just want my life back†physical function and fatigue are critical targets for improving participation and hrql in rheumatoid arthritis. , 2017, , .		0
226	FRI0171â€Obesity contributes to suboptimal physical function in rheumatoid arthritis. , 2017, , .		0
227	THU0085â€Time to remission and the achievement of sustained remission in patients with early rheumatoid arthritis: site variation analysis in therapeutic strategy from the canadian early arthritis cohort (CATCH). , 2017, , .		0
228	SAT0132â€The rheumatoid arthritis flare questionnaire (RA-FQ): results of rasch analysis and feedback on real-world applications from international RA patients and clinicians. , 2017, , .		0
229	THU0695â€The RA FLARE questionnaire (RA-FQ) is responsive to change in ra symptoms and impacts in clinical and observational trials. , 2017, , .		0
230	Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. Rheumatology, 2019, , .	0.9	0
231	THU0153â€PATTERNS OF SUSTAINED REMISSION AND SUBSEQUENT DMARD TAPERING IN EARLY RHEUMATO ARTHRITIS: DATA FROM THE CANADIAN EARLY ARTHRITIS COHORT. , 2019, , .	ID	0
232	OP0089â€METABOLIC SYNDROME IS COMMON AROUND THE TIME OF EARLY RHEUMATOID ARTHRITIS DIAGNOSIS AND ASSOCIATIONS VARY BY SEX AND MENOPAUSAL STATUS: RESULTS FROM THE CANADIAN EARLY ARTHRITIS COHORT. , 2019, , .		0
233	THU0658â€WHO IS AT RISK FOR PERSISTENT FATIGUE IN THE FIRST YEAR OF RA? CHARACTERISTICS OF PATIEN WITH PERSISTENT FATIGUE IN THE FIRST YEAR BY SEX IN THE CANADIAN EARLY ARTHRITIS COHORT (CATCH). , 2019, , .	NTS	0
234	FRI0065â€PATIENT-REPORTED PALINDROMIC SYMPTOMS IN EARLY RHEUMATOID ARTHRITIS: RESULTS FROM ⁻ CANADIAN EARLY ARTHRITIS COHORT. , 2019, , .	THE	0

#	Article	IF	CITATIONS
235	AB1304â€THE RHEUMATOID ARTHRITIS FLARE QUESTIONNAIRE (RA-FQ) IS AN EASY TO ADMINISTER PATIENT-REPORTED OUTCOME MEASURE THAT TRACKS WELL WITH THE CLINICAL DISEASE ACTIVITY INDEX (CDAI) OVER TIME IN PATIENTS WITH EARLY RHEUMATOID ARTHRITIS (ERA) IN 2 DIFFERENT HEALTH SETTINGS. , 2019,		0
236	OP0269â€HPR PATTERNS OF FATIGUE AND PREDICTORS OF SIGNIFICANT IMPROVEMENT IN THE 1ST YEAR OF RESULTS FROM THE CANADIAN EARLY ARTHRITIS COHORT (CATCH). , 2019, , .	RA:	0
237	POS0531â€FACTORS ASSOCIATED WITH BASELINE HYPERTENSION IN EARLY RHEUMATOID ARTHRITIS: DATA FROM A REAL-WORLD LARGE INCIDENT COHORT. Annals of the Rheumatic Diseases, 2021, 80, 499-500.	0.5	0
238	Patient Perspectives on Outcome Domains of Medication Adherence Trials in Inflammatory Arthritis: An International OMERACT Focus Group Study. Journal of Rheumatology, 2021, 48, 1480-1487.	1.0	0
239	Reply. Arthritis and Rheumatology, 2022, 74, 178-180.	2.9	0
240	OBESITY AND ITS RELATIONSHIP TO MARITAL STATUS IN US ADULTS. RESULTS FROM THE THIRD NATIONAL HEALTH AND NUTRITION EXAMINATION SURVEY, 1988-1994. Medicine and Science in Sports and Exercise, 2001, 33, S228.	0.2	0
241	PERCEPTION OF PHYSICAL ACTIVITIES BEFORE AND AFTER A 16 WEEK WEIGHT LOSS PROGRAM. Medicine and Science in Sports and Exercise, 2001, 33, S111.	0.2	0
242	PHYSICAL ACTIVITY IN THE TREATMENT OF OBESITY. Medicine and Science in Sports and Exercise, 2001, 33, S305.	0.2	0
243	Changes In Fitness And Body Composition Accompanying Novel Exercise Regimens After Weight Loss And Maintenance. Medicine and Science in Sports and Exercise, 2005, 37, S138.	0.2	0
244	Effects Of Meeting Different Physical Activity Guidelines On Weight Loss In Overweight Adults. Medicine and Science in Sports and Exercise, 2006, 38, S68-S69.	0.2	0
245	PHYSICAL ACTIVITY AND TV WATCHING AMONG US CHILDREN AND THEIR RELATION TO WEIGHT AND BODY COMPOSITION. Medicine and Science in Sports and Exercise, 1998, 30, 80.	0.2	0
246	FRIO657â€Construct validity and responsiveness of three stiffness items in rheumatoid arthritis: an application of the omeract filter 2.1. , 2018, , .		0
247	SAT0678â€Seasonality of new early inflammatory arthritis cases: preliminary results from the canadian early arthritis cohort. , 2018, , .		0
248	THU0132â€The patient global assessment rating varies minimally if using arthritis or global health condition and agreement is high between common composite disease activitymeasures and remission classification using either: results from a national early ra cohort study. , 2018, , .		0
249	OP0106â€Who is not reaching remission in early ra and why? predictors for persistent disease activity in the first year differ in men and women and are related to lifestyle and treatment. , 2018, , .		0
250	SAT0080â€Secular trends prior to-and after dissemination of best practice recommendations showed earlier intensified medication strategies and improved outcomes in canadians with early inflammatory arthritis. , 2018, , .		0
251	SAT0112â€Guideline-based care improves outcomes that matter to patients: tighter control, less suffering, and greater well-being over the past decade in canadian ra patients. , 2018, , .		0
252	OP0349â€Remaining pain and widespread pain distribution during the first 12 months after ra diagnosis. , 2018, , .		0

15

#	Article	IF	CITATIONS
253	Bone Health of Patients Diagnosed With Rheumatoid Arthritis. Medicine and Science in Sports and Exercise, 2019, 51, 76-76.	0.2	0
254	THU0565â€RESEARCHERS' PERSPECTIVES ON ADHERENCE INTERVENTION RESEARCH AND OUTCOMES IN RHEUMATOLOGY: AN INTERNATIONAL QUALITATIVE STUDY. Annals of the Rheumatic Diseases, 2020, 79, 524.2-524.	0.5	0
255	FRIOO24â€HOW OFTEN DOES REACHING TARGET MISS THE MARK? LONGITUDINAL PATTERNS OF REMISSION IN REAL-WORLD EARLY RHEUMATOID ARTHRITIS PATIENTS. Annals of the Rheumatic Diseases, 2020, 79, 584-585.	\ 0.5	0
256	AB0183â€EARLY RA PATIENTS SEEN IN PRACTICE WHO HAVE CO-EXISTENT NON-ARTICULAR PAIN HAVE SIGNIFICANT WORSENING OF PROMIS® 29 DOMAIN SCORES. RESULTS FROM THE CATCH US STUDY. Annals of the Rheumatic Diseases, 2020, 79, 1391.1-1391.	0.5	0
257	FRIO032â€REGIONAL AND WIDESPREAD PATTERNS OF NON-ARTICULAR PAIN ARE COMMON AT RA DIAGNOSIS AND CONTRIBUTE TO POOR OUTCOMES AT 12 MONTHS: A PROSPECTIVE STUDY OF PAIN PATTERNS IN CANADIANS WITH RA. Annals of the Rheumatic Diseases, 2020, 79, 589-590.	0.5	0
258	SAT0053â€ESTIMATING REAL-WORLD UNMET NEEDS FOR REACHING REMISSION IN THE FIRST YEAR FOLLOWIN EARLY RA DIAGNOSIS: RESULTS FROM THE CANADIAN EARLY ARTHRITIS COHORT (CATCH). Annals of the Rheumatic Diseases, 2020, 79, 958-959.	VG 0.5	0
259	FRIO037â€ALL-CAUSE MORTALITY IN EARLY RHEUMATOID ARTHRITIS PREDICTED BY HEALTH ASSESSMENT QUESTIONNAIRE AT ONE YEAR. Annals of the Rheumatic Diseases, 2020, 79, 592.1-593.	0.5	0
260	FRI0030â€MORE THAN HALF OF NEWLY DIAGNOSED RA PATIENTS ARE NOT CONVINCED OF THE NECESSITY OF RA MEDICINES: ASSOCIATIONS WITH RA CHARACTERISTICS, SYMPTOMS, AND FUNCTION IN THE CANADIAN EARLY ARTHRITIS COHORT (CATCH). Annals of the Rheumatic Diseases, 2020, 79, 588.1-588.	F 0.5	0
261	Feasibility and acceptability of using a meditation app in adults with rheumatic disease. Explore: the Journal of Science and Healing, 2021, , .	0.4	0
262	Mental Health Care Use and Associated Factors in Systemic Sclerosis: A Scleroderma <scp>Patient entered</scp> Intervention Network Cohort Study. ACR Open Rheumatology, 0, , .	0.9	0