

Shuga B Kasenova

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2277378/publications.pdf>

Version: 2024-02-01

71
papers

85
citations

1937632

4
h-index

2053674

5
g-index

71
all docs

71
docs citations

71
times ranked

55
citing authors

#	ARTICLE	IF	CITATIONS
1	Calorimetric study of the enthalpies of solution of methyl iodides of dimethylamino grosshemin and diethylamino grosshemin in water and evaluation of the thermodynamic properties of their analogues. Russian Journal of Applied Chemistry, 2006, 79, 1238-1243.	0.5	5
2	Heat capacity of coals from the Maikube, Sary-Adyr, and Kendyrylk deposits in Kazakhstan. Solid Fuel Chemistry, 2015, 49, 343-348.	0.7	5
3	Ferrites YbSrFe ₂ O _{5.5} and YbBaFe ₂ O _{5.5} : Synthesis and X-ray diffraction, thermodynamic, and electrophysical properties. Russian Journal of Inorganic Chemistry, 2006, 51, 368-373.	1.3	4
4	Heat capacity and thermodynamic functions of manganite ferrites NdMIMnFeO ₅ (MI = Li, Na) in the range of 298–673 K. Russian Journal of Physical Chemistry A, 2013, 87, 719-723.	0.6	4
5	Heat capacities and thermodynamic functions of new cobalt manganites LaM ₂ II CoMnO ₆ (MII-Mg, Ca). High Temperature, 2012, 50, 736-738.	1.0	3
6	A thermodynamic investigation of NdMe ₃ Sr ₃ Mn ₄ O ₁₂ (Me = Li, Na, K) manganites in the range from 298.15 to 673 K. High Temperature, 2010, 48, 198-204.	1.0	3
7	Thermodynamic and electrophysical properties of LaSrMnFeO _{5.5} ferrite. High Temperature, 2012, 50, 736-738.	1.0	3
8	Synthesis and x-ray diffraction study of new nanostructured manganite ferrites NdM _{1.5} II MnFeO ₆ (MII) Tj ETQq0 0 0 rgBT /Qverlock 10	1.3	3
9	Heat capacity and electrophysical properties of GdMeFe ₂ O ₅ (Me = Li, Na, K, Cs)-type ferrites. High Temperature, 2013, 51, 54-59.	1.0	3
10	Thermochemistry of myricetin flavonoid. Russian Journal of Physical Chemistry A, 2014, 88, 1277-1280.	0.6	3
11	Heat capacity and thermodynamic functions of nanostructured manganese ferrites of composition NdMe _{1.5} MnFeO ₆ (Me = Mg, Ca, Sr, and Ba) in the temperature range from 298.15 to 673 K. Russian Journal of Physical Chemistry A, 2015, 89, 586-591.	0.6	3
12	Thermodynamic Properties of Anabasine Hydrochloride and Its Analogs. Russian Journal of Applied Chemistry, 2003, 76, 29-32.	0.5	2
13	Heat Capacity and Thermodynamic Functions of NdMeFe ₂ O ₅ (Me is Li, Na, K, Cs) Ferrites. High Temperature, 2004, 42, 409-413.	1.0	2
14	Thermochemical Characteristics of a Series of Terpenoids, Alkaloids, and Flavonoids. Russian Journal of Applied Chemistry, 2004, 77, 508-510.	0.5	2
15	A calorimetric study of the specific heat of cytosine and enthalpies of its dissolution in water and ethanol. Russian Journal of Applied Chemistry, 2004, 77, 1920-1923.	0.5	2
16	Thermodynamic properties of cytosine dithiocarbamate derivatives. Russian Journal of Applied Chemistry, 2006, 79, 1072-1075.	0.5	2
17	La ₂ M ₃ II Mn ₄ O ₁₂ (M = Mg, Ca, Sr, or Ba) manganites: Synthesis and X-ray diffraction study. Russian Journal of Inorganic Chemistry, 2007, 52, 1514-1515.	1.3	2
18	Synthesis and X-ray diffraction and calorimetric studies of LaLiMnFeO ₅ and LaCsMnFeO ₅ ferrites. Russian Journal of Inorganic Chemistry, 2008, 53, 1455-1458.	1.3	2

#	ARTICLE	IF	CITATIONS
19	Synthesis and X-ray diffraction study of nanostructured particles of cuprate manganites LaM ₂ II CuMnO ₆ (MII = Mg, Ca, Sr, Ba). Russian Journal of Inorganic Chemistry, 2014, 59, 1010-1014.	1.3	2
20	Heat capacity and thermodynamic functions of new nanostructured cuprate-manganite NdCa ₂ CuMnO ₆ . Russian Journal of Physical Chemistry A, 2014, 88, 1802-1805.	0.6	2
21	Calorimetric investigation of heat capacity of the ErMFe ₂ O _{5.5} (M = Mg, Ca, Sr, Ba) ferrites in the temperature range of 298.15–673 K and calculation of their thermodynamic functions. High Temperature, 2015, 53, 358-362.	1.0	2
22	Heat capacity and thermodynamic functions of new cobaltic manganites NdM ₂ II CoMnO ₆ (MII is Mg,) Tj ETQq0 0,0 rgBT /Oylock 10	1.0	2
23	Heat capacities and thermodynamic functions of new nanosized ferro-chromo-manganites LaM _{0.5} II FeCrMnO _{6.5} (MII – Mg, Ca, Sr, Ba). Russian Journal of Physical Chemistry A, 2017, 91, 430-436.	0.6	2
24	Heat capacity and thermodynamic functions of new cobalt manganites NdM ₂ I CoMnO ₅ (MI = Li, Na, and) Tj ETQq0 0,0 rgBT /Oylock 2	0.6	2
25	Thermochemistry of sesquiterpene lactone argolide. Russian Journal of Physical Chemistry A, 2017, 91, 6-9.	0.6	2
26	Calorimetric studies of LaM ₂ NiMnO ₅ (M – Li, Na, K) nickelite-manganite heat capacity within the temperature range of 298.15–673 K. High Temperature, 2017, 55, 465-468.	1.0	2
27	X-ray Diffraction and Thermodynamic Studies of GdLiCr ₂ O ₅ . Inorganic Materials, 2003, 39, 621-624.	0.8	1
28	Calorimetric Study of Specific Heat of Anabasine Nitrate and Glaucine Hydrobromide. Russian Journal of Applied Chemistry, 2003, 76, 1358-1359.	0.5	1
29	Synthesis and Properties of NdMCr ₂ O ₅ (M = Na, K, Cs) and NdMgCr ₂ O _{5.5} Chromites. Inorganic Materials, 2004, 40, 976-978.	0.8	1
30	The Heat Capacity and Thermodynamic Functions of Ternary Manganites DyMIMgMn ₂ O ₆ (MI – Na, K, Cs) in the Temperature Range from 223 to 673 K. High Temperature, 2005, 43, 727-732.	1.0	1
31	Synthesis and properties of GdMCr ₂ O ₅ (M = Na, K, Cs). Inorganic Materials, 2006, 42, 68-74.	0.8	1
32	Thermodynamic properties of alkaloids lappaconitine and glaucine. Russian Journal of Applied Chemistry, 2007, 80, 549-552.	0.5	1
33	Thermochemistry of some cytosine derivatives. Russian Journal of Applied Chemistry, 2008, 81, 2141-2144.	0.5	1
34	Manganites NdMg ₃ I Mg ₃ Mn ₄ O ₁₂ (MI = Li, Na, K): X-ray diffraction data. Russian Journal of Inorganic Chemistry, 2009, 54, 30-32.	1.3	1
35	New manganites NdM ₃ Sr ₃ Mn ₄ O ₁₂ and NdM ₃ Ba ₃ Mn ₄ O ₁₂ (M = Li, Na, K): Synthesis and X-ray diffraction characteristics. Russian Journal of Inorganic Chemistry, 2009, 54, 377-380.	1.3	1
36	X-ray powder diffraction features of manganites DyM ₃ I M ₃ II Mn ₄ O ₁₂ (MI = Li, Na, K; MII = Mg, Ba). Russian Journal of Inorganic Chemistry, 2010, 55, 1454-1457.	1.3	1

#	ARTICLE	IF	CITATIONS
37	Synthesis and X-ray diffraction study of ferrites ErMFe_2O_5 (M = Li, Na, K, Cs). Russian Journal of Inorganic Chemistry, 2010, 55, 1607-1610.	1.3	1
38	Thermodynamics of a series of harmine alkaloid derivatives. Russian Journal of Applied Chemistry, 2010, 83, 1083-1085.	0.5	1
39	Thermodynamic properties of biologically active substances: 3-acetyl-9-methoxy-2-phenyl-11H-indolizino[8,7-b]indole and 8-acetylharminine. Russian Journal of Applied Chemistry, 2012, 85, 1914-1918.	0.5	1
40	Characteristics of coal from the Kushmurun deposit. Solid Fuel Chemistry, 2014, 48, 147-148.	0.7	1
41	Thermodynamic properties of sesquiterpene lactone grossheimin. Russian Journal of Physical Chemistry A, 2016, 90, 1521-1524.	0.6	1
42	Thermochemistry of Lappaconitine Hydrobromide and Its Analogues. Russian Journal of Applied Chemistry, 2003, 76, 1920-1924.	0.5	0
43	Heat Capacity and Electrophysical Properties of $\text{GdCaCr}_2\text{O}_5$ Chromite. High Temperature, 2004, 42, 587-591.	1.0	0
44	Heat Capacity and Electrical Properties of $\text{LaLiSrMn}_2\text{O}_6$. Inorganic Materials, 2004, 40, 751-753.	0.8	0
45	Thermodynamic Properties of Dimethylaminoarglabin Methyl Iodide $\text{C}_{18}\text{H}_{28}\text{O}_3\text{NI}$ and Its Analogs. Russian Journal of Applied Chemistry, 2004, 77, 1079-1082.	0.5	0
46	The Heat Capacity and Electrophysical Properties of Neodymium and Lithium Chromite $\text{NdLiCr}_2\text{O}_5$. High Temperature, 2005, 43, 796-799.	1.0	0
47	Thermodynamic Properties of Salsoline Salsolinodithiocarbamate. Russian Journal of Applied Chemistry, 2005, 78, 2029-2031.	0.5	0
48	Thermodynamic properties of ferrites of composition $\text{GdMIIFe}_2\text{O}_5$ (MII = Mg, Ca, Sr). Russian Journal of Applied Chemistry, 2006, 79, 1225-1229.	0.5	0
49	Thermochemistry of potassium morpholinodithiocarbamate. Russian Journal of Applied Chemistry, 2006, 79, 1705-1708.	0.5	0
50	Heat Capacity and thermodynamic functions of $\text{DyMellCr}_2\text{O}_5$ (Mell = Mg, Ca) in the range from 298.15 to 673 K. High Temperature, 2007, 45, 645-648.	1.0	0
51	X-Ray diffraction data for new ferrites ErMFe_2O_5 (M = Li, Na, K). Russian Journal of Inorganic Chemistry, 2007, 52, 1180-1183.	1.3	0
52	Synthesis and X-ray diffraction study of manganites $\text{LaM}_3\text{IM}_3\text{Mn}_4\text{O}_{12}$ (MI = Li, Na, K; MII = Mg, Ca). Russian Journal of Inorganic Chemistry, 2007, 52, 1340-1342.	1.3	0
53	Enthalpy of solution of tigogenin saponin in dioxane and the temperature dependence of its heat capacity. Russian Journal of Physical Chemistry A, 2007, 81, 1242-1244.	0.6	0
54	Thermodynamic properties of anthraquinone derivatives. Russian Journal of Applied Chemistry, 2008, 81, 30-32.	0.5	0

#	ARTICLE	IF	CITATIONS
55	Thermodynamic properties of solutions of imidazolidine-2-thione and potassium isopropylxanthate in ethanol and characteristics of individual compounds. Russian Journal of Applied Chemistry, 2008, 81, 272-275.	0.5	0
56	Synthesis and X-ray diffraction study of the LaMgIMg(CrO ₃) ₂ (MI = Li, Na, K) compounds. Russian Journal of Inorganic Chemistry, 2008, 53, 1691-1693.	1.3	0
57	The calorimetry and thermodynamic functions of Nd Mg 3 I Mn ₄ O ₁₂ (Me=Li, Na, K) manganites in the range from 298.15 to 673 K. High Temperature, 2009, 47, 27-32.	1.0	0
58	Chromites YbMCr ₂ O ₅ (M = Li, Na, K, Cs): X-ray diffraction study. Russian Journal of Inorganic Chemistry, 2009, 54, 27-29.	1.3	0
59	Calorimetry of dissolution of peganine methyl iodide and calculation of the standard enthalpy of formation of a number of its analogs. Russian Journal of Applied Chemistry, 2010, 83, 54-57.	0.5	0
60	Study of the heat capacity of the derivatives C ₂₁ H ₁₆ N ₂ O and C ₂₁ H ₁₉ N ₂ O ₂ Br of the alkaloid harmine. Russian Journal of Applied Chemistry, 2011, 84, 1454-1455.	0.5	0
61	X-ray diffraction characteristics of new chromitomanganites LaM 3 I CrMnO ₆ and LaM 3 II CrMnO _{7.5} (MI = Li, Na; MII = Mg, Ca). Russian Journal of Inorganic Chemistry, 2013, 58, 206-208.	1.3	0
62	Estimating the standard thermodynamic functions of rare-earth and alkali-earth manganitoferrites LnMIIMnFeO _{5.5} (Ln = La, Nd, Gd, Dy, Er; MII = Mg, Ca, Sr, Ba). Russian Journal of Physical Chemistry A, 2013, 87, 1057-1059.	0.6	0
63	X-ray powder diffraction study of nanostructured particles of manganite ferrites NdMIMnFeO ₅ (MI =) Tj ETQq1 1 0.784314 rgBT /Over	1.3	0
64	Synthesis and X-ray diffraction study of LaM 1.5 II MnFeO ₆ manganitoferrites (MII = Mg, Ca, Sr, Ba). Russian Journal of Inorganic Chemistry, 2014, 59, 373-375.	1.3	0
65	Enthalpies of dissolution of flavonoids in 96% ethanol at 25 ^o C. Russian Journal of Physical Chemistry A, 2015, 89, 1804-1807.	0.6	0
66	Thermodynamic Properties of Zincate-Manganites of LaM ₂ II ZnMnO ₆ (MII = Mg, Ca, Sr, Ba) Composition. Russian Journal of Physical Chemistry A, 2016, 90, 739-743.	0.6	0
67	Chemical composition and heat capacity of shale from the Kendyrylyk and Shubarkol deposits. Solid Fuel Chemistry, 2016, 50, 149-151.	0.7	0
68	Thermochemistry of Sesquiterpene Lactone 3,4 ^o -Epoxyarglabin. Russian Journal of Physical Chemistry A, 2018, 92, 232-234.	0.6	0
69	Thermodynamic and Electrophysical Properties of Nanosized LaMeFeCrMnO _{6.5} (Me = Li, Na, K) Ferro-Chromo-Manganites. Russian Journal of Physical Chemistry A, 2018, 92, 760-767.	0.6	0
70	Thermodynamic Properties of Nanosized Cobaltite (Nickelite) Cuprate Manganites LaMgCoCuMnO ₆ and LaMgNiCuMnO ₆ . Russian Journal of Physical Chemistry A, 2020, 94, 18-22.	0.6	0
71	SYNTHESIS AND STUDY OF THERMODYNAMIC PROPERTIES OF NEW ZINCATE-MANGANITES NdM ₂ II ZnMnO ₆ (MII = Mg, Ca). ChemChemTech, 2018, 61, 16.	0.3	0