

Shuga B Kasenova

List of Publications by Citations

Source: <https://exaly.com/author-pdf/2277378/shuga-b-kasenova-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70 papers	72 citations	3 h-index	5 g-index
71 ext. papers	77 ext. citations	0.9 avg, IF	1.19 L-index

#	Paper	IF	Citations
70	Calorimetric study of the enthalpies of solution of methyl iodides of dimethylamino grosshemin and diethylamino grosshemin in water and evaluation of the thermodynamic properties of their analogues. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1238-1243	0.8	5
69	Heat capacity of coals from the Maikube, Sary-Adyr, and Kendyrlyk deposits in Kazakhstan. <i>Solid Fuel Chemistry</i> , 2015 , 49, 343-348	0.7	4
68	Heat capacities and thermodynamic functions of new cobalt manganites LaM II2 CoMnO6 (MII=Mg, Ca, Sr, Ba) in the 298.15-73 K temperature range. <i>Russian Journal of Physical Chemistry A</i> , 2015 , 89, 941-946	0.7	4
67	Heat capacity and thermodynamic functions of nanostructured manganese ferrites of composition NdMe1.5MnFeO6 (Me = Mg, Ca, Sr, and Ba) in the temperature range from 298.15 to 673 K. <i>Russian Journal of Physical Chemistry A</i> , 2015 , 89, 586-591	0.7	3
66	Thermochemistry of myricetin flavonoid. <i>Russian Journal of Physical Chemistry A</i> , 2014 , 88, 1277-1280	0.7	3
65	Synthesis and x-ray diffraction study of new nanostructured manganite ferrites NdM II1.5 MnFeO6 (MII = Mg, Ca, Sr, Ba). <i>Russian Journal of Inorganic Chemistry</i> , 2013 , 58, 570-573	1.5	3
64	Heat capacity and thermodynamic functions of manganite ferrites NdMIMnFeO5 (MI = Li, Na) in the range of 298-73 K. <i>Russian Journal of Physical Chemistry A</i> , 2013 , 87, 719-723	0.7	3
63	Thermodynamic and electrophysical properties of LaSrMnFeO5.5 ferrite. <i>High Temperature</i> , 2012 , 50, 736-738	0.8	3
62	A thermodynamic investigation of NdMe3Sr3Mn4O12 (Me=Li, Na, K) manganites in the range from 298.15 to 673 K. <i>High Temperature</i> , 2010 , 48, 198-204	0.8	3
61	Heat capacities and thermodynamic functions of new nanosized ferro-chromo-manganites LaM0.5 IIFeCrMnO6.5 (MIIMg, Ca, Sr, Ba). <i>Russian Journal of Physical Chemistry A</i> , 2017 , 91, 430-436	0.7	2
60	Heat capacity and thermodynamic functions of new cobalt manganites NdM2 I CoMnO5 (MI = Li, Na, and K) in the range of 298.15-73 K. <i>Russian Journal of Physical Chemistry A</i> , 2017 , 91, 282-286	0.7	2
59	Synthesis and X-ray diffraction study of nanostructured particles of cuprate manganites LaM II2 CuMnO6 (MII = Mg, Ca, Sr, Ba). <i>Russian Journal of Inorganic Chemistry</i> , 2014 , 59, 1010-1014	1.5	2
58	Heat capacity and thermodynamic functions of new nanostructured cuprate-manganite NdCa2CuMnO6. <i>Russian Journal of Physical Chemistry A</i> , 2014 , 88, 1802-1805	0.7	2
57	Calorimetric studies of LaM2NiMnO5 (MI=Li, Na, K) nickelite-manganite heat capacity within the temperature range of 298.15-73 K. <i>High Temperature</i> , 2017 , 55, 465-468	0.8	2
56	Calorimetric investigation of heat capacity of the ErMFe2O5.5 (M = Mg, Ca, Sr, Ba) ferrites in the temperature range of 298.15-73 K and calculation of their thermodynamic functions. <i>High Temperature</i> , 2015 , 53, 358-362	0.8	2
55	Synthesis and X-ray diffraction and calorimetric studies of LaLiMnFeO5 and LaCsMnFeO5 ferrites. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 1455-1458	1.5	2
54	Thermodynamic properties of cytosine dithiocarbamate derivatives. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1072-1075	0.8	2

53	Ferrites YbSrFe ₂ O _{5.5} and YbBaFe ₂ O _{5.5} : Synthesis and X-ray diffraction, thermodynamic, and electrophysical properties. <i>Russian Journal of Inorganic Chemistry</i> , 2006 , 51, 368-373	1.5	2
52	Heat Capacity and Thermodynamic Functions of NdMeFe ₂ O ₅ (Me is Li, Na, K, Cs) Ferrites. <i>High Temperature</i> , 2004 , 42, 409-413	0.8	2
51	A calorimetric study of the specific heat of cytosine and enthalpies of its dissolution in water and ethanol. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 1920-1923	0.8	2
50	Thermodynamic Properties of Anabasine Hydrochloride and Its Analogs. <i>Russian Journal of Applied Chemistry</i> , 2003 , 76, 29-32	0.8	2
49	Heat capacity and thermodynamic functions of new cobaltic manganites NdM II ₂ CoMnO ₆ (MII is Mg, Ca, Sr, or Ba) Within the temperature range of 298.15-773 K. <i>High Temperature</i> , 2016 , 54, 514-518	0.8	2
48	Thermochemistry of sesquiterpene lactone argolide. <i>Russian Journal of Physical Chemistry A</i> , 2017 , 91, 6-9	0.7	1
47	Characteristics of coal from the Kushmurun deposit. <i>Solid Fuel Chemistry</i> , 2014 , 48, 147-148	0.7	1
46	Heat capacity and electrophysical properties of GdMeFe ₂ O ₅ (Me II Li, Na, K, Cs)-type ferrites. <i>High Temperature</i> , 2013 , 51, 54-59	0.8	1
45	Thermodynamic properties of biologically active substances: 3-acetyl-9-methoxy-2-phenyl-11H-indolizino[8,7-b]indole and 8-acetylharminine. <i>Russian Journal of Applied Chemistry</i> , 2012 , 85, 1914-1918	0.8	1
44	Manganites NdMg I ₃ Mg ₃ Mn ₄ O ₁₂ (MI = Li, Na, K): X-ray diffraction data. <i>Russian Journal of Inorganic Chemistry</i> , 2009 , 54, 30-32	1.5	1
43	New manganites NdM ₃ Sr ₃ Mn ₄ O ₁₂ and NdM ₃ Ba ₃ Mn ₄ O ₁₂ (M = Li, Na, K): Synthesis and X-ray diffraction characteristics. <i>Russian Journal of Inorganic Chemistry</i> , 2009 , 54, 377-380	1.5	1
42	X-ray powder diffraction features of manganites DyM I ₃ M II ₃ Mn ₄ O ₁₂ (MI = Li, Na, K; MII = Mg, Ba). <i>Russian Journal of Inorganic Chemistry</i> , 2010 , 55, 1454-1457	1.5	1
41	Synthesis and X-ray diffraction study of ferrites ErMIFe ₂ O ₅ (MI = Li, Na, K, Cs). <i>Russian Journal of Inorganic Chemistry</i> , 2010 , 55, 1607-1610	1.5	1
40	Thermodynamics of a series of harmine alkaloid derivatives. <i>Russian Journal of Applied Chemistry</i> , 2010 , 83, 1083-1085	0.8	1
39	La ₂ M II ₃ Mn ₄ O ₁₂ (M = Mg, Ca, Sr, or Ba) manganites: Synthesis and X-ray diffraction study. <i>Russian Journal of Inorganic Chemistry</i> , 2007 , 52, 1514-1515	1.5	1
38	Thermochemistry of some cytosine derivatives. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 2141-2144	0.8	1
37	Synthesis and properties of GdMCr ₂ O ₅ (M = Na, K, Cs). <i>Inorganic Materials</i> , 2006 , 42, 68-74	0.9	1
36	Thermochemical Characteristics of a Series of Terpenoids, Alkaloids, and Flavonoids. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 508-510	0.8	1

35	Calorimetric Study of Specific Heat of Anabesine Nitrate and Glaucine Hydrobromide. <i>Russian Journal of Applied Chemistry</i> , 2003 , 76, 1358-1359	0.8	1
34	The Heat Capacity and Thermodynamic Functions of Ternary Manganites DyMIMgMn ₂ O ₆ (MI [Na, K, Cs]) in the Temperature Range from 223 to 673 K. <i>High Temperature</i> , 2005 , 43, 727-732	0.8	1
33	Thermodynamic properties of alkaloids lappaconitine and glaucine. <i>Russian Journal of Applied Chemistry</i> , 2007 , 80, 549-552	0.8	0
32	Thermodynamic Properties of Nanosized Cobaltite (Nickelite) Cuprate Manganites LaMgCoCuMnO ₆ and LaMgNiCuMnO ₆ . <i>Russian Journal of Physical Chemistry A</i> , 2020 , 94, 18-22	0.7	
31	Thermochemistry of Sesquiterpene Lactone 3,4-Epoxyarglabin. <i>Russian Journal of Physical Chemistry A</i> , 2018 , 92, 232-234	0.7	
30	Chemical composition and heat capacity of shale from the Kendyrylyk and Shubarkol deposits. <i>Solid Fuel Chemistry</i> , 2016 , 50, 149-151	0.7	
29	Thermodynamic properties of sesquiterpene lactone grossheimin. <i>Russian Journal of Physical Chemistry A</i> , 2016 , 90, 1521-1524	0.7	
28	Thermodynamic and Electrophysical Properties of Nanosized LaMeFeCrMnO _{6.5} (Me = Li, Na, K) Ferro-Chromo-Manganites. <i>Russian Journal of Physical Chemistry A</i> , 2018 , 92, 760-767	0.7	
27	Synthesis and X-ray diffraction study of LaM II _{1.5} MnFeO ₆ manganitoferrites (MII = Mg, Ca, Sr, Ba). <i>Russian Journal of Inorganic Chemistry</i> , 2014 , 59, 373-375	1.5	
26	X-ray diffraction characteristics of new chromitomanganites LaM I ₃ CrMnO ₆ and LaM II ₃ CrMnO _{7.5} (MI = Li, Na; MII = Mg, Ca). <i>Russian Journal of Inorganic Chemistry</i> , 2013 , 58, 206-208	1.5	
25	Estimating the standard thermodynamic functions of rare-earth and alkali-earth manganitoferrites LnMIIMnFeO _{5.5} (Ln = La, Nd, Gd, Dy, Er; MII = Mg, Ca, Sr, Ba). <i>Russian Journal of Physical Chemistry A</i> , 2013 , 87, 1057-1059	0.7	
24	X-ray powder diffraction study of nanostructured particles of manganite ferrites NdMIMnFeO ₅ (MI = Li, Na, K). <i>Russian Journal of Inorganic Chemistry</i> , 2013 , 58, 976-979	1.5	
23	Enthalpies of dissolution of flavonoids in 96% ethanol at 25°C. <i>Russian Journal of Physical Chemistry A</i> , 2015 , 89, 1804-1807	0.7	
22	Study of the heat capacity of the derivatives C ₂₁ H ₁₆ N ₂ O and C ₂₁ H ₁₉ N ₂ O ₂ Br of the alkaloid harmine. <i>Russian Journal of Applied Chemistry</i> , 2011 , 84, 1454-1455	0.8	
21	The calorimetry and thermodynamic functions of Nd Mg I ₃ Mn ₄ O ₁₂ (MeI-Li, Na, K) manganites in the range from 298.15 to 673 K. <i>High Temperature</i> , 2009 , 47, 27-32	0.8	
20	Chromites YbMCr ₂ O ₅ (M = Li, Na, K, Cs): X-ray diffraction study. <i>Russian Journal of Inorganic Chemistry</i> , 2009 , 54, 27-29	1.5	
19	Calorimetry of dissolution of peganine methyl iodide and calculation of the standard enthalpy of formation of a number of its analogs. <i>Russian Journal of Applied Chemistry</i> , 2010 , 83, 54-57	0.8	
18	Heat Capacity and thermodynamic functions of DyMeII ₂ Cr ₂ O _{5.5} (MeII-Mg, Ca) in the range from 298.15 to 673 K. <i>High Temperature</i> , 2007 , 45, 645-648	0.8	

17	X-Ray diffraction data for new ferrites ErMFe_2O_5 ($\text{M} = \text{Li, Na, K}$). <i>Russian Journal of Inorganic Chemistry</i> , 2007 , 52, 1180-1183	1.5
16	Synthesis and X-ray diffraction study of manganites $\text{LaM I}_3 \text{M II}_3 \text{Mn}_4\text{O}_{12}$ ($\text{MI} = \text{Li, Na, K}$; $\text{MII} = \text{Mg, Ca}$). <i>Russian Journal of Inorganic Chemistry</i> , 2007 , 52, 1340-1342	1.5
15	Enthalpy of solution of tigogenin saponin in dioxane and the temperature dependence of its heat capacity. <i>Russian Journal of Physical Chemistry A</i> , 2007 , 81, 1242-1244	0.7
14	Thermodynamic properties of anthraquinone derivatives. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 30-32	0.8
13	Thermodynamic properties of solutions of imidazolidine-2-thione and potassium isopropylxanthate in ethanol and characteristics of individual compounds. <i>Russian Journal of Applied Chemistry</i> , 2008 , 81, 272-275	0.8
12	Synthesis and X-ray diffraction study of the $\text{LaMgIMg}(\text{CrO}_3)_2$ ($\text{MI} = \text{Li, Na, K}$) compounds. <i>Russian Journal of Inorganic Chemistry</i> , 2008 , 53, 1691-1693	1.5
11	Thermodynamic properties of ferrites of composition $\text{GdMIIFe}_2\text{O}_{5.5}$ ($\text{MII} = \text{Mg, Ca, Sr}$). <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1225-1229	0.8
10	Thermochemistry of potassium morpholinodithiocarbamate. <i>Russian Journal of Applied Chemistry</i> , 2006 , 79, 1705-1708	0.8
9	Heat Capacity and Electrophysical Properties of $\text{GdCaCr}_2\text{O}_{5.5}$ Chromite. <i>High Temperature</i> , 2004 , 42, 587-591	0.8
8	Heat Capacity and Electrical Properties of $\text{LaLiSrMn}_2\text{O}_6$. <i>Inorganic Materials</i> , 2004 , 40, 751-753	0.9
7	Synthesis and Properties of NdMCr_2O_5 ($\text{M} = \text{Na, K, Cs}$) and $\text{NdMgCr}_2\text{O}_{5.5}$ Chromites. <i>Inorganic Materials</i> , 2004 , 40, 976-978	0.9
6	Thermodynamic Properties of Dimethylaminoargabin Methyl Iodide $\text{C}_{18}\text{H}_{28}\text{O}_3\text{NI}$ and Its Analogs. <i>Russian Journal of Applied Chemistry</i> , 2004 , 77, 1079-1082	0.8
5	X-ray Diffraction and Thermodynamic Studies of $\text{GdLiCr}_2\text{O}_5$. <i>Inorganic Materials</i> , 2003 , 39, 621-624	0.9
4	Thermochemistry of Lappaconitine Hydrobromide and Its Analogues. <i>Russian Journal of Applied Chemistry</i> , 2003 , 76, 1920-1924	0.8
3	The Heat Capacity and Electrophysical Properties of Neodymium and Lithium Chromite $\text{NdLiCr}_2\text{O}_5$. <i>High Temperature</i> , 2005 , 43, 796-799	0.8
2	Thermodynamic Properties of Salsoline Salsolinodithiocarbamate. <i>Russian Journal of Applied Chemistry</i> , 2005 , 78, 2029-2031	0.8
1	Thermodynamic Properties of Zincate-Manganites of $\text{LaM}_2\text{IIZnMnO}_6$ ($\text{II} = \text{Mg, Ca, Sr, Ba}$) Composition. <i>Russian Journal of Physical Chemistry A</i> , 2016 , 90, 739-743	0.7