

Wei-Yi Ong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2277909/publications.pdf>

Version: 2024-02-01

147
papers

5,781
citations

81743

39
h-index

91712

69
g-index

148
all docs

148
docs citations

148
times ranked

8368
citing authors

#	ARTICLE	IF	CITATIONS
1	Biodistribution of gold nanoparticles and gene expression changes in the liver and spleen after intravenous administration in rats. <i>Biomaterials</i> , 2010, 31, 2034-2042.	5.7	456
2	Role of the Prefrontal Cortex in Pain Processing. <i>Molecular Neurobiology</i> , 2019, 56, 1137-1166.	1.9	397
3	Inhibitors of Brain Phospholipase A2 Activity: Their Neuropharmacological Effects and Therapeutic Importance for the Treatment of Neurologic Disorders. <i>Pharmacological Reviews</i> , 2006, 58, 591-620.	7.1	353
4	Characterization, purification, and stability of gold nanoparticles. <i>Biomaterials</i> , 2010, 31, 9023-9030.	5.7	198
5	Biochemical Aspects of Neurodegeneration in Human Brain: Involvement of Neural Membrane Phospholipids and Phospholipases A2. <i>Neurochemical Research</i> , 2004, 29, 1961-1977.	1.6	171
6	Protective effects of ginseng on neurological disorders. <i>Frontiers in Aging Neuroscience</i> , 2015, 7, 129.	1.7	161
7	Translocation and effects of gold nanoparticles after inhalation exposure in rats. <i>Nanotoxicology</i> , 2007, 1, 235-242.	1.6	121
8	The effect of primary particle size on biodistribution of inhaled gold nano-agglomerates. <i>Biomaterials</i> , 2013, 34, 5439-5452.	5.7	120
9	Iron, neuroinflammation, and Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2005, 8, 183-200.	1.2	112
10	Synthetic and Natural Inhibitors of Phospholipases A ₂ : Their Importance for Understanding and Treatment of Neurological Disorders. <i>ACS Chemical Neuroscience</i> , 2015, 6, 814-831.	1.7	112
11	Non-targeted profiling of lipids during kainate-induced neuronal injury. <i>FASEB Journal</i> , 2006, 20, 1152-1161.	0.2	104
12	Comparison of biochemical effects of statins and fish oil in brain: The battle of the titans. <i>Brain Research Reviews</i> , 2007, 56, 443-471.	9.1	97
13	Neurodegeneration in Niemann-Pick type C disease mice. <i>Experimental Brain Research</i> , 2001, 141, 218-231.	0.7	94
14	Large-scale lipidomics identifies associations between plasma sphingolipids and T2DM incidence. <i>JCI Insight</i> , 2019, 4, .	2.3	92
15	Roles of Cholesterol in Vesicle Fusion and Motion. <i>Biophysical Journal</i> , 2009, 97, 1371-1380.	0.2	91
16	The iron chelator desferrioxamine inhibits atherosclerotic lesion development and decreases lesion iron concentrations in the cholesterol-fed rabbit. <i>Free Radical Biology and Medicine</i> , 2005, 38, 1206-1211.	1.3	88
17	Heme oxygenase-1 is expressed in viable astrocytes and microglia but in degenerating pyramidal neurons in the kainate-lesioned rat hippocampus. <i>Experimental Brain Research</i> , 2001, 137, 424-431.	0.7	85
18	Slow Excitotoxicity in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2013, 35, 643-668.	1.2	82

#	ARTICLE	IF	CITATIONS
19	Ayurvedic Medicine for the Treatment of Dementia: Mechanistic Aspects. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-11.	0.5	82
20	Iron, Atherosclerosis, and Neurodegeneration: A Key Role for Cholesterol in Promoting Iron-Dependent Oxidative Damage?. Annals of the New York Academy of Sciences, 2004, 1012, 51-64.	1.8	74
21	Retinoic acid-mediated phospholipase A2 signaling in the nucleus. Brain Research Reviews, 2004, 45, 179-195.	9.1	61
22	Increase in Cholesterol and Cholesterol Oxidation Products, and Role of Cholesterol Oxidation Products in Kainate-Induced Neuronal Injury. Brain Pathology, 2003, 13, 250-262.	2.1	59
23	Intracerebroventricular injection of phospholipases A2 inhibitors modulates allodynia after facial carrageenan injection in mice. Pain, 2004, 112, 148-155.	2.0	58
24	Lovastatin Modulates Increased Cholesterol and Oxysterol Levels and Has a Neuroprotective Effect on Rat Hippocampal Neurons After Kainate Injury. Journal of Neuropathology and Experimental Neurology, 2006, 65, 652-663.	0.9	56
25	Changes in Brain Cholesterol Metabolome After Excitotoxicity. Molecular Neurobiology, 2010, 41, 299-313.	1.9	54
26	Enterovirus 71 infection of motor neuron-like NSC-34 cells undergoes a non-lytic exit pathway. Scientific Reports, 2016, 6, 36983.	1.6	54
27	Distribution of calcium-independent phospholipase A2 (iPLA2) in monkey brain. Journal of Neurocytology, 2005, 34, 447-458.	1.6	53
28	Plasmalogens, Docosahexaenoic Acid and Neurological Disorders. Advances in Experimental Medicine and Biology, 2003, 544, 335-354.	0.8	53
29	Lipid mediators in the nucleus: Their potential contribution to Alzheimer's disease. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2010, 1801, 906-916.	1.2	50
30	Nose-to-Brain Drug Delivery by Nanoparticles in the Treatment of Neurological Disorders. Current Medicinal Chemistry, 2014, 21, 4247-4256.	1.2	48
31	Expression and localization of the iron-siderophore binding protein lipocalin 2 in the normal rat brain and after kainate-induced excitotoxicity. Neurochemistry International, 2011, 59, 591-599.	1.9	47
32	Increased expression of β -aminobutyric acid transporters GAT-1 and GAT-3 in the spinal trigeminal nucleus after facial carrageenan injections. Pain, 2001, 92, 29-40.	2.0	46
33	Qi Fu Yin—a Ming Dynasty Prescription for the Treatment of Dementia. Molecular Neurobiology, 2018, 55, 7389-7400.	1.9	45
34	Distribution of hydroxynonenal-modified proteins in the kainate-lesioned rat hippocampus: evidence that hydroxynonenal formation precedes neuronal cell death. Free Radical Biology and Medicine, 2000, 28, 1214-1221.	1.3	44
35	A Flexible PEGDA Upconversion Implant for Wireless Brain Photodynamic Therapy. Advanced Materials, 2020, 32, 2001459.	11.1	44
36	Changes in GABA transporters in the rat hippocampus after kainate-induced neuronal injury: Decrease in GAT-1 and GAT-3 but upregulation of betaine/GABA transporter BGT-1. Journal of Neuroscience Research, 2004, 77, 402-409.	1.3	43

#	ARTICLE	IF	CITATIONS
37	Lewy Body-like Inclusions in Human Midbrain Organoids Carrying Glucocerebrosidase and α -Synuclein Mutations. <i>Annals of Neurology</i> , 2021, 90, 490-505.	2.8	43
38	A Nuclear Microscopic Study of Elemental Changes in the Rat Hippocampus After Kainate-Induced Neuronal Injury. <i>Journal of Neurochemistry</i> , 2001, 72, 1574-1579.	2.1	42
39	Postnatal Deletion of Fat Storage-inducing Transmembrane Protein 2 (FIT2/FITM2) Causes Lethal Enteropathy. <i>Journal of Biological Chemistry</i> , 2015, 290, 25686-25699.	1.6	42
40	Antiprion activity of functionalized 9-aminoacridines related to quinacrine. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 6737-6746.	1.4	41
41	MicroRNA changes in the mouse prefrontal cortex after inflammatory pain. <i>European Journal of Pain</i> , 2011, 15, 801.e1-12.	1.4	41
42	Early-onset axonal pathology in a novel β -galactosidase transgenic mouse model of frontotemporal lobar degeneration. <i>Neuropathology and Applied Neurobiology</i> , 2015, 41, 906-925.	1.8	41
43	Differential effects of calcium-dependent and calcium-independent phospholipase A 2 inhibitors on kainate-induced neuronal injury in rat hippocampal slices. <i>Free Radical Biology and Medicine</i> , 2001, 30, 1263-1273.	1.3	40
44	Localisation of Formyl-Peptide Receptor 2 in the Rat Central Nervous System and Its Role in Axonal and Dendritic Outgrowth. <i>Neurochemical Research</i> , 2018, 43, 1587-1598.	1.6	40
45	A light and electron microscopic study of betaine/GABA transporter distribution in the monkey cerebral neocortex and hippocampus. <i>Journal of Neurocytology</i> , 2004, 33, 233-240.	1.6	37
46	Upregulation of iron regulatory proteins and divalent metal transporter-1 isoforms in the rat hippocampus after kainate induced neuronal injury. <i>Experimental Brain Research</i> , 2006, 170, 376-386.	0.7	37
47	Heme oxygenase-1 activity after excitotoxic injury: Immunohistochemical localization of bilirubin in neurons and astrocytes and deleterious effects of heme oxygenase inhibition on neuronal survival after kainate treatment. <i>Journal of Neuroscience Research</i> , 2005, 80, 268-278.	1.3	35
48	Lipidomic analyses of the mouse brain after antidepressant treatment: evidence for endogenous release of long-chain fatty acids?. <i>International Journal of Neuropsychopharmacology</i> , 2009, 12, 953.	1.0	35
49	Comprehensive Gene Expression Profiling in the Prefrontal Cortex Links Immune Activation and Neutrophil Infiltration to Antinociception. <i>Journal of Neuroscience</i> , 2012, 32, 35-45.	1.7	35
50	Role of sphingomyelinases in neurological disorders. <i>Expert Opinion on Therapeutic Targets</i> , 2015, 19, 1725-1742.	1.5	35
51	Effect of Ergothioneine on 7-Ketocholesterol-Induced Endothelial Injury. <i>NeuroMolecular Medicine</i> , 2021, 23, 184-198.	1.8	35
52	Ultrastructural Characteristics of DHA-Induced Pyroptosis. <i>NeuroMolecular Medicine</i> , 2020, 22, 293-303.	1.8	33
53	Effects of cholesterol oxidation products on exocytosis. <i>Neuroscience Letters</i> , 2010, 476, 36-41.	1.0	32
54	Effects of Antimalarial Drugs on Neuroinflammation-Potential Use for Treatment of COVID-19-Related Neurologic Complications. <i>Molecular Neurobiology</i> , 2021, 58, 106-117.	1.9	32

#	ARTICLE	IF	CITATIONS
55	Apolipoprotein D modulates F2-isoprostane and 7-ketocholesterol formation and has a neuroprotective effect on organotypic hippocampal cultures after kainate-induced excitotoxic injury. <i>Neuroscience Letters</i> , 2009, 455, 183-186.	1.0	31
56	Pleotropic Roles of Autotaxin in the Nervous System Present Opportunities for the Development of Novel Therapeutics for Neurological Diseases. <i>Molecular Neurobiology</i> , 2020, 57, 372-392.	1.9	31
57	Clinacanthus nutans Protects Cortical Neurons Against Hypoxia-Induced Toxicity by Downregulating HDAC1/6. <i>NeuroMolecular Medicine</i> , 2016, 18, 274-282.	1.8	30
58	Changes in cholesterol biosynthetic and transport pathways after excitotoxicity. <i>Journal of Neurochemistry</i> , 2010, 112, 34-41.	2.1	29
59	Neuroprotection Abilities of Cytosolic Phospholipase A2 Inhibitors in Kainic acid-induced Neurodegeneration. <i>Current Drug Targets Cardiovascular & Haematological Disorders</i> , 2004, 4, 85-96.	2.0	28
60	Stable iron isotope tracing reveals significant brain iron uptake in adult rats. <i>Metallomics</i> , 2013, 5, 167.	1.0	28
61	Distribution of Alox15 in the Rat Brain and Its Role in Prefrontal Cortical Resolvin D1 Formation and Spatial Working Memory. <i>Molecular Neurobiology</i> , 2018, 55, 1537-1550.	1.9	28
62	A Light and Electron Microscopic Study of Divalent Metal Transporter-1 Distribution in the Rat Hippocampus, after Kainate-Induced Neuronal Injury. <i>Experimental Neurology</i> , 2002, 177, 193-201.	2.0	27
63	Antinociceptive effect of CNS peroxynitrite scavenger in a mouse model of orofacial pain. <i>Experimental Brain Research</i> , 2008, 184, 435-438.	0.7	27
64	Quinacrine abolishes increases in cytoplasmic phospholipase A2 mRNA levels in the rat hippocampus after kainate-induced neuronal injury. <i>Experimental Brain Research</i> , 2003, 148, 521-524.	0.7	26
65	Immunocytochemical localization of apolipoprotein D in oligodendrocyte precursor-like cells, perivascular cells, and pericytes in the human cerebral cortex. <i>Journal of Neurocytology</i> , 2001, 30, 209-218.	1.6	25
66	Differential effects of ceramide species on exocytosis in rat PC12 cells. <i>Experimental Brain Research</i> , 2007, 183, 241-247.	0.7	25
67	Short- and long-term changes in blood miRNA levels after nanogold injection in rats – potential biomarkers of nanoparticle exposure. <i>Biomarkers</i> , 2012, 17, 750-757.	0.9	25
68	YY-1224, a terpene trilactone-strengthened Ginkgo biloba, attenuates neurodegenerative changes induced by β -amyloid (1-42) or double transgenic overexpression of APP and PS1 via inhibition of cyclooxygenase-2. <i>Journal of Neuroinflammation</i> , 2017, 14, 94.	3.1	25
69	A light and electron microscopic study of the GABA transporter GAT-3 in the monkey basal ganglia and brainstem. <i>Journal of Neurocytology</i> , 2000, 29, 595-603.	1.6	24
70	Changes in AMPA subunit expression in the mouse brain after chronic treatment with the antidepressant maprotiline: a link between noradrenergic and glutamatergic function?. <i>Experimental Brain Research</i> , 2006, 170, 448-456.	0.7	24
71	Brain Isoprenoids Farnesyl Pyrophosphate and Geranylgeranyl Pyrophosphate are Increased in Aged Mice. <i>Molecular Neurobiology</i> , 2012, 46, 179-185.	1.9	24
72	The phospholipase A2 inhibitor quinacrine prevents increased immunoreactivity to cytoplasmic phospholipase A2 (cPLA2) and hydroxynonenal (HNE) in neurons of the lateral septum following fimbria-fornix transection. <i>Experimental Brain Research</i> , 2001, 138, 500-508.	0.7	21

#	ARTICLE	IF	CITATIONS
73	Elevated oxidative stress, iron accumulation around microvessels and increased 4-hydroxynonenal immunostaining in zone 1 of the liver acinus in hypercholesterolemic rabbits. <i>Free Radical Research</i> , 2009, 43, 241-249.	1.5	21
74	Expression and localisation of brain-type organic cation transporter (BOCT/24p3R/LCN2R) in the normal rat hippocampus and after kainate-induced excitotoxicity. <i>Neurochemistry International</i> , 2015, 87, 43-59.	1.9	21
75	Clinacanthus nutans Mitigates Neuronal Apoptosis and Ischemic Brain Damage Through Augmenting the C/EBP β -Driven PPAR- γ Transcription. <i>Molecular Neurobiology</i> , 2018, 55, 5425-5438.	1.9	20
76	Effects of intracerebroventricular injections of free fatty acids, lysophospholipids, or platelet activating factor in a mouse model of orofacial pain. <i>Experimental Brain Research</i> , 2006, 174, 781-785.	0.7	19
77	Differential effects of lysophospholipids on exocytosis in rat PC12 cells. <i>Journal of Neural Transmission</i> , 2010, 117, 301-308.	1.4	19
78	Enriched Expression of Neutral Sphingomyelinase 2 in the Striatum is Essential for Regulation of Lipid Raft Content and Motor Coordination. <i>Molecular Neurobiology</i> , 2018, 55, 5741-5756.	1.9	19
79	Lysophosphatidic acid and its receptor LPA1 mediate carrageenan induced inflammatory pain in mice. <i>European Journal of Pharmacology</i> , 2018, 841, 49-56.	1.7	19
80	Activation of sphingosine 1-phosphate receptor 2 attenuates chemotherapy-induced neuropathy. <i>Journal of Biological Chemistry</i> , 2020, 295, 1143-1152.	1.6	19
81	Increased iron staining in the cerebral cortex of cholesterol fed rabbits. <i>Mechanisms of Ageing and Development</i> , 2004, 125, 305-313.	2.2	18
82	Ceruloplasmin is an endogenous protectant against kainate neurotoxicity. <i>Free Radical Biology and Medicine</i> , 2015, 84, 355-372.	1.3	18
83	P2 purinoceptor blocker suramin antagonises NMDA receptors and protects against excitatory behaviour caused by NMDA receptor agonist (RS)-(tetrazol-5-yl)-glycine in rats. <i>Journal of Neuroscience Research</i> , 1997, 49, 627-638.	1.3	17
84	The Birth of Neurochemical Maps. <i>Neurochemical Research</i> , 2006, 31, 125-126.	1.6	17
85	Neuronal Activity-Induced Sterol Regulatory Element Binding Protein-1 (SREBP1) is Disrupted in Dysbindin-Null Mice—Potential Link to Cognitive Impairment in Schizophrenia. <i>Molecular Neurobiology</i> , 2017, 54, 1699-1709.	1.9	17
86	Apolipoprotein D in the Niemann-Pick type C disease mouse brain: an ultrastructural immunocytochemical analysis. <i>Journal of Neurocytology</i> , 2002, 31, 121-129.	1.6	16
87	Expression, activity, and role of serine palmitoyltransferase in the rat hippocampus after kainate injury. <i>Journal of Neuroscience Research</i> , 2007, 85, 423-432.	1.3	16
88	Localization of the transcription factor, sterol regulatory element binding protein-2 (SREBP-2) in the normal rat brain and changes after kainate-induced excitotoxic injury. <i>Journal of Chemical Neuroanatomy</i> , 2009, 37, 71-77.	1.0	16
89	A nuclear microscopic and histochemical study of iron concentrations and distribution in the midbrain of two age groups of monkeys unilaterally injected with MPTP. <i>Experimental Neurology</i> , 2003, 184, 947-954.	2.0	15
90	Global gene expression analysis in the mouse brainstem after hyperalgesia induced by facial carrageenan injection — Evidence for a form of neurovascular coupling?. <i>Pain</i> , 2009, 142, 133-141.	2.0	15

#	ARTICLE	IF	CITATIONS
91	Role of prefrontal cortical calcium independent phospholipase A2 in antidepressant-like effect of maprotiline. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 1087-1098.	1.0	15
92	Comprehensive Gene Expression Profiling Reveals Synergistic Functional Networks in Cerebral Vessels after Hypertension or Hypercholesterolemia. <i>PLoS ONE</i> , 2013, 8, e68335.	1.1	15
93	Metabolism of Docosahexaenoic Acid (DHA) Induces Pyroptosis in BV-2 Microglial Cells. <i>NeuroMolecular Medicine</i> , 2018, 20, 504-514.	1.8	15
94	A light and electron microscopic study of glutamate receptors in the monkey subthalamic nucleus. <i>Journal of Neurocytology</i> , 2000, 29, 743-754.	1.6	14
95	Changes in cytochrome P450 side chain cleavage expression in the rat hippocampus after kainate injury. <i>Experimental Brain Research</i> , 2008, 186, 143-149.	0.7	14
96	The S1P2 receptor regulates blood-brain barrier integrity and leukocyte extravasation with implications for neurodegenerative disease. <i>Neurochemistry International</i> , 2021, 146, 105018.	1.9	14
97	Kainate-induced neuronal injury leads to persistent phosphorylation of cAMP response element-binding protein in glial and endothelial cells in the hippocampus. <i>Experimental Brain Research</i> , 2000, 131, 178-186.	0.7	13
98	Anti-allodynic effect of intracerebroventricularly administered antioxidant and free radical scavenger in a mouse model of orofacial pain. <i>Journal of Orofacial Pain</i> , 2009, 23, 167-73.	1.7	13
99	ACE2, Circumventricular Organs and the Hypothalamus, and COVID-19. <i>NeuroMolecular Medicine</i> , 2022, 24, 363-373.	1.8	13
100	Distribution of ferritin in the rat hippocampus after kainate-induced neuronal injury. <i>Experimental Brain Research</i> , 2005, 161, 502-511.	0.7	12
101	Role of calcium-independent phospholipase A2 in cortex striatum thalamus cortex circuitry—enzyme inhibition causes vacuous chewing movements in rats. <i>Psychopharmacology</i> , 2007, 195, 387-395.	1.5	12
102	Distribution of Secretory Phospholipase A2 X1IA in the Brain and its Role in Lipid Metabolism and Cognition. <i>Molecular Neurobiology</i> , 2014, 50, 60-75.	1.9	11
103	Clinacanthus nutans Extracts Modulate Epigenetic Link to Cytosolic Phospholipase A2 Expression in SH-SY5Y Cells and Primary Cortical Neurons. <i>NeuroMolecular Medicine</i> , 2016, 18, 441-452.	1.8	11
104	Global gene expression changes in the prefrontal cortex of rabbits with hypercholesterolemia and/or hypertension. <i>Neurochemistry International</i> , 2017, 102, 33-56.	1.9	10
105	Potential Therapeutic Applications for Inhibitors of Autotaxin, a Bioactive Lipid-Producing Lysophospholipase D, in Disorders Affecting the Nervous System. <i>ACS Chemical Neuroscience</i> , 2018, 9, 398-400.	1.7	10
106	Expression of DHA-Metabolizing Enzyme Alox15 is Regulated by Selective Histone Acetylation in Neuroblastoma Cells. <i>Neurochemical Research</i> , 2018, 43, 540-555.	1.6	10
107	Anti-inflammatory and Cytoprotective Effect of Clinacanthus nutans Leaf But Not Stem Extracts on 7-Ketocholesterol Induced Brain Endothelial Cell Injury. <i>NeuroMolecular Medicine</i> , 2021, 23, 176-183.	1.8	10
108	Induction of astrocytic cytoplasmic phospholipase A2 and neuronal death after intracerebroventricular carrageenan injection, and neuroprotective effects of quinacrine. <i>Experimental Neurology</i> , 2003, 183, 449-457.	2.0	9

#	ARTICLE	IF	CITATIONS
109	Injury and recovery of pyramidal neurons in the rat hippocampus after a single episode of oxidative stress induced by intracerebroventricular injection of ferrous ammonium citrate. <i>Reproduction, Nutrition, Development</i> , 2005, 45, 647-662.	1.9	9
110	Role of Calcium Independent Phospholipase A2 in Maintaining Mitochondrial Membrane Potential and Preventing Excessive Exocytosis in PC12 Cells. <i>Neurochemical Research</i> , 2011, 36, 347-354.	1.6	9
111	Kainate Receptors Mediate Regulated Exocytosis of Secretory Phospholipase A2 in SH-SY5Y Neuroblastoma Cells. <i>NeuroSignals</i> , 2012, 20, 72-85.	0.5	9
112	Role of constitutive calcium-independent phospholipase A2 beta in hippocampo-prefrontal cortical long term potentiation and spatial working memory. <i>Neurochemistry International</i> , 2014, 78, 96-104.	1.9	9
113	Epigenetic Regulation of Cytosolic Phospholipase A2 in SH-SY5Y Human Neuroblastoma Cells. <i>Molecular Neurobiology</i> , 2016, 53, 3854-3872.	1.9	9
114	The Analgesic and Anxiolytic Effect of Souvenaid, a Novel Nutraceutical, Is Mediated by Alox15 Activity in the Prefrontal Cortex. <i>Molecular Neurobiology</i> , 2017, 54, 6032-6045.	1.9	9
115	Sphingolipidomics analysis of large clinical cohorts. Part 2: Potential impact and applications. <i>Biochemical and Biophysical Research Communications</i> , 2018, 504, 602-607.	1.0	9
116	Anti-Inflammatory Effects of Phytochemical Components of <i>Clinacanthus nutans</i> . <i>Molecules</i> , 2022, 27, 3607.	1.7	9
117	Expression profile of multiple secretory phospholipase A2 isoforms in the rat CNS: Enriched expression of sPLA2-IIA in brainstem and spinal cord. <i>Journal of Chemical Neuroanatomy</i> , 2010, 39, 242-247.	1.0	8
118	Comprehensive gene expression analyses of the rat prefrontal cortex after oxysterol treatment. <i>Journal of Neurochemistry</i> , 2013, 124, 770-781.	2.1	8
119	The noncanonical chronicles: Emerging roles of sphingolipid structural variants. <i>Cellular Signalling</i> , 2021, 79, 109890.	1.7	8
120	Role of phospholipase A2 in prepulse inhibition of the auditory startle reflex in rats. <i>Neuroscience Letters</i> , 2009, 453, 6-8.	1.0	6
121	Brain lipid changes after repetitive transcranial magnetic stimulation: potential links to therapeutic effects?. <i>Metabolomics</i> , 2012, 8, 19-33.	1.4	6
122	Expression and Localization of sPLA2-III in the Rat CNS. <i>Neurochemical Research</i> , 2013, 38, 753-760.	1.6	6
123	Docosahexaenoic acid and L-carnitine prevent ATP loss in SH-SY5Y neuroblastoma cells after exposure to silver nanoparticles. <i>Environmental Toxicology</i> , 2016, 31, 224-232.	2.1	6
124	Preclinical and Clinical Evidence for the Involvement of Sphingosine 1-Phosphate Signaling in the Pathophysiology of Vascular Cognitive Impairment. <i>NeuroMolecular Medicine</i> , 2021, 23, 47-67.	1.8	6
125	Loss of FEZ1, a gene deleted in Jacobsen syndrome, causes locomotion defects and early mortality by impairing motor neuron development. <i>Human Molecular Genetics</i> , 2021, 30, 5-20.	1.4	6
126	Role of formyl peptide receptor 2 (FPR2) in the normal brain and in neurological conditions. <i>Neural Regeneration Research</i> , 2019, 14, 2071.	1.6	6

#	ARTICLE	IF	CITATIONS
127	Role of prefrontal cortical calcium-independent phospholipase A 2 in antinociceptive effect of the norepinephrine reuptake inhibitor antidepressant maprotiline. <i>Neuroscience</i> , 2017, 340, 91-100.	1.1	5
128	Oxidative stress reduces levels of dysbindin-1A via its PEST domain. <i>Neurochemistry International</i> , 2014, 79, 65-69.	1.9	4
129	Regulation of Calcium-Independent Phospholipase A2 Expression by Adrenoceptors and Sterol Regulatory Element Binding Protein—Potential Crosstalk Between Sterol and Glycerophospholipid Mediators. <i>Molecular Neurobiology</i> , 2016, 53, 500-517.	1.9	4
130	Effect of Withanolide A on 7-Ketocholesterol Induced Cytotoxicity in hCMEC/D3 Brain Endothelial Cells. <i>Cells</i> , 2022, 11, 457.	1.8	4
131	Nutraceuticals in Neurodegeneration and Aging. <i>NeuroMolecular Medicine</i> , 2016, 18, 239-240.	1.8	3
132	What Do Randomized Controlled Trials Inform Us About Potential Disease-Modifying Strategies for Parkinson's Disease?. <i>NeuroMolecular Medicine</i> , 2023, 25, 1-13.	1.8	3
133	Differential regulation of cPLA2 and iPLA2 expression in the brain. <i>Frontiers in Biology</i> , 2012, 7, 514-521.	0.7	2
134	Photodynamic Therapy: A Flexible PEGDA Upconversion Implant for Wireless Brain Photodynamic Therapy (Adv. Mater. 29/2020). <i>Advanced Materials</i> , 2020, 32, 2070219.	11.1	2
135	Clinacanthus nutans Mitigates Neuronal Death and Reduces Ischemic Brain Injury: Role of NF- κ B-driven IL-1 β Transcription. <i>NeuroMolecular Medicine</i> , 2021, 23, 199-210.	1.8	2
136	Iron and Epilepsy. , 2003, , 365-398.		2
137	Stimulation of Lipases and Phospholipases in Alzheimer Disease. , 2003, , .		2
138	Glutamate Receptors and Neurological Disorders. , 2008, , 161-203.		1
139	Glutamate Receptors and Their Association with Other Neurochemical Parameters in Excitotoxicity. , 2008, , 105-136.		1
140	P2 purinoceptor blocker suramin antagonises NMDA receptors and protects against excitatory behaviour caused by NMDA receptor agonist (RS)-(tetrazol-5-yl)-glycine in rats. , 1997, 49, 627.		1
141	Possible Mechanisms of Neural Injury Caused by Glutamate and Its Receptors. , 2008, , 137-160.		1
142	Excitatory Amino Acid Receptors in Brain. , 2008, , 21-35.		1
143	Endogenous Antioxidant Mechanisms and Glutamate Neurotoxicity. , 2008, , 205-240.		0
144	Editorial (Thematic Issue: Neuronanomedicine - (Part I)). <i>Current Medicinal Chemistry</i> , 2014, 21, 4091-4091.	1.2	0

#	ARTICLE	IF	CITATIONS
145	Editorial: Neuronanomedicine - (Part II). Current Medicinal Chemistry, 2014, 21, 4199-4199.	1.2	0
146	Design, Synthesis and Evaluation of New Indolylpyrimidylpiperazines for Gastrointestinal Cancer Therapy. Molecules, 2019, 24, 3661.	1.7	0
147	Excitatory Amino Acid Receptors and Their Association with Neural Membrane Glycerophospholipid Metabolism. , 2008, , 75-103.		0