

Wei-Yi Ong

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2277909/wei-yi-ong-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

4,519
citations

36
h-index

62
g-index

148
ext. papers

5,171
ext. citations

5.4
avg. IF

5.74
L-index

#	Paper	IF	Citations
141	ACE2, Circumventricular Organs and the Hypothalamus, and COVID-19. 2022 , 1		1
140	Anti-Inflammatory Effects of Phytochemical Components of Clinacanthus nutans. <i>Molecules</i> , 2022 , 27, 3607	4.8	0
139	The noncanonical chronicles: Emerging roles of sphingolipid structural variants. <i>Cellular Signalling</i> , 2021 , 79, 109890	4.9	3
138	The S1P receptor regulates blood-brain barrier integrity and leukocyte extravasation with implications for neurodegenerative disease. <i>Neurochemistry International</i> , 2021 , 146, 105018	4.4	3
137	Effect of Ergothioneine on 7-Ketocholesterol-Induced Endothelial Injury. <i>NeuroMolecular Medicine</i> , 2021 , 23, 184-198	4.6	14
136	Clinacanthus nutans Mitigates Neuronal Death and Reduces Ischemic Brain Injury: Role of NF- κ B-driven IL-1 β Transcription. <i>NeuroMolecular Medicine</i> , 2021 , 23, 199-210	4.6	1
135	Preclinical and Clinical Evidence for the Involvement of Sphingosine 1-Phosphate Signaling in the Pathophysiology of Vascular Cognitive Impairment. <i>NeuroMolecular Medicine</i> , 2021 , 23, 47-67	4.6	3
134	Anti-inflammatory and Cytoprotective Effect of Clinacanthus nutans Leaf But Not Stem Extracts on 7-Ketocholesterol Induced Brain Endothelial Cell Injury. <i>NeuroMolecular Medicine</i> , 2021 , 23, 176-183	4.6	5
133	Effects of Antimalarial Drugs on Neuroinflammation-Potential Use for Treatment of COVID-19-Related Neurologic Complications. <i>Molecular Neurobiology</i> , 2021 , 58, 106-117	6.2	21
132	Loss of FEZ1, a gene deleted in Jacobsen syndrome, causes locomotion defects and early mortality by impairing motor neuron development. <i>Human Molecular Genetics</i> , 2021 , 30, 5-20	5.6	1
131	Lewy Body-like Inclusions in Human Midbrain Organoids Carrying Glucocerebrosidase and β Synuclein Mutations. <i>Annals of Neurology</i> , 2021 , 90, 490-505	9.4	12
130	A Flexi-PEGDA Upconversion Implant for Wireless Brain Photodynamic Therapy. <i>Advanced Materials</i> , 2020 , 32, e2001459	24	25
129	Ultrastructural Characteristics of DHA-Induced Pyroptosis. <i>NeuroMolecular Medicine</i> , 2020 , 22, 293-303	4.6	12
128	Activation of sphingosine 1-phosphate receptor 2 attenuates chemotherapy-induced neuropathy. <i>Journal of Biological Chemistry</i> , 2020 , 295, 1143-1152	5.4	14
127	Photodynamic Therapy: A Flexi-PEGDA Upconversion Implant for Wireless Brain Photodynamic Therapy (Adv. Mater. 29/2020). <i>Advanced Materials</i> , 2020 , 32, 2070219	24	
126	Pleotropic Roles of Autotaxin in the Nervous System Present Opportunities for the Development of Novel Therapeutics for Neurological Diseases. <i>Molecular Neurobiology</i> , 2020 , 57, 372-392	6.2	18
125	Role of the Prefrontal Cortex in Pain Processing. <i>Molecular Neurobiology</i> , 2019 , 56, 1137-1166	6.2	198

124	Large-scale lipidomics identifies associations between plasma sphingolipids and T2DM incidence. <i>JCI Insight</i> , 2019 , 5,	9.9	49
123	Role of formyl peptide receptor 2 (FPR2) in the normal brain and in neurological conditions. <i>Neural Regeneration Research</i> , 2019 , 14, 2071-2072	4.5	4
122	Potential Therapeutic Applications for Inhibitors of Autotaxin, a Bioactive Lipid-Producing Lysophospholipase D, in Disorders Affecting the Nervous System. <i>ACS Chemical Neuroscience</i> , 2018 , 9, 398-400	5.7	8
121	Sphingolipidomics analysis of large clinical cohorts. Part 2: Potential impact and applications. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 504, 602-607	3.4	6
120	Qi Fu Yin-a Ming Dynasty Prescription for the Treatment of Dementia. <i>Molecular Neurobiology</i> , 2018 , 55, 7389-7400	6.2	30
119	Distribution of Alox15 in the Rat Brain and Its Role in Prefrontal Cortical Resolvin D1 Formation and Spatial Working Memory. <i>Molecular Neurobiology</i> , 2018 , 55, 1537-1550	6.2	18
118	Enriched Expression of Neutral Sphingomyelinase 2 in the Striatum is Essential for Regulation of Lipid Raft Content and Motor Coordination. <i>Molecular Neurobiology</i> , 2018 , 55, 5741-5756	6.2	11
117	Clinacanthus nutans Mitigates Neuronal Apoptosis and Ischemic Brain Damage Through Augmenting the C/EBP β -Driven PPAR- γ Transcription. <i>Molecular Neurobiology</i> , 2018 , 55, 5425-5438	6.2	15
116	Ayurvedic Medicine for the Treatment of Dementia: Mechanistic Aspects. <i>Evidence-based Complementary and Alternative Medicine</i> , 2018 , 2018, 2481076	2.3	48
115	Expression of DHA-Metabolizing Enzyme Alox15 is Regulated by Selective Histone Acetylation in Neuroblastoma Cells. <i>Neurochemical Research</i> , 2018 , 43, 540-555	4.6	7
114	Metabolism of Docosahexaenoic Acid (DHA) Induces Pyroptosis in BV-2 Microglial Cells. <i>NeuroMolecular Medicine</i> , 2018 , 20, 504-514	4.6	8
113	Lysophosphatidic acid and its receptor LPA mediate carrageenan induced inflammatory pain in mice. <i>European Journal of Pharmacology</i> , 2018 , 841, 49-56	5.3	13
112	Localisation of Formyl-Peptide Receptor 2 in the Rat Central Nervous System and Its Role in Axonal and Dendritic Outgrowth. <i>Neurochemical Research</i> , 2018 , 43, 1587-1598	4.6	25
111	Neuronal Activity-Induced Sterol Regulatory Element Binding Protein-1 (SREBP1) is Disrupted in Dysbindin-Null Mice-Potential Link to Cognitive Impairment in Schizophrenia. <i>Molecular Neurobiology</i> , 2017 , 54, 1699-1709	6.2	14
110	Global gene expression changes in the prefrontal cortex of rabbits with hypercholesterolemia and/or hypertension. <i>Neurochemistry International</i> , 2017 , 102, 33-56	4.4	7
109	Use of Phytochemicals against Neuroinflammation 2017 , 1-41		2
108	YY-1224, a terpene trilactone-strengthened Ginkgo biloba, attenuates neurodegenerative changes induced by β amyloid (1-42) or double transgenic overexpression of APP and PS1 via inhibition of cyclooxygenase-2. <i>Journal of Neuroinflammation</i> , 2017 , 14, 94	10.1	17
107	Role of prefrontal cortical calcium-independent phospholipase A in antinociceptive effect of the norepinephrine reuptake inhibitor antidepressant maprotiline. <i>Neuroscience</i> , 2017 , 340, 91-100	3.9	4

106	The Analgesic and Anxiolytic Effect of Souvenaid, a Novel Nutraceutical, Is Mediated by Alox15 Activity in the Prefrontal Cortex. <i>Molecular Neurobiology</i> , 2017 , 54, 6032-6045	6.2	8
105	Epigenetic Regulation of Cytosolic Phospholipase A2 in SH-SY5Y Human Neuroblastoma Cells. <i>Molecular Neurobiology</i> , 2016 , 53, 3854-3872	6.2	7
104	Regulation of Calcium-Independent Phospholipase A2 Expression by Adrenoceptors and Sterol Regulatory Element Binding Protein-Potential Crosstalk Between Sterol and Glycerophospholipid Mediators. <i>Molecular Neurobiology</i> , 2016 , 53, 500-517	6.2	4
103	Clinacanthus nutans Extracts Modulate Epigenetic Link to Cytosolic Phospholipase A2 Expression in SH-SY5Y Cells and Primary Cortical Neurons. <i>NeuroMolecular Medicine</i> , 2016 , 18, 441-52	4.6	11
102	Docosahexaenoic acid and L-Carnitine prevent ATP loss in SH-SY5Y neuroblastoma cells after exposure to silver nanoparticles. <i>Environmental Toxicology</i> , 2016 , 31, 224-32	4.2	5
101	Enterovirus 71 infection of motor neuron-like NSC-34 cells undergoes a non-lytic exit pathway. <i>Scientific Reports</i> , 2016 , 6, 36983	4.9	40
100	Clinacanthus nutans Protects Cortical Neurons Against Hypoxia-Induced Toxicity by Downregulating HDAC1/6. <i>NeuroMolecular Medicine</i> , 2016 , 18, 274-82	4.6	21
99	Role of sphingomyelinases in neurological disorders. <i>Expert Opinion on Therapeutic Targets</i> , 2015 , 19, 1725-42	6.4	21
98	Early-onset axonal pathology in a novel P301S-Tau transgenic mouse model of frontotemporal lobar degeneration. <i>Neuropathology and Applied Neurobiology</i> , 2015 , 41, 906-25	5.2	32
97	Synthetic and natural inhibitors of phospholipases A2: their importance for understanding and treatment of neurological disorders. <i>ACS Chemical Neuroscience</i> , 2015 , 6, 814-31	5.7	86
96	Ceruloplasmin is an endogenous protectant against kainate neurotoxicity. <i>Free Radical Biology and Medicine</i> , 2015 , 84, 355-372	7.8	14
95	Postnatal Deletion of Fat Storage-inducing Transmembrane Protein 2 (FIT2/FITM2) Causes Lethal Enteropathy. <i>Journal of Biological Chemistry</i> , 2015 , 290, 25686-99	5.4	32
94	Protective effects of ginseng on neurological disorders. <i>Frontiers in Aging Neuroscience</i> , 2015 , 7, 129	5.3	122
93	Expression and localisation of brain-type organic cation transporter (BOCT/24p3R/LCN2R) in the normal rat hippocampus and after kainate-induced excitotoxicity. <i>Neurochemistry International</i> , 2015 , 87, 43-59	4.4	17
92	Distribution of secretory phospholipase A2 X1IA in the brain and its role in lipid metabolism and cognition. <i>Molecular Neurobiology</i> , 2014 , 50, 60-75	6.2	8
91	Oxidative stress reduces levels of dysbindin-1A via its PEST domain. <i>Neurochemistry International</i> , 2014 , 79, 65-9	4.4	4
90	Role of constitutive calcium-independent phospholipase A2 beta in hippocampo-prefrontal cortical long term potentiation and spatial working memory. <i>Neurochemistry International</i> , 2014 , 78, 96-104	4.4	8
89	Nose-to-brain drug delivery by nanoparticles in the treatment of neurological disorders. <i>Current Medicinal Chemistry</i> , 2014 , 21, 4247-56	4.3	42

88	Expression and localization of sPLA2-III in the rat CNS. <i>Neurochemical Research</i> , 2013 , 38, 753-60	4.6	4
87	Slow excitotoxicity in Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2013 , 35, 643-68	4.3	69
86	Stable iron isotope tracing reveals significant brain iron uptake in adult rats. <i>Metallomics</i> , 2013 , 5, 167-73	4.5	26
85	The effect of primary particle size on biodistribution of inhaled gold nano-agglomerates. <i>Biomaterials</i> , 2013 , 34, 5439-52	15.6	104
84	Comprehensive gene expression analyses of the rat prefrontal cortex after oxysterol treatment. <i>Journal of Neurochemistry</i> , 2013 , 124, 770-81	6	6
83	Comprehensive gene expression profiling reveals synergistic functional networks in cerebral vessels after hypertension or hypercholesterolemia. <i>PLoS ONE</i> , 2013 , 8, e68335	3.7	8
82	Brain lipid changes after repetitive transcranial magnetic stimulation: potential links to therapeutic effects?. <i>Metabolomics</i> , 2012 , 8, 19-33	4.7	5
81	Role of prefrontal cortical calcium independent phospholipase A ₂ in antidepressant-like effect of maprotiline. <i>International Journal of Neuropsychopharmacology</i> , 2012 , 15, 1087-98	5.8	11
80	Differential regulation of cPLA2 and iPLA2 expression in the brain. <i>Frontiers in Biology</i> , 2012 , 7, 514-521		2
79	Brain isoprenoids farnesyl pyrophosphate and geranylgeranyl pyrophosphate are increased in aged mice. <i>Molecular Neurobiology</i> , 2012 , 46, 179-85	6.2	19
78	Comprehensive gene expression profiling in the prefrontal cortex links immune activation and neutrophil infiltration to antinociception. <i>Journal of Neuroscience</i> , 2012 , 32, 35-45	6.6	31
77	Short- and long-term changes in blood miRNA levels after nanogold injection in rats--potential biomarkers of nanoparticle exposure. <i>Biomarkers</i> , 2012 , 17, 750-7	2.6	23
76	Kainate receptors mediate regulated exocytosis of secretory phospholipase A ₂ in SH-SY5Y neuroblastoma cells. <i>NeuroSignals</i> , 2012 , 20, 72-85	1.9	7
75	MicroRNA changes in the mouse prefrontal cortex after inflammatory pain. <i>European Journal of Pain</i> , 2011 , 15, 801.e1-12	3.7	33
74	Expression and localization of the iron-siderophore binding protein lipocalin 2 in the normal rat brain and after kainate-induced excitotoxicity. <i>Neurochemistry International</i> , 2011 , 59, 591-9	4.4	42
73	Role of calcium independent phospholipase A ₂ in maintaining mitochondrial membrane potential and preventing excessive exocytosis in PC12 cells. <i>Neurochemical Research</i> , 2011 , 36, 347-54	4.6	8
72	Changes in cholesterol biosynthetic and transport pathways after excitotoxicity. <i>Journal of Neurochemistry</i> , 2010 , 112, 34-41	6	23
71	Effects of cholesterol oxidation products on exocytosis. <i>Neuroscience Letters</i> , 2010 , 476, 36-41	3.3	27

70	Expression profile of multiple secretory phospholipase A(2) isoforms in the rat CNS: enriched expression of sPLA(2)-IIA in brainstem and spinal cord. <i>Journal of Chemical Neuroanatomy</i> , 2010 , 39, 242-7 ²		8
69	Lipid mediators in the nucleus: Their potential contribution to Alzheimer's disease. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2010 , 1801, 906-16	5	42
68	Characterization, purification, and stability of gold nanoparticles. <i>Biomaterials</i> , 2010 , 31, 9023-30	15.6	162
67	Differential effects of lysophospholipids on exocytosis in rat PC12 cells. <i>Journal of Neural Transmission</i> , 2010 , 117, 301-8	4.3	16
66	Changes in brain cholesterol metabolome after excitotoxicity. <i>Molecular Neurobiology</i> , 2010 , 41, 299-313 ²	3.2	43
65	Biodistribution of gold nanoparticles and gene expression changes in the liver and spleen after intravenous administration in rats. <i>Biomaterials</i> , 2010 , 31, 2034-42	15.6	390
64	Lipidomic analyses of the mouse brain after antidepressant treatment: evidence for endogenous release of long-chain fatty acids?. <i>International Journal of Neuropsychopharmacology</i> , 2009 , 12, 953-64	5.8	28
63	Global gene expression analysis in the mouse brainstem after hyperalgesia induced by facial carrageenan injection--evidence for a form of neurovascular coupling?. <i>Pain</i> , 2009 , 142, 133-41	8	14
62	Localization of the transcription factor, sterol regulatory element binding protein-2 (SREBP-2) in the normal rat brain and changes after kainate-induced excitotoxic injury. <i>Journal of Chemical Neuroanatomy</i> , 2009 , 37, 71-7	3.2	14
61	Role of phospholipase A(2) in prepulse inhibition of the auditory startle reflex in rats. <i>Neuroscience Letters</i> , 2009 , 453, 6-8	3.3	6
60	Apolipoprotein D modulates F2-isoprostane and 7-ketocholesterol formation and has a neuroprotective effect on organotypic hippocampal cultures after kainate-induced excitotoxic injury. <i>Neuroscience Letters</i> , 2009 , 455, 183-6	3.3	28
59	Roles of cholesterol in vesicle fusion and motion. <i>Biophysical Journal</i> , 2009 , 97, 1371-80	2.9	73
58	Elevated oxidative stress, iron accumulation around microvessels and increased 4-hydroxynonenal immunostaining in zone 1 of the liver acinus in hypercholesterolemic rabbits. <i>Free Radical Research</i> , 2009 , 43, 241-9	4	19
57	Anti-allodynic effect of intracerebroventricularly administered antioxidant and free radical scavenger in a mouse model of orofacial pain. <i>Journal of Orofacial Pain</i> , 2009 , 23, 167-73		13
56	Glutamate Receptors and Neurological Disorders 2008 , 161-203		1
55	Endogenous Antioxidant Mechanisms and Glutamate Neurotoxicity 2008 , 205-240		
54	Glutamate Receptors and Their Association with Other Neurochemical Parameters in Excitotoxicity 2008 , 105-136		1
53	Changes in cytochrome P450 side chain cleavage expression in the rat hippocampus after kainate injury. <i>Experimental Brain Research</i> , 2008 , 186, 143-9	2.3	12

52	Antinociceptive effect of CNS peroxynitrite scavenger in a mouse model of orofacial pain. <i>Experimental Brain Research</i> , 2008 , 184, 435-8	2.3	26
51	Antiprion activity of functionalized 9-aminoacridines related to quinacrine. <i>Bioorganic and Medicinal Chemistry</i> , 2008 , 16, 6737-46	3.4	38
50	Excitatory Amino Acid Receptors in Brain 2008 , 21-35		
49	Excitatory Amino Acid Receptors and Their Association with Neural Membrane Glycerophospholipid Metabolism 2008 , 75-103		
48	Possible Mechanisms of Neural Injury Caused by Glutamate and Its Receptors 2008 , 137-160		1
47	Translocation and effects of gold nanoparticles after inhalation exposure in rats. <i>Nanotoxicology</i> , 2007 , 1, 235-242	5.3	101
46	Expression, activity, and role of serine palmitoyltransferase in the rat hippocampus after kainate injury. <i>Journal of Neuroscience Research</i> , 2007 , 85, 423-32	4.4	14
45	Comparison of biochemical effects of statins and fish oil in brain: the battle of the titans. <i>Brain Research Reviews</i> , 2007 , 56, 443-71		86
44	Role of calcium-independent phospholipase A2 in cortex striatum thalamus cortex circuitry-enzyme inhibition causes vacuous chewing movements in rats. <i>Psychopharmacology</i> , 2007 , 195, 387-95	4.7	10
43	Differential effects of ceramide species on exocytosis in rat PC12 cells. <i>Experimental Brain Research</i> , 2007 , 183, 241-7	2.3	22
42	Upregulation of iron regulatory proteins and divalent metal transporter-1 isoforms in the rat hippocampus after kainate induced neuronal injury. <i>Experimental Brain Research</i> , 2006 , 170, 376-86	2.3	36
41	Changes in AMPA subunit expression in the mouse brain after chronic treatment with the antidepressant maprotiline: a link between noradrenergic and glutamatergic function?. <i>Experimental Brain Research</i> , 2006 , 170, 448-56	2.3	21
40	Effects of intracerebroventricular injections of free fatty acids, lysophospholipids, or platelet activating factor in a mouse model of orofacial pain. <i>Experimental Brain Research</i> , 2006 , 174, 781-5	2.3	14
39	Non-targeted profiling of lipids during kainate-induced neuronal injury. <i>FASEB Journal</i> , 2006 , 20, 1152-61.9		96
38	Inhibitors of brain phospholipase A2 activity: their neuropharmacological effects and therapeutic importance for the treatment of neurologic disorders. <i>Pharmacological Reviews</i> , 2006 , 58, 591-620	22.5	302
37	Lovastatin modulates increased cholesterol and oxysterol levels and has a neuroprotective effect on rat hippocampal neurons after kainate injury. <i>Journal of Neuropathology and Experimental Neurology</i> , 2006 , 65, 652-63	3.1	47
36	Differential effects of polyunsaturated fatty acids on membrane capacitance and exocytosis in rat pheochromocytoma-12 cells. <i>Neurochemical Research</i> , 2006 , 31, 41-8	4.6	13
35	Iron, neuroinflammation, and Alzheimer's disease. <i>Journal of Alzheimer's Disease</i> , 2005 , 8, 183-200; discussion 209-15	4.3	102

34	Distribution of calcium-independent phospholipase A2 (iPLA 2) in monkey brain. <i>Journal of Neurocytology</i> , 2005 , 34, 447-58		52
33	The iron chelator desferrioxamine inhibits atherosclerotic lesion development and decreases lesion iron concentrations in the cholesterol-fed rabbit. <i>Free Radical Biology and Medicine</i> , 2005 , 38, 1206-11	7.8	78
32	Heme oxygenase-1 activity after excitotoxic injury: immunohistochemical localization of bilirubin in neurons and astrocytes and deleterious effects of heme oxygenase inhibition on neuronal survival after kainate treatment. <i>Journal of Neuroscience Research</i> , 2005 , 80, 268-78	4.4	33
31	Distribution of ferritin in the rat hippocampus after kainate-induced neuronal injury. <i>Experimental Brain Research</i> , 2005 , 161, 502-11	2.3	11
30	Injury and recovery of pyramidal neurons in the rat hippocampus after a single episode of oxidative stress induced by intracerebroventricular injection of ferrous ammonium citrate. <i>Reproduction, Nutrition, Development</i> , 2005 , 45, 647-62		7
29	Neuroprotection abilities of cytosolic phospholipase A2 inhibitors in kainic acid-induced neurodegeneration. <i>Current Drug Targets Cardiovascular & Haematological Disorders</i> , 2004 , 4, 85-96		24
28	Increased iron staining in the cerebral cortex of cholesterol fed rabbits. <i>Mechanisms of Ageing and Development</i> , 2004 , 125, 305-13	5.6	17
27	A light and electron microscopic study of betaine/GABA transporter distribution in the monkey cerebral neocortex and hippocampus. <i>Journal of Neurocytology</i> , 2004 , 33, 233-40		34
26	Iron, atherosclerosis, and neurodegeneration: a key role for cholesterol in promoting iron-dependent oxidative damage?. <i>Annals of the New York Academy of Sciences</i> , 2004 , 1012, 51-64	6.5	71
25	Biochemical aspects of neurodegeneration in human brain: involvement of neural membrane phospholipids and phospholipases A2. <i>Neurochemical Research</i> , 2004 , 29, 1961-77	4.6	154
24	Changes in GABA transporters in the rat hippocampus after kainate-induced neuronal injury: decrease in GAT-1 and GAT-3 but upregulation of betaine/GABA transporter BGT-1. <i>Journal of Neuroscience Research</i> , 2004 , 77, 402-9	4.4	38
23	Retinoic acid-mediated phospholipase A2 signaling in the nucleus. <i>Brain Research Reviews</i> , 2004 , 45, 179-95		52
22	Intracerebroventricular injection of phospholipases A2 inhibitors modulates allodynia after facial carrageenan injection in mice. <i>Pain</i> , 2004 , 112, 148-55	8	53
21	Increase in cholesterol and cholesterol oxidation products, and role of cholesterol oxidation products in kainate-induced neuronal injury. <i>Brain Pathology</i> , 2003 , 13, 250-62	6	38
20	Quinacrine abolishes increases in cytoplasmic phospholipase A2 mRNA levels in the rat hippocampus after kainate-induced neuronal injury. <i>Experimental Brain Research</i> , 2003 , 148, 521-4	2.3	21
19	Induction of astrocytic cytoplasmic phospholipase A2 and neuronal death after intracerebroventricular carrageenan injection, and neuroprotective effects of quinacrine. <i>Experimental Neurology</i> , 2003 , 183, 449-57	5.7	6
18	A nuclear microscopic and histochemical study of iron concentrations and distribution in the midbrain of two age groups of monkeys unilaterally injected with MPTP. <i>Experimental Neurology</i> , 2003 , 184, 947-54	5.7	11
17	Iron and Epilepsy 2003 , 365-398		1

16	Plasmalogens, docosahexaenoic acid and neurological disorders. <i>Advances in Experimental Medicine and Biology</i> , 2003 , 544, 335-54	3.6	42
15	Apolipoprotein D in the Niemann-Pick type C disease mouse brain: an ultrastructural immunocytochemical analysis. <i>Journal of Neurocytology</i> , 2002 , 31, 121-9		16
14	A light and electron microscopic study of divalent metal transporter-1 distribution in the rat hippocampus, after kainate-induced neuronal injury. <i>Experimental Neurology</i> , 2002 , 177, 193-201	5.7	23
13	Heme oxygenase-1 is expressed in viable astrocytes and microglia but in degenerating pyramidal neurons in the kainate-lesioned rat hippocampus. <i>Experimental Brain Research</i> , 2001 , 137, 424-31	2.3	78
12	The phospholipase A2 inhibitor quinacrine prevents increased immunoreactivity to cytoplasmic phospholipase A2 (cPLA2) and hydroxynonenal (HNE) in neurons of the lateral septum following fimbria-fornix transection. <i>Experimental Brain Research</i> , 2001 , 138, 500-8	2.3	15
11	Neurodegeneration in Niemann-Pick type C disease mice. <i>Experimental Brain Research</i> , 2001 , 141, 218-31	2.3	79
10	Immunocytochemical localization of apolipoprotein D in oligodendrocyte precursor-like cells, perivascular cells, and pericytes in the human cerebral cortex. <i>Journal of Neurocytology</i> , 2001 , 30, 209-18		20
9	Differential effects of calcium-dependent and calcium-independent phospholipase A(2) inhibitors on kainate-induced neuronal injury in rat hippocampal slices. <i>Free Radical Biology and Medicine</i> , 2001 , 30, 1263-73	7.8	33
8	Increased expression of gamma-aminobutyric acid transporters GAT-1 and GAT-3 in the spinal trigeminal nucleus after facial carrageenan injections. <i>Pain</i> , 2001 , 92, 29-40	8	37
7	Distribution of hydroxynonenal-modified proteins in the kainate-lesioned rat hippocampus: evidence that hydroxynonenal formation precedes neuronal cell death. <i>Free Radical Biology and Medicine</i> , 2000 , 28, 1214-21	7.8	36
6	A light and electron microscopic study of glutamate receptors in the monkey subthalamic nucleus. <i>Journal of Neurocytology</i> , 2000 , 29, 743-54		8
5	A light and electron microscopic study of the GABA transporter GAT-3 in the monkey basal ganglia and brainstem. <i>Journal of Neurocytology</i> , 2000 , 29, 595-603		21
4	Kainate-induced neuronal injury leads to persistent phosphorylation of cAMP response element-binding protein in glial and endothelial cells in the hippocampus. <i>Experimental Brain Research</i> , 2000 , 131, 178-86	2.3	10
3	A nuclear microscopic study of elemental changes in the rat hippocampus after kainate-induced neuronal injury. <i>Journal of Neurochemistry</i> , 1999 , 72, 1574-9	6	34
2	P2 purinoceptor blocker suramin antagonises NMDA receptors and protects against excitatory behaviour caused by NMDA receptor agonist (RS)-(tetrazol-5-yl)-glycine in rats. <i>Journal of Neuroscience Research</i> , 1997 , 49, 627-38	4.4	17
1	P2 purinoceptor blocker suramin antagonises NMDA receptors and protects against excitatory behaviour caused by NMDA receptor agonist (RS)-(tetrazol-5-yl)-glycine in rats 1997 , 49, 627		1