

Andrew N J Mckenzie

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2278129/andrew-n-j-mckenzie-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

18,344
citations

56
h-index

118
g-index

118
ext. papers

21,552
ext. citations

15.9
avg, IF

6.69
L-index

#	Paper	IF	Citations
100	Eosinophils are an essential element of a type 2 immune axis that controls thymus regeneration.. <i>Science Immunology</i> , 2022 , 7, eabn3286	28	1
99	Targeting TLR4 during vaccination boosts MAdCAM-1 lymphoid stromal cell activation and promotes the aged germinal center response.. <i>Science Immunology</i> , 2022 , 7, eabk0018	28	1
98	An innate IL-25/ILC2/MDSC axis creates a cancer-permissive microenvironment for Apc mutation-driven intestinal tumorigenesis. <i>Science Immunology</i> , 2022 , 7,	28	2
97	Group 2 Innate Lymphoid Cells: Team Players in Regulating Asthma. <i>Annual Review of Immunology</i> , 2021 , 39, 167-198	34.7	11
96	Mapping Rora expression in resting and activated CD4+ T cells. <i>PLoS ONE</i> , 2021 , 16, e0251233	3.7	8
95	IL-6 effector function of group 2 innate lymphoid cells (ILC2) is NOD2 dependent. <i>Science Immunology</i> , 2021 , 6,	28	3
94	Blockade of the co-inhibitory molecule PD-1 unleashes ILC2-dependent antitumor immunity in melanoma. <i>Nature Immunology</i> , 2021 , 22, 851-864	19.1	23
93	Group-2 innate lymphoid cell-dependent regulation of tissue neutrophil migration by alternatively activated macrophage-secreted Ear11. <i>Mucosal Immunology</i> , 2021 , 14, 26-37	9.2	6
92	Type 2 Innate Lymphoid Cells Protect against Colorectal Cancer Progression and Predict Improved Patient Survival. <i>Cancers</i> , 2021 , 13,	6.6	9
91	Group 2 Innate Lymphoid Cells Exhibit Tissue-Specific Dynamic Behaviour During Type 2 Immune Responses. <i>Frontiers in Immunology</i> , 2021 , 12, 711907	8.4	0
90	The Interleukin-33-Group 2 Innate Lymphoid Cell Axis Represents a Potential Adjuvant Target To Increase the Cross-Protective Efficacy of Influenza Vaccine. <i>Journal of Virology</i> , 2021 , 95, e0059821	6.6	2
89	SREBP1-induced fatty acid synthesis depletes macrophages antioxidant defences to promote their alternative activation. <i>Nature Metabolism</i> , 2021 , 3, 1150-1162	14.6	2
88	ROR γ is a critical checkpoint for T cell and ILC2 commitment in the embryonic thymus. <i>Nature Immunology</i> , 2021 , 22, 166-178	19.1	17
87	ILC2 activation by keratinocyte-derived IL-25 drives IL-13 production at sites of allergic skin inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 145, 1606-1614.e4	11.5	26
86	OTULIN protects the liver against cell death, inflammation, fibrosis, and cancer. <i>Cell Death and Differentiation</i> , 2020 , 27, 1457-1474	12.7	24
85	ILC2-driven innate immune checkpoint mechanism antagonizes NK cell antimetastatic function in the lung. <i>Nature Immunology</i> , 2020 , 21, 998-1009	19.1	46
84	Re-evaluation of human BDCA-2+ DC during acute sterile skin inflammation. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	14

83	Polychromic Reporter Mice Reveal Unappreciated Innate Lymphoid Cell Progenitor Heterogeneity and Elusive ILC3 Progenitors in Bone Marrow. <i>Immunity</i> , 2019 , 51, 104-118.e7	32.3	53
82	Group 2 Innate Lymphoid Cells Are Redundant in Experimental Renal Ischemia-Reperfusion Injury. <i>Frontiers in Immunology</i> , 2019 , 10, 826	8.4	16
81	BET Bromodomain Inhibitor iBET151 Impedes Human ILC2 Activation and Prevents Experimental Allergic Lung Inflammation. <i>Frontiers in Immunology</i> , 2019 , 10, 678	8.4	10
80	Spontaneous atopic dermatitis in mice with a defective skin barrier is independent of ILC2 and mediated by IL-1. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1920-1933	9.3	28
79	Innate Lymphoid Cells of the Lung. <i>Annual Review of Physiology</i> , 2019 , 81, 429-452	23.1	21
78	A stromal cell niche sustains ILC2-mediated type-2 conditioning in adipose tissue. <i>Journal of Experimental Medicine</i> , 2019 , 216, 1999-2009	16.6	65
77	Roles for T/B lymphocytes and ILC2s in experimental chronic obstructive pulmonary disease. <i>Journal of Leukocyte Biology</i> , 2019 , 105, 143-150	6.5	31
76	Lack of Type 2 Innate Lymphoid Cells Promotes a Type I-Driven Enhanced Immune Response in Contact Hypersensitivity. <i>Journal of Investigative Dermatology</i> , 2018 , 138, 1962-1972	4.3	23
75	T2 cell development and function. <i>Nature Reviews Immunology</i> , 2018 , 18, 121-133	36.5	200
74	Innate Lymphoid Cells: 10 Years On. <i>Cell</i> , 2018 , 174, 1054-1066	56.2	846
73	Tissue-Restricted Adaptive Type 2 Immunity Is Orchestrated by Expression of the Costimulatory Molecule OX40L on Group 2 Innate Lymphoid Cells. <i>Immunity</i> , 2018 , 48, 1195-1207.e6	32.3	125
72	Text message intervention to reduce frequency of binge drinking among disadvantaged men: the TRAM RCT. <i>Public Health Research</i> , 2018 , 6, 1-156	1.7	2
71	Genome-wide analyses reveal the IRE1a-XBP1 pathway promotes T helper cell differentiation by resolving secretory stress and accelerating proliferation. <i>Genome Medicine</i> , 2018 , 10, 76	14.4	21
70	MicroRNA-155 Protects Group 2 Innate Lymphoid Cells From Apoptosis to Promote Type-2 Immunity. <i>Frontiers in Immunology</i> , 2018 , 9, 2232	8.4	14
69	Dysregulation of type 2 innate lymphoid cells and T2 cells impairs pollutant-induced allergic airway responses. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 246-257.e4	11.5	44
68	STAT3 Activation Impairs the Stability of Th9 Cells. <i>Journal of Immunology</i> , 2017 , 198, 2302-2309	5.3	16
67	First-Breath-Induced Type 2 Pathways Shape the Lung Immune Environment. <i>Cell Reports</i> , 2017 , 18, 1893-1905	11.05	133
66	Type-2 innate lymphoid cells control the development of atherosclerosis in mice. <i>Nature Communications</i> , 2017 , 8, 15781	17.4	62

65	Tumour-derived PGD2 and NKp30-B7H6 engagement drives an immunosuppressive ILC2-MDSC axis. <i>Nature Communications</i> , 2017 , 8, 593	17.4	104
64	Resolution of inflammation by interleukin-9-producing type 2 innate lymphoid cells. <i>Nature Medicine</i> , 2017 , 23, 938-944	50.5	163
63	ILC2s regulate adaptive Th2 cell functions via PD-L1 checkpoint control. <i>Journal of Experimental Medicine</i> , 2017 , 214, 2507-2521	16.6	78
62	Modifying Alcohol Consumption to Reduce Obesity: A Randomized Controlled Feasibility Study of a Complex Community-based Intervention for Men. <i>Alcohol and Alcoholism</i> , 2017 , 52, 677-684	3.5	8
61	CD1a presentation of endogenous antigens by group 2 innate lymphoid cells. <i>Science Immunology</i> , 2017 , 2,	28	34
60	Modifying Alcohol Consumption to Reduce Obesity (MACRO): development and feasibility trial of a complex community-based intervention for men. <i>Health Technology Assessment</i> , 2017 , 21, 1-150	4.4	4
59	The helminth T2 RNase III promotes metabolic homeostasis in an IL-33- and group 2 innate lymphoid cell-dependent mechanism. <i>FASEB Journal</i> , 2016 , 30, 824-35	0.9	53
58	Single-cell analysis of CD4+ T-cell differentiation reveals three major cell states and progressive acceleration of proliferation. <i>Genome Biology</i> , 2016 , 17, 103	18.3	46
57	Filaggrin inhibits generation of CD1a neolipid antigens by house dust mite-derived phospholipase. <i>Science Translational Medicine</i> , 2016 , 8, 325ra18	17.5	56
56	Group 2 Innate Lymphoid Cells Express Functional NKp30 Receptor Inducing Type 2 Cytokine Production. <i>Journal of Immunology</i> , 2016 , 196, 45-54	5.3	60
55	Spontaneous atopic dermatitis is mediated by innate immunity, with the secondary lung inflammation of the atopic march requiring adaptive immunity. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 482-91	11.5	79
54	Group 2 innate lymphoid cells license dendritic cells to potentiate memory TH2 cell responses. <i>Nature Immunology</i> , 2016 , 17, 57-64	19.1	206
53	Single-cell RNA-seq identifies a PD-1 ILC progenitor and defines its development pathway. <i>Nature</i> , 2016 , 539, 102-106	50.4	186
52	The Deubiquitinase OTULIN Is an Essential Negative Regulator of Inflammation and Autoimmunity. <i>Cell</i> , 2016 , 166, 1215-1230.e20	56.2	182
51	Inflammation-induced formation of fat-associated lymphoid clusters. <i>Nature Immunology</i> , 2015 , 16, 819-828	32.8	128
50	An Interleukin-33-Mast Cell-Interleukin-2 Axis Suppresses Papain-Induced Allergic Inflammation by Promoting Regulatory T Cell Numbers. <i>Immunity</i> , 2015 , 43, 175-86	32.3	177
49	IL-25 as a potential therapeutic target in allergic asthma. <i>Immunotherapy</i> , 2015 , 7, 607-10	3.8	9
48	Bcl11b is essential for group 2 innate lymphoid cell development. <i>Journal of Experimental Medicine</i> , 2015 , 212, 875-82	16.6	111

47	Innate lymphoid cells. Innate lymphoid cells: a new paradigm in immunology. <i>Science</i> , 2015 , 348, aaa6566	33.3	503
46	Group 2 innate lymphoid cells are critical for the initiation of adaptive T helper 2 cell-mediated allergic lung inflammation. <i>Immunity</i> , 2014 , 40, 425-35	32.3	645
45	Chitin activates parallel immune modules that direct distinct inflammatory responses via innate lymphoid type 2 and $\gamma\delta$ T cells. <i>Immunity</i> , 2014 , 40, 414-24	32.3	183
44	IL-25 and type 2 innate lymphoid cells induce pulmonary fibrosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 367-72	11.5	245
43	Innate lymphoid cells in inflammation and immunity. <i>Immunity</i> , 2014 , 41, 366-374	32.3	280
42	MHCII-mediated dialog between group 2 innate lymphoid cells and CD4(+) T cells potentiates type 2 immunity and promotes parasitic helminth expulsion. <i>Immunity</i> , 2014 , 41, 283-95	32.3	482
41	Aberrant production of IL-13 by T cells promotes exocrinopathy in Id3 knockout mice. <i>Cytokine</i> , 2014 , 69, 226-33	4	8
40	Single-cell RNA sequencing reveals T helper cells synthesizing steroids de novo to contribute to immune homeostasis. <i>Cell Reports</i> , 2014 , 7, 1130-42	10.6	143
39	Prostaglandin D2 activates group 2 innate lymphoid cells through chemoattractant receptor-homologous molecule expressed on TH2 cells. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 1184-94	11.5	343
38	TH9 cells that express the transcription factor PU.1 drive T cell-mediated colitis via IL-9 receptor signaling in intestinal epithelial cells. <i>Nature Immunology</i> , 2014 , 15, 676-86	19.1	255
37	Type-2 innate lymphoid cells in asthma and allergy. <i>Annals of the American Thoracic Society</i> , 2014 , 11 Suppl 5, S263-70	4.7	78
36	Rhinovirus-induced IL-25 in asthma exacerbation drives type 2 immunity and allergic pulmonary inflammation. <i>Science Translational Medicine</i> , 2014 , 6, 256ra134	17.5	227
35	Type-2 innate lymphoid cells in human allergic disease. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2014 , 14, 397-403	3.3	69
34	Interleukin-33-dependent innate lymphoid cells mediate hepatic fibrosis. <i>Immunity</i> , 2013 , 39, 357-71	32.3	341
33	IL-33 is more potent than IL-25 in provoking IL-13-producing nuocytes (type 2 innate lymphoid cells) and airway contraction. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 933-41	11.5	283
32	Development and function of group 2 innate lymphoid cells. <i>Current Opinion in Immunology</i> , 2013 , 25, 148-55	7.8	139
31	Cutting edge: IL-25 elicits innate lymphoid type 2 and type II NKT cells that regulate obesity in mice. <i>Journal of Immunology</i> , 2013 , 191, 5349-53	5.3	174
30	A role for IL-25 and IL-33-driven type-2 innate lymphoid cells in atopic dermatitis. <i>Journal of Experimental Medicine</i> , 2013 , 210, 2939-50	16.6	618

29	Innate lymphoid cells--how did we miss them?. <i>Nature Reviews Immunology</i> , 2013 , 13, 75-87	36.5	548
28	Innate lymphoid cells--a proposal for uniform nomenclature. <i>Nature Reviews Immunology</i> , 2013 , 13, 145-96.5	36.5	1655
27	IL-33 citrine reporter mice reveal the temporal and spatial expression of IL-33 during allergic lung inflammation. <i>European Journal of Immunology</i> , 2013 , 43, 488-98	6.1	167
26	IL-25 drives remodelling in allergic airways disease induced by house dust mite. <i>Thorax</i> , 2013 , 68, 82-90	7.3	125
25	New kids on the block: group 2 innate lymphoid cells and type 2 inflammation in the lung. <i>Chest</i> , 2013 , 144, 1681-1686	5.3	23
24	Direct control of hepatic glucose production by interleukin-13 in mice. <i>Journal of Clinical Investigation</i> , 2013 , 123, 261-71	15.9	92
23	Innate IL-13-producing nuocytes arise during allergic lung inflammation and contribute to airways hyperreactivity. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 191-8.e1-4	11.5	386
22	Innate lymphoid cells responding to IL-33 mediate airway hyperreactivity independently of adaptive immunity. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 216-27.e1-6	11.5	247
21	Transcription factor ROR β s critical for nuocyte development. <i>Nature Immunology</i> , 2012 , 13, 229-36	19.1	448
20	Innate lymphoid cells in the airways. <i>European Journal of Immunology</i> , 2012 , 42, 1368-74	6.1	14
19	Insights into the initiation of type 2 immune responses. <i>Immunology</i> , 2011 , 134, 378-85	7.8	119
18	Innate lymphoid cells mediate influenza-induced airway hyper-reactivity independently of adaptive immunity. <i>Nature Immunology</i> , 2011 , 12, 631-8	19.1	624
17	Nuocytes represent a new innate effector leukocyte that mediates type-2 immunity. <i>Nature</i> , 2010 , 464, 1367-70	50.4	1668
16	A p53-dependent mechanism underlies macrocytic anemia in a mouse model of human 5q-syndrome. <i>Nature Medicine</i> , 2010 , 16, 59-66	50.5	271
15	New insights into 5q- syndrome as a ribosomopathy. <i>Cell Cycle</i> , 2010 , 9, 4286-93	4.7	31
14	IL-9 Production by Regulatory T Cells Recruits Mast Cells That Are Essential for Regulatory T Cell-Induced Immune-Suppression. <i>Blood</i> , 2010 , 116, 2782-2782	2.2	1
13	IL-25: a key requirement for the regulation of type-2 immunity. <i>BioFactors</i> , 2009 , 35, 178-82	6.1	31
12	Blocking IL-25 prevents airway hyperresponsiveness in allergic asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 1324-31	11.5	298

11	IL-33 and ST2 comprise a critical biomechanically induced and cardioprotective signaling system. <i>Journal of Clinical Investigation</i> , 2007 , 117, 1538-49	15.9	717
10	Identification of an interleukin (IL)-25-dependent cell population that provides IL-4, IL-5, and IL-13 at the onset of helminth expulsion. <i>Journal of Experimental Medicine</i> , 2006 , 203, 1105-16	16.6	552
9	Periostin: a novel component of subepithelial fibrosis of bronchial asthma downstream of IL-4 and IL-13 signals. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 118, 98-104	11.5	505
8	Decoy receptors in the regulation of T helper cell type 2 responses. <i>Journal of Experimental Medicine</i> , 2003 , 197, 675-9	16.6	24
7	IL-4 induces characteristic Th2 responses even in the combined absence of IL-5, IL-9, and IL-13. <i>Immunity</i> , 2002 , 17, 7-17	32.3	273
6	Disrupting Il13 impairs production of IL-4 specified by the linked allele. <i>Nature Immunology</i> , 2001 , 2, 461-6	19.1	17
5	Critical role for IL-13 in the development of allergen-induced airway hyperreactivity. <i>Journal of Immunology</i> , 2001 , 167, 4668-75	5.3	349
4	IL-13 overexpression predisposes to anaphylaxis following antigen sensitization. <i>Journal of Immunology</i> , 2001 , 166, 2712-6	5.3	72
3	Cytokine Cell Biology: A Practical Approach, 3rd Edition. <i>Journal of Cell Science</i> , 2001 , 114, 2209-2210	5.3	
2	IL-13 is a susceptibility factor for Leishmania major infection. <i>Journal of Immunology</i> , 2000 , 164, 1458-62	5.3	123
1	Schistosome infection of transgenic mice defines distinct and contrasting pathogenic roles for IL-4 and IL-13: IL-13 is a profibrotic agent. <i>Journal of Immunology</i> , 2000 , 164, 2585-91	5.3	341