

Kristian Thorup-Kristensen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/227985/publications.pdf>

Version: 2024-02-01

107
papers

4,057
citations

126901

33
h-index

138468

58
g-index

115
all docs

115
docs citations

115
times ranked

3450
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Catch crops and green manures as biological tools in nitrogen management in temperate zones. <i>Advances in Agronomy</i> , 2003, 79, 227-302. | 5.2 | 458 |
| 2 | Title is missing!. <i>Plant and Soil</i> , 2001, 230, 185-195. | 3.7 | 209 |
| 3 | Winter wheat roots grow twice as deep as spring wheat roots, is this important for N uptake and N leaching losses?. <i>Plant and Soil</i> , 2009, 322, 101-114. | 3.7 | 186 |
| 4 | Crop yield, root growth, and nutrient dynamics in a conventional and three organic cropping systems with different levels of external inputs and N re-cycling through fertility building crops. <i>European Journal of Agronomy</i> , 2012, 37, 66-82. | 4.1 | 133 |
| 5 | Digging Deeper for Agricultural Resources, the Value of Deep Rooting. <i>Trends in Plant Science</i> , 2020, 25, 406-417. | 8.8 | 127 |
| 6 | Effect of deep and shallow root systems on the dynamics of soil inorganic N during 3-year crop rotations. <i>Plant and Soil</i> , 2006, 288, 233-248. | 3.7 | 125 |
| 7 | Winter wheat cultivars and nitrogen (N) fertilization—Effects on root growth, N uptake efficiency and N use efficiency. <i>European Journal of Agronomy</i> , 2015, 68, 38-49. | 4.1 | 113 |
| 8 | The effect of nitrogen catch crop species on the nitrogen nutrition of succeeding crops. <i>Fertilizer Research</i> , 1994, 37, 227-234. | 0.5 | 111 |
| 9 | Root system-based limits to agricultural productivity and efficiency: the farming systems context. <i>Annals of Botany</i> , 2016, 118, 573-592. | 2.9 | 84 |
| 10 | Root growth and nitrogen uptake of carrot, early cabbage, onion and lettuce following a range of green manures. <i>Soil Use and Management</i> , 2006, 22, 29-38. | 4.9 | 81 |
| 11 | Uptake of ¹⁵ N labeled nitrate by root systems of sweet corn, carrot and white cabbage from 0.2–2.5 meters depth. <i>Plant and Soil</i> , 2004, 265, 93-100. | 3.7 | 74 |
| 12 | Incorporation time of nitrogen catch crops influences the N effect for the succeeding crop. <i>Soil Use and Management</i> , 2010, 26, 27-35. | 4.9 | 73 |
| 13 | Below- and aboveground abundance and distribution of fungal entomopathogens in experimental conventional and organic cropping systems. <i>Biological Control</i> , 2011, 59, 180-186. | 3.0 | 71 |
| 14 | Title is missing!. <i>Plant and Soil</i> , 1998, 203, 79-89. | 3.7 | 68 |
| 15 | Green manuring effect of pure and mixed barley + hairy vetch winter cover crops on maize and processing tomato N nutrition. <i>European Journal of Agronomy</i> , 2012, 43, 136-146. | 4.1 | 68 |
| 16 | Modelling diverse root density dynamics and deep nitrogen uptake—A simple approach. <i>Plant and Soil</i> , 2010, 326, 493-510. | 3.7 | 67 |
| 17 | Plant availability of catch crop sulfur following spring incorporation. <i>Journal of Plant Nutrition and Soil Science</i> , 2004, 167, 609-615. | 1.9 | 64 |
| 18 | Title is missing!. <i>Plant and Soil</i> , 2001, 228, 73-82. | 3.7 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Molecular diversity of the entomopathogenic fungal <i>Metarhizium</i> community within an agroecosystem. <i>Journal of Invertebrate Pathology</i> , 2014, 123, 6-12. | 3.2 | 60 |
| 20 | N-Fixation of Selected Green Manure Plants in an Organic Crop Rotation. <i>Biological Agriculture and Horticulture</i> , 2001, 18, 345-363. | 1.0 | 59 |
| 21 | Effect of organic growing systems on sensory quality and chemical composition of tomatoes. <i>LWT - Food Science and Technology</i> , 2006, 39, 835-843. | 5.2 | 59 |
| 22 | Effects of green manure herbage management and its digestate from biogas production on barley yield, N recovery, soil structure and earthworm populations. <i>European Journal of Agronomy</i> , 2014, 52, 90-102. | 4.1 | 56 |
| 23 | Vigorous Root Growth Is a Better Indicator of Early Nutrient Uptake than Root Hair Traits in Spring Wheat Grown under Low Fertility. <i>Frontiers in Plant Science</i> , 2016, 7, 865. | 3.6 | 56 |
| 24 | Collembola and mites in plots fertilised with different types of green manure. <i>Pedobiologia</i> , 2000, 44, 556-566. | 1.2 | 53 |
| 25 | Effects of vertical distribution of soil inorganic nitrogen on root growth and subsequent nitrogen uptake by field vegetable crops. <i>Soil Use and Management</i> , 2007, 23, 338-347. | 4.9 | 48 |
| 26 | Using coloured roots to study root interaction and competition in intercropped legumes and non-legumes. <i>Journal of Plant Ecology</i> , 2010, 3, 191-199. | 2.3 | 43 |
| 27 | Long-term rice-rice-green manure rotation changing the microbial communities in typical red paddy soil in South China. <i>Journal of Integrative Agriculture</i> , 2015, 14, 2512-2520. | 3.5 | 41 |
| 28 | Discrimination of conventional and organic white cabbage from a long-term field trial study using untargeted LC-MS-based metabolomics. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 2885-2897. | 3.7 | 39 |
| 29 | Does earlier sowing of winter wheat improve root growth and N uptake?. <i>Field Crops Research</i> , 2016, 196, 10-21. | 5.1 | 39 |
| 30 | The Effect of Nitrogen Catch Crops on the Nitrogen Nutrition of a Succeeding Crop: I. Effects through Mineralization and Pre-emptive Competition. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 1993, 43, 74-81. | 0.6 | 38 |
| 31 | <i>Metarhizium</i> seed treatment mediates fungal dispersal via roots and induces infections in insects. <i>Fungal Ecology</i> , 2014, 11, 122-131. | 1.6 | 38 |
| 32 | Construction of a large-scale semi-field facility to study genotypic differences in deep root growth and resources acquisition. <i>Plant Methods</i> , 2019, 15, 26. | 4.3 | 38 |
| 33 | Intercropping effect on root growth and nitrogen uptake at different nitrogen levels. <i>Journal of Plant Ecology</i> , 2015, 8, 380-389. | 2.3 | 37 |
| 34 | Vertical and horizontal development of the root system of carrots following green manure. <i>Plant and Soil</i> , 1999, 212, 143-151. | 3.7 | 36 |
| 35 | Root Growth of Green Pea (<i>Pisum sativum</i> L.) Genotypes. <i>Crop Science</i> , 1998, 38, 1445-1451. | 1.8 | 34 |
| 36 | Timelapse scanning reveals spatial variation in tomato (<i>Solanum lycopersicum</i> L.) root elongation rates during partial waterlogging. <i>Plant and Soil</i> , 2013, 369, 467-477. | 3.7 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Plant-based fertilizers for organic vegetable production. <i>Journal of Plant Nutrition and Soil Science</i> , 2011, 174, 321-332. | 1.9 | 33 |
| 38 | Uptake of subsoil water below 2 m fails to alleviate drought response in deep-rooted Chicory (<i>Cichorium intybus</i> L.). <i>Plant and Soil</i> , 2020, 446, 275-290. | 3.7 | 30 |
| 39 | Using tube rhizotrons to measure variation in depth penetration rate among modern North-European winter wheat (<i>Triticum aestivum</i> L.) cultivars. <i>Euphytica</i> , 2014, 199, 233-245. | 1.2 | 29 |
| 40 | The effect of catch crops on sulphate leaching and availability of S in the succeeding crop on sandy loam soil in Denmark. <i>Agriculture, Ecosystems and Environment</i> , 2002, 90, 247-254. | 5.3 | 28 |
| 41 | Quantitative proteomics by 2DE and MALDI MS/MS uncover the effects of organic and conventional cropping methods on vegetable products. <i>Journal of Proteomics</i> , 2011, 74, 2810-2825. | 2.4 | 28 |
| 42 | Root interactions between intercropped legumes and non-legumes—a competition study of red clover and red beet at different nitrogen levels. <i>Plant and Soil</i> , 2014, 378, 59-72. | 3.7 | 28 |
| 43 | Temporal and spatial root development of cauliflower (<i>Brassica oleracea</i> L. var. botrytis L.). <i>Plant and Soil</i> , 1998, 201, 37-47. | 3.7 | 27 |
| 44 | Root pruning reduces root competition and increases crop growth in a living mulch cropping system. <i>Journal of Plant Interactions</i> , 2008, 3, 211-221. | 2.1 | 26 |
| 45 | An easy pot incubation method for measuring nitrogen mineralization from easily decomposable organic material under well defined conditions. <i>Fertilizer Research</i> , 1994, 38, 239-247. | 0.5 | 25 |
| 46 | Genomic prediction of yield and root development in wheat under changing water availability. <i>Plant Methods</i> , 2020, 16, 90. | 4.3 | 25 |
| 47 | Will breeding for nitrogen use efficient crops lead to nitrogen use efficient cropping systems?: a simulation study of GA—EA—M interactions. <i>Euphytica</i> , 2014, 199, 97-117. | 1.2 | 24 |
| 48 | Development and critical evaluation of a generic 2-D agro-hydrological model (SMCR_N) for the responses of crop yield and nitrogen composition to nitrogen fertilizer. <i>Agriculture, Ecosystems and Environment</i> , 2009, 132, 160-172. | 5.3 | 23 |
| 49 | Archaea are the predominant and responsive ammonia oxidizing prokaryotes in a red paddy soil receiving green manures. <i>European Journal of Soil Biology</i> , 2018, 88, 27-35. | 3.2 | 23 |
| 50 | A multispectral camera system for automated minirhizotron image analysis. <i>Plant and Soil</i> , 2019, 441, 657-672. | 3.7 | 23 |
| 51 | Early decomposer assemblages of soil organisms in litterbags with vetch and rye roots. <i>Soil Biology and Biochemistry</i> , 2005, 37, 1145-1155. | 8.8 | 22 |
| 52 | Root growth of perennials in vertical growing media for use in green walls. <i>Scientia Horticulturae</i> , 2014, 166, 31-41. | 3.6 | 22 |
| 53 | Comparing the deep root growth and water uptake of intermediate wheatgrass (<i>Kernza</i> ®) to alfalfa. <i>Plant and Soil</i> , 2022, 472, 369-390. | 3.7 | 22 |
| 54 | Delayed nutrient application affects mineralisation rate during composting of plant residues. <i>Bioresource Technology</i> , 2005, 96, 1093-1101. | 9.6 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Nitrogen effects of non-legume catch crops. Zeitschrift Fur Pflanzenernahrung Und Bodenkunde = Journal of Plant Nutrition and Plant Science, 1993, 156, 55-59. | 0.4 | 20 |
| 56 | Deep-rooted perennial crops differ in capacity to stabilize C inputs in deep soil layers. Scientific Reports, 2022, 12, 5952. | 3.3 | 20 |
| 57 | Root Development of Nitrogen Catch Crops and of a Succeeding Crop of Broccoli. Acta Agriculturae Scandinavica - Section B Soil and Plant Science, 1993, 43, 58-64. | 0.6 | 19 |
| 58 | Simulating nitrate retention in soils and the effect of catch crop use and rooting pattern under the climatic conditions of Northern Europe. Soil Use and Management, 2009, 25, 243-254. | 4.9 | 19 |
| 59 | Multi-method comparison of carrot quality from a conventional and three organic cropping systems with increasing levels of nutrient recycling. Journal of the Science of Food and Agriculture, 2012, 92, 2855-2869. | 3.5 | 19 |
| 60 | Catch crops affect nitrogen dynamics in organic farming systems without livestock husbandry – Simulations with the DAISY model. Ecological Modelling, 2006, 191, 538-544. | 2.5 | 18 |
| 61 | The significance of litter loss and root growth on nitrogen efficiency in normal and semi-dwarf winter oilseed rape genotypes. Field Crops Research, 2016, 186, 166-178. | 5.1 | 18 |
| 62 | Can precrops uplift subsoil nutrients to topsoil?. Plant and Soil, 2021, 463, 329-345. | 3.7 | 18 |
| 63 | Towards integrated cover crop management: N, P and S release from aboveground and belowground residues. Agriculture, Ecosystems and Environment, 2021, 313, 107392. | 5.3 | 18 |
| 64 | Effects of Green Manure Crops on Soil Mineral Nitrogen Available for Organic Production of Onion and White Cabbage in Two Contrasting Years. Biological Agriculture and Horticulture, 2001, 18, 365-384. | 1.0 | 17 |
| 65 | Effect of Differential N and S Competition in Inter- and Sole Cropping of Brassica Species and Lettuce on Glucosinolate Concentration. Journal of Agricultural and Food Chemistry, 2012, 60, 6268-6278. | 5.2 | 17 |
| 66 | Proteomic changes and endophytic micromycota during storage of organically and conventionally grown carrots. Postharvest Biology and Technology, 2013, 76, 26-33. | 6.0 | 17 |
| 67 | Digging roots is easier with AI. Journal of Experimental Botany, 2021, 72, 4680-4690. | 4.8 | 17 |
| 68 | Soil Nitrogen Depletion by Vegetable Crops with Variable Root Growth. Acta Agriculturae Scandinavica - Section B Soil and Plant Science, 1999, 49, 92-97. | 0.6 | 16 |
| 69 | Spatial variation in root system activity of tomato (<i>Solanum lycopersicum</i> L.) in response to short and long-term waterlogging as determined by ¹⁵ N uptake. Plant and Soil, 2012, 357, 161-172. | 3.7 | 16 |
| 70 | Spatial root distribution of plants growing in vertical media for use in living walls. Plant and Soil, 2014, 380, 231-248. | 3.7 | 16 |
| 71 | Cultivar differences in spatial root distribution during early growth in soil, and its relation to nutrient uptake - a study of wheat, onion and lettuce. Plant and Soil, 2016, 408, 255-270. | 3.7 | 16 |
| 72 | Exposing Deep Roots: A Rhizobox Laboratory. Trends in Plant Science, 2020, 25, 418-419. | 8.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Natural regulation of <i>Delia radicum</i> in organic cabbage production. <i>Agriculture, Ecosystems and Environment</i> , 2013, 164, 183-189. | 5.3 | 13 |
| 74 | Effect of root pruning and irrigation regimes on pear tree: growth, yield and yield components. <i>Zahradnictvi (Prague, Czech Republic)</i> : 1992), 2014, 41, 34-43. | 0.9 | 13 |
| 75 | The effect of catch crop species on selenium availability for succeeding crops. <i>Plant and Soil</i> , 2012, 351, 149-160. | 3.7 | 12 |
| 76 | The effect of drought and intercropping on chicory nutrient uptake from below 2Âm studied in a multiple tracer setup. <i>Plant and Soil</i> , 2020, 446, 543-561. | 3.7 | 12 |
| 77 | Root and xylem anatomy varies with root length, root order, soil depth and environment in intermediate wheatgrass (<i>Kernza</i> ®) and alfalfa. <i>Annals of Botany</i> , 2022, 130, 367-382. | 2.9 | 12 |
| 78 | Breeding for nitrogen efficiency: concepts, methods, and case studies. <i>Euphytica</i> , 2014, 199, 1-2. | 1.2 | 11 |
| 79 | Against the wallâ€”Root growth and competition in four perennial winter hardy plant species grown in living walls. <i>Urban Forestry and Urban Greening</i> , 2018, 29, 293-302. | 5.3 | 11 |
| 80 | Testing deep placement of an 15N tracer as a method for in situ deep root phenotyping of wheat, barley and ryegrass. <i>Plant Methods</i> , 2019, 15, 148. | 4.3 | 11 |
| 81 | Core-labelling technique (CLT): a novel combination of the ingrowth-core method and tracer technique for deep root study. <i>Plant Methods</i> , 2020, 16, 84. | 4.3 | 11 |
| 82 | Nutritionally Important Chemical Constituents and Yield of Carrot (<i>Daucus carota</i> L.) Roots Grown Organically Using Ten Levels of Green Manure. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2001, 51, 125-136. | 0.6 | 10 |
| 83 | Comparative Study between Biocrystallization and Chemical Analyses of Carrots (<i>Daucus carota</i> L.) Crown Organically Using Different Levels of Green Manures. <i>Biological Agriculture and Horticulture</i> , 2001, 19, 29-48. | 1.0 | 10 |
| 84 | Size-asymmetric root competition in deep, nutrient-poor soil. <i>Journal of Plant Ecology</i> , 2019, 12, 78-88. | 2.3 | 10 |
| 85 | Semifield root phenotyping: Root traits for deep nitrate uptake. <i>Plant, Cell and Environment</i> , 2022, 45, 823-836. | 5.7 | 10 |
| 86 | Health biomarkers in a rat model after intake of organically grown carrots. <i>Journal of the Science of Food and Agriculture</i> , 2012, 92, 2936-2943. | 3.5 | 9 |
| 87 | The cytosine methylation landscape of spring barley revealed by a new reduced representation bisulfite sequencing pipeline, WellMeth. <i>Plant Genome</i> , 2020, 13, e20049. | 2.8 | 9 |
| 88 | Root distribution in intercropping systems â€” a comparison of DNA based methods and visual distinction of roots. <i>Archives of Agronomy and Soil Science</i> , 2021, 67, 15-28. | 2.6 | 9 |
| 89 | Dual labelling by 2H and 15N revealed differences in uptake potential by deep roots of chicory. <i>Rhizosphere</i> , 2021, 19, 100368. | 3.0 | 8 |
| 90 | Mitigation of subsoil recompaction by light traffic and on-land ploughing. <i>Soil and Tillage Research</i> , 2005, 80, 159-170. | 5.6 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Structural differences in wheat (<i>Triticum aestivum</i>), hemp (<i>Cannabis sativa</i>) and <i>Miscanthus</i> (<i>Miscanthus ogiformis</i>) affect the quality and stability of plant based compost. <i>Scientia Horticulturae</i> , 2005, 107, 81-89. | 3.6 | 7 |
| 92 | Tracing deep P uptake potential in arable subsoil using radioactive ³³ P isotope. <i>Plant and Soil</i> , 2022, 472, 91-104. | 3.7 | 7 |
| 93 | Undersowing Legume Crops for Green Manuring of Lettuce. <i>Biological Agriculture and Horticulture</i> , 2003, 21, 399-414. | 1.0 | 6 |
| 94 | Effects of defoliation on growth of cauliflower. <i>Scientia Horticulturae</i> , 2001, 91, 1-16. | 3.6 | 5 |
| 95 | An Organic and Environmentally Friendly Growing System for Greenhouse Tomatoes. <i>Biological Agriculture and Horticulture</i> , 2006, 24, 237-256. | 1.0 | 5 |
| 96 | Assessment of selenium mineralization and availability from catch crops. <i>Soil Use and Management</i> , 2011, 27, 305-311. | 4.9 | 5 |
| 97 | Effect of <i>Orychopragmus violaceus</i> incorporation on nitrogen uptake in succeeding maize. <i>Plant, Soil and Environment</i> , 2015, 61, 260-265. | 2.2 | 5 |
| 98 | Evaluation of deep root phenotyping techniques in tube rhizotrons. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2019, 69, 62-74. | 0.6 | 4 |
| 99 | High N relative to C mineralization of clover leaves at low temperatures in two contrasting soils. <i>Geoderma</i> , 2022, 406, 115483. | 5.1 | 4 |
| 100 | Calibration of the EU-Rotate_N model with measured C and N mineralization from potential fertilizers and evaluation of its prediction of crop and soil data from a vegetable field trial. <i>European Journal of Agronomy</i> , 2021, 129, 126336. | 4.1 | 3 |
| 101 | Long-Term Stability and Mineralization Rate Of Compost is Influenced by Timing of Nutrient Application During Composting of Plant Residues. <i>Compost Science and Utilization</i> , 2006, 14, 215-221. | 1.2 | 2 |
| 102 | Spatial and temporal oxygen distribution measured with oxygen microsensors in growing media with different levels of compaction. <i>Scientia Horticulturae</i> , 2011, 128, 68-75. | 3.6 | 2 |
| 103 | Approaches to Translational Plant Science. <i>Advances in Agronomy</i> , 2015, , 305-335. | 5.2 | 1 |
| 104 | Genotypic differences in growth, yield and nutrient accumulation of spring wheat cultivars in response to long-term soil fertility regimes. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2017, 67, 126-133. | 0.6 | 1 |
| 105 | Roots below One-Meter Depth Are Important for Uptake of Nitrate by Annual Crops. , 2008, , 245-258. | | 1 |
| 106 | Winter cover crops favor cereal crop in N competition against creeping thistle <i>Cirsium arvense</i> (L.) Scop. <i>Soil and Tillage Research</i> , 2022, 216, 105261. | 5.6 | 1 |
| 107 | Dynamics of Deep Water and N Uptake of Oilseed Rape (<i>Brassica napus</i> L.) Under Varied N and Water Supply. <i>Frontiers in Plant Science</i> , 2022, 13, 866288. | 3.6 | 1 |