

Thomas Paul Spaniol

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2280006/publications.pdf>

Version: 2024-02-01

219
papers

9,408
citations

41627

51
h-index

71088

80
g-index

237
all docs

237
docs citations

237
times ranked

4212
citing authors

#	ARTICLE	IF	CITATIONS
1	Strontium Hydride Cations Supported by a Large NNNNN Type Macrocycle: Synthesis, Structure, and Hydrofunctionalization Catalysis. <i>Inorganic Chemistry</i> , 2022, 61, 3309-3316.	1.9	6
2	Manipulating electron transfer – the influence of substituents on novel copper guanidine quinolinyl complexes. <i>Chemical Science</i> , 2022, 13, 8274-8288.	3.7	6
3	Calcium Hydride Catalysts for Olefin Hydrofunctionalization: Ring-Size Effect of Macrocyclic Ligands on Activity. <i>Chemistry - A European Journal</i> , 2021, 27, 3002-3007.	1.7	20
4	Cationic strontium hydride complexes supported by an NNNN-type macrocycle. <i>Chemical Communications</i> , 2021, 57, 6316-6319.	2.2	10
5	Dihydrogen cleavage by a dimetalloxy carbene-borane frustrated Lewis pair. <i>Dalton Transactions</i> , 2021, 50, 10692-10695.	1.6	2
6	Reduzierte Arenkomplexe von Hafnium mit einem Triamidoaminliganden. <i>Angewandte Chemie</i> , 2021, 133, 14298-14306.	1.6	0
7	Reduced Arene Complexes of Hafnium Supported by a Triamidoamine Ligand. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 14179-14187.	7.2	8
8	Zinc hydride cation [ZnH] ⁺ supported by TMPDA (TMPDA = N,N,N,N-tetramethylpropane-1,3-diamine). <i>Polyhedron</i> , 2021, 204, 115264.	1.0	4
9	Scandium Reduced Arene Complex: Protonation and Reaction with Azobenzene. <i>Chemistry - an Asian Journal</i> , 2021, 16, 3170-3178.	1.7	5
10	Deaggregation of Zinc Dihydride by Lewis Acids Including Carbon Dioxide in the Presence of Nitrogen Donors. <i>Inorganic Chemistry</i> , 2021, 60, 15583-15592.	1.9	7
11	Formation and Reactivity of a Hexahydridosilicate [SiH ₆] ²⁻ Coordinated by a Macrocycle-Supported Strontium Cation. <i>Angewandte Chemie - International Edition</i> , 2021, . .	7.2	6
12	Regioselective Hydrosilylation of Olefins Catalyzed by a Molecular Calcium Hydride Cation. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 310-314.	7.2	48
13	Regioselektive Hydrosilylierung von Olefinen katalysiert durch ein molekulares Calciumhydrid-Kation. <i>Angewandte Chemie</i> , 2020, 132, 317-322.	1.6	17
14	Reactivity of the molecular magnesium hydride cation [MgH] ⁺ supported by an NNNN macrocycle. <i>Polyhedron</i> , 2020, 178, 114331.	1.0	10
15	Molekulare Zinkhydridkationen [ZnH] ⁺ : Synthese, Struktur und CO ₂ -Hydrosilylierungskatalyse. <i>Angewandte Chemie</i> , 2020, 132, 23535-23543.	1.6	8
16	Molecular Zinc Hydride Cations [ZnH] ⁺ : Synthesis, Structure, and CO ₂ Hydrosilylation Catalysis. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 23335-23342.	7.2	38
17	Reactivity of a Molecular Calcium Hydride Cation ([CaH] ⁺) Supported by an NNNN Macrocycle. <i>Inorganic Chemistry</i> , 2020, 59, 9406-9415.	1.9	29
18	Reduced Arene Complexes of Scandium. <i>Chemistry - A European Journal</i> , 2020, 26, 10290-10296.	1.7	16

#	ARTICLE	IF	CITATIONS
19	Alkali Metal Triphenylâ€and Trihydridosilanides Stabilized by a Macrocyclic Polyamine Ligand. Chemistry - A European Journal, 2020, 26, 2821-2825.	1.7	10
20	Titanium(IV) Cations with Trigonal Monopyramidal Geometry: Unusual Lewis Acids Supported by a Triaryl Triamidoamine Ligand. Chemistry - A European Journal, 2019, 25, 10718-10723.	1.7	3
21	Hydridoaluminates and hydridoborates of lithium stabilized by a Cyclen-derived NNNN-Type macrocyclic ligand. Journal of Organometallic Chemistry, 2019, 894, 39-42.	0.8	5
22	Conversion of dinitrogen to tris(trimethylsilyl)amine catalyzed by titanium triamido-amine complexes. Chemical Communications, 2019, 55, 3231-3234.	2.2	43
23	Cationic magnesium hydride [MgH] ⁺ stabilized by an NNNN-type macrocycle. Chemical Communications, 2019, 55, 3199-3202.	2.2	22
24	A tetranuclear calcium hydride cluster with a highly symmetric [Ca ₄ H ₆] ²⁺ core. Chemical Communications, 2019, 55, 14837-14839.	2.2	15
25	Ein maskiertes Kupferhydrid als Katalysator fÃ¼r die Carbonylhydrosilylierung in wÃ¤ssrigen LÃ¶sungen. Angewandte Chemie, 2019, 131, 1832-1836.	1.6	5
26	A Masked Cuprous Hydride as a Catalyst for Carbonyl Hydrosilylation in Aqueous Solutions. Angewandte Chemie - International Edition, 2019, 58, 1818-1822.	7.2	21
27	Titanium Carbene Complexes Stabilized by Alkali Metal Amides. Angewandte Chemie - International Edition, 2019, 58, 1833-1837.	7.2	10
28	Alkalimetallamidâ€stabilisierte Titancarbenâ€Komplexe. Angewandte Chemie, 2019, 131, 1847-1851.	1.6	3
29	Formate complexes of titanium(IV) supported by a tris(phenolato)-amine ligand. Polyhedron, 2019, 158, 441-444.	1.0	3
30	The Nature of the Heavy Alkaline Earth Metalâ€Hydrogen Bond: Synthesis, Structure, and Reactivity of a Cationic Strontium Hydride Cluster. Journal of the American Chemical Society, 2018, 140, 3403-3411.	6.6	58
31	Lanthanide Complexes Supported by a Trizinc Crown Ether as Catalysts for Alternating Copolymerization of Epoxide and CO ₂ : Telomerization Controlled by Carboxylate Anions. Angewandte Chemie - International Edition, 2018, 57, 2492-2496.	7.2	103
32	Zinc Dihydride and Mixed Halo Hydrides Supported by an Nâ€Heterocyclic Carbene. European Journal of Inorganic Chemistry, 2018, 2018, 1114-1119.	1.0	13
33	Lanthanoidkomplexe mit Trizinkâ€Kronenether als Katalysatoren fÃ¼r die alternierende Copolymerisation von Epoxid und CO ₂ : eine durch Carboxylatâ€Anionen kontrollierte Telomerisierung. Angewandte Chemie, 2018, 130, 2518-2522.	1.6	15
34	Counteraction Effect on CO ₂ Binding to Oxo Titanate with Bulky Anilide Ligands. Chemistry - A European Journal, 2018, 24, 17072-17079.	1.7	10
35	Deprotonation of a formate ligand by a cis-coordinated carbyne ligand within a bis(phenolate) tungsten complex. Dalton Transactions, 2018, 47, 13328-13331.	1.6	6
36	Molecular hydrides of divalent ytterbium supported by a macrocyclic ligand: synthesis, structure and olefin hydrofunctionalization catalysis. Chemical Communications, 2018, 54, 11280-11283.	2.2	22

#	ARTICLE	IF	CITATIONS
37	Oxygen Atom Transfer Reactions with Molybdenum Cofactor Model Complexes That Contain a Tetradentate OSSO-Type Bis(phenolato) Ligand. <i>Organometallics</i> , 2018, 37, 4336-4340.	1.1	14
38	Hypervalent Hydrosilicates Connected to Light Alkali Metal Amides: Synthesis, Structure, and Hydrosilylation Catalysis. <i>Chemistry - A European Journal</i> , 2018, 24, 13424-13427.	1.7	19
39	Ring-opening of cyclic ethers by aluminum hydridotriphenylborate. <i>Chemical Communications</i> , 2017, 53, 3493-3496.	2.2	23
40	Zinc hydridotriphenylborates supported by a neutral macrocyclic polyamine. <i>Dalton Transactions</i> , 2017, 46, 6183-6186.	1.6	34
41	Me ₆ TREN-Supported Alkali Metal Hydridotriphenylborates [(LM)[HBPh ₃] (M =) Tj ETQq _{1,1}] 0.7843,14 rgBT	1.1	35
42	Group 2 metal (Mg, Ca, Sr) silylamides supported by a cyclen-derived macrocyclic polyamine. <i>Dalton Transactions</i> , 2017, 46, 8451-8457.	1.6	12
43	Facile ring-opening of THF at a lithium center induced by a pendant Si-H bond and BPh ₃ . <i>Dalton Transactions</i> , 2017, 46, 8017-8021.	1.6	8
44	Unexpected alkane elimination from cationic group 13 dialkyls in a reaction with a macrocyclic polyamine. <i>Dalton Transactions</i> , 2017, 46, 651-655.	1.6	11
45	Calciumhydrid-Kation [CaH] ⁺ stabilisiert durch einen makrocyclischen NNNN-Liganden: ein selektiver Katalysator für die Hydrierung von Olefinen. <i>Angewandte Chemie</i> , 2017, 129, 12539-12543.	1.6	41
46	Calcium Hydride Cation [CaH] ⁺ Stabilized by an NNNN-Type Macrocyclic Ligand: A Selective Catalyst for Olefin Hydrogenation. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 12367-12371.	7.2	107
47	Ligand Influence on Carbonyl Hydroboration Catalysis by Alkali Metal Hydridotriphenylborates [(LM)[HBPh ₃] (M=Li, Na, K). <i>Chemistry - A European Journal</i> , 2017, 23, 14292-14298.	1.7	48
48	Silyl-Hydrosilane Exchange at a Magnesium Triphenylsilyl Complex Supported by a Cyclen-Derived NNNN-Type Macrocyclic Ligand. <i>Inorganic Chemistry</i> , 2017, 56, 14979-14990.	1.9	22
49	Mononuclear Alkali Metal Organoperoxides Stabilized by an NNNN-Macrocyclic and Short Hydrogen Bonds from ROOH Molecules. <i>Chemistry - A European Journal</i> , 2017, 23, 17213-17216.	1.7	8
50	Molecular Calcium Hydride: Dicalcium Trihydride Cation Stabilized by a Neutral NNNN-Type Macrocyclic Ligand. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 4794-4797.	7.2	77
51	Molekulares Calciumhydrid: Dicalciumtrihydrid-Kation, stabilisiert durch einen neutralen makrocyclischen NNNN-Liganden. <i>Angewandte Chemie</i> , 2016, 128, 4872-4876.	1.6	34
52	Reactivity of a Molecular Magnesium Hydride Featuring a Terminal Magnesium-Hydrogen Bond. <i>Inorganic Chemistry</i> , 2016, 55, 12997-13006.	1.9	47
53	Bis(phenolato)molybdenum complexes as catalyst precursors for the deoxydehydration of biomass-derived polyols. <i>Polyhedron</i> , 2016, 116, 105-110.	1.0	32
54	Lanthanum complexes containing a bis(phenolate) ligand with a ferrocene-1,1'-diylidithio backbone: synthesis, characterization, and ring-opening polymerization of rac-lactide. <i>Dalton Transactions</i> , 2016, 45, 8127-8133.	1.6	30

#	ARTICLE	IF	CITATIONS
55	Potassium-Catalyzed Hydrosilylation of Activated Olefins: Evidence for a Silyl Migration Mechanism. <i>Organometallics</i> , 2016, 35, 1179-1182.	1.1	23
56	Magnesium hydridotriphenylborate [Mg(thf) ₆][HBPh ₃] ₂ : a versatile hydroboration catalyst. <i>Chemical Communications</i> , 2016, 52, 13155-13158.	2.2	212
57	Alkali Metal Hydridotriphenylborates [(L)M][HBPh ₃] (M = Li, Na, K): Chemoselective Catalysts for Carbonyl and CO ₂ Hydroboration. <i>Journal of the American Chemical Society</i> , 2016, 138, 10790-10793.	6.6	171
58	Zinc Bis(triphenylsilyl) Stabilized by <i>N</i> -Heterocyclic Carbene. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2016, 642, 1269-1274.	0.6	7
59	Reversible Transformation between Alkylidene, Alkylidyne, and Vinylidene Ligands in High-Valent Bis(phenolate) Tungsten Complexes. <i>Organometallics</i> , 2016, 35, 932-935.	1.1	10
60	Construction of a hybrid biocatalyst containing a covalently-linked terpyridine metal complex within a cavity of apoferritin. <i>Journal of Inorganic Biochemistry</i> , 2016, 158, 55-61.	1.5	34
61	A Dimetalloxy-carbene Bonding Mode and Reductive Coupling Mechanism for Oxalate Formation from CO ₂ . <i>Angewandte Chemie - International Edition</i> , 2015, 54, 9115-9119.	7.2	69
62	Formation and Reactivity of a Molecular Magnesium Hydride with a Terminal Mg-H Bond. <i>Chemistry - A European Journal</i> , 2015, 21, 11330-11334.	1.7	49
63	Polymerization of Norbornene Using Chiral Bis(phenolate) Zirconium Catalysts. <i>Macromolecular Rapid Communications</i> , 2015, 36, 219-223.	2.0	8
64	Discrete Magnesium Hydride Aggregates: A Cationic Mg ₁₃ H ₁₈ Cluster Stabilized by NNNN-Type Macrocycles. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 4115-4118.	7.2	51
65	Yttrium Dihydride Cation [YH ₂ (THF) ₂] ⁺ Aggregate Formation and Reaction with (NNNN)-Type Macrocycles. <i>Organometallics</i> , 2015, 34, 3739-3747.	1.1	16
66	Formation of a Cationic Calcium Hydride Cluster with a "Naked" Triphenylsilyl Anion by Hydrogenolysis of Bis(triphenylsilyl)calcium. <i>Inorganic Chemistry</i> , 2015, 54, 4927-4933.	1.9	49
67	Neutral and Cationic Zirconium Hydrides Supported by a Dianionic (NNNN)-Type Macrocycle Ligand. <i>Organometallics</i> , 2015, 34, 2160-2164.	1.1	7
68	Soluble Organocalcium Compounds for the Activation and Conversion of Carbon Dioxide and Heteroaromatic Substrates. <i>Notes on Numerical Fluid Mechanics and Multidisciplinary Design</i> , 2015, , 75-88.	0.2	0
69	Dinuclear Zinc Hydride Supported by an Anionic Bis(N-Heterocyclic Carbene) Ligand. <i>Chemistry - an Asian Journal</i> , 2014, 9, 612-619.	1.7	42
70	Living Polymerization by Bis(phenolate) Zirconium Catalysts: Synthesis of Isotactic Polystyrene- <i>block</i> -Polybutadiene Copolymers. <i>Macromolecular Chemistry and Physics</i> , 2014, 215, 2001-2006.	1.1	12
71	Crown ether adducts of light alkali metal triphenylsilyls: synthesis, structure and hydrosilylation catalysis. <i>Dalton Transactions</i> , 2014, 43, 14315-14321.	1.6	31
72	An ion pair scandium hydride supported by a dianionic (NNNN)-type macrocycle ligand. <i>Chemical Communications</i> , 2014, 50, 424-426.	2.2	21

#	ARTICLE	IF	CITATIONS
73	Hydrosilylation catalysis by an earth alkaline metal silyl: synthesis, characterization, and reactivity of bis(triphenylsilyl)calcium. <i>Chemical Communications</i> , 2014, 50, 2311.	2.2	81
74	A Cationic Zinc Hydride Cluster Stabilized by an Nâ€Heterocyclic Carbene: Synthesis, Reactivity, and Hydrosilylation Catalysis. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 13273-13277.	7.2	88
75	Mixed Alkyl Hydrido Complexes of Zinc: Synthesis, Structure, and Reactivity. <i>Organometallics</i> , 2014, 33, 2039-2047.	1.1	26
76	Switching the Lactide Polymerization Activity of a Cerium Complex by Redox Reactions. <i>ChemCatChem</i> , 2013, 5, 1088-1091.	1.8	47
77	Dehydrogenation of Amineâ€Borane Me ₂ NHâ€BH ₃ Catalyzed by a Lanthanumâ€Hydride Complex. <i>Chemistry - A European Journal</i> , 2013, 19, 13437-13444.	1.7	38
78	A hydride-ligated dysprosium single-molecule magnet. <i>Chemical Communications</i> , 2013, 49, 901-903.	2.2	75
79	Cationic, Neutral, and Anionic Allyl Magnesium Compounds: Unprecedented Ligand Conformations and Reactivity Toward Unsaturated Hydrocarbons. <i>Journal of the American Chemical Society</i> , 2013, 135, 811-821.	6.6	32
80	Dicationic lutetium hydride complex stabilized by a meta-cyclophane-derived (NNNC)-type macrocycle. <i>Journal of Organometallic Chemistry</i> , 2013, 744, 49-52.	0.8	8
81	Hydrido and Allyl/Hydrido Complexes of Early Lanthanides Supported by an NNNN-Type Macrocyclic Ligand. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 3987-3992.	1.0	21
82	Reversible Dihydrogen Activation in Cationic Rare-Earth-Metal Polyhydride Complexes. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 7976-7980.	7.2	34
83	Molecular Zinc Dihydride Stabilized by Nâ€Heterocyclic Carbenes. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 4664-4667.	7.2	79
84	Heterometallic Potassium Rare-Earth-Metal Allyl and Hydrido Complexes Stabilized by a Dianionic (NNNN)-Type Macrocyclic Ancillary Ligand. <i>Organometallics</i> , 2013, 32, 1176-1182.	1.1	22
85	Selective â€Metalation of THF by a Cationic Zirconium Complex Supported by an (NNNN)-Type Macrocyclic Ligand. <i>Chemistry - A European Journal</i> , 2013, 19, 9468-9471.	1.7	10
86	The Bis(allyl)bismuth Cation: A Reagent for Direct Allyl Transfer by Lewis Acid Activation and Controlled Radical Polymerization. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 13011-13015.	7.2	67
87	Allyl strontium compounds: synthesis, molecular structure and properties. <i>Dalton Transactions</i> , 2012, 41, 9176.	1.6	16
88	Cationic Zirconium Hydrides Supported by an NNNN-Type Macrocyclic Ligand: Synthesis, Structure, and Reactivity. <i>Inorganic Chemistry</i> , 2012, 51, 12462-12472.	1.9	29
89	Alkaline earth metal complexes of a chiral polyether as initiator for the ring-opening polymerization of lactide. <i>Dalton Transactions</i> , 2012, 41, 12612.	1.6	46
90	Bis(allyl)gallium Cation, Tris(allyl)gallium, and Tetrakis(allyl)gallate: Synthesis, Characterization, and Reactivity. <i>Inorganic Chemistry</i> , 2012, 51, 2254-2262.	1.9	26

#	ARTICLE	IF	CITATIONS
91	Synthesis, Characterization, and Lactide Polymerization Activity of Group 4 Metal Complexes Containing Two Bis(phenolate) Ligands. <i>Inorganic Chemistry</i> , 2012, 51, 5764-5770.	1.9	47
92	Bis(allyl)zinc Revisited: Sigma versus Pi Bonding of Allyl Coordination. <i>Journal of the American Chemical Society</i> , 2012, 134, 9805-9811.	6.6	30
93	A Cationic Calcium Hydride Cluster Stabilized by Cyclen-Derived Macrocyclic N,N,N,N'-Ligands. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 4452-4455.	7.2	133
94	Dimerization of the Allylzinc Cation: Selective Coupling of Allyl Anions in a Metalloene Reaction. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 8101-8105.	7.2	11
95	Group 3 Metal Initiators with an [OSSO]-Type Bis(phenolate) Ligand for the Stereoselective Polymerization of Lactide Monomers. <i>Chemistry - an Asian Journal</i> , 2012, 7, 1320-1330.	1.7	27
96	Reversible 1,4-Insertion of Pyridine Into a Highly Polar Metal-Carbon Bond: Effect of the Second Metal. <i>Chemistry - A European Journal</i> , 2012, 18, 6448-6452.	1.7	14
97	Alkaline earth metal amide complexes containing a cyclen-derived (NNNN) macrocyclic ligand: synthesis, structure, and ring-opening polymerization activity towards lactide monomers. <i>New Journal of Chemistry</i> , 2011, 35, 2253.	1.4	55
98	Allyl complexes of scandium: synthesis and structure of neutral, cationic and anionic derivatives. <i>Chemical Communications</i> , 2011, 47, 11441.	2.2	22
99	Allyl Calcium Compounds: Synthesis and Structure of Bis(η -3-1-alkenyl)calcium. <i>Organometallics</i> , 2011, 30, 1991-1997.	1.1	22
100	Preparation, Structure, and Ether Cleavage of a Mixed Hapticity Allyl Compound of Calcium. <i>Organometallics</i> , 2011, 30, 5291-5296.	1.1	25
101	Tris(allyl) indium compounds: synthesis and structural characterization. <i>Chemical Communications</i> , 2011, 47, 5061.	2.2	15
102	Reactivity of Tris(allyl)aluminum toward Pyridine: Coordination versus Carbometalation. <i>Organometallics</i> , 2011, 30, 4409-4417.	1.1	18
103	Dihydrogen Addition in a Dinuclear Rare-Earth Metal Hydride Complex Supported by a Metalated TREN Ligand. <i>Journal of the American Chemical Society</i> , 2011, 133, 17574-17577.	6.6	48
104	Olefin Hydrosilylation Catalysts Based on Allyl Bis(phenolato) Complexes of the Early Lanthanides. <i>Chemistry - an Asian Journal</i> , 2011, 6, 389-391.	1.7	18
105	The Allylcalcium Monocation: A Bridging Allyl Ligand with a Non-Bent Coordination Geometry. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 5753-5756.	7.2	43
106	Calcium-Mediated Dearomatization, C-H Bond Activation, and Allylation of Alkylated and Benzannulated Pyridine Derivatives. <i>Chemistry - A European Journal</i> , 2011, 17, 12115-12122.	1.7	19
107	Rare-Earth Metal Allyl and Hydrido Complexes Supported by an (NNNN)-Type Macrocyclic Ligand: Synthesis, Structure, and Reactivity toward Biomass-Derived Furanics. <i>Chemistry - A European Journal</i> , 2011, 17, 15014-15026.	1.7	43
108	Lithiation of a Cyclen-Derived (NNNN) Macrocyclic Ligand and Its Reaction with n-Butyllithium. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 2987-2991.	1.0	30

#	ARTICLE	IF	CITATIONS
109	Insertion of Pyridine into the Calcium Allyl Bond: Regioselective 1,4-Dihydropyridine Formation and C-H Bond Activation. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 7795-7798.	7.2	46
110	Structural diversity of indium complexes containing a tetradentate (OSSO)-type bis(phenolate) ligand. <i>Journal of Organometallic Chemistry</i> , 2010, 695, 2325-2328.	0.8	11
111	C-H bond activation of N-heterocyclic carbene IMes by rare-earth metal alkyl complexes. <i>Journal of Organometallic Chemistry</i> , 2010, 695, 2794-2797.	0.8	13
112	Trimethylsilylmethyl complexes of the rare-earth metals with sterically hindered N-heterocyclic carbene ligands: adduct formation and C-H bond activation. <i>Dalton Transactions</i> , 2010, 39, 6774.	1.6	39
113	Bis(allyl)aluminum Cation, Tris(allyl)aluminum, and Tetrakis(allyl)aluminate: Synthesis, Characterization, and Reactivity. <i>Organometallics</i> , 2010, 29, 5714-5721.	1.1	33
114	Cationic Allyl Complexes of the Rare-Earth Metals: Synthesis, Structural Characterization, and 1,3-Butadiene Polymerization Catalysis. <i>Chemistry - A European Journal</i> , 2009, 15, 11937-11947.	1.7	51
115	Group 4 Metal Complexes That Contain a Thioether-Functionalized Phenolato Ligand: Synthesis, Structure, and 1-Hexene Polymerization. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 311-316.	1.0	23
116	Imido and Amido Titanium Complexes that Contain a [OSSO]-Type Bis(phenolato) Ligand: Synthesis, Structures, and Hydroamination Catalysis. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 429-434.	1.0	35
117	Bis(allyl)calcium. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 5715-5719.	7.2	81
118	Titanium complexes with sulfur-linked bis(phenolate) ligands. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2009, 65, m443-m446.	0.4	2
119	A vanadium(V) complex with a tetradentate [OSSO]-type bis(phenolato) ligand: Synthesis, structure, and ethylene polymerization activity. <i>Journal of Organometallic Chemistry</i> , 2009, 694, 1235-1237.	0.8	28
120	Neutral and cationic aluminium complexes containing a chiral (OSSO)-type bis(phenolato) ligand: synthesis, structures and polymerization activity. <i>Dalton Transactions</i> , 2009, , 9033.	1.6	60
121	Synthesis, Structure, and Olefin Polymerization Activity of Titanium Complexes Bearing Asymmetric Tetradentate [OSNO]-Type Bis(phenolato) Ligands. <i>Inorganic Chemistry</i> , 2009, 48, 7378-7388.	1.9	40
122	Group 4 Metal Complexes Supported by [ONNO]-Type Bis(o-aminophenolato) Ligands: Synthesis, Structure, and \pm -Olefin Polymerization Activity. <i>Organometallics</i> , 2009, 28, 5159-5165.	1.1	42
123	Indium Complexes Supported by 1,7-Dithiaalkanediy-Bridged Bis(phenolato) Ligands: Synthesis, Structure, and Controlled Ring-Opening Polymerization of Lactide. <i>Inorganic Chemistry</i> , 2009, 48, 5526-5534.	1.9	103
124	Neutral and Monocationic Half-Sandwich Methyl Rare-Earth Metal Complexes: Synthesis, Structure, and 1,3-Butadiene Polymerization Catalysis. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 2801-2809.	1.0	56
125	Rare-Earth Metal Alkyl and Hydride Complexes Supported by a Linked Anilido-cyclopentadienyl Ligand: Synthesis, Structure, and Reactivity. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 2810-2819.	1.0	14
126	Enantiomerically Pure Titanium Complexes Containing an [OSSO]-Type Bis(phenolate) Ligand: Synthesis, Structure, and Formation of Optically Active Oligostyrenes. <i>Chemistry - an Asian Journal</i> , 2008, 3, 1312-1323.	1.7	40

#	ARTICLE	IF	CITATIONS
127	Cationic Methyl Complexes of the Rare-Earth Metals: An Experimental and Computational Study on Synthesis, Structure, and Reactivity. <i>Inorganic Chemistry</i> , 2008, 47, 9265-9278.	1.9	49
128	Neutral and Cationic Trimethylsilylmethyl Complexes of Indium. <i>Organometallics</i> , 2008, 27, 4817-4820.	1.1	21
129	Rare-Earth Metal Alkyl and Hydrido Complexes Containing a Thioether-Functionalized Bis(phenolato) Ligand: Efficient Catalysts for Olefin Hydrosilylation. <i>Organometallics</i> , 2008, 27, 3774-3784.	1.1	55
130	Rare-Earth Metal Complexes Supported by 1,1'-Dithiaalkanediy-Bridged Bis(phenolato) Ligands: Synthesis, Structure, and Heteroselective Ring-Opening Polymerization of rac-Lactide. <i>Inorganic Chemistry</i> , 2008, 47, 3328-3339.	1.9	168
131	Titanium Ester Enolate Complex Supported by a Tetradentate Bis(phenolato) Ligand: Synthesis, Structure, and Activity in Methacrylate Polymerization. <i>Organometallics</i> , 2007, 26, 6653-6660.	1.1	25
132	Lutetium alkyl and hydride complexes in a non-cyclopentadienyl coordination environment. <i>Dalton Transactions</i> , 2007, , 4095.	1.6	34
133	Stereospecific Styrene Enchainment at a Titanium Site within a Helical Ligand Framework: Evidence for the Formation of Homochiral Polystyrene. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 4790-4793.	7.2	80
134	Regioselective 1-hexene Oligomerization Using Cationic Bis(phenolato) Group-4 Metal Catalysts: Switch from 1,2- to 2,1-insertion. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 8507-8510.	7.2	59
135	Alkyl Abstraction from a Trialkyltitanium Complex [YR ₃ (thf) ₂] (R = CH ₂ SiMe ₃) Using a Group-13 Element Lewis Acid ER ₃ (E = B, Al, Ga, In) – Structural Characterisation of the Ion Pair [YR ₂ (thf) ₄] ⁺ [GaR ₄] ⁻ and of ER ₃ (E = B, Al, Ga). <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 665-674.	1.0	28
136	Living Isospecific Styrene Polymerization by Chiral Benzyl Titanium Complexes That Contain a Tetradentate [OSSO]-Type Bis(phenolato) Ligand. <i>Organometallics</i> , 2006, 25, 3019-3026.	1.1	93
137	Formation of a Dicationic Yttrium 1,2-Pyridyl Complex from an Yttrium Methyl Dication by C-H Activation of Pyridine. <i>Organometallics</i> , 2006, 25, 793-795.	1.1	58
138	Synthesis, structure and hydrosilylation activity of neutral and cationic rare-earth metal silanolate complexes. <i>Dalton Transactions</i> , 2006, , 890-901.	1.6	42
139	Neutral and cationic rare-earth metal alkyl complexes that contain bis(2-methoxyethyl)(trimethylsilyl)amine, a neutral [ONO]-type ligand. <i>Inorganica Chimica Acta</i> , 2006, 359, 4769-4773.	1.2	5
140	A binaphtholate titanium complex featuring a linear tetradentate [OSSO]-bis(phenolato) ligand: Synthesis and partial hydrolysis to a homochiral dinuclear complex. <i>Journal of Organometallic Chemistry</i> , 2006, 691, 3206-3211.	0.8	9
141	Highly Heteroselective Ring-Opening Polymerization of rac-Lactide Initiated by Bis(phenolato)scandium Complexes. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 7818-7821.	7.2	257
142	Cationic Yttrium Methyl Complexes as Functional Models for Polymerization Catalysts of 1,3-Dienes. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 7473-7477.	7.2	143
143	A dimeric alkyl complex supported by an O,S,S,O-tetradentate diphenolate ligand. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, m221-m222.	0.2	3
144	Aluminium alkyl complexes supported by [OSSO] type bisphenolato ligands: synthesis, characterization and living polymerization of rac-lactide. <i>Dalton Transactions</i> , 2005, , 721.	1.6	74

#	ARTICLE	IF	CITATIONS
145	Aluminum Complexes with Sulfide-Linked Bis(phenolato) Ligands: An Unusual Structure and Reactivity of the Methyl Bis(phenolato) Complex ϵ [Al(tbmp)Me] ϵ (tbmp =) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 78.7 Td (2,2,6,6-Tetramethyl-3-thioheptane-5-thione)		
146	Isospecific Styrene Polymerization by Chiral Titanium Complexes That Contain a Tetradentate [OSSO]-Type Bis(phenolato) Ligand. <i>Organometallics</i> , 2005, 24, 2971-2982.	1.1	121
147	Cationic Rare-Earth Metal Trimethylsilylmethyl Complexes Supported by THF and 12-Crown-4 Ligands: Synthesis and Structural Characterization. <i>Inorganic Chemistry</i> , 2005, 44, 6777-6788.	1.9	88
148	Stereospecific post-metallocene polymerization catalysts: the example of isospecific styrene polymerization. <i>Journal of Organometallic Chemistry</i> , 2004, 689, 4636-4641.	0.8	59
149	Tritylpyridinium tetrakis(pentafluorophenyl)borate as an efficient activator for ϵ constrained-geometry ϵ -catalysts in ethylene polymerization. <i>Journal of Molecular Catalysis A</i> , 2004, 208, 73-81.	4.8	8
150	Non-metallocene catalysts for the styrene polymerization: isospecific group 4 metal bis(phenolato) catalysts. <i>Journal of Molecular Catalysis A</i> , 2004, 213, 137-140.	4.8	42
151	Pyrrrolide-imine benzyl complexes of zirconium and hafnium: synthesis, structures, and efficient ethylene polymerization catalysis. <i>Journal of Organometallic Chemistry</i> , 2004, 689, 1155-1164.	0.8	60
152	Hydrosilylation of dienes by yttrium hydrido complexes containing a linked amido-cyclopentadienyl ligand. <i>Dalton Transactions</i> , 2004, , 2245.	1.6	45
153	Di- and Trivalent Ytterbium Complexes Containing Linked Amino- and Amidocyclopentadienyl Ligands. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 926-935.	1.0	21
154	Homogeneous Ethylene-Polymerization Catalysts Based on Alkyl Cations of the Rare-Earth Metals: Are Dicationic Mono(alkyl) Complexes the Active Species?. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 5075-5079.	7.2	134
155	Titanium and zirconium complexes that contain a tridentate bis(phenolato) ligand of the [OOO]-type. <i>Inorganica Chimica Acta</i> , 2003, 345, 221-227.	1.2	23
156	ortho-Metalation of aromatic ethers by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand. <i>Journal of Organometallic Chemistry</i> , 2003, 684, 194-199.	0.8	15
157	Linked cyclopentadienyl-amido titanium catalysts supported on pyridylethylsilane-modified silica for heterogeneous ethylene homo- and copolymerization. <i>Journal of Molecular Catalysis A</i> , 2003, 192, 223-237.	4.8	11
158	Synthesis of branched polyethylenes by the tandem catalysis of silica-supported linked cyclopentadienyl-amido titanium catalysts and a homogeneous dibromo nickel catalyst having a pyridylimine ligand. <i>Journal of Polymer Science Part A</i> , 2003, 41, 528-544.	2.5	41
159	Title is missing!. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2003, 629, 1272-1276.	0.6	50
160	Alkyl Complexes of Rare-Earth Metals That Contain a Furyl-Functionalized Cyclopentadienyl Ligand: Alkyl Cation Formation and Unexpected Ring-Opening Reaction of the Furyl Group. <i>Organometallics</i> , 2003, 22, 775-781.	1.1	78
161	Dimeric n-Alkyl Complexes of Rare-Earth Metals Supported by a Linked Amido-Cyclopentadienyl Ligand: Evidence for η^2 -Agostic Bonding in Bridging n-Alkyl Ligands and Its Role in Styrene Polymerization. <i>Organometallics</i> , 2003, 22, 65-76.	1.1	39
162	Yttrium Alkyl and Hydrido Complexes Containing a Tridentate-Linked Amido-Cyclopentadienyl Ligand. <i>Organometallics</i> , 2003, 22, 3921-3926.	1.1	23

#	ARTICLE	IF	CITATIONS
163	Rare earth metal complexes supported by 1,1'-dithiaalkanediy-bridged bis(phenolato) ligands: synthesis, characterization and ring-opening polymerization catalysis of lactide. Dalton Transactions, 2003, , 4770-4780.	1.6	127
164	Ancillary Ligand Effect on Single-Site Styrene Polymerization: Isospecificity of Group 4 Metal Bis(phenolate) Catalysts. Journal of the American Chemical Society, 2003, 125, 4964-4965.	6.6	231
165	Neutral and cationic trimethylsilylmethyl complexes of the rare earth metals supported by a crown ether: synthesis and structural characterization. Dalton Transactions, 2003, , 3622.	1.6	53
166	The first structurally characterized cationic lanthanide-alkyl complexes Electronic supplementary information (ESI) available: experimental and spectroscopic details. See http://www.rsc.org/suppdata/cc/b2/b201613n/ . Chemical Communications, 2002, , 896-897.	2.2	76
167	Efficient ethylene polymerisation catalysis by a cationic benzyl hafnium complex containing pyrrolide-imine ligands Electronic supplementary information (ESI) available: experimental and spectroscopic details. See http://www.rsc.org/suppdata/dt/b2/b209582c/ . Dalton Transactions RSC, 2002, , 4529-4531.	2.3	55
168	Ethylene Polymerization with Constrained-Geometry Titanium Catalysts over Borate-Modified Silica Supports. Macromolecular Chemistry and Physics, 2002, 203, 115-121.	1.1	14
169	Group 3 and 4 metal alkyl and hydrido complexes containing a linked amido-cyclopentadienyl ligand: constrained geometry polymerization catalysts for nonpolar and polar monomers. Journal of Molecular Catalysis A, 2002, 190, 215-223.	4.8	28
170	Metalation of aromatic heterocycles by yttrium alkyl complexes that contain a linked amido-cyclopentadienyl ligand: synthesis, structure and Lewis base adduct formation. Journal of Organometallic Chemistry, 2002, 647, 158-166.	0.8	39
171	Dialkyl titanium complexes that contain a sulfur-linked bis(phenolato) ligand. Journal of Organometallic Chemistry, 2002, 663, 158-163.	0.8	24
172	Yttrium Hydrido Complexes that Contain a Less Constrained Geometry Ligand: Synthesis, Structure, and Efficient Hydrosilylation Catalysis. Organometallics, 2001, 20, 4869-4874.	1.1	94
173	Rare earth metal-based catalysts for the polymerization of nonpolar and polar monomers. Pure and Applied Chemistry, 2001, 73, 351-354.	0.9	13
174	Activation of C-H Bonds in Five-Membered Heterocycles by a Half-Sandwich Yttrium Alkyl Complex. European Journal of Inorganic Chemistry, 2001, 2001, 73-75.	1.0	24
175	Mono(cyclopentadienyl)titanium complexes containing a sulfide-bridged bis(phenolato) ligand. Molecular structure of $Ti\{2,2\text{-S}(\text{OC}_6\text{H}_2\text{-4-Me-6-tBu})_2\}(\text{i-C}_5\text{H}_5)\text{Cl}$. Journal of Organometallic Chemistry, 2001, 621, 3-9.	0.8	23
176	Rare Earth Half-Sandwich Catalysts for the Homo- and Copolymerization of Ethylene and Styrene. , 2001, , 156-165.		6
177	Optically active titanium complexes containing a tridentate linked amido-cyclopentadienyl ligand. , 2000, 12, 472-475.		8
178	Alcoholysis of Aluminum Alkyls Supported by Bulky Phenoxide Ligands: Synthesis, Characterization, and μ -Caprolactone Polymerization Activity of Two Dimeric Aluminum Isopropoxides. European Journal of Inorganic Chemistry, 2000, 2000, 441-445.	1.0	49
179	Chelated η^5 -cyclopentadienyl- η^1 -ethyl complexes of molybdenum and tungsten; molecular structure of $W(\eta^5\text{-C}_5\text{H}_4\text{CH}_2\text{-}\eta^1\text{-CH}_2)(\text{CO})_3$. Journal of Organometallic Chemistry, 2000, 604, 126-131.	0.8	35
180	Chiral complexes of titanium containing a linked amido-cyclopentadienyl ligand: synthesis, structure, and asymmetric imine hydrogenation catalysis. Journal of Organometallic Chemistry, 2000, 605, 55-67.	0.8	31

#	ARTICLE	IF	CITATIONS
181	Synthesis and characterization of titanium(IV) complexes containing the diphenylphosphino- and diphenylthiophosphoryl-functionalized cyclopentadienyl ligand. Crystal and molecular structure of $Ti(\eta^5-C_5H_4PP_2)Cl_3$. <i>Journal of Organometallic Chemistry</i> , 2000, 593-594, 202-210.	0.8	13
182	Non-bridged amido cyclopentadienyl complexes of titanium: synthesis, characterization, and olefin polymerization catalysis. <i>Journal of Organometallic Chemistry</i> , 2000, 598, 179-181.	0.8	46
183	Dimeric Hydrido Complexes of Rare-Earth Metals Containing a Linked Amido η^5 -Cyclopentadienyl Ligand: Δ Synthesis, Characterization, and Monomer \rightleftharpoons Dimer Equilibrium. <i>Organometallics</i> , 2000, 19, 4690-4700.	1.1	115
184	Single-Component Polymerization Catalysts for Ethylene and Styrene: Δ Synthesis, Characterization, and Reactivity of Alkyl and Hydrido Yttrium Complexes Containing a Linked Amido η^5 -Cyclopentadienyl Ligand. <i>Organometallics</i> , 2000, 19, 228-243.	1.1	230
185	Titanium Complexes Containing a Disulfide-Bridged Bis(phenolato) Ligand: Synthesis and Structural Characterization of Three Different Bonding Modes. <i>European Journal of Inorganic Chemistry</i> , 2000, 2000, 1321-1326.	1.0	40
186	Complexes of titanium and zirconium containing a tridentate linked amido η^5 -cyclopentadienyl ligand with a soft donor group: synthesis, structure, and ethylene polymerization catalysis. <i>Journal of Organometallic Chemistry</i> , 1999, 591, 127-137.	0.8	38
187	Half-Sandwich Alkyl and Hydrido Complexes of Yttrium: Convenient Synthesis and Polymerization Catalysis of Polar Monomers. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 227-230.	7.2	172
188	Resolution enhancement of magic-angle spinning NMR spectra for paramagnetic solids by zero-quantum NMR. <i>Molecular Physics</i> , 1999, 96, 827-834.	0.8	13
189	Half-Sandwich Alkyl and Hydrido Complexes of Yttrium: Convenient Synthesis and Polymerization Catalysis of Polar Monomers. , 1999, 38, 227.		6
190	Ethylene polymerization catalysts based on nickel(II) 1,4-diazadiene complexes: the influence of the 1,4-diazadiene backbone substituents on structure and reactivity. <i>Journal of Organometallic Chemistry</i> , 1998, 569, 159-167.	0.8	93
191	The Effect of Bulk Magnetic Susceptibility on Solid State NMR Spectra of Paramagnetic Compounds. <i>Journal of Magnetic Resonance</i> , 1998, 133, 330-340.	1.2	61
192	Titanium Complexes with a Linked Amido η^5 -Cyclopentadienyl Ligand and a Bidentate Organyl Group: Synthesis, Structure, and Ethene Polymerization Activity. <i>European Journal of Inorganic Chemistry</i> , 1998, 1998, 237-244.	1.0	40
193	Zirconium and hafnium mono(alkyl) complexes containing a tridentate linked amido-tetramethylcyclopentadienyl ligand. Molecular structure of $Hf(\eta^5-1,1,1-C_5Me_4SiMe_2NCH_2CH_2OCH_3)Cl_2$. <i>Journal of Organometallic Chemistry</i> , 1998, 558, 139-146.	0.8	27
194	Ni(II) and Pd(II) complexes of camphor-derived diazadiene ligands: steric bulk tuning and ethylene polymerization. <i>Inorganic Chemistry Communication</i> , 1998, 1, 431-434.	1.8	41
195	Zirconium, hafnium and yttrium complexes containing two linked amido η^5 -tetramethylcyclopentadienyl ligands: Synthesis, reactivity and molecular structure of $Hf(\eta^5-1,1,1-C_5Me_4SiMe_2NiPr)_2$. <i>Polyhedron</i> , 1998, 17, 1073-1080.	1.0	9
196	Alkyl Complexes of Group 4 Metals Containing a Tridentate-Linked Amido η^5 -Cyclopentadienyl Ligand: Δ Synthesis, Structure, and Reactivity Including Ethylene Polymerization Catalysis. <i>Organometallics</i> , 1998, 17, 5836-5849.	1.1	84
197	Synthesis and Characterization of Yttrium Complexes Containing a Tridentate Linked Amido η^5 -Cyclopentadienyl Ligand. <i>Organometallics</i> , 1998, 17, 485-488.	1.1	26
198	Two-dimensional deuterium magic-angle-spinning nuclear magnetic resonance of paramagnetic compounds: Separation of paramagnetic and quadrupole interactions. <i>Journal of Chemical Physics</i> , 1997, 106, 5393-5405.	1.2	27

#	ARTICLE	IF	CITATIONS
199	Nine-Membered Titanacyclic Complexes Based on an Ethylene-Bridged Bis(phenolato) Ligand: Synthesis, Structure, and Olefin Polymerization Activity. <i>Organometallics</i> , 1997, 16, 4240-4242.	1.1	122
200	Chiral Lanthanocene Derivatives Containing Two Linked Amido-cyclopentadienyl Ligands: Heterobimetallic Structure and Lactone Polymerization Activity. <i>Organometallics</i> , 1997, 16, 4845-4856.	1.1	145
201	Remarkably Robust Group 4 Metal Half-Sandwich Complexes Containing Two Higher Alkyl Ligands: X-ray Structure and Reactivity of the Di-n-butyl Complex $[Hf(\text{Ind})_2(\text{C}_5\text{Me}_4\text{SiMe}_2\text{NCH}_2\text{CH}_2\text{OMe})_2\text{Bu}_2]$. <i>Organometallics</i> , 1997, 16, 4765-4767.	1.1	33
202	Linked Benzylamido-Cyclopentadienyl Ligands: Synthesis and Characterization of Alkyl Titanium Complexes. <i>Chemische Berichte</i> , 1997, 130, 209-215.	0.2	73
203	Titanium Complexes of Chelating Bis(phenolato) Ligands with Long Titanium-Sulfur Bonds. A Novel Type of Ancillary Ligand for Olefin Polymerization Catalysts. <i>Organometallics</i> , 1996, 15, 5069-5072.	1.1	153
204	Optically Active Titanium Complexes Containing Linked Amido-cyclopentadienyl Ligands: Their Use as Asymmetric Hydrogenation Catalysts. <i>Chemische Berichte</i> , 1996, 129, 1429-1431.	0.2	49
205	Zur Bildung eines $Fe_2(CO)_6$ -Komplexes mit (Boryloxy)allyl-Brücke. <i>Chemische Berichte</i> , 1994, 127, 91-92.	0.2	0
206	Synthesis and Structure of the New η^5 -Aminosilanolate $[LiOSiMe_2(NMe_2)]_6$. <i>Chemische Berichte</i> , 1994, 127, 1619-1620.	0.2	8
207	Dinuclear Diphosphine-Bridged Complexes of Rhodium, Iridium, and Ruthenium: Synthesis and Structure. <i>Organometallics</i> , 1994, 13, 3085-3094.	1.1	31
208	Weitere Reaktionen des Amino(imino)borans $Me_3Si\langle i \rangle t \langle /i \rangle Bu N^* B^* N \langle i \rangle t \langle /i \rangle Bu$ und des Alkyliden(amino)borans $Me_3Si\langle i \rangle t \langle /i \rangle Bu N=B=CH \langle i \rangle t \langle /i \rangle Bu$. <i>Chemische Berichte</i> , 1993, 126, 1565-1569.	0.2	19
209	Trimethylenemethane complexes of ruthenium, osmium and rhodium via the compound $CH_2=C(CH_2SnMe_3)_2$. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 2471-2476.	1.1	22
210	Borabenzene derivatives. 20. (Boratabenzene)(hexamethylbenzene)iron complexes: synthesis, structure, and reactivity. <i>Organometallics</i> , 1993, 12, 2660-2667.	1.1	20
211	Rhenium-Komplexe von Sauerstoffchelatligenanden: Ein Weg zu neuen Radiopharmaka?. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 1992, 614, 131-141.	0.6	11
212	Bis(cymene)hexachlorotriruthenium(II) a novel trinuclear $Ru\text{---}Ru\text{---}Ru$ halide. <i>Polyhedron</i> , 1992, 11, 2317-2320.	1.0	7
213	Trimethylenemethane complexes of ruthenium via the trimethylenemethane dianion. <i>Journal of the Chemical Society Chemical Communications</i> , 1991, , 1457.	2.0	12
214	Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 96. Reactions with phospho-alkynes; crystal structures of $[WFe\{\mu-C(C_6H_4Me-4)PC(But)(CO)_5\}(\text{Ind-C}_5\text{Me}_5)]$ and $[MoFe\{\mu-C(C_6H_4Me-4)C(But)P\}(\mu-CO)(CO)_3(PMe_3)(\text{Ind-C}_5\text{H}_5)]$. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 495-504.	1.1	4
215	Reactions of Mono- and Dinuclear Metal-Alkylidyne Complexes with Phosphoalkynes: C \equiv P and C \equiv Mo Metathesis. <i>Angewandte Chemie International Edition in English</i> , 1989, 28, 210-211.	4.4	28
216	Synthesis of unsaturated methyl(alkylidyne)ditungsten complexes, $[W_2(\text{Ind-C}_5\text{H}_5)_2(R)_2]$ (R =) $t\text{-}C_4H_9$, $n\text{-}C_4H_9$, CH_3 . <i>Journal of the Chemical Society Dalton Transactions</i> , 1988, 2035-2040.	1.0	4

#	ARTICLE	IF	CITATIONS
217	Compounds with platinum-molybdenum or -tungsten bonds derived from the alkylidyne metal complexes $[M(\eta^5-C_5H_5)(CO)_2(\eta^1-C_5H_5)]$ (M = Mo OR W; R = C ₆ H ₄ Me-4 OR C ₆ H ₃ Me ₂ -2,6). Polyhedron, 1989, 8, 2271-2281.	1.0	6
218	Chemistry of polynuclear metal complexes with bridging carbene or carbyne ligands. Part 91. Steric implications in the reactions of the complexes $[M(\eta^5-C_5H_5)(CO)_2(\eta^1-C_5H_5)]$ (M = Mo or W, R = C ₆ H ₄ Me-4,) Tj ETQq0 0 0 rgBT /Overlock 10 Society Dalton Transactions, 1989, , 1871-1878.	1.1	21
219	Bildung und Reaktivität eines Hydridosilikats $[SiH_6]^{2-}$, koordiniert an einem durch einen Makrozyklus stabilisierten Strontiumkation. Angewandte Chemie, 0, , .	1.6	0