

Bertie Geng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2281694/publications.pdf>

Version: 2024-02-01

18
papers

4,386
citations

687220

13
h-index

839398

18
g-index

21
all docs

21
docs citations

21
times ranked

10807
citing authors

#	ARTICLE	IF	CITATIONS
1	Sex differences in immune responses that underlie COVID-19 disease outcomes. <i>Nature</i> , 2020, 588, 315-320.	13.7	1,035
2	Saliva or Nasopharyngeal Swab Specimens for Detection of SARS-CoV-2. <i>New England Journal of Medicine</i> , 2020, 383, 1283-1286.	13.9	823
3	Analytical sensitivity and efficiency comparisons of SARS-CoV-2 RT-qPCR primer-probe sets. <i>Nature Microbiology</i> , 2020, 5, 1299-1305.	5.9	661
4	Diverse functional autoantibodies in patients with COVID-19. <i>Nature</i> , 2021, 595, 283-288.	13.7	619
5	SARS-CoV-2 infection of the placenta. <i>Journal of Clinical Investigation</i> , 2020, 130, 4947-4953.	3.9	387
6	SalivaDirect: A simplified and flexible platform to enhance SARS-CoV-2 testing capacity. <i>Med</i> , 2021, 2, 263-280.e6.	2.2	211
7	Delayed production of neutralizing antibodies correlates with fatal COVID-19. <i>Nature Medicine</i> , 2021, 27, 1178-1186.	15.2	183
8	Divergent and self-reactive immune responses in the CNS of COVID-19 patients with neurological symptoms. <i>Cell Reports Medicine</i> , 2021, 2, 100288.	3.3	121
9	Acute encephalopathy with elevated CSF inflammatory markers as the initial presentation of COVID-19. <i>BMC Neurology</i> , 2020, 20, 248.	0.8	108
10	Utility of MRI for cervical spine clearance in blunt trauma patients after a negative CT. <i>European Radiology</i> , 2018, 28, 2823-2829.	2.3	32
11	Management of Small Unruptured Intracranial Aneurysms: A Survey of Neuroradiologists. <i>American Journal of Neuroradiology</i> , 2018, 39, 875-880.	1.2	31
12	Cost-effectiveness of Magnetic Resonance Imaging in Cervical Spine Clearance of Neurologically Intact Patients With Blunt Trauma. <i>Annals of Emergency Medicine</i> , 2018, 71, 64-73.	0.3	31
13	Cost-effectiveness of Magnetic Resonance Imaging in Cervical Clearance of Obtunded Blunt Trauma After a Normal Computed Tomographic Finding. <i>JAMA Surgery</i> , 2018, 153, 625.	2.2	28
14	Tracking smell loss to identify healthcare workers with SARS-CoV-2 infection. <i>PLoS ONE</i> , 2021, 16, e0248025.	1.1	10
15	Septic cavernous sinus thrombosis—Case series and review of the literature. <i>Clinical Neurology and Neurosurgery</i> , 2020, 197, 106092.	0.6	8
16	Meta-analysis of recent literature on utility of follow-up imaging in isolated perimesencephalic hemorrhage. <i>Clinical Neurology and Neurosurgery</i> , 2019, 180, 111-116.	0.6	7
17	Lateral rectus atrophy in cavernous sinus thrombosis. <i>Clinical Neuroradiology</i> , 2019, 29, 371-374.	1.0	2
18	456. Implementing an At-Home Smell Test for Early Assessment of COVID-19 in High-Risk Healthcare Workers. <i>Open Forum Infectious Diseases</i> , 2020, 7, S295-S296.	0.4	2