
## Mathieu Vandenbulcke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2281910/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Exergaming for people with major neurocognitive disorder: a qualitative study. Disability and Rehabilitation, 2022, 44, 2044-2052.	0.9	12
2	Impact of meningeal uptake and partial volume correction techniques on [ <sup>18</sup> F]MK-6240 binding in aMCI patients and healthy controls. Journal of Cerebral Blood Flow and Metabolism, 2022, 42, 1236-1246.	2.4	10
3	An optimized MRI and PET based clinical protocol for improving the differential diagnosis of geriatric depression and Alzheimer's disease. Psychiatry Research - Neuroimaging, 2022, 320, 111443.	0.9	6
4	Frontotemporal Lobar Degeneration Case with an N-Terminal TUBA4A Mutation Exhibits Reduced TUBA4A Levels in the Brain and TDP-43 Pathology. Biomolecules, 2022, 12, 440.	1.8	5
5	An atlas of white matter anatomy, its variability, and reproducibility based on constrained spherical deconvolution of diffusion MRI. NeuroImage, 2022, 254, 119029.	2.1	23
6	Living Meaningfully with Dementia. , 2022, , 63-80.		1
7	Spatial decrease of synaptic density in amnestic mild cognitive impairment follows the tau build-up pattern. Molecular Psychiatry, 2022, 27, 4244-4251.	4.1	15
8	Are Apathy and Depressive Symptoms Related to Vascular White Matter Hyperintensities in Severe Late Life Depression?. Journal of Geriatric Psychiatry and Neurology, 2021, 34, 21-28.	1.2	12
9	Sources of well-being for older adults with and without dementia in residential care: relations to presence of meaning and life satisfaction. Aging and Mental Health, 2021, 25, 170-178.	1.5	19
10	The Leuven late life depression (L3D) study: PET-MRI biomarkers of pathological brain ageing in late-life depression: study protocol. BMC Psychiatry, 2021, 21, 64.	1.1	7
11	What Can We Learn About the Concept of Meaning in Life from Older Adults with Alzheimer's Disease? A Directed Content Analysis Study. Journal of Happiness Studies, 2021, 22, 2845-2871.	1.9	7
12	The efficacy of exergaming in people with major neurocognitive disorder residing in long-term care facilities: a pilot randomized controlled trial. Alzheimer's Research and Therapy, 2021, 13, 70.	3.0	28
13	Synaptic density in healthy human aging is not influenced by age or sex: a 11C-UCB-J PET study. NeuroImage, 2021, 232, 117877.	2.1	31
14	Biophysical mechanisms of electroconvulsive therapy-induced volume expansion in the medial temporal lobe: A longitudinal inÂvivo human imaging study. Brain Stimulation, 2021, 14, 1038-1047.	0.7	14
15	Changes in synaptic density in the subacute phase after ischemic stroke: A 11C-UCB-J PET/MR study. Journal of Cerebral Blood Flow and Metabolism, 2021, , 0271678X2110477.	2.4	12
16	Management Approaches for Behavioural and Psychological Symptoms of Dementia. , 2021, , 129-153.		0
17	The ratio and interaction between neurotrophin and immune signaling during electroconvulsive therapy in late-life depression. Brain, Behavior, & Immunity - Health, 2021, 18, 100389.	1.3	4
18	Ghosts from the past? The association between childhood interpersonal trauma, attachment and anxiety and depression in late life. Aging and Mental Health, 2020, 24, 898-905.	1.5	30

Mathieu Vandenbulcke

#	Article	IF	CITATIONS
19	Brain Changes Induced by Electroconvulsive Therapy Are Broadly Distributed. Biological Psychiatry, 2020, 87, 451-461.	0.7	72
20	Multivariate analysis reveals anatomical correlates of naming errors in primary progressive aphasia. Neurobiology of Aging, 2020, 88, 71-82.	1.5	21
21	Necrosome complex detected in granulovacuolar degeneration is associated with neuronal loss in Alzheimer's disease. Acta Neuropathologica, 2020, 139, 463-484.	3.9	91
22	Combination of snapshot hyperspectral retinal imaging and optical coherence tomography to identify Alzheimer's disease patients. Alzheimer's Research and Therapy, 2020, 12, 144.	3.0	29
23	Exergames in people with major neurocognitive disorder: a systematic review. Disability and Rehabilitation: Assistive Technology, 2020, , 1-14.	1.3	16
24	A European Academy of Neurology guideline on medical management issues in dementia. European Journal of Neurology, 2020, 27, 1805-1820.	1.7	52
25	In vivo synaptic density loss is related to tau deposition in amnestic mild cognitive impairment. Neurology, 2020, 95, e545-e553.	1.5	56
26	Recommendations to distinguish behavioural variant frontotemporal dementia from psychiatric disorders. Brain, 2020, 143, 1632-1650.	3.7	158
27	Effects of a mindfulnessâ€based intervention on cancerâ€related cognitive impairment: Results of a randomized controlled functional magnetic resonance imaging pilot study. Cancer, 2020, 126, 4246-4255.	2.0	32
28	Direct prospective comparison of 18F-FDG PET and arterial spin labelling MR using simultaneous PET/MR in patients referred for diagnosis of dementia. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 2142-2154.	3.3	25
29	Structural changes induced by electroconvulsive therapy are associated with clinical outcome. Brain Stimulation, 2020, 13, 696-704.	0.7	31
30	Hippocampal volume as a vulnerability marker for late onset psychosis: Associations with memory function and childhood trauma. Schizophrenia Research, 2020, 224, 201-202.	1.1	0
31	Brain Imaging of Alzheimer Dementia Patients and Elderly Controls with <sup>18</sup> F-MK-6240, a PET Tracer Targeting Neurofibrillary Tangles. Journal of Nuclear Medicine, 2019, 60, 107-114.	2.8	92
32	Behavioral Symptoms in Premanifest Huntington Disease Correlate with Reduced Frontal CB <sub>1</sub> R Levels. Journal of Nuclear Medicine, 2019, 60, 115-121.	2.8	18
33	Association between hippocampal volume change and change in memory following electroconvulsive therapy in lateâ€ife depression. Acta Psychiatrica Scandinavica, 2019, 140, 435-445.	2.2	16
34	Hippocampal volume change following ECT is mediated by rs699947 in the promotor region of VEGF. Translational Psychiatry, 2019, 9, 191.	2.4	17
35	Inflammation and remission in older patients with depression treated with electroconvulsive therapy; findings from the MODECT study✰. Journal of Affective Disorders, 2019, 256, 509-516.	2.0	20
36	Regional changes in the type 1 cannabinoid receptor are associated with cognitive dysfunction in Parkinson's disease. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 2348-2357.	3.3	21

3

#	Article	IF	CITATIONS
37	Cortisol is not associated with pre-treatment medial temporal lobe volume or volume changes after electroconvulsive therapy in patients with late-life depression. Psychiatry Research - Neuroimaging, 2019, 291, 26-33.	0.9	2
38	S100 calcium-binding protein B in older patients with depression treated with electroconvulsive therapy. Psychoneuroendocrinology, 2019, 110, 104414.	1.3	5
39	MMSE Changes During and After ECT in Late-Life Depression: AÂProspective Study. American Journal of Geriatric Psychiatry, 2019, 27, 934-944.	0.6	26
40	Reduced tendency to attribute mental states to abstract shapes in behavioral variant frontotemporal dementia links with cerebellar structural integrity. NeuroImage: Clinical, 2019, 22, 101770.	1.4	20
41	Electroconvulsive therapy response in late-life depression unaffected by age-related brain changes. Journal of Affective Disorders, 2019, 251, 114-120.	2.0	13
42	Exploring resting state connectivity in patients with psychotic depression. PLoS ONE, 2019, 14, e0209908.	1.1	10
43	Correlates of sedentary behavior in middle-aged and old age people with mild cognitive impairment: a multinational study. International Psychogeriatrics, 2019, 31, 579-589.	0.6	8
44	The Neuropsychological Profile and Phenomenology of Late Onset Psychosis: A Cross-sectional Study on the Differential Diagnosis of Very-Late-Onset Schizophrenia-Like Psychosis, Dementia with Lewy Bodies and Alzheimer's Type Dementia with Psychosis. Archives of Clinical Neuropsychology, 2019, 34, 183-199.	0.3	38
45	Studying emotion theories through connectivity analysis: Evidence from generalized psychophysiological interactions and graph theory. NeuroImage, 2018, 172, 250-262.	2.1	14
46	Extended FTLD pedigree segregating a Belgian GRN-null mutation: neuropathological heterogeneity in one family. Alzheimer's Research and Therapy, 2018, 10, 7.	3.0	10
47	Mild cognitive impairment and sedentary behavior: A multinational study. Experimental Gerontology, 2018, 108, 174-180.	1.2	22
48	Rare nonsynonymous variants in SORT1 are associated with increased risk for frontotemporal dementia. Neurobiology of Aging, 2018, 66, 181.e3-181.e10.	1.5	19
49	Recovery from chemotherapy-induced white matter changes in young breast cancer survivors?. Brain Imaging and Behavior, 2018, 12, 64-77.	1.1	52
50	Anterior Temporal Lobectomy Impairs Neural Classification of Body Emotions in Right Superior Temporal Sulcus and Reduces Emotional Enhancement in Distributed Brain Areas without Affecting Behavioral Classification. Journal of Neuroscience, 2018, 38, 9263-9274.	1.7	11
51	The course of apathy in lateâ€life depression treated with electroconvulsive therapy; a prospective cohort study. International Journal of Geriatric Psychiatry, 2018, 33, 1253-1259.	1.3	6
52	Longâ€ŧerm neurocognitive functioning after electroconvulsive therapy in patients with lateâ€life depression. Acta Psychiatrica Scandinavica, 2018, 138, 223-231.	2.2	38
53	No supportive evidence for TIA1 gene mutations in a European cohort of ALS-FTD spectrum patients. Neurobiology of Aging, 2018, 69, 293.e9-293.e11.	1.5	15
54	Asymmetric Amyloid Deposition in the Brain Following Unilateral Electroconvulsive Therapy. Biological Psychiatry, 2017, 81, e11-e13.	0.7	4

#	Article	IF	CITATIONS
55	Investigating the role of ALS genes CHCHD10 and TUBA4A in Belgian FTD-ALS spectrum patients. Neurobiology of Aging, 2017, 51, 177.e9-177.e16.	1.5	60
56	Cholinergic depletion and basal forebrain volume in primary progressive aphasia. Neurolmage: Clinical, 2017, 13, 271-279.	1.4	22
57	The neuropsychology and neurobiology of late-onset schizophrenia and very-late-onset schizophrenia-like psychosis: A critical review. Neuroscience and Biobehavioral Reviews, 2017, 83, 604-621.	2.9	43
58	Mild cognitive impairment and physical activity in the general population: Findings from six low- and middle-income countries. Experimental Gerontology, 2017, 100, 100-105.	1.2	43
59	Corpus callosum macro and microstructure in late-life depression. Journal of Affective Disorders, 2017, 222, 63-70.	2.0	27
60	No Association of Lower Hippocampal Volume With Alzheimer's Disease Pathology in Late-Life Depression. American Journal of Psychiatry, 2017, 174, 237-245.	4.0	59
61	Early- and Late-Onset Depression in Late Life: A Prospective Study on Clinical and Structural Brain Characteristics and Response to Electroconvulsive Therapy. American Journal of Geriatric Psychiatry, 2017, 25, 178-189.	0.6	59
62	Grey matter volume increase following electroconvulsive therapy in patients with late life depression: a longitudinal MRI study. Journal of Psychiatry and Neuroscience, 2016, 41, 105-114.	1.4	84
63	Functional dissociation between anterior temporal lobe and inferior frontal gyrus in the processing of dynamic body expressions: Insights from behavioral variant frontotemporal dementia. Human Brain Mapping, 2016, 37, 4472-4486.	1.9	39
64	Face shape and face identity processing in behavioral variant fronto-temporal dementia: A specific deficit for familiarity and name recognition of famous faces. NeuroImage: Clinical, 2016, 11, 368-377.	1.4	11
65	Amygdala atrophy affects emotion-related activity in face-responsive regions in frontotemporal degeneration. Cortex, 2016, 82, 179-191.	1.1	34
66	Relationship Between Hippocampal Volume, Serum BDNF, and Depression Severity Following Electroconvulsive Therapy in Late-Life Depression. Neuropsychopharmacology, 2016, 41, 2741-2748.	2.8	87
67	Clinical features of <i>TBK1</i> carriers compared with <i>C9orf72</i> , <i>GRN</i> and non-mutation carriers in a Belgian cohort. Brain, 2016, 139, 452-467.	3.7	86
68	Outcome after epilepsy surgery at the University Hospitals Leuven 1998–2012. Acta Neurologica Belgica, 2016, 116, 271-278.	0.5	15
69	Amyloid imaging in cognitively normal older adults: comparison between 18F-flutemetamol and 11C-Pittsburgh compound B. European Journal of Nuclear Medicine and Molecular Imaging, 2016, 43, 142-151.	3.3	41
70	Rare Variants in <i>PLD3</i> Do Not Affect Risk for Early-Onset Alzheimer Disease in a European Consortium Cohort. Human Mutation, 2015, 36, 1226-1235.	1.1	23
71	Investigating the role of filamin C in Belgian patients with frontotemporal dementia linked to GRN deficiency in FTLD-TDP brains. Acta Neuropathologica Communications, 2015, 3, 68.	2.4	13
72	Common neural correlates of emotion perception in humans. Human Brain Mapping, 2015, 36, 4184-4201.	1.9	35

MATHIEU VANDENBULCKE

#	Article	IF	CITATIONS
73	Age-related microstructural differences quantified using myelin water imaging and advanced diffusion MRI. Neurobiology of Aging, 2015, 36, 2107-2121.	1.5	183
74	O2-10-03: In vivo characterization of basal forebrain atrophy and cholinergic denervation in primary progressive aphasia. , 2015, 11, P198-P198.		0
75	Lateralization for dynamic facial expressions in human superior temporal sulcus. NeuroImage, 2015, 106, 340-352.	2.1	56
76	Impaired recognition of body expressions in the behavioral variant of frontotemporal dementia. Neuropsychologia, 2015, 75, 496-504.	0.7	47
77	Functional brain changes underlying irritability in premanifest <scp>H</scp> untington's disease. Human Brain Mapping, 2015, 36, 2681-2690.	1.9	30
78	3D Shape Perception in Posterior Cortical Atrophy: A Visual Neuroscience Perspective. Journal of Neuroscience, 2015, 35, 12673-12692.	1.7	27
79	Reproducibility and Robustness of Graph Measures of the Associative-Semantic Network. PLoS ONE, 2014, 9, e115215.	1.1	10
80	Longitudinal Assessment of Chemotherapy-Induced Alterations in Brain Activation During Multitasking and Its Relation With Cognitive Complaints. Journal of Clinical Oncology, 2014, 32, 2031-2038.	0.8	66
81	Pathological Crying Associated With Fragile X-Associated Tremor/Ataxia Syndrome. Journal of Neuropsychiatry and Clinical Neurosciences, 2014, 26, E21-E22.	0.9	3
82	ln vivo type 1 cannabinoid receptor availability in Alzheimer's disease. European Neuropsychopharmacology, 2014, 24, 242-250.	0.3	51
83	Characterizing the microstructural basis of "unidentified bright objects―in neurofibromatosis type 1: A combined in vivo multicomponent T2 relaxation and multi-shell diffusion MRI analysis. NeuroImage: Clinical, 2014, 4, 649-658.	1.4	92
84	How affective information from faces and scenes interacts in the brain. Social Cognitive and Affective Neuroscience, 2014, 9, 1481-1488.	1.5	43
85	What are the factors associated with physical activity (PA) participation in community dwelling adults with dementia? A systematic review of PA correlates. Archives of Gerontology and Geriatrics, 2014, 59, 195-203.	1.4	67
86	Noun and knowledge retrieval for biological and non-biological entities following right occipitotemporal lesions. Neuropsychologia, 2014, 62, 163-174.	0.7	9
87	APP Processing in Human Pluripotent Stem Cell-Derived Neurons Is Resistant to NSAID-Based Î <sup>3</sup> -Secretase Modulation. Stem Cell Reports, 2013, 1, 491-498.	2.3	58
88	Dissimilar processing of emotional facial expressions in human and monkey temporal cortex. NeuroImage, 2013, 66, 402-411.	2.1	51
89	Longitudinal Assessment of Chemotherapy-Induced Structural Changes in Cerebral White Matter and Its Correlation With Impaired Cognitive Functioning. Journal of Clinical Oncology, 2012, 30, 274-281.	0.8	334
90	Chemotherapyâ€induced structural changes in cerebral white matter and its correlation with impaired cognitive functioning in breast cancer patients. Human Brain Mapping, 2011, 32, 480-493.	1.9	228

#	Article	IF	CITATIONS
91	Knowledge of visual attributes in the right hemisphere. Nature Neuroscience, 2006, 9, 964-970.	7.1	63
92	Word Reading and Posterior Temporal Dysfunction in Amnestic Mild Cognitive Impairment. Cerebral Cortex, 2006, 17, 542-551.	1.6	63
93	Anterior temporal laterality in primary progressive aphasia shifts to the right. Annals of Neurology, 2005, 58, 362-370.	2.8	54
94	Comparison of kinetic modelling strategies of N-[11C]-methylpiperidin-4-yl-proprionate ([11C]-PMP) in normals and patients with mild cognitive impairment (MCI). Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S593-S593.	2.4	0