

Lindsay M Morton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2282922/publications.pdf>

Version: 2024-02-01

278
papers

14,318
citations

25423

59
h-index

26792

111
g-index

282
all docs

282
docs citations

282
times ranked

18564
citing authors

#	ARTICLE	IF	CITATIONS
1	Association Between Radioactive Iodine Treatment for Pediatric and Young Adulthood Differentiated Thyroid Cancer and Risk of Second Primary Malignancies. <i>Journal of Clinical Oncology</i> , 2022, 40, 1439-1449.	0.8	45
2	Immune-Related Adverse Events After Immune Checkpoint Inhibitors for Melanoma Among Older Adults. <i>JAMA Network Open</i> , 2022, 5, e223461.	2.8	16
3	Incidence of myeloid malignancies by subtype in Hong Kong and comparisons with Asian and white men and women in the United States. <i>Leukemia and Lymphoma</i> , 2022, 63, 1917-1924.	0.6	2
4	Reaching beyond maximum grade: progress and future directions for modernising the assessment and reporting of adverse events in haematological malignancies. <i>Lancet Haematology</i> , 2022, 9, e374-e384.	2.2	11
5	A Novel Locus on 6p21.2 for Cancer Treatment-Induced Cardiac Dysfunction Among Childhood Cancer Survivors. <i>Journal of the National Cancer Institute</i> , 2022, 114, 1109-1116.	3.0	4
6	Risk of Rare Cancers Among Solid Organ Transplant Recipients. <i>Journal of the National Cancer Institute</i> , 2021, 113, 199-207.	3.0	17
7	Genetic variation in the body mass index of adult survivors of childhood acute lymphoblastic leukemia: A report from the Childhood Cancer Survivor Study and the St. Jude Lifetime Cohort. <i>Cancer</i> , 2021, 127, 310-318.	2.0	6
8	Role of radiotherapy and chemotherapy in the risk of leukemia after childhood cancer: An international pooled analysis. <i>International Journal of Cancer</i> , 2021, 148, 2079-2089.	2.3	10
9	Frequency of Pathogenic Germline Variants in Cancer-Susceptibility Genes in the Childhood Cancer Survivor Study. <i>JNCI Cancer Spectrum</i> , 2021, 5, pkab007.	1.4	11
10	Long-term risk of subsequent cancer incidence among hereditary and nonhereditary retinoblastoma survivors. <i>British Journal of Cancer</i> , 2021, 124, 1312-1319.	2.9	16
11	Contribution of Polygenic Risk to Hypertension Among Long-Term Survivors of Childhood Cancer. <i>JACC: CardioOncology</i> , 2021, 3, 76-84.	1.7	13
12	Common genetic polymorphisms contribute to the association between chronic lymphocytic leukaemia and non-melanoma skin cancer. <i>International Journal of Epidemiology</i> , 2021, 50, 1325-1334.	0.9	4
13	The bidirectional increased risk of B-cell lymphoma and T-cell lymphoma. <i>Blood</i> , 2021, 138, 785-789.	0.6	9
14	Benign Tumors in Long-Term Survivors of Retinoblastoma. <i>Cancers</i> , 2021, 13, 1773.	1.7	5
15	Radiation-related genomic profile of papillary thyroid carcinoma after the Chernobyl accident. <i>Science</i> , 2021, 372, .	6.0	85
16	Genetic and treatment risks for diabetes mellitus (DM) in survivors of childhood cancer: A report from the Childhood Cancer Survivor Study (CCSS) and St. Jude Lifetime (SJLIFE) cohorts. <i>Journal of Clinical Oncology</i> , 2021, 39, 10014-10014.	0.8	0
17	Body mass index and survival of patients with lymphoma. <i>Leukemia and Lymphoma</i> , 2021, 62, 2671-2678.	0.6	5
18	Increased Risk of Skin Cancer in 1,851 Long-Term Retinoblastoma Survivors. <i>Journal of Investigative Dermatology</i> , 2021, 141, 2849-2857.e3.	0.3	6

#	ARTICLE	IF	CITATIONS
19	Clinical and genetic risk factors for radiation-associated ototoxicity: A report from the Childhood Cancer Survivor Study and the St. Jude Lifetime Cohort. <i>Cancer</i> , 2021, 127, 4091-4102.	2.0	6
20	Polygenic Risk Score Improves Risk Stratification and Prediction of Subsequent Thyroid Cancer after Childhood Cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 2096-2104.	1.1	11
21	Subsequent Cancers in Patients Affected with Moderate or Severe Chronic Graft-versus-Host Disease. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 937.e1-937.e7.	0.6	5
22	Cause-specific mortality following polycythemia vera, essential thrombocythemia, and primary myelofibrosis in the US population, 2001-2017. <i>American Journal of Hematology</i> , 2021, 96, E451-E454.	2.0	8
23	Assessment of surveillance versus etiologic factors in the reciprocal association between papillary thyroid cancer and breast cancer. <i>Cancer Epidemiology</i> , 2021, 74, 101985.	0.8	1
24	Risk factors for the development of cutaneous melanoma after allogeneic hematopoietic cell transplantation. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 762-772.	0.6	7
25	Risk of second primary papillary thyroid cancer among adult cancer survivors in the United States, 2000-2015. <i>Cancer Epidemiology</i> , 2020, 64, 101664.	0.8	20
26	Cancer risk following lymphoid malignancies among HIV-infected people. <i>Aids</i> , 2020, 34, 1237-1245.	1.0	10
27	Dose-volume effects of breast cancer radiation therapy on the risk of second oesophageal cancer. <i>Radiotherapy and Oncology</i> , 2020, 151, 33-39.	0.3	13
28	Cancer therapy shapes the fitness landscape of clonal hematopoiesis. <i>Nature Genetics</i> , 2020, 52, 1219-1226.	9.4	367
29	Low-frequency variation near common germline susceptibility loci are associated with risk of Ewing sarcoma. <i>PLoS ONE</i> , 2020, 15, e0237792.	1.1	6
30	Cause-Specific Mortality Following Initial Chemotherapy in a Population-Based Cohort of Patients With Classical Hodgkin Lymphoma, 2000-2016. <i>Journal of Clinical Oncology</i> , 2020, 38, 4149-4162.	0.8	29
31	Subsequent Neoplasm Risk Associated With Rare Variants in DNA Damage Response and Clinical Radiation Sensitivity Syndrome Genes in the Childhood Cancer Survivor Study. <i>JCO Precision Oncology</i> , 2020, 4, 926-936.	1.5	9
32	Racial and ethnic differences in risk of second primary cancers among prostate cancer survivors. <i>Cancer Causes and Control</i> , 2020, 31, 1011-1019.	0.8	3
33	Generalizability of "GWAS Hits" in Clinical Populations: Lessons from Childhood Cancer Survivors. <i>American Journal of Human Genetics</i> , 2020, 107, 636-653.	2.6	12
34	Subsequent Primary Neoplasms. <i>Pediatric Clinics of North America</i> , 2020, 67, 1135-1154.	0.9	16
35	The Future of Childhood Cancer Survivorship. <i>Pediatric Clinics of North America</i> , 2020, 67, 1237-1251.	0.9	17
36	Testicular Cancer as a Model for Understanding the Impact of Evolving Treatment Strategies on the Long-Term Health of Cancer Survivors. <i>JNCI Cancer Spectrum</i> , 2020, 4, pkaa013.	1.4	3

#	ARTICLE	IF	CITATIONS
37	Frequency of Pathogenic Germline Variants in Cancer-Susceptibility Genes in Patients With Osteosarcoma. <i>JAMA Oncology</i> , 2020, 6, 724.	3.4	139
38	Cause-specific mortality in individuals with lymphoplasmacytic lymphoma/Waldenström macroglobulinaemia, 2000-2016. <i>British Journal of Haematology</i> , 2020, 189, 1107-1118.	1.2	8
39	Genetic variation in POT1 and risk of thyroid subsequent malignant neoplasm: A report from the Childhood Cancer Survivor Study. <i>PLoS ONE</i> , 2020, 15, e0228887.	1.1	18
40	Novel Insights Into the Long-Term Immune Health of Diffuse Large B-Cell Lymphoma Survivors. <i>Journal of Clinical Oncology</i> , 2020, 38, 1648-1650.	0.8	0
41	Genome-wide Association Studies Reveal Novel Locus With Sex-/Therapy-Specific Fracture Risk Effects in Childhood Cancer Survivors. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 685-695.	3.1	7
42	Recommendations for Long-Term Follow-up of Adults with Heritable Retinoblastoma. <i>Ophthalmology</i> , 2020, 127, 1549-1557.	2.5	24
43	Using patient-reported outcomes to improve survivorship care. <i>Blood</i> , 2020, 135, 1819-1820.	0.6	2
44	Clinical and genetic risk factors for radiation-associated ototoxicity: A report from the childhood cancer survivor study and the St. Jude Lifetime Cohort.. <i>Journal of Clinical Oncology</i> , 2020, 38, 10550-10550.	0.8	0
45	<i>HAGHL</i> genetic variants increase first fracture risk (FFR) in female childhood cancer survivors: A report from the Childhood Cancer Survivor Study (CCSS) and St. Jude Lifetime Cohort Study (SJLIFE).. <i>Journal of Clinical Oncology</i> , 2020, 38, 10554-10554.	0.8	0
46	Abstract 1056: Elevated incidence of rare cancers among solid organ transplant recipients (SOTRs) in the United States. , 2020, , .		0
47	Abstract 5703: Oncologic therapy shapes the fitness landscape of clonal hematopoiesis. , 2020, , .		0
48	Body Mass Index and Survival of Patients with Lymphoma. <i>Blood</i> , 2020, 136, 2-3.	0.6	0
49	Title is missing!. , 2020, 15, e0228887.		0
50	Title is missing!. , 2020, 15, e0228887.		0
51	Title is missing!. , 2020, 15, e0228887.		0
52	Title is missing!. , 2020, 15, e0228887.		0
53	Title is missing!. , 2020, 15, e0237792.		0
54	Title is missing!. , 2020, 15, e0237792.		0

#	ARTICLE	IF	CITATIONS
55	Title is missing!. , 2020, 15, e0237792.		0
56	Title is missing!. , 2020, 15, e0237792.		0
57	Genetic overlap between autoimmune diseases and non-Hodgkin lymphoma subtypes. <i>Genetic Epidemiology</i> , 2019, 43, 844-863.	0.6	28
58	Risk of therapy-related myelodysplastic syndrome/acute myeloid leukemia after childhood cancer: a population-based study. <i>Leukemia</i> , 2019, 33, 2947-2978.	3.3	17
59	Mortality After Breast Cancer Among Survivors of Childhood Cancer: A Report From the Childhood Cancer Survivor Study. <i>Journal of Clinical Oncology</i> , 2019, 37, 2120-2130.	0.8	35
60	Bone and Soft-Tissue Sarcoma Risk in Long-Term Survivors of Hereditary Retinoblastoma Treated With Radiation. <i>Journal of Clinical Oncology</i> , 2019, 37, 3436-3445.	0.8	19
61	Association of Breast Cancer Risk After Childhood Cancer With Radiation Dose to the Breast and Anthracycline Use. <i>JAMA Pediatrics</i> , 2019, 173, 1171.	3.3	40
62	Risk of Second Primary Bone and Soft-Tissue Sarcomas Among Young Adulthood Cancer Survivors. <i>JNCI Cancer Spectrum</i> , 2019, 3, pkz043.	1.4	7
63	Patterns of Cause-Specific Mortality Among 2053 Survivors of Retinoblastoma, 1914-2016. <i>Journal of the National Cancer Institute</i> , 2019, 111, 961-969.	3.0	26
64	Genome-Wide Association Study in Irradiated Childhood Cancer Survivors Identifies HTR2A for Subsequent Basal Cell Carcinoma. <i>Journal of Investigative Dermatology</i> , 2019, 139, 2042-2045.e8.	0.3	18
65	Sex-Related Effect on Immunotherapy Response: Implications and Opportunities. <i>Journal of the National Cancer Institute</i> , 2019, 111, 749-750.	3.0	5
66	Cancer risk following post-transplant lymphoproliferative disorders in solid organ transplant recipients. <i>British Journal of Haematology</i> , 2019, 186, 347-351.	1.2	4
67	Risk for malignancies of infectious etiology among adult survivors of specific non-Hodgkin lymphoma subtypes. <i>Blood Advances</i> , 2019, 3, 1961-1969.	2.5	12
68	Association of Chemotherapy for Solid Tumors With Development of Therapy-Related Myelodysplastic Syndrome or Acute Myeloid Leukemia in the Modern Era. <i>JAMA Oncology</i> , 2019, 5, 318.	3.4	116
69	Telomere Length-Associated Genetic Variants and the Risk of Thyroid Cancer in Survivors of Childhood Cancer: A Report from the Childhood Cancer Survivor Study (CCSS). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2019, 28, 417-419.	1.1	7
70	Genetically Determined Height and Risk of Non-hodgkin Lymphoma. <i>Frontiers in Oncology</i> , 2019, 9, 1539.	1.3	6
71	Risk prediction of anthracycline-related cardiomyopathy (AC) in childhood cancer survivors (CCS): A COG-ALTE03N1 and CCSS report.. <i>Journal of Clinical Oncology</i> , 2019, 37, 10015-10015.	0.8	5
72	Subsequent neoplasm risk associated with rare variants in DNA repair and clinical radiation sensitivity syndrome genes: A report from the Childhood Cancer Survivor Study.. <i>Journal of Clinical Oncology</i> , 2019, 37, 10028-10028.	0.8	1

#	ARTICLE	IF	CITATIONS
73	Genome-wide association study using whole-genome sequencing to identify a novel locus associated with cardiomyopathy risk in adult survivors of childhood cancer: Utility of a two-stage analytic approach.. Journal of Clinical Oncology, 2019, 37, 1516-1516.	0.8	0
74	Polygenic risk of subsequent thyroid cancer after childhood cancer: A report from St. Jude lifetime cohort (SJLIFE) and Childhood Cancer Survivor Study (CCSS).. Journal of Clinical Oncology, 2019, 37, 10060-10060.	0.8	0
75	Combined effect of radiotherapy and anthracyclines on risk of breast cancer among female childhood cancer survivors: A report from the Childhood Cancer Survivor Study (CCSS).. Journal of Clinical Oncology, 2019, 37, 10053-10053.	0.8	0
76	Cause-specific mortality in survivors of lymphoplasmacytic lymphoma (LPL) and waldenstrom macroglobulinemia (WM).. Journal of Clinical Oncology, 2019, 37, e19056-e19056.	0.8	0
77	Abstract LB-304: Oncologic therapy for solid tumors alters the risk of clonal hematopoiesis. , 2019, , .		0
78	Abstract 3122: A functionalPOT1variant and risk of thyroid subsequent malignant neoplasm: A report from the Childhood Cancer Survivor Study. , 2019, , .		0
79	Population-Based, Cause-Specific Risk of Non-Lymphoma Deaths Among 20,491 Adults with Classical Hodgkin Lymphoma (cHL) Treated with Initial Chemotherapy in the United States, 2000-2015. Blood, 2019, 134, 4034-4034.	0.6	0
80	Comparison of Radiation Dose Reconstruction Methods to Investigate Late Adverse Effects of Radiotherapy for Childhood Cancer: A Report from the Childhood Cancer Survivor Study. Radiation Research, 2019, 193, 95.	0.7	4
81	Association of polygenic risk score with the risk of chronic lymphocytic leukemia and monoclonal B-cell lymphocytosis. Blood, 2018, 131, 2541-2551.	0.6	21
82	Mutual Risks of Cutaneous Melanoma and Specific Lymphoid Neoplasms: Second Cancer Occurrence and Survival. Journal of the National Cancer Institute, 2018, 110, 1248-1258.	3.0	15
83	A High-risk Haplotype for Premature Menopause in Childhood Cancer Survivors Exposed to Gonadotoxic Therapy. Journal of the National Cancer Institute, 2018, 110, 895-904.	3.0	19
84	Association of Treatment for Hodgkin Lymphoma With Estrogen Receptor Status of Subsequent Breast Cancers. JAMA Oncology, 2018, 4, 414.	3.4	7
85	Successful use of whole genome amplified DNA from multiple source types for high-density Illumina SNP microarrays. BMC Genomics, 2018, 19, 182.	1.2	16
86	A NOVEL METHOD TO ESTIMATE LYMPHOCYTE DOSE AND APPLICATION TO PEDIATRIC AND YOUNG ADULT CT PATIENTS IN THE UNITED KINGDOM. Radiation Protection Dosimetry, 2018, 178, 116-121.	0.4	6
87	Role of Germline Genetics in Identifying Survivors at Risk for Adverse Effects of Cancer Treatment. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2018, 38, 775-786.	1.8	12
88	Risk, Risk Factors, and Surveillance of Subsequent Malignant Neoplasms in Survivors of Childhood Cancer: A Review. Journal of Clinical Oncology, 2018, 36, 2145-2152.	0.8	105
89	Prevalence of pathogenic/likely pathogenic variants in the 24 cancer genes of the ACMG Secondary Findings v2.0 list in a large cancer cohort and ethnicity-matched controls. Genome Medicine, 2018, 10, 99.	3.6	15
90	Two high-risk susceptibility loci at 6p25.3 and 14q32.13 for Waldenström macroglobulinemia. Nature Communications, 2018, 9, 4182.	5.8	15

#	ARTICLE	IF	CITATIONS
91	Risk of subsequent myeloid neoplasms after radiotherapy treatment for a solid cancer among adults in the United States, 2000â€“2014. <i>Leukemia</i> , 2018, 32, 2580-2589.	3.3	22
92	HLA Class I and II Diversity Contributes to the Etiologic Heterogeneity of Non-Hodgkin Lymphoma Subtypes. <i>Cancer Research</i> , 2018, 78, 4086-4096.	0.4	34
93	Genome-wide association study identifies multiple new loci associated with Ewing sarcoma susceptibility. <i>Nature Communications</i> , 2018, 9, 3184.	5.8	50
94	Beyond maximum grade: modernising the assessment and reporting of adverse events in haematological malignancies. <i>Lancet Haematology</i> , 2018, 5, e563-e598.	2.2	97
95	Oncologic Therapy for Solid Tumors Alters the Risk of Clonal Hematopoiesis. <i>Blood</i> , 2018, 132, 747-747.	0.6	3
96	Radiogenomic Predictors of Adverse Effects following Charged Particle Therapy. <i>International Journal of Particle Therapy</i> , 2018, 5, 103-113.	0.9	6
97	Abstract 2970: Multiple new susceptibility loci identified in genome-wide association study of Ewing sarcoma. , 2018, , .		0
98	Abstract 2966: A genome-wide scan identifies a new locus associated with pediatric rhabdomyosarcoma. , 2018, , .		0
99	Abstract 600: Telomere length-associated genetic variants and the risk of thyroid cancer after childhood cancer: A report from the Childhood Cancer Survivor Study (CCSS). , 2018, , .		0
100	Abstract A13: Genome-wide association study identifies multiple new loci associated with Ewing sarcoma susceptibility. , 2018, , .		0
101	Risk Factors for the Development of Cutaneous Melanoma after Allogeneic Hematopoietic Cell Transplantation. <i>Blood</i> , 2018, 132, 249-249.	0.6	0
102	No Association between Radiation Dose from Pediatric CT Scans and Risk of Subsequent Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 804-806.	1.1	19
103	Stomach Cancer Following Hodgkin Lymphoma, Testicular Cancer and Cervical Cancer: A Pooled Analysis of Three International Studies with a Focus on Radiation Effects. <i>Radiation Research</i> , 2017, 187, 186.	0.7	13
104	Genome-wide association analysis implicates dysregulation of immunity genes in chronic lymphocytic leukaemia. <i>Nature Communications</i> , 2017, 8, 14175.	5.8	75
105	Genome-Wide Association Study to Identify Susceptibility Loci That Modify Radiation-Related Risk for Breast Cancer After Childhood Cancer. <i>Journal of the National Cancer Institute</i> , 2017, 109, .	3.0	66
106	Risk of Second Malignancies in Solid Organ Transplant Recipients Who Develop Keratinocyte Cancers. <i>Cancer Research</i> , 2017, 77, 4196-4203.	0.4	22
107	Radiotherapy for ductal carcinoma in situ and risk of second non-breast cancers. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 299-306.	1.1	19
108	Lupus-related single nucleotide polymorphisms and risk of diffuse large B-cell lymphoma. <i>Lupus Science and Medicine</i> , 2017, 4, e000187.	1.1	15

#	ARTICLE	IF	CITATIONS
109	RE: The Association of Dyslipidemia With Chronic Lymphocytic Leukemia: A Population-Based Study. <i>Journal of the National Cancer Institute</i> , 2017, 109, .	3.0	0
110	National Institutes of Health Hematopoietic Cell Transplantation Late Effects Initiative: The Subsequent Neoplasms Working Group Report. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 367-378.	2.0	50
111	Breast Cancer After Childhood, Adolescent, and Young Adult Cancer: It's Not Just About Chest Radiation. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2017, 37, 736-745.	1.8	2
112	A high-risk genetic profile for premature menopause (PM) in childhood cancer survivors (CCS) exposed to gonadotoxic therapy: A report from the St. Jude Lifetime Cohort (SJLIFE) and Childhood Cancer Survivor Study (CCSS).. <i>Journal of Clinical Oncology</i> , 2017, 35, 10502-10502.	0.8	1
113	Risk of subsequent breast cancer after radiotherapy according to hormone-receptor status: A nested case-control study in the Childhood Cancer Survivor Study (CCSS).. <i>Journal of Clinical Oncology</i> , 2017, 35, 10520-10520.	0.8	0
114	Abstract LB-236: Risk of tMDS/AML after chemotherapy for first primary lymphoid malignancy, 2000-2013. , 2017, , .		0
115	Abstract 1318: A genome-wide association study of Waldenström macroglobulinemia/lymphoplasmacytic lymphoma demonstrates association with chromosome 6. , 2017, , .		0
116	HLA and Risk of Diffuse Large B cell Lymphoma After Solid Organ Transplantation. <i>Transplantation</i> , 2016, 100, 2453-2460.	0.5	17
117	Trends in primary central nervous system lymphoma incidence and survival in the U.S.. <i>British Journal of Haematology</i> , 2016, 174, 417-424.	1.2	196
118	Incidence and patient survival of myeloproliferative neoplasms and myelodysplastic/myeloproliferative neoplasms in the United States, 2001-2012. <i>British Journal of Haematology</i> , 2016, 174, 382-396.	1.2	142
119	Comprehensive Evaluation of Medical Conditions Associated with Risk of Non-Hodgkin Lymphoma using Medicare Claims (MedWAS). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1105-1113.	1.1	23
120	Subtype-specific incidence rates of lymphoid malignancies in Hong Kong compared to the United States, 2001-2010. <i>Cancer Epidemiology</i> , 2016, 42, 15-23.	0.8	39
121	Increased pancreatic cancer risk following radiotherapy for testicular cancer. <i>British Journal of Cancer</i> , 2016, 115, 901-908.	2.9	30
122	2016 US lymphoid malignancy statistics by World Health Organization subtypes. <i>Ca-A Cancer Journal for Clinicians</i> , 2016, 66, 443-459.	157.7	791
123	Second Primary Cancers After Intensity-Modulated vs 3-Dimensional Conformal Radiation Therapy for Prostate Cancer. <i>JAMA Oncology</i> , 2016, 2, 1368.	3.4	30
124	Meta-analysis of genome-wide association studies discovers multiple loci for chronic lymphocytic leukemia. <i>Nature Communications</i> , 2016, 7, 10933.	5.8	94
125	Polycyclic aromatic hydrocarbons: determinants of residential carpet dust levels and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2016, 27, 1-13.	0.8	20
126	Genetically predicted longer telomere length is associated with increased risk of B-cell lymphoma subtypes. <i>Human Molecular Genetics</i> , 2016, 25, 1663-1676.	1.4	52

#	ARTICLE	IF	CITATIONS
127	Contributions of Subtypes of Non-Hodgkin Lymphoma to Mortality Trends. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 174-179.	1.1	52
128	Spectrum of pediatric and young adult cancer survivors at risk of developing subsequent sarcomas.. <i>Journal of Clinical Oncology</i> , 2016, 34, 10572-10572.	0.8	0
129	Genome-wide association study of meningioma as a subsequent neoplasm: A report from the Childhood Cancer Survivor Study (CCSS) and St. Jude Lifetime Cohort (SJLIFE).. <i>Journal of Clinical Oncology</i> , 2016, 34, 10510-10510.	0.8	0
130	Abstract 2691: Genome-wide association study identifies two susceptibility loci that modify radiation-related risk for breast cancer after childhood cancer: A report from the Childhood Cancer Survivor Study and St. Jude Lifetime Cohort. , 2016, , .		0
131	Abstract 5206: Recent incidence trends of lymphoid malignancies in Hong Kong, 2001-2010. , 2016, , .		0
132	Abstract 5207: Comparison of subtype-specific incidence rates of lymphoid malignancies in Hong Kong and the United States. , 2016, , .		0
133	Investigation of spatio-temporal cancer clusters using residential histories in a caseâ€“control study of non-Hodgkin lymphoma in the United States. <i>Environmental Health</i> , 2015, 14, 48.	1.7	8
134	A genome-wide association study of marginal zone lymphoma shows association to the HLA region. <i>Nature Communications</i> , 2015, 6, 5751.	5.8	58
135	Non-Hodgkin Lymphoma, Body Mass Index, and Cytokine Polymorphisms: A Pooled Analysis from the InterLymph Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1061-1070.	1.1	8
136	Risk of Second Cancers According to Radiation Therapy Technique and Modality in Prostate Cancer Survivors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 91, 295-302.	0.4	48
137	Associations of Non-Hodgkin Lymphoma (NHL) Risk With Autoimmune Conditions According to Putative NHL Loci. <i>American Journal of Epidemiology</i> , 2015, 181, 406-421.	1.6	54
138	Chimeric EWSR1-FLI1 regulates the Ewing sarcoma susceptibility gene EGR2 via a GGAA microsatellite. <i>Nature Genetics</i> , 2015, 47, 1073-1078.	9.4	157
139	Risk Factors for Melanoma Among Survivors of Non-Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2015, 33, 3096-3104.	0.8	26
140	Second Tumors in Retinoblastoma Survivors. <i>Essentials in Ophthalmology</i> , 2015, , 105-112.	0.0	0
141	Abstract 3725: Subsequent gastrointestinal cancer risks of childhood and early adulthood cancer survivors. , 2015, , .		0
142	Abstract LB-184: Risk factors for lung cancer among survivors of non-Hodgkin lymphoma. , 2015, , .		0
143	Abstract 934: A pooled investigation of circulating adiponectin levels and risk of multiple myeloma. , 2015, , .		0
144	Incidence and Patient Survival of Myeloproliferative Neoplasms (MPNs) and Myelodysplastic/Myeloproliferative Neoplasms (MDS/MPNs) in the United States: A Population-Based View of the Modern Diagnostic Era. <i>Blood</i> , 2015, 126, 2806-2806.	0.6	0

#	ARTICLE	IF	CITATIONS
145	Emerging Risks of AML/MDS and Other Myeloid Neoplasms Following Chemotherapy for First Primary Malignancy, 2000-2012. <i>Blood</i> , 2015, 126, 562-562.	0.6	1
146	The Rising Incidence of Second Cancers: Patterns of Occurrence and Identification of Risk Factors for Children and Adults. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2014, , e57-e67.	1.8	129
147	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Diffuse Large B-Cell Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 15-25.	0.9	98
148	Rationale and Design of the International Lymphoma Epidemiology Consortium (InterLymph) Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 1-14.	0.9	52
149	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Mycosis Fungoides and Sezary Syndrome: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 98-105.	0.9	42
150	Molecular characteristics of diffuse large B-cell lymphoma in human immunodeficiency virus-infected and -uninfected patients in the pre-highly active antiretroviral therapy and pre-rituximab era. <i>Leukemia and Lymphoma</i> , 2014, 55, 551-557.	0.6	24
151	Medical History, Lifestyle, and Occupational Risk Factors for Hairy Cell Leukemia: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 115-124.	0.9	31
152	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Follicular Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 26-40.	0.9	151
153	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Adult Acute Lymphocytic Leukemia: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 125-129.	0.9	16
154	Cigarette Smoking Prior to First Cancer and Risk of Second Smoking-Associated Cancers Among Survivors of Bladder, Kidney, Head and Neck, and Stage I Lung Cancers. <i>Journal of Clinical Oncology</i> , 2014, 32, 3989-3995.	0.8	93
155	Pooling Prospective Studies to Investigate the Etiology of Second Cancers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1598-1608.	1.1	9
156	Risk of non-Hodgkin lymphoma subtypes in HIV-infected people during the HAART era. <i>Aids</i> , 2014, 28, 2313-2318.	1.0	150
157	Prevalence of HIV Infection among U.S. Hodgkin Lymphoma Cases. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 274-281.	1.1	59
158	Hepatitis B or C virus infection and risk of non-Hodgkin lymphoma among solid organ transplant recipients. <i>Haematologica</i> , 2014, 99, 70-73.	1.7	64
159	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Marginal Zone Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 52-65.	0.9	70
160	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Peripheral T-Cell Lymphomas: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 66-75.	0.9	52
161	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Lymphoplasmacytic Lymphoma/Waldenstrom's Macroglobulinemia: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 87-97.	0.9	32
162	Incidence of marginal zone lymphoma in the United States, 2001-2009 with a focus on primary anatomic site. <i>British Journal of Haematology</i> , 2014, 165, 67-77.	1.2	127

#	ARTICLE	IF	CITATIONS
163	Risk of diffuse large B-cell lymphoma after solid organ transplantation in the United States. <i>American Journal of Hematology</i> , 2014, 89, 714-720.	2.0	37
164	Differences in incidence and trends of haematological malignancies in Japan and the United States. <i>British Journal of Haematology</i> , 2014, 164, 536-545.	1.2	250
165	Etiologic Heterogeneity Among Non-Hodgkin Lymphoma Subtypes: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 130-144.	0.9	265
166	Genome-wide association study identifies multiple susceptibility loci for diffuse large B cell lymphoma. <i>Nature Genetics</i> , 2014, 46, 1233-1238.	9.4	147
167	Body Mass Index and Risk of Second Obesity-Associated Cancers After Colorectal Cancer: A Pooled Analysis of Prospective Cohort Studies. <i>Journal of Clinical Oncology</i> , 2014, 32, 4004-4011.	0.8	56
168	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Sporadic Burkitt Lymphoma/Leukemia: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 106-114.	0.9	32
169	Genome-wide Association Study Identifies Five Susceptibility Loci for Follicular Lymphoma outside the HLA Region. <i>American Journal of Human Genetics</i> , 2014, 95, 462-471.	2.6	96
170	Risk of Subsequent Malignant Neoplasms in Long-Term Hereditary Retinoblastoma Survivors After Chemotherapy and Radiotherapy. <i>Journal of Clinical Oncology</i> , 2014, 32, 3284-3290.	0.8	103
171	Medical History, Lifestyle, Family History, and Occupational Risk Factors for Mantle Cell Lymphoma: The InterLymph Non-Hodgkin Lymphoma Subtypes Project. <i>Journal of the National Cancer Institute Monographs</i> , 2014, 2014, 76-86.	0.9	31
172	Current knowledge and future research directions in treatment-related second primary malignancies. <i>European Journal of Cancer, Supplement</i> , 2014, 12, 5-17.	2.2	59
173	Triple jeopardy for Hodgkin lymphoma survivors?. <i>Blood</i> , 2014, 124, 309-310.	0.6	2
174	Risk of esophageal cancer following radiotherapy for Hodgkin lymphoma. <i>Haematologica</i> , 2014, 99, e193-e196.	1.7	37
175	Risk factors for melanoma among survivors of non-Hodgkin lymphoma in the U.S. elderly population.. <i>Journal of Clinical Oncology</i> , 2014, 32, 1533-1533.	0.8	0
176	Risk of subsequent malignant neoplasms in long-term retinoblastoma survivors following chemotherapy and radiotherapy.. <i>Journal of Clinical Oncology</i> , 2014, 32, 10079-10079.	0.8	0
177	Radiation Dose and Subsequent Risk for Stomach Cancer in Long-term Survivors of Cervical Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 922-929.	0.4	23
178	Second Solid Cancers After Radiation Therapy: A Systematic Review of the Epidemiologic Studies of the Radiation Dose-Response Relationship. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 224-233.	0.4	220
179	Residential proximity to industrial combustion facilities and risk of non-Hodgkin lymphoma: a case-control study. <i>Environmental Health</i> , 2013, 12, 20.	1.7	28
180	Prediction of the location and size of the stomach using patient characteristics for retrospective radiation dose estimation following radiotherapy. <i>Physics in Medicine and Biology</i> , 2013, 58, 8739-8753.	1.6	11

#	ARTICLE	IF	CITATIONS
181	Dissecting lymphoma incidence to inform epidemiologic and clinical research. <i>Leukemia and Lymphoma</i> , 2013, 54, 1575-1576.	0.6	6
182	Risk of non-Hodgkin lymphoma after radiotherapy for solid cancers. <i>Leukemia and Lymphoma</i> , 2013, 54, 1691-1697.	0.6	28
183	Smoking, variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma: a pooled analysis within the InterLymph consortium. <i>Cancer Causes and Control</i> , 2013, 24, 125-134.	0.8	20
184	Household endotoxin levels and the risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2013, 24, 357-364.	0.8	4
185	Genome-wide association study identifies multiple risk loci for chronic lymphocytic leukemia. <i>Nature Genetics</i> , 2013, 45, 868-876.	9.4	179
186	Radiation Dose to the Esophagus From Breast Cancer Radiation Therapy, 1943-1996: An International Population-Based Study of 414 Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 694-701.	0.4	13
187	Lifestyle and Dietary Factors in Relation to Risk of Chronic Myeloid Leukemia in the NIH-AARP Diet and Health Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 848-854.	1.1	39
188	Leveraging Epidemiology and Clinical Studies of Cancer Outcomes: Recommendations and Opportunities for Translational Research. <i>Journal of the National Cancer Institute</i> , 2013, 105, 85-94.	3.0	46
189	Burkitt lymphoma risk in U.S. solid organ transplant recipients. <i>American Journal of Hematology</i> , 2013, 88, 245-250.	2.0	28
190	Plasma Cell Neoplasms in US Solid Organ Transplant Recipients. <i>American Journal of Transplantation</i> , 2013, 13, 1523-1532.	2.6	34
191	Stomach Cancer Risk After Treatment for Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2013, 31, 3369-3377.	0.8	96
192	The Epidemic of Non-Hodgkin Lymphoma in the United States: Disentangling the Effect of HIV, 1992-2009. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1069-1078.	1.1	95
193	Evolving risk of therapy-related acute myeloid leukemia following cancer chemotherapy among adults in the United States, 1975-2008. <i>Blood</i> , 2013, 121, 2996-3004.	0.6	195
194	Shedding light on UVR and Hodgkin lymphoma. <i>Blood</i> , 2013, 122, 3395-3397.	0.6	0
195	Sex- and Subtype-Specific Analysis of H2AFX Polymorphisms in Non-Hodgkin Lymphoma. <i>PLoS ONE</i> , 2013, 8, e74619.	1.1	1
196	Abstract 1333: Specific RB1 mutations and risk of subsequent neoplasms among survivors of hereditary retinoblastoma.., 2013, , .		0
197	Stomach cancer risk following radiotherapy for testicular cancer.. <i>Journal of Clinical Oncology</i> , 2013, 31, 4536-4536.	0.8	9
198	LIM domain only 2 protein expression, LMO2 germline genetic variation, and overall survival in diffuse large B-cell lymphoma in the pre-rituximab era. <i>Leukemia and Lymphoma</i> , 2012, 53, 1105-1112.	0.6	5

#	ARTICLE	IF	CITATIONS
199	Risk of treatment-related esophageal cancer among breast cancer survivors. <i>Annals of Oncology</i> , 2012, 23, 3081-3091.	0.6	71
200	Converting Epidemiologic Studies of Cancer Etiology to Survivorship Studies: Approaches and Challenges. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 875-880.	1.1	17
201	PRRC2A and BCL2L11 gene variants influence risk of non-Hodgkin lymphoma: results from the InterLymph consortium. <i>Blood</i> , 2012, 120, 4645-4648.	0.6	34
202	Acute leukemia incidence and patient survival among children and adults in the United States, 2001-2007. <i>Blood</i> , 2012, 119, 34-43.	0.6	498
203	Smoking and lymphoma: a small part of a complex story. <i>Leukemia and Lymphoma</i> , 2012, 53, 1853-1854.	0.6	3
204	Meat Intake Is Not Associated with Risk of Non-Hodgkin Lymphoma in a Large Prospective Cohort of U.S. Men and Women. <i>Journal of Nutrition</i> , 2012, 142, 1074-1080.	1.3	32
205	Inherited genetic variation and overall survival following follicular lymphoma. <i>American Journal of Hematology</i> , 2012, 87, 724-726.	2.0	13
206	Abstract 1025: Risk of diffuse large B-cell lymphoma in solid organ transplant recipients. , 2012, , .		0
207	Abstract 4490: Molecular characteristics of diffuse large B-cell lymphoma in HIV-positive and HIV-negative patients. , 2012, , .		0
208	Evolving Strategies in Epidemiologic Research on Radiation and Cancer. <i>Radiation Research</i> , 2011, 176, 527-532.	0.7	2
209	Human Leukocyte Antigen Class I and II Alleles and Overall Survival in Diffuse Large B-Cell Lymphoma and Follicular Lymphoma. <i>Scientific World Journal</i> , The, 2011, 11, 2062-2070.	0.8	12
210	Variation in Effects of Non-Hodgkin Lymphoma Risk Factors According to the Human Leukocyte Antigen (HLA)-DRB1*01:01 Allele and Ancestral Haplotype 8.1. <i>PLoS ONE</i> , 2011, 6, e26949.	1.1	11
211	Genetic variation in Th1/Th2 pathway genes and risk of non-Hodgkin lymphoma: a pooled analysis of three population-based case-control studies. <i>British Journal of Haematology</i> , 2011, 153, 341-350.	1.2	34
212	A pooled analysis of three studies evaluating genetic variation in innate immunity genes and non-Hodgkin lymphoma risk. <i>British Journal of Haematology</i> , 2011, 152, 721-726.	1.2	29
213	Spatial-temporal analysis of non-Hodgkin lymphoma in the NCI-SEER NHL case-control study. <i>Environmental Health</i> , 2011, 10, 63.	1.7	27
214	Risk factors for early-onset and late-onset post-transplant lymphoproliferative disorder in kidney recipients in the United States. <i>American Journal of Hematology</i> , 2011, 86, 206-209.	2.0	162
215	Autoimmune disease and subsequent risk of developing alimentary tract cancers among 4.5 million US male veterans. <i>Cancer</i> , 2011, 117, 1163-1171.	2.0	116
216	Risk factors for non-Hodgkin lymphoma subtypes defined by histology and t(14;18) in a population-based case-control study. <i>International Journal of Cancer</i> , 2011, 129, 938-947.	2.3	14

#	ARTICLE	IF	CITATIONS
217	Hair dye use and risk of bladder cancer in the New England bladder cancer study. <i>International Journal of Cancer</i> , 2011, 129, 2894-2904.	2.3	52
218	Associations between non-Hodgkin lymphoma and renal cell carcinoma. <i>Leukemia and Lymphoma</i> , 2011, 52, 2201-2202.	0.6	4
219	Variations in Chromosomes 9 and 6p21.3 with Risk of Non-Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2011, 20, 42-49.	1.1	17
220	Proportions of Kaposi Sarcoma, Selected Non-Hodgkin Lymphomas, and Cervical Cancer in the United States Occurring in Persons With AIDS, 1980-2007. <i>JAMA - Journal of the American Medical Association</i> , 2011, 305, 1450.	3.8	150
221	A step toward slaying the hydra of second cancers. <i>Nature Medicine</i> , 2011, 17, 924-925.	15.2	11
222	A Case-Control Study of Occupational Exposure to Trichloroethylene and Non-Hodgkin Lymphoma. <i>Environmental Health Perspectives</i> , 2011, 119, 232-238.	2.8	51
223	GWAS of Follicular Lymphoma Reveals Allelic Heterogeneity at 6p21.32 and Suggests Shared Genetic Susceptibility with Diffuse Large B-cell Lymphoma. <i>PLoS Genetics</i> , 2011, 7, e1001378.	1.5	93
224	Immunostaining to identify molecular subtypes of diffuse large B-cell lymphoma in a population-based epidemiologic study in the pre-rituximab era. <i>International Journal of Molecular Epidemiology and Genetics</i> , 2011, 2, 245-52.	0.4	7
225	Hodgkin Lymphoma Among US Solid Organ Transplant Recipients. <i>Transplantation</i> , 2010, 90, 1011-1015.	0.5	29
226	Human leukocyte antigen class I and II alleles in non-Hodgkin lymphoma etiology. <i>Blood</i> , 2010, 115, 4820-4823.	0.6	68
227	Genetic variation in N-acetyltransferases 1 and 2, cigarette smoking, and risk of non-Hodgkin lymphoma. <i>Cancer Causes and Control</i> , 2010, 21, 127-133.	0.8	11
228	Smoking, alcohol use, obesity, and overall survival from non-Hodgkin lymphoma. <i>Cancer</i> , 2010, 116, 2993-3000.	2.0	68
229	Polymorphisms in DNA repair genes and risk of non-Hodgkin lymphoma in a pooled analysis of three studies. <i>British Journal of Haematology</i> , 2010, 151, 239-244.	1.2	18
230	Genome-wide association study of follicular lymphoma identifies a risk locus at 6p21.32. <i>Nature Genetics</i> , 2010, 42, 661-664.	9.4	152
231	Mating Habits of New Zealand Dusky Dolphins. , 2010, , 151-176.		14
232	Associations Between Anthropometry, Cigarette Smoking, Alcohol Consumption, and Non-Hodgkin Lymphoma in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>American Journal of Epidemiology</i> , 2010, 171, 1270-1281.	1.6	74
233	Increased Risk for Lymphoid and Myeloid Neoplasms in Elderly Solid-Organ Transplant Recipients. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1229-1237.	1.1	41
234	InterLymph hierarchical classification of lymphoid neoplasms for epidemiologic research based on the WHO classification (2008): update and future directions. <i>Blood</i> , 2010, 116, e90-e98.	0.6	200

#	ARTICLE	IF	CITATIONS
235	Second Malignancy Risks After Non-Hodgkin's Lymphoma and Chronic Lymphocytic Leukemia: Differences by Lymphoma Subtype. <i>Journal of Clinical Oncology</i> , 2010, 28, 4935-4944.	0.8	161
236	Abstract 5644: Second cancer risks among lymphoma survivors in the SEER-Medicare linked dataset. , 2010, , .		0
237	Risk of Non-Hodgkin Lymphoma Associated with Germline Variation in Genes that Regulate the Cell Cycle, Apoptosis, and Lymphocyte Development. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1259-1270.	1.1	59
238	A prospective investigation of serum 25-hydroxyvitamin D and risk of lymphoid cancers. <i>International Journal of Cancer</i> , 2009, 124, 979-986.	2.3	70
239	Reproductive factors, exogenous hormone use and risk of lymphoid neoplasms among women in the National Institutes of Health's AARP Diet and Health Study Cohort. <i>International Journal of Cancer</i> , 2009, 124, 2737-2743.	2.3	35
240	Population-based study of autoimmune conditions and the risk of specific lymphoid malignancies. <i>International Journal of Cancer</i> , 2009, 125, 398-405.	2.3	221
241	SLC6A3 and body mass index in the Prostate, Lung, Colorectal and Ovarian Cancer Screening Trial. <i>BMC Medical Genetics</i> , 2009, 10, 9.	2.1	4
242	Genetic variation in cell cycle and apoptosis related genes and multiple myeloma risk. <i>Leukemia Research</i> , 2009, 33, 1609-1614.	0.4	15
243	Genetic variation in caspase genes and risk of non-Hodgkin lymphoma: a pooled analysis of 3 population-based case-control studies. <i>Blood</i> , 2009, 114, 264-267.	0.6	42
244	A pooled investigation of Toll-like receptor gene variants and risk of non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 2009, 30, 275-281.	1.3	75
245	Organochlorine exposure, immune gene variation, and risk of non-Hodgkin lymphoma. <i>Blood</i> , 2009, 113, 1899-1905.	0.6	39
246	Common Gene Variants in the Tumor Necrosis Factor (TNF) and TNF Receptor Superfamilies and NF-kB Transcription Factors and Non-Hodgkin Lymphoma Risk. <i>PLoS ONE</i> , 2009, 4, e5360.	1.1	88
247	Non-Hodgkin lymphoma and obesity: A pooled analysis from the InterLymph Consortium. <i>International Journal of Cancer</i> , 2008, 122, 2062-2070.	2.3	104
248	Incidence of lymphoid neoplasms by subtype among six Asian ethnic groups in the United States, 1996-2004. <i>Cancer Causes and Control</i> , 2008, 19, 1171-1181.	0.8	45
249	Blood transfusion, anesthesia, surgery and risk of non-Hodgkin lymphoma in a population-based case-control study. <i>International Journal of Cancer</i> , 2008, 123, 888-894.	2.3	18
250	Encouraging participation in medical research: what strategies work?. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 969-970.	2.4	9
251	Hepatitis C and Non-Hodgkin Lymphoma Among 4784 Cases and 6269 Controls From the International Lymphoma Epidemiology Consortium. <i>Clinical Gastroenterology and Hepatology</i> , 2008, 6, 451-458.	2.4	313
252	Re: Hair dye use, genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma, author response. <i>Carcinogenesis</i> , 2008, 29, 1084-1085.	1.3	1

#	ARTICLE	IF	CITATIONS
253	Personal Use of Hair Dye and the Risk of Certain Subtypes of Non-Hodgkin Lymphoma. <i>American Journal of Epidemiology</i> , 2008, 167, 1321-1331.	1.6	98
254	Host immune gene polymorphisms in combination with clinical and demographic factors predict late survival in diffuse large B-cell lymphoma patients in the pre-rituximab era. <i>Blood</i> , 2008, 112, 2694-2702.	0.6	64
255	Etiologic heterogeneity among non-Hodgkin lymphoma subtypes. <i>Blood</i> , 2008, 112, 5150-5160.	0.6	148
256	Dietary flavonoid intake and non-Hodgkin lymphoma risk. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1439-1445.	2.2	45
257	Proposed classification of lymphoid neoplasms for epidemiologic research from the Pathology Working Group of the International Lymphoma Epidemiology Consortium (InterLymph). <i>Blood</i> , 2007, 110, 695-708.	0.6	365
258	Alcohol, Smoking, and Body Size in Relation to Incident Hodgkin's and Non-Hodgkin's Lymphoma Risk. <i>American Journal of Epidemiology</i> , 2007, 166, 697-708.	1.6	112
259	Census and Geographic Differences between Respondents and Nonrespondents in a Case-Control Study of Non-Hodgkin Lymphoma. <i>American Journal of Epidemiology</i> , 2007, 167, 350-361.	1.6	26
260	Hair dye use, genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2), and risk of non-Hodgkin lymphoma. <i>Carcinogenesis</i> , 2007, 28, 1759-1764.	1.3	39
261	Hepatitis C virus infection and risk of posttransplantation lymphoproliferative disorder among solid organ transplant recipients. <i>Blood</i> , 2007, 110, 4599-4605.	0.6	35
262	Prognostic significance of host immune gene polymorphisms in follicular lymphoma survival. <i>Blood</i> , 2007, 109, 5439-5446.	0.6	109
263	Immune Mechanisms in Non-Hodgkin Lymphoma: Joint Effects of the TNF G308A and IL10 T3575A Polymorphisms with Non-Hodgkin Lymphoma Risk Factors. <i>Cancer Research</i> , 2007, 67, 5042-5054.	0.4	57
264	Genetic variation in catechol-O-methyltransferase (COMT) and obesity in the prostate, lung, colorectal, and ovarian (PLCO) cancer screening trial. <i>Human Genetics</i> , 2007, 122, 41-49.	1.8	15
265	Genetic variation in N-acetyltransferase 1 (NAT1) and 2 (NAT2) and risk of non-Hodgkin lymphoma. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 537-545.	0.7	48
266	DRD2 genetic variation in relation to smoking and obesity in the Prostate, Lung, Colorectal, and Ovarian Cancer Screening Trial. <i>Pharmacogenetics and Genomics</i> , 2006, 16, 901-910.	0.7	46
267	Changes in Cancer Registry Coding for Lymphoma Subtypes: Reliability Over Time and Relevance for Surveillance and Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 630-638.	1.1	82
268	Reporting Participation in Epidemiologic Studies: A Survey of Practice. <i>American Journal of Epidemiology</i> , 2006, 163, 197-203.	1.6	420
269	Consumption of Aspartame-Containing Beverages and Incidence of Hematopoietic and Brain Malignancies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2006, 15, 1654-1659.	1.1	85
270	Lymphoma incidence patterns by WHO subtype in the United States, 1992-2001. <i>Blood</i> , 2006, 107, 265-276.	0.6	1,392

#	ARTICLE	IF	CITATIONS
271	Germline Single Nucleotide Polymorphisms (SNPs) in IL1A, IL6, IL10, and IFNGR2 in Combination with Clinical with Demographic Factors Predict Overall Survival in Diffuse Large B-Cell Lymphoma (DLBCL).. Blood, 2006, 108, 2028-2028.	0.6	0
272	Host Immunogenetic Single Nucleotide Polymorphisms (SNPs) Predict Overall Survival in Small Lymphocytic Lymphoma.. Blood, 2006, 108, 2396-2396.	0.6	0
273	Cigarette Smoking and Risk of Non-Hodgkin Lymphoma: A Pooled Analysis from the International Lymphoma Epidemiology Consortium (InterLymph). Cancer Epidemiology Biomarkers and Prevention, 2005, 14, 925-933.	1.1	164
274	Alcohol consumption and risk of non-Hodgkin lymphoma: a pooled analysis. Lancet Oncology, The, 2005, 6, 469-476.	5.1	137
275	Blood Transfusion and Risk of Non-Hodgkin's Lymphoma in Connecticut Women. American Journal of Epidemiology, 2004, 160, 325-330.	1.6	30
276	Menstrual and Reproductive Factors and Risk of Non-Hodgkin's Lymphoma among Connecticut Women. American Journal of Epidemiology, 2004, 160, 766-773.	1.6	34
277	Re: No Increased Risk of non-Hodgkin's Lymphoma with Steroids, Estrogens and Psychotropics (Netherlands). Cancer Causes and Control, 2004, 15, 433-434.	0.8	2
278	Reply to P. PetranoviÄ‡ OvÄ‡eriÄ‡ek et al. Journal of Clinical Oncology, 0, , .	0.8	0