

# Meidan Ye

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/228316/publications.pdf>

Version: 2024-02-01

71  
papers

5,471  
citations

109137

35  
h-index

91712

69  
g-index

74  
all docs

74  
docs citations

74  
times ranked

7668  
citing authors

#	ARTICLE	IF	CITATIONS
1	In-situ construction of 3D hierarchical MoS <sub>2</sub> /CoS <sub>2</sub> @TiO <sub>2</sub> nanotube hybrid electrodes with superior capacitive performance toward water treatment. <i>Chemical Engineering Journal</i> , 2022, 429, 132582.	6.6	24
2	Highly flexible and high energy density fiber supercapacitors based upon spiral silk composite membranes encapsulation. <i>Electrochimica Acta</i> , 2022, 404, 139611.	2.6	5
3	A Skin-Like Pressure- and Vibration-Sensitive Tactile Sensor Based on Polyacrylamide/Silk Fibroin Elastomer. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	39
4	Recent advances in various applications of nickel cobalt sulfide-based materials. <i>Journal of Materials Chemistry A</i> , 2022, 10, 8087-8106.	5.2	23
5	Temperature effects on surface textures of CsPbI <sub>3</sub> films for perovskite solar cells. <i>Applied Physics Letters</i> , 2022, 120, 153902.	1.5	0
6	Capacitive heavy metal ion removal of 3D self-supported nitrogen-doped carbon-encapsulated titanium nitride nanorods via the synergy of faradic-reaction and electro-adsorption. <i>Chemical Engineering Journal</i> , 2022, 443, 136542.	6.6	18
7	Efficient and Durable Sodium, Chloride-doped Iron Oxide-Hydroxide Nanohybrid-Promoted Capacitive Deionization of Saline Water via Synergetic Pseudocapacitive Process. <i>Advanced Science</i> , 2022, 9, .	5.6	28
8	Nickel and cobalt sulfide-based nanostructured materials for electrochemical energy storage devices. <i>Chemical Engineering Journal</i> , 2021, 409, 127237.	6.6	84
9	Recent Progress in Flexible Microstructural Pressure Sensors toward Human-Machine Interaction and Healthcare Applications. <i>Small Methods</i> , 2021, 5, e2001041.	4.6	101
10	3D hierarchical porous N-doped carbon quantum dots/vanadium nitride hybrid microflowers as a superior electrode material toward high-performance asymmetric capacitive deionization. <i>Environmental Science: Nano</i> , 2021, 8, 2059-2068.	2.2	9
11	Electrochemical Charge Storage Behavior of Various Hierarchical Microstructures. <i>Physical Review Applied</i> , 2021, 15, .		
12	Biomass-derived, multifunctional and wave-layered carbon aerogels toward wearable pressure sensors, supercapacitors and triboelectric nanogenerators. <i>Nano Energy</i> , 2021, 85, 105973.	8.2	116
13	Carbon-embedded hierarchical and dual-anion C@MoSP heterostructure for efficient capacitive deionization of saline water. <i>Electrochimica Acta</i> , 2021, 387, 138494.	2.6	8
14	Multifunctional quantum dot materials for perovskite solar cells: Charge transport, efficiency and stability. <i>Nano Today</i> , 2021, 40, 101286.	6.2	16
15	High voltage output/energy density flexible asymmetric fiber supercapacitors based on a tree-like topology. <i>Cell Reports Physical Science</i> , 2021, 2, 100649.	2.8	2
16	Free-Standing, Flexible Carbon@MXene Films with Cross-Linked Mesoporous Structures toward Supercapacitors and Pressure Sensors. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 57576-57587.	4.0	23
17	Designing heterostructured metal sulfide core-shell nanoneedle films as battery-type electrodes for hybrid supercapacitors. <i>Energy Storage Materials</i> , 2020, 24, 541-549.	9.5	160
18	Crafting NiCo <sub>2</sub> O <sub>4</sub> @Co <sub>9</sub> S <sub>8</sub> nanotrees on carbon cloth as flexible pressure sensors for effectively monitoring human motion. <i>Applied Nanoscience (Switzerland)</i> , 2020, 10, 861-867.	1.6	7

#	ARTICLE	IF	CITATIONS
19	MOF-derived Co <sub>9</sub> S <sub>8</sub> /C hollow polyhedra grown on 3D graphene aerogel as efficient polysulfide mediator for long-life Li-S batteries. <i>Materials Letters</i> , 2020, 277, 128331.	1.3	19
20	Perovskite Solar Cells: Synergistic Cascade Carrier Extraction via Dual Interfacial Positioning of Ambipolar Black Phosphorene for High-Efficiency Perovskite Solar Cells ( <i>Adv. Mater.</i> 28/2020). <i>Advanced Materials</i> , 2020, 32, 2070211.	11.1	1
21	A simple route to fiber-shaped heterojunctioned nanocomposites for knittable high-performance supercapacitors. <i>Journal of Materials Chemistry A</i> , 2020, 8, 11589-11597.	5.2	15
22	Synergistic Cascade Carrier Extraction via Dual Interfacial Positioning of Ambipolar Black Phosphorene for High-Efficiency Perovskite Solar Cells. <i>Advanced Materials</i> , 2020, 32, e2000999.	11.1	104
23	Making Stretchable Hybrid Supercapacitors by Knitting Non-Stretchable Metal Fibers. <i>Advanced Functional Materials</i> , 2020, 30, 2003153.	7.8	52
24	Simple route to interconnected, hierarchically structured, porous Zn <sub>2</sub> SnO <sub>4</sub> nanospheres as electron transport layer for efficient perovskite solar cells. <i>Nano Energy</i> , 2020, 71, 104620.	8.2	59
25	Stretchable, Biocompatible, and Multifunctional Silk Fibroin-Based Hydrogels toward Wearable Strain/Pressure Sensors and Triboelectric Nanogenerators. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 6442-6450.	4.0	302
26	Hierarchical and Self-Supported Vanadium Disulfide Microstructures@Graphite Paper: An Advanced Electrode for Efficient and Durable Asymmetric Capacitive Deionization. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 7335-7342.	3.2	29
27	Comparative study on electrochemical charge storage behavior of FeCo <sub>2</sub> S <sub>4</sub> electrodes with different dimensional nanostructures. <i>Applied Physics Letters</i> , 2020, 116, .	1.5	14
28	The charge carrier dynamics, efficiency and stability of two-dimensional material-based perovskite solar cells. <i>Chemical Society Reviews</i> , 2019, 48, 4854-4891.	18.7	139
29	An integrated large-scale and vertically aligned Co(OH) <sub>2</sub> @graphite paper electrode for high performance capacitive deionization of saline water. <i>Desalination</i> , 2019, 470, 114117.	4.0	24
30	Synthesis of hierarchical lamellar Co <sub>3</sub> O <sub>4</sub> @CoMoO <sub>4</sub> heterostructures for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2019, 7, 26884-26892.	5.2	31
31	Hierarchically structured Co <sub>9</sub> S <sub>8</sub> @NiCo <sub>2</sub> O <sub>4</sub> nanobrushes for high-performance flexible asymmetric supercapacitors. <i>Chemical Engineering Journal</i> , 2019, 356, 985-993.	6.6	128
32	NiS <sub>2</sub> Nanosheet Films Supported on Ti Foils: Effective Counter Electrodes for Quantum Dot-Sensitized Solar Cells. <i>Journal of the Electrochemical Society</i> , 2018, 165, H45-H51.	1.3	10
33	Highly flexible and scalable photo-rechargeable power unit based on symmetrical nanotube arrays. <i>Nano Energy</i> , 2018, 46, 168-175.	8.2	44
34	Needle-Like Cu <sub>2</sub> Mo <sub>6</sub> S <sub>8</sub> Films for Highly Efficient Visible-Light Photocatalysis. <i>Particle and Particle Systems Characterization</i> , 2018, 35, 1700302.	1.2	6
35	Rational design of coraloid Co <sub>9</sub> S <sub>8</sub> @CuS hierarchical architectures for quantum dot-sensitized solar cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 11384-11391.	2.7	8
36	Hierarchical Cu <sub>2</sub> S nanorods with different crystal phases for asymmetrical supercapacitors and visible-light photocatalysis. <i>Dalton Transactions</i> , 2018, 47, 15189-15196.	1.6	22

#	ARTICLE	IF	CITATIONS
37	Chemical Decoration of Perovskites by Nickel Oxide Doping for Efficient and Stable Perovskite Solar Cells. ACS Applied Materials & Interfaces, 2018, 10, 36841-36850.	4.0	11
38	Flexible fiber-shaped liquid/quasi-solid-state quantum dot-sensitized solar cells based on different metal sulfide counter electrodes. Applied Physics Letters, 2018, 113, .	1.5	14
39	Shape-dependent photogenerated cathodic protection by hierarchically nanostructured TiO <sub>2</sub> films. Applied Surface Science, 2018, 462, 142-148.	3.1	27
40	Highly flexible, transparent and conducting CuS-nanosheet networks for flexible quantum-dot solar cells. Nanoscale, 2017, 9, 3826-3833.	2.8	33
41	Flower-like polyaniline/graphene hybrids for high-performance supercapacitor. Composites Science and Technology, 2017, 142, 286-293.	3.8	56
42	Recent advances in quantum dot-sensitized solar cells: insights into photoanodes, sensitizers, electrolytes and counter electrodes. Sustainable Energy and Fuels, 2017, 1, 1217-1231.	2.5	103
43	Sputtered seed-assisted growth of CuS nanosheet arrays as effective counter electrodes for quantum dot-sensitized solar cells. Materials Letters, 2017, 203, 73-76.	1.3	13
44	Recent advances in interfacial engineering of perovskite solar cells. Journal Physics D: Applied Physics, 2017, 50, 373002.	1.3	129
45	Transparent conducting oxide- and Pt-free flexible photo-rechargeable electric energy storage systems. RSC Advances, 2017, 7, 52988-52994.	1.7	23
46	Smart electrochromic supercapacitors based on highly stable transparent conductive graphene/CuS network electrodes. RSC Advances, 2017, 7, 29088-29095.	1.7	35
47	Plasmonic Photocatalysis: Plasmon-Mediated Solar Energy Conversion via Photocatalysis in Noble Metal/Semiconductor Composites (Adv. Sci. 6/2016). Advanced Science, 2016, 3, .	5.6	2
48	Interface engineering via an insulating polymer for highly efficient and environmentally stable perovskite solar cells. Chemical Communications, 2016, 52, 11355-11358.	2.2	58
49	Plasmon-Mediated Solar Energy Conversion via Photocatalysis in Noble Metal/Semiconductor Composites. Advanced Science, 2016, 3, 1600024.	5.6	222
50	Recent advancements in perovskite solar cells: flexibility, stability and large scale. Journal of Materials Chemistry A, 2016, 4, 6755-6771.	5.2	137
51	Preparation of hollow Co <sub>9</sub> S <sub>8</sub> nanoneedle arrays as effective counter electrodes for quantum dot-sensitized solar cells. Journal of Materials Chemistry A, 2015, 3, 6311-6314.	5.2	51
52	In situ growth of CuS and Cu <sub>1.8</sub> S nanosheet arrays as efficient counter electrodes for quantum dot-sensitized solar cells. Journal of Materials Chemistry A, 2015, 3, 9595-9600.	5.2	132
53	Heterojunctions: One-Dimensional Densely Aligned Perovskite-Decorated Semiconductor Heterojunctions with Enhanced Photocatalytic Activity (Small 12/2015). Small, 2015, 11, 1435-1435.	5.2	0
54	One-Dimensional Densely Aligned Perovskite-Decorated Semiconductor Heterojunctions with Enhanced Photocatalytic Activity. Small, 2015, 11, 1436-1442.	5.2	86

#	ARTICLE	IF	CITATIONS
55	Recent advances in dye-sensitized solar cells: from photoanodes, sensitizers and electrolytes to counter electrodes. <i>Materials Today</i> , 2015, 18, 155-162.	8.3	609
56	Ultralong Rutile TiO <sub>2</sub> Nanorod Arrays with Large Surface Area for CdS/CdSe Quantum Dot-sensitized Solar Cells. <i>Electrochimica Acta</i> , 2014, 121, 175-182.	2.6	41
57	Garden-like perovskite superstructures with enhanced photocatalytic activity. <i>Nanoscale</i> , 2014, 6, 3576.	2.8	56
58	Carbon fiber/Co <sub>9</sub> S <sub>8</sub> nanotube arrays hybrid structures for flexible quantum dot-sensitized solar cells. <i>Nanoscale</i> , 2014, 6, 3656.	2.8	77
59	Quantum Dot Sensitized Solar Cells Employing Hierarchical Cu <sub>2</sub> S Microspheres Wrapped by Reduced Graphene Oxide Nanosheets as Effective Counter Electrodes. <i>Advanced Energy Materials</i> , 2014, 4, 1301564.	10.2	119
60	Hierarchically Structured Microspheres for High-Efficiency Rutile TiO <sub>2</sub> -Based Dye-Sensitized Solar Cells. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 2893-2901.	4.0	63
61	Semiconductor hierarchically structured flower-like clusters for dye-sensitized solar cells with nearly 100% charge collection efficiency. <i>Nanoscale</i> , 2013, 5, 11220.	2.8	26
62	Hierarchical Rutile TiO <sub>2</sub> Flower Cluster-Based High Efficiency Dye-Sensitized Solar Cells via Direct Hydrothermal Growth on Conducting Substrates. <i>Small</i> , 2013, 9, 312-321.	5.2	115
63	Facile and effective synthesis of hierarchical TiO <sub>2</sub> spheres for efficient dye-sensitized solar cells. <i>Nanoscale</i> , 2013, 5, 6577.	2.8	46
64	Hierarchically Structured Nanotubes for Highly Efficient Dye-Sensitized Solar Cells. <i>Advanced Materials</i> , 2013, 25, 3039-3044.	11.1	182
65	Optimized porous rutile TiO <sub>2</sub> nanorod arrays for enhancing the efficiency of dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2013, 6, 1615.	15.6	160
66	Solar Cells: Hierarchically Structured Nanotubes for Highly Efficient Dye-Sensitized Solar Cells (Adv.) <i>Tj ETQq0 0 0 rgBT /Overlap 10 Tf 5</i>	11.1	182
67	High-Efficiency Photoelectrocatalytic Hydrogen Generation Enabled by Palladium Quantum Dots-Sensitized TiO <sub>2</sub> Nanotube Arrays. <i>Journal of the American Chemical Society</i> , 2012, 134, 15720-15723.	6.6	571
68	Dye-sensitized solar cells based on a nanoparticle/nanotube bilayer structure and their equivalent circuit analysis. <i>Nanoscale</i> , 2012, 4, 964-969.	2.8	70
69	Densely aligned rutile TiO <sub>2</sub> nanorod arrays with high surface area for efficient dye-sensitized solar cells. <i>Nanoscale</i> , 2012, 4, 5872.	2.8	102
70	High Efficiency Dye-Sensitized Solar Cells Based on Hierarchically Structured Nanotubes. <i>Nano Letters</i> , 2011, 11, 3214-3220.	4.5	337
71	Surface-Treated TiO <sub>2</sub> Nanoparticles for Dye-Sensitized Solar Cells with Remarkably Enhanced Performance. <i>Langmuir</i> , 2011, 27, 14594-14598.	1.6	88