

Augusto Filippo Di Castelnuovo

List of Publications by Citations

Source:

<https://exaly.com/author-pdf/2283199/augusto-filippo-di-castelnuovo-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

244
papers

17,870
citations

53
h-index

131
g-index

263
ext. papers

22,504
ext. citations

7.7
avg, IF

7.51
L-index

#	Paper	IF	Citations
244	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
243	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19.2 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396	40	2787
242	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	40	2039
241	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100
240	Alcohol dosing and total mortality in men and women: an updated meta-analysis of 34 prospective studies. <i>Archives of Internal Medicine</i> , 2006 , 166, 2437-45		631
239	Meta-analysis of wine and beer consumption in relation to vascular risk. <i>Circulation</i> , 2002 , 105, 2836-44	16.7	446
238	Thrombotic complications in childhood acute lymphoblastic leukemia: a meta-analysis of 17 prospective studies comprising 1752 pediatric patients. <i>Blood</i> , 2006 , 108, 2216-22	2.2	285
237	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264	50.4	278
236	Polymorphisms in the coagulation factor VII gene and the risk of myocardial infarction. <i>New England Journal of Medicine</i> , 1998 , 338, 79-85	59.2	261
235	Alcohol consumption and mortality in patients with cardiovascular disease: a meta-analysis. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1339-47	15.1	198
234	The -174G/C interleukin-6 polymorphism influences postoperative interleukin-6 levels and postoperative atrial fibrillation. Is atrial fibrillation an inflammatory complication?. <i>Circulation</i> , 2003 , 108 Suppl 1, II195-9	16.7	189
233	Worldwide trends in hypertension prevalence and progress in treatment and control from 1990 to 2019: a pooled analysis of 1201 population-representative studies with 104 million participants. <i>Lancet, The</i> , 2021 , 398, 957-980	40	154
232	Relation of the -174 G/C polymorphism of interleukin-6 to interleukin-6 plasma levels and to length of hospitalization after surgical coronary revascularization. <i>American Journal of Cardiology</i> , 2001 , 88, 1125-8	3	148
231	Age- and sex-related variations in platelet count in Italy: a proposal of reference ranges based on 40987 subjects. <i>PLoS ONE</i> , 2013 , 8, e54289	3.7	146
230	Wine, beer or spirit drinking in relation to fatal and non-fatal cardiovascular events: a meta-analysis. <i>European Journal of Epidemiology</i> , 2011 , 26, 833-50	12.1	143
229	Polymorphisms of the interleukin-1beta gene affect the risk of myocardial infarction and ischemic stroke at young age and the response of mononuclear cells to stimulation in vitro. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 222-7	9.4	139
228	Spousal concordance for major coronary risk factors: a systematic review and meta-analysis. <i>American Journal of Epidemiology</i> , 2009 , 169, 1-8	3.8	132

227	The 4G/5G Polymorphism of PAI-1 Promoter Gene and the Risk of Myocardial Infarction: A Meta-analysis. <i>Thrombosis and Haemostasis</i> , 1998 , 80, 1029-1030	7	127
226	Effects of moderate beer consumption on health and disease: A consensus document. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 443-67	4.5	124
225	White blood cell count, sex and age are major determinants of heterogeneity of platelet indices in an adult general population: results from the MOLI-SANI project. <i>Haematologica</i> , 2011 , 96, 1180-8	6.6	118
224	Dietary patterns, cardiovascular risk factors and C-reactive protein in a healthy Italian population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 697-706	4.5	118
223	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 624-37	18.1	109
222	Response variability to aspirin as assessed by the platelet function analyzer (PFA)-100. A systematic review. <i>Thrombosis and Haemostasis</i> , 2008 , 99, 14-26	7	104
221	Platelet Glycoprotein Receptor IIIa Polymorphism PLA1/PLA2 and Coronary Risk: a Meta-Analysis. <i>Thrombosis and Haemostasis</i> , 2001 , 85, 626-633	7	102
220	Decline of the Mediterranean diet at a time of economic crisis. Results from the Moli-sani study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 853-60	4.5	100
219	Moderate alcohol use and health: a consensus document. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 487-504	4.5	100
218	Nutrition knowledge is associated with higher adherence to Mediterranean diet and lower prevalence of obesity. Results from the Moli-sani study. <i>Appetite</i> , 2013 , 68, 139-46	4.5	93
217	Seasonality of cardiovascular risk factors: an analysis including over 230 000 participants in 15 countries. <i>Heart</i> , 2014 , 100, 1517-23	5.1	88
216	Adherence to a Mediterranean diet is associated with a better health-related quality of life: a possible role of high dietary antioxidant content. <i>BMJ Open</i> , 2013 , 3,	3	86
215	Regular consumption of dark chocolate is associated with low serum concentrations of C-reactive protein in a healthy Italian population. <i>Journal of Nutrition</i> , 2008 , 138, 1939-45	4.1	85
214	Assessment of absolute risk of death after myocardial infarction by use of multiple-risk-factor assessment equations: GISSI-Prevenzione mortality risk chart. <i>European Heart Journal</i> , 2001 , 22, 2085-1035	3.5	84
213	Common cardiovascular risk factors and in-hospital mortality in 3,894 patients with COVID-19: survival analysis and machine learning-based findings from the multicentre Italian CORIST Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 1899-1913	4.5	84
212	Low income is associated with poor adherence to a Mediterranean diet and a higher prevalence of obesity: cross-sectional results from the Moli-sani study. <i>BMJ Open</i> , 2012 , 2,	3	83
211	Thrombotic complications in adult patients with lymphoma: a meta-analysis of 29 independent cohorts including 18 018 patients and 1149 events. <i>Blood</i> , 2010 , 115, 5322-8	2.2	82
210	Alcohol consumption and n-3 polyunsaturated fatty acids in healthy men and women from 3 European populations. <i>American Journal of Clinical Nutrition</i> , 2009 , 89, 354-62	7	79

209	A high-score Mediterranean dietary pattern is associated with a reduced risk of peripheral arterial disease in Italian patients with Type 2 diabetes. <i>Journal of Thrombosis and Haemostasis</i> , 2003 , 1, 1744-52	15.4	75
208	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. <i>Lancet, The</i> , 2020 , 396, 1511-1524	4.0	73
207	Cardiovascular and overall mortality risk in relation to alcohol consumption in patients with cardiovascular disease. <i>Circulation</i> , 2010 , 121, 1951-9	16.7	73
206	Bcl I polymorphism in the fibrinogen beta-chain gene is associated with the risk of familial myocardial infarction by increasing plasma fibrinogen levels. A case-control study in a sample of GISSI-2 patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 3489-94	9.4	70
205	Adherence to the traditional Mediterranean diet and mortality in subjects with diabetes. Prospective results from the MOLI-SANI study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 400-7	3.9	68
204	Polyphenol intake is associated with low-grade inflammation, using a novel data analysis from the Moli-sani study. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 344-52	7	68
203	Use of hydroxychloroquine in hospitalised COVID-19 patients is associated with reduced mortality: Findings from the observational multicentre Italian CORIST study. <i>European Journal of Internal Medicine</i> , 2020 , 82, 38-47	3.9	64
202	Consumption of cocoa, tea and coffee and risk of cardiovascular disease. <i>European Journal of Internal Medicine</i> , 2012 , 23, 15-25	3.9	62
201	Venous thrombotic complications in adults undergoing induction treatment for acute lymphoblastic leukemia: results from a meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2007 , 5, 621-3	15.4	60
200	4G/5G Promoter PAI-1 Gene Polymorphism Is Associated with Plasmatic PAI-1 Activity in Italians: A Model of Gene-Environment Interaction. <i>Thrombosis and Haemostasis</i> , 1998 , 79, 354-358	7	60
199	Adherence to the Mediterranean diet is associated with lower platelet and leukocyte counts: results from the Moli-sani study. <i>Blood</i> , 2014 , 123, 3037-44	2.2	59
198	Genetic control of postoperative systemic inflammatory reaction and pulmonary and renal complications after coronary artery surgery. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003 , 126, 1107-12	1.5	58
197	SCORE2 risk prediction algorithms: new models to estimate 10-year risk of cardiovascular disease in Europe. <i>European Heart Journal</i> , 2021 , 42, 2439-2454	9.5	58
196	Distribution of short and lifetime risks for cardiovascular disease in Italians. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 723-30	3.9	56
195	Association of D-dimer levels with all-cause mortality in a healthy adult population: findings from the MOLI-SANI study. <i>Haematologica</i> , 2013 , 98, 1476-80	6.6	55
194	Chlamydia pneumoniae and cytomegalovirus seropositivity, inflammatory markers, and the risk of myocardial infarction at a young age. <i>American Heart Journal</i> , 2001 , 142, 633-40	4.9	55
193	Pharmacokinetic and pharmacodynamic differences between two low dosages of aspirin may affect therapeutic outcomes. <i>Clinical Pharmacokinetics</i> , 2003 , 42, 1059-70	6.2	54
192	A score of low-grade inflammation and risk of mortality: prospective findings from the Moli-sani study. <i>Haematologica</i> , 2016 , 101, 1434-1441	6.6	53

191	Mediterranean diet and mortality in the elderly: a prospective cohort study and a meta-analysis. <i>British Journal of Nutrition</i> , 2018 , 120, 841-854	3.6	53
190	Effects of long-term treatment with pioglitazone on cognition and glucose metabolism of PS1-K1, 3xTg-AD, and wild-type mice. <i>Cell Death and Disease</i> , 2012 , 3, e448	9.8	51
189	Prevention of postoperative atrial fibrillation in open heart surgery patients by preoperative supplementation of n-3 polyunsaturated fatty acids: an updated meta-analysis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013 , 146, 906-11	1.5	49
188	Repositioning of the global epicentre of non-optimal cholesterol. <i>Nature</i> , 2020 , 582, 73-77	50.4	48
187	Antithrombotic effect of polyphenols in experimental models: a mechanism of reduced vascular risk by moderate wine consumption. <i>Annals of the New York Academy of Sciences</i> , 2002 , 957, 174-88	6.5	48
186	Association of proinflammatory diet with low-grade inflammation: results from the Moli-sani study. <i>Nutrition</i> , 2018 , 54, 182-188	4.8	46
185	Prevention of cardiovascular risk by moderate alcohol consumption: epidemiologic evidence and plausible mechanisms. <i>Internal and Emergency Medicine</i> , 2010 , 5, 291-7	3.7	46
184	PFA-100 closure time to predict cardiovascular events in aspirin-treated cardiovascular patients: a meta-analysis of 19 studies comprising 3,003 patients. <i>Thrombosis and Haemostasis</i> , 2008 , 99, 1129-31	7	46
183	Effects of Liraglutide on Weight Loss, Fat Distribution, and βCell Function in Obese Subjects With Prediabetes or Early Type 2 Diabetes. <i>Diabetes Care</i> , 2017 , 40, 1556-1564	14.6	45
182	Heparin in COVID-19 Patients Is Associated with Reduced In-Hospital Mortality: The Multicenter Italian CORIST Study. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 1054-1065	7	45
181	Consumption of healthy foods at different content of antioxidant vitamins and phytochemicals and metabolic risk factors for cardiovascular disease in men and women of the Moli-sani study. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 207-13	5.2	43
180	Prevalence, awareness, treatment and control of hypertension in healthy unrelated male-female pairs of European regions: the dietary habit profile in European communities with different risk of myocardial infarction—the impact of migration as a model of gene-environment interaction project. <i>Journal of Hypertension</i> , 2007 , 25, 2000-11	1.9	43
179	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018 , 47, 872-883i	7.8	40
178	High adherence to the Mediterranean diet is associated with cardiovascular protection in higher but not in lower socioeconomic groups: prospective findings from the Moli-sani study. <i>International Journal of Epidemiology</i> , 2017 , 46, 1478-1487	7.8	40
177	Supplementation with vitamin E alone is associated with reduced myocardial infarction: a meta-analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 354-63	4.5	40
176	Transforming growth factor-beta1 levels in hypertensive patients: association with body mass index and leptin. <i>American Journal of Hypertension</i> , 2002 , 15, 759-65	2.3	40
175	Nut consumption is inversely associated with both cancer and total mortality in a Mediterranean population: prospective results from the Moli-sani study. <i>British Journal of Nutrition</i> , 2015 , 114, 804-11	3.6	39
174	Alcohol consumption and cardiovascular risk: mechanisms of action and epidemiologic perspectives. <i>Future Cardiology</i> , 2009 , 5, 467-77	1.3	38

173	Adherence to Mediterranean diet and anthropometric and metabolic parameters in an observational study in the Alto Molise Region: the MOLI-SAL project. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2008 , 18, 415-21	4.5	37
172	Rebuttal to "Aspirin response variability assessed with the PFA-100 device" by Reny et al.. <i>Thrombosis and Haemostasis</i> , 2008 , 99, 969-969	7	37
171	Alcohol-free red wine prevents arterial thrombosis in dietary-induced hypercholesterolemic rats: experimental support for the French paradox? <i>Journal of Thrombosis and Haemostasis</i> , 2005 , 3, 346-50	15.4	36
170	Ultra-processed food consumption is associated with increased risk of all-cause and cardiovascular mortality in the Moli-sani Study. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 446-455	7	36
169	5,10-Methylenetetrahydrofolate reductase (MTHFR) C677T and A1298C polymorphisms: genotype frequency and association with homocysteine and folate levels in middle-southern Italian adults. <i>Cell Biochemistry and Function</i> , 2014 , 32, 1-4	4.2	35
168	Typical breakfast food consumption and risk factors for cardiovascular disease in a large sample of Italian adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012 , 22, 347-54	4.5	35
167	The -675 4G/5G plasminogen activator inhibitor-1 promoter polymorphism in house dust mite-sensitive allergic asthma patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2006 , 61, 234-8	9.3	35
166	RAAS inhibitors are not associated with mortality in COVID-19 patients: Findings from an observational multicenter study in Italy and a meta-analysis of 19 studies. <i>Vascular Pharmacology</i> , 2020 , 135, 106805	5.9	34
165	Obesity and the risk of intracerebral hemorrhage: the multicenter study on cerebral hemorrhage in Italy. <i>Stroke</i> , 2013 , 44, 1584-9	6.7	33
164	Effect of Lipid-Lowering Treatment on Factor VII Profile in Hyperlipidemic Patients. <i>Thrombosis and Haemostasis</i> , 2000 , 84, 789-793	7	33
163	Flavonoid and lignan intake in a Mediterranean population: proposal for a holistic approach in polyphenol dietary analysis, the Moli-sani Study. <i>European Journal of Clinical Nutrition</i> , 2016 , 70, 338-45	5.2	32
162	Effect of an L-carnitine-containing peritoneal dialysate on insulin sensitivity in patients treated with CAPD: a 4-month, prospective, multicenter randomized trial. <i>American Journal of Kidney Diseases</i> , 2013 , 62, 929-38	7.4	32
161	Food group consumption in an Italian population using the updated food classification system FoodEx2: Results from the Italian Nutrition & HEalth Survey (INHES) study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 307-328	4.5	31
160	Type 2 diabetes and polymorphisms on chromosome 9p21: a meta-analysis. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2012 , 22, 619-25	4.5	31
159	The decanucleotide insertion/deletion polymorphism in the promoter region of the coagulation factor VII gene and the risk of familial myocardial infarction. <i>Thrombosis Research</i> , 2000 , 98, 9-17	8.2	31
158	Chili Pepper Consumption and Mortality in Italian Adults. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 3139-3149	15.1	30
157	Alcohol consumption, cardiac biomarkers, and risk of atrial fibrillation and adverse outcomes. <i>European Heart Journal</i> , 2021 , 42, 1170-1177	9.5	29
156	Mediterranean-type diet is associated with higher psychological resilience in a general adult population: findings from the Moli-sani study. <i>European Journal of Clinical Nutrition</i> , 2018 , 72, 154-160	5.2	28

155	Elevated levels of D-dimers increase the risk of ischaemic and haemorrhagic stroke. Findings from the EPICOR Study. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 941-6	7	28
154	Interleukin-1 gene cluster polymorphisms and risk of coronary artery disease. <i>Haematologica</i> , 2003 , 88, 54-60	6.6	28
153	Age-sex-specific ranges of platelet count and all-cause mortality: prospective findings from the MOLI-SANI study. <i>Blood</i> , 2016 , 127, 1614-6	2.2	27
152	Total dietary antioxidant capacity and lung function in an Italian population: a favorable role in premenopausal/never smoker women. <i>European Journal of Clinical Nutrition</i> , 2012 , 66, 61-8	5.2	26
151	The mediterranean lecture: wine and thrombosis--from epidemiology to physiology and back. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2003 , 33, 466-71		26
150	Homocysteine levels are associated with the severity of peripheral arterial disease in Type 2 diabetic patients. <i>Journal of Thrombosis and Haemostasis</i> , 2003 , 1, 2540-7	15.4	26
149	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020 , 49, 173-192	7.8	25
148	Liraglutide improves memory in obese patients with prediabetes or early type 2 diabetes: a randomized, controlled study. <i>International Journal of Obesity</i> , 2020 , 44, 1254-1263	5.5	23
147	Folate, vitamin B12 and homocysteine status in an Italian blood donor population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 473-80	4.5	23
146	Type 1 plasminogen activator inhibitor as a common risk factor for cancer and ischaemic vascular disease: the EPICOR study. <i>BMJ Open</i> , 2013 , 3, e003725	3	23
145	Cardiovascular risk factors and global risk of fatal cardiovascular disease are positively correlated between partners of 802 married couples from different European countries. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 648-655	7	23
144	Platelet glycoprotein IIb/IIIa polymorphism and coronary artery disease: implications for clinical practice. <i>Molecular Diagnosis and Therapy</i> , 2005 , 5, 93-9		23
143	Relative contribution of health-related behaviours and chronic diseases to the socioeconomic patterning of low-grade inflammation. <i>International Journal of Public Health</i> , 2017 , 62, 551-562	4	22
142	Reduction by coffee consumption of prostate cancer risk: Evidence from the Moli-sani cohort and cellular models. <i>International Journal of Cancer</i> , 2017 , 141, 72-82	7.5	22
141	Mushroom and dietary selenium intakes in relation to fasting glucose levels in a free-living Italian adult population: the Moli-sani Project. <i>Diabetes and Metabolism</i> , 2014 , 40, 34-42	5.4	22
140	Fish intake is associated with lower cardiovascular risk in a Mediterranean population: Prospective results from the Moli-sani study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017 , 27, 865-873	4.5	22
139	Mass media information and adherence to Mediterranean diet: results from the Moli-sani study. <i>International Journal of Public Health</i> , 2012 , 57, 589-97	4	22
138	A polymorphic cluster in the 5' region of the human coagulation factor VII gene: detection, frequency, and linkage disequilibrium. <i>Thrombosis Research</i> , 1997 , 88, 445-8	8.2	22

137	Serum cholesterol levels, HMG-CoA reductase inhibitors and the risk of intracerebral haemorrhage. The Multicenter Study on Cerebral Haemorrhage in Italy (MUCH-Italy). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2016 , 87, 924-9	5.5	22
136	Lifestyle and biological factors influence the relationship between mental health and low-grade inflammation. <i>Brain, Behavior, and Immunity</i> , 2020 , 85, 4-13	16.6	22
135	NT-proBNP (N-Terminal Pro-B-Type Natriuretic Peptide) and the Risk of Stroke. <i>Stroke</i> , 2019 , 50, 610-617	7.7	21
134	C reactive protein and its determinants in healthy men and women from European regions at different risk of coronary disease: the IMMIDIET Project. <i>Journal of Thrombosis and Haemostasis</i> , 2008 , 6, 436-43	15.4	21
133	Obesity and ECG left ventricular hypertrophy. <i>Journal of Hypertension</i> , 2017 , 35, 162-169	1.9	20
132	Socioeconomic and psychosocial determinants of adherence to the Mediterranean diet in a general adult Italian population. <i>European Journal of Public Health</i> , 2019 , 29, 328-335	2.1	20
131	Folate intake and folate serum levels in men and women from two European populations: The IMMIDIET project. <i>Nutrition</i> , 2014 , 30, 822-30	4.8	20
130	Moderate alcohol consumption and lower total mortality risk: Justified doubts or established facts?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 1003-1008	4.5	19
129	Incomplete inhibition of platelet function as assessed by the platelet function analyzer (PFA-100) identifies a subset of cardiovascular patients with high residual platelet response while on aspirin. <i>Platelets</i> , 2011 , 22, 179-87	3.6	19
128	A meta-analysis of studies on wine and beer and cardiovascular disease. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2002 , 32, 353-5		19
127	Association of factor VII levels with inflammatory parameters in hypercholesterolemic patients. <i>Atherosclerosis</i> , 2002 , 165, 159-66	3.1	19
126	Different Anticoagulant Regimens, Mortality, and Bleeding in Hospitalized Patients with COVID-19: A Systematic Review and an Updated Meta-Analysis. <i>Seminars in Thrombosis and Hemostasis</i> , 2021 , 47, 372-391	5.3	19
125	Interaction between education and income on the risk of all-cause mortality: prospective results from the MOLI-SANI study. <i>International Journal of Public Health</i> , 2016 , 61, 765-76	4	19
124	ACE-inhibitors versus angiotensin receptor blockers for prevention of events in cardiovascular patients without heart failure - A network meta-analysis. <i>International Journal of Cardiology</i> , 2016 , 217, 128-34	3.2	19
123	Reduced mortality risk by a polyphenol-rich diet: An analysis from the Moli-sani study. <i>Nutrition</i> , 2018 , 48, 87-95	4.8	18
122	Relation between pulmonary function and 10-year risk for cardiovascular disease among healthy men and women in Italy: the Moli-sani Project. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 862-71	7.9	18
121	Contribution of factor VII, fibrinogen and fibrinolytic components to the risk of ischaemic cardiovascular disease: their genetic determinants. <i>Fibrinolysis and Proteolysis</i> , 1998 , 12, 259-276		18
120	Moderate Alcohol Consumption Is Associated With Lower Risk for Heart Failure But Not Atrial Fibrillation. <i>JACC: Heart Failure</i> , 2017 , 5, 837-844	7.9	17

119	Alcohol intake and the risk of intracerebral hemorrhage in the elderly: The MUCH-Italy. <i>Neurology</i> , 2018 , 91, e227-e235	6.5	17
118	Radioprotective effect of moderate wine consumption in patients with breast carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2009 , 74, 1501-5	4	17
117	Association of pasta consumption with body mass index and waist-to-hip ratio: results from Moli-sani and INHES studies. <i>Nutrition and Diabetes</i> , 2016 , 6, e218	4.7	17
116	Favorable association of polyphenol-rich diets with lung function: Cross-sectional findings from the Moli-sani study. <i>Respiratory Medicine</i> , 2018 , 136, 48-57	4.6	16
115	Serum vitamin D deficiency and risk of hospitalization for heart failure: Prospective results from the Moli-sani study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 298-307	4.5	16
114	L-Carnitine status in end-stage renal disease patients on automated peritoneal dialysis. <i>Journal of Nephrology</i> , 2014 , 27, 699-706	4.8	16
113	Genetic variation of alcohol dehydrogenase type 1C (ADH1C), alcohol consumption, and metabolic cardiovascular risk factors: results from the IMMIDIET study. <i>Atherosclerosis</i> , 2009 , 207, 284-90	3.1	16
112	The C242T polymorphism of the p22phox component of NAD(P)H oxidase and vascular risk. Two case-control studies and a meta-analysis. <i>Thrombosis and Haemostasis</i> , 2008 , 99, 594-601	7	16
111	Lyophilized red wine administration prolongs survival in an animal model of amyotrophic lateral sclerosis. <i>Annals of Neurology</i> , 2000 , 48, 686-687	9.4	16
110	Helicobacter Pylori Infection and the Risk of Myocardial Infarction: Role of Fibrinogen and Its Genetic Control. <i>Thrombosis and Haemostasis</i> , 1999 , 82, 14-18	7	16
109	High-Sensitivity Cardiac Troponin I Levels and Prediction of Heart Failure: Results From the BiomarCaRE Consortium. <i>JACC: Heart Failure</i> , 2020 , 8, 401-411	7.9	15
108	Interleukin 1 gene cluster, myocardial infarction at young age and inflammatory response of human mononuclear cells. <i>Immunological Investigations</i> , 2009 , 38, 203-19	2.9	15
107	4G/5G PAI-1 promoter polymorphism and acute-phase levels of PAI-1 following coronary bypass surgery: a prospective study. <i>Journal of Thrombosis and Thrombolysis</i> , 2003 , 16, 149-54	5.1	15
106	Thromboxane-Dependent Platelet Activation in Obese Subjects with Prediabetes or Early Type 2 Diabetes: Effects of Liraglutide- or Lifestyle Changes-Induced Weight Loss. <i>Nutrients</i> , 2018 , 10,	6.7	14
105	Impact of combined healthy lifestyle factors on survival in an adult general population and in high-risk groups: prospective results from the Moli-sani Study. <i>Journal of Internal Medicine</i> , 2019 , 286, 207-220	10.8	13
104	Machine Learning Approaches for the Estimation of Biological Aging: The Road Ahead for Population Studies. <i>Frontiers in Medicine</i> , 2019 , 6, 146	4.9	13
103	Both red and blond orange juice intake decreases the procoagulant activity of whole blood in healthy volunteers. <i>Thrombosis Research</i> , 2013 , 132, 288-92	8.2	13
102	Risk of Myocardial Infarction in Carriers of Mutations in the Hemochromatosis-associated Gene. <i>Thrombosis and Haemostasis</i> , 2000 , 84, 726-727	7	13

101	Toward personalized hemodialysis by low molecular weight amino-containing compounds: future perspective of patient metabolic fingerprint. <i>Blood Transfusion</i> , 2012 , 10 Suppl 2, s78-88	3.6	13
100	Age- and sex-based ranges of platelet count and cause-specific mortality risk in an adult general population: prospective findings from the Moli-sani study. <i>Platelets</i> , 2018 , 29, 312-315	3.6	12
99	Genotype Prevalence and Allele Frequencies of 5,10-Methylenetetrahydrofolate Reductase (MTHFR) C677T and A1298C Polymorphisms in Italian Newborns. <i>Laboratory Medicine</i> , 2009 , 40, 732-736 ^{1.6}	1.6	12
98	Tissue factor gene polymorphisms and haplotypes and the risk of ischemic vascular events: four studies and a meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 1465-71	15.4	12
97	Polymorphisms in the thrombopoietin gene are associated with risk of myocardial infarction at a young age. <i>Atherosclerosis</i> , 2001 , 154, 703-11	3.1	12
96	T-wave axis deviation and left ventricular hypertrophy interaction in diabetes and hypertension. <i>Journal of Electrocardiology</i> , 2013 , 46, 487-91	1.4	11
95	Food labels use is associated with higher adherence to Mediterranean diet: results from the Moli-sani study. <i>Nutrients</i> , 2013 , 5, 4364-79	6.7	11
94	Cardiovascular risk factors and global risk of fatal cardiovascular disease are positively correlated between partners of 802 married couples from different European countries. Report from the IMMIDIET project. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 648-55	7	11
93	Consumption of whole grain food and its determinants in a general Italian population: Results from the INHES study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019 , 29, 611-620	4.5	10
92	The E27 β -adrenergic Receptor Polymorphism Reduces the Risk of Myocardial Infarction in Dyslipidemic Young Males. <i>Thrombosis and Haemostasis</i> , 2001 , 85, 231-233	7	10
91	Heterogeneous contributions of change in population distribution of body mass index to change in obesity and underweight. <i>ELife</i> , 2021 , 10,	8.9	10
90	Dietary selenium intake and risk of hospitalization for type 2 diabetes in the Moli-sani study cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1738-1746	4.5	10
89	Risk Profile of Symptomatic Lacunar Stroke Versus Nonlobar Intracerebral Hemorrhage. <i>Stroke</i> , 2016 , 47, 2141-3	6.7	9
88	Variation of PEAR1 DNA methylation influences platelet and leukocyte function. <i>Clinical Epigenetics</i> , 2019 , 11, 151	7.7	9
87	Lopinavir/Ritonavir and Darunavir/Cobicistat in Hospitalized COVID-19 Patients: Findings From the Multicenter Italian CORIST Study. <i>Frontiers in Medicine</i> , 2021 , 8, 639970	4.9	9
86	Interaction between Mediterranean diet and statins on mortality risk in patients with cardiovascular disease: Findings from the Moli-sani Study. <i>International Journal of Cardiology</i> , 2019 , 276, 248-254	3.2	9
85	Alcohol consumption and hospitalization burden in an adult Italian population: prospective results from the Moli-sani study. <i>Addiction</i> , 2019 , 114, 636-650	4.6	9
84	Randomised trial of chronic supplementation with a nutraceutical mixture in subjects with non-alcoholic fatty liver disease. <i>British Journal of Nutrition</i> , 2020 , 123, 190-197	3.6	9

83	Changes in ultra-processed food consumption during the first Italian lockdown following the COVID-19 pandemic and major correlates: results from two population-based cohorts. <i>Public Health Nutrition</i> , 2021 , 24, 3905-3915	3.3	9
82	Revisiting the link between platelets and depression through genetic epidemiology: new insights from platelet distribution width. <i>Haematologica</i> , 2020 , 105, e246-e248	6.6	8
81	Controversial Relationship Between Renin-Angiotensin System Inhibitors and Severity of COVID-19: Announcing a Large Multicentre Case-Control Study in Italy. <i>Hypertension</i> , 2020 , 76, 312-313	8.5	8
80	Health-related quality of life and risk of composite coronary heart disease and cerebrovascular events in the Moli-sani study cohort. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 287-297	3.9	8
79	Heritability, genetic correlation and linkage to the 9p21.3 region of mixed platelet-leukocyte conjugates in families with and without early myocardial infarction. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 684-92	4.5	8
78	T-wave axis deviation is associated with biomarkers of low-grade inflammation. Findings from the MOLI-SANI study. <i>Thrombosis and Haemostasis</i> , 2015 , 114, 1199-206	7	8
77	Genes, coagulation and cardiovascular risk. <i>Journal of Human Hypertension</i> , 2000 , 14, 369-72	2.6	8
76	Ultra-processed food consumption and its correlates among Italian children, adolescents and adults from the Italian Nutrition & Health Survey (INHES) cohort study. <i>Public Health Nutrition</i> , 2021 , 24, 6258-6271	3.3	8
75	ZBTB12 DNA methylation is associated with coagulation- and inflammation-related blood cell parameters: findings from the Moli-family cohort. <i>Clinical Epigenetics</i> , 2019 , 11, 74	7.7	7
74	T-wave axis deviation, metabolic syndrome and estimated cardiovascular risk--in men and women of the MOLI-SANI study. <i>Atherosclerosis</i> , 2013 , 226, 412-8	3.1	7
73	Experimental Arterial Thrombosis in Genetically or Diet Induced Hyperlipidemia in Rats. <i>Thrombosis and Haemostasis</i> , 2001 , 86, 1440-1448	7	7
72	4G/5G Polymorphism in the Promoter Region of the PAI-1 Gene Is not a Risk Factor for Familial Myocardial Infarction in Subjects over 45 Years. <i>Thrombosis and Haemostasis</i> , 1997 , 78, 1294-1295	7	7
71	Changes in the consumption of foods characterising the Mediterranean dietary pattern and major correlates during the COVID-19 confinement in Italy: results from two cohort studies. <i>International Journal of Food Sciences and Nutrition</i> , 2021 , 72, 1105-1117	3.7	7
70	Socioeconomic status and impact of the economic crisis on dietary habits in Italy: results from the INHES study. <i>Journal of Public Health</i> , 2018 , 40, 703-712	3.5	7
69	Screening for Fabry disease in patients with ischaemic stroke at young age: the Italian Project on Stroke in Young Adults. <i>European Journal of Neurology</i> , 2017 , 24, e12-e14	6	6
68	Circulating Tissue Factor Levels and Risk of Stroke: Findings From the EPICOR Study. <i>Stroke</i> , 2015 , 46, 1501-7	6.7	6
67	Comparison of Cardiovascular Risk Factors in European Population Cohorts for Predicting Atrial Fibrillation and Heart Failure, Their Subsequent Onset, and Death. <i>Journal of the American Heart Association</i> , 2020 , 9, e015218	6	6
66	Mean platelet volume is associated with lower risk of overall and non-vascular mortality in a general population. Results from the Moli-sani study. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 1129-1140	7	6

65	Vitamin D Status and Indices of Mineral Homeostasis in the Population: Differences Between 25-Hydroxyvitamin D and 1,25-Dihydroxyvitamin D. <i>Nutrients</i> , 2019 , 11,	6.7	6
64	Planning comparison between standard and conformal 3D techniques in post-operative radiotherapy of gastric cancer: a systematic review. <i>British Journal of Radiology</i> , 2013 , 86, 20130274	3.4	6
63	P-selectin gene genotypes or haplotypes and cardiovascular complications in type 2 diabetes mellitus. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2006 , 16, 418-25	4.5	6
62	Wine, alcohol and cardiovascular risk: open issue. <i>Journal of Thrombosis and Haemostasis</i> , 2004 , 2, 2042-2044	4.54	6
61	Association of a traditional Mediterranean diet and non-Mediterranean dietary scores with all-cause and cause-specific mortality: prospective findings from the Moli-sani Study. <i>European Journal of Nutrition</i> , 2021 , 60, 729-746	5.2	6
60	Alcohol intake and total mortality in 142 960 individuals from the MORGAM Project: a population-based study. <i>Addiction</i> , 2021 ,	4.6	6
59	Alcohol and the global burden of disease. <i>Lancet, The</i> , 2019 , 393, 2389	4.0	5
58	Haplotypes and haplotype-pairs of IL-1 beta and IL-6 genes and risk of non fatal myocardial infarction in the Western New York Acute MI Study. <i>Thrombosis and Haemostasis</i> , 2011 , 106, 1231-3	7	5
57	Hydroxychloroquine and mortality in COVID-19 patients: a systematic review and a meta-analysis of observational studies and randomized controlled trials. <i>Pathogens and Global Health</i> , 2021 , 115, 456-466 ^{3.1}	3.1	5
56	Combined influence of depression severity and low-grade inflammation on incident hospitalization and mortality risk in Italian adults. <i>Journal of Affective Disorders</i> , 2021 , 279, 173-182	6.6	5
55	The Moli-sani project: computerized ECG database in a population-based cohort study. <i>Journal of Electrocardiology</i> , 2012 , 45, 684-9	1.4	4
54	Alcohol, cardiovascular risk, and health: there is a window for benefits. <i>Journal of Thrombosis and Haemostasis</i> , 2006 , 4, 1156-7; author reply 1157-8	15.4	4
53	Ultra-processed food intake and all-cause and cause-specific mortality in individuals with cardiovascular disease: the Moli-sani Study. <i>European Heart Journal</i> , 2021 ,	9.5	4
52	Daily Coffee Drinking Is Associated with Lower Risks of Cardiovascular and Total Mortality in a General Italian Population: Results from the Moli-sani Study. <i>Journal of Nutrition</i> , 2021 , 151, 395-404	4.1	4
51	Dietary Polyphenol Intake Is Associated with Biological Aging, a Novel Predictor of Cardiovascular Disease: Cross-Sectional Findings from the Moli-Sani Study. <i>Nutrients</i> , 2021 , 13,	6.7	4
50	Body Mass Index and Mortality in Elderly Subjects from the Moli-Sani Study: A Possible Mediation by Low-Grade Inflammation?. <i>Immunological Investigations</i> , 2018 , 47, 774-789	2.9	4
49	Cardiovascular risk and events and country income stratum. <i>New England Journal of Medicine</i> , 2015 , 372, 290	59.2	3
48	Metabolic syndrome in survivors from the 2009 earthquake in Italy. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, e5-8	4.5	3

47	T-wave axis deviation, metabolic syndrome and cardiovascular risk: results from the MOLI-SANI study. <i>Journal of Electrocardiology</i> , 2012 , 45, 546-50	1.4	3
46	Polymorphisms in chromosome 9 and risk of ischemic stroke in two European white populations, and a meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 365-7	15.4	3
45	Plasma fibrinogen variability in healthy citizens. <i>Thrombosis Research</i> , 2002 , 108, 287-9	8.2	3
44	Cardiac Troponin I and Incident Stroke in European Cohorts: Insights From the BiomarCaRE Project. <i>Stroke</i> , 2020 , 51, 2770-2777	6.7	3
43	Higher adherence to the Mediterranean diet is associated with lower levels of D-dimer: findings from the MOLI-SANI study. <i>Haematologica</i> , 2017 , 102, e61-e64	6.6	2
42	Socioeconomic trajectories across the life course and risk of total and cause-specific mortality: prospective findings from the Moli-sani Study. <i>Journal of Epidemiology and Community Health</i> , 2019 , 73, 516-528	5.1	2
41	Associations between systemic inflammation and somatic depressive symptoms: Findings from the Moli-sani study. <i>Depression and Anxiety</i> , 2020 , 37, 935-943	8.4	2
40	Prolonged administration of Ascophyllum nodosum to healthy human volunteers and cardiovascular risk. <i>Nutrafoods</i> , 2013 , 12, 137-144		2
39	Frontal plane T-wave axis orientation predicts coronary events: Findings from the Moli-sani study. <i>Atherosclerosis</i> , 2017 , 264, 51-57	3.1	2
38	Decrease in urokinase-type plasminogen activator (u-PA) levels in patients with non-insulin dependent diabetes mellitus. <i>Fibrinolysis and Proteolysis</i> , 1997 , 11, 215-219		2
37	Targeting the ASMase/S1P pathway protects from sortilin-evoked vascular damage in hypertension.. <i>Journal of Clinical Investigation</i> , 2022 , 132,	15.9	2
36	Platelet Distribution Width Is Associated with P-Selectin Dependent Platelet Function: Results from the Moli-Family Cohort Study. <i>Cells</i> , 2021 , 10,	7.9	2
35	Low dose hydroxychloroquine is associated with lower mortality in COVID-19: a meta-analysis of 26 studies and 44,521 patients		2
34	Decomposing the educational gradient in allostatic load across European populations. What matters the most: differentials in exposure or in susceptibility?. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 1008-1015	5.1	2
33	Egg consumption and risk of all-cause and cause-specific mortality in an Italian adult population. <i>European Journal of Nutrition</i> , 2021 , 60, 3691-3702	5.2	2
32	Disentangling the Association of Hydroxychloroquine Treatment with Mortality in Covid-19 Hospitalized Patients through Hierarchical Clustering. <i>Journal of Healthcare Engineering</i> , 2021 , 2021, 5556207	3.7	2
31	Skin toxicity following radiotherapy in patients with breast carcinoma: is anthocyanin supplementation beneficial?. <i>Clinical Nutrition</i> , 2021 , 40, 2068-2077	5.9	2
30	The CASSIOPEA Study (Economic Crisis and Adherence to the Mediterranean diet: possible impact on biomarkers of inflammation and metabolic phenotypes in the cohort of the Moli-sani Study): Rationale, design and characteristics of participants. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 1053-1062	4.5	2

29	Reduced pulmonary function, low-grade inflammation and increased risk of total and cardiovascular mortality in a general adult population: Prospective results from the Moli-sani study. <i>Respiratory Medicine</i> , 2021 , 184, 106441	4.6	2
28	Exploring domains, clinical implications and environmental associations of a deep learning marker of biological ageing. <i>European Journal of Epidemiology</i> , 2021 , 1	12.1	2
27	Outcome of patients with cancer of the esophagogastric junction in relation to histology and surgical strategy. <i>Hepato-Gastroenterology</i> , 2003 , 50, 1948-52		2
26	Abstract 031: Socioeconomic Trajectories Across the Life Course and Risk of All-cause and Cardiovascular Mortality: Prospective Findings From the Moli-sani Study. <i>Circulation</i> , 2018 , 137,	16.7	1
25	Psychological distress resulting from the COVID-19 confinement is associated with unhealthy dietary changes in two Italian population-based cohorts. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	1
24	Reduced Kidney Function and Relative Hypocalciuria-Observational, Cross-Sectional, Population-Based Data. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	1
23	Sex-Specific Association of Endogenous PCSK9 With Memory Function in Elderly Subjects at High Cardiovascular Risk. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 632655	5.3	1
22	Endogenous PCSK9 may influence circulating CD45/CD34 and CD45/CD34/CD146 cells in patients with type 2 diabetes mellitus. <i>Scientific Reports</i> , 2021 , 11, 9659	4.9	1
21	Association between body mass index, waist circumference, and relative fat mass with the risk of first unprovoked venous thromboembolism. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 3122-3130	4.5	1
20	Exploring domains, clinical implications and environmental associations of a deep learning marker of biological ageing		1
19	DNA methylation in blood is associated with metabolic and inflammatory indices: results from the Moli-sani study. <i>Epigenetics</i> , 2021 , 16, 1347-1360	5.7	1
18	Effects of liraglutide vs. lifestyle changes on soluble suppression of tumorigenesis-2 (sST2) and galectin-3 in obese subjects with prediabetes or type 2 diabetes after comparable weight loss.. <i>Cardiovascular Diabetology</i> , 2022 , 21, 36	8.7	1
17	Mediterranean diet and other dietary patterns in association with biological aging in the Moli-sani Study cohort.. <i>Clinical Nutrition</i> , 2022 , 41, 1025-1033	5.9	1
16	Fine-grained investigation of the relationship between human nutrition and global DNA methylation patterns. <i>European Journal of Nutrition</i> , 2021 , 1	5.2	0
15	Hydroxichloroquine for COVID-19 infection: Do we have a final word after one year?. <i>European Journal of Internal Medicine</i> , 2021 , 94, 4-5	3.9	0
14	Protective effect of oral anticoagulant drugs in atrial fibrillation patients admitted for COVID-19: Results from the CORIST study. <i>Thrombosis Research</i> , 2021 , 203, 138-141	8.2	0
13	Reply: Chili Pepper Intake and Mortality: Clarification on Management of Confounding and Mediating Pathways. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 1866-1867	15.1	
12	Reply to the editor. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013 , 146, 992-3	1.5	

11	What should we advise about alcohol consumption: reply letter by A. Di Castelnuovo. <i>Internal and Emergency Medicine</i> , 2011 , 6, 89-90	3.7
10	Alcohol Consumption in Relation to Vascular and Total Mortality in Patients with Diabetes, Hypertension or History of Cardiovascular Disease: A Meta-analysis. <i>Journal of Wine Research</i> , 2011 , 22, 119-122	1
9	Job-Related Anxiety and Carotid Atherosclerosis. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2004 , 11, 99-105	2.9
8	Genetic variation in alcohol dehydrogenase 3 and the decrease of hs-C-reactive protein levels by moderate alcohol consumption. <i>Journal of Thrombosis and Haemostasis</i> , 2005 , 3, 801-2	15.4
7	Response to commentaries: alcohol intake and total mortality, strengths and limitations of observational studies, waiting for clinical trials.. <i>Addiction</i> , 2022 , 117, 329-330	4.6
6	Retrospective Recall of Psychological Distress Experienced During the First COVID-19 Lockdown in Italy: Results From the ALT RISCOVID-19 Survey.. <i>International Journal of Public Health</i> , 2022 , 67, 1604345	4
5	Thrombotic Complications in Acute Lymphoblastic Leukemia. A Meta-Analysis of Prospective Studies Comprising 1,920 Patients.. <i>Blood</i> , 2005 , 106, 2153-2153	2.2
4	Correction of QRS voltage for body mass index does not improve the prediction of fatal and nonfatal cardiovascular events. The Moli-sani study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 426-433	4.5
3	Age-dependent effect of susceptibility factors on the risk of intracerebral haemorrhage: Multicenter Study on Cerebral Hemorrhage in Italy (MUCH-Italy). <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021 , 92, 1068-1071	5.5
2	Determinants of serum uric acid levels in an adult general population: results from the Moli-sani Study. <i>Clinical Rheumatology</i> , 2021 , 40, 857-865	3.9
1	Insulin resistance and NAFLD may influence memory performance in obese patients with prediabetes or newly-diagnosed type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , 31, 2685-2692	4.5