Joachim Bischof

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2283749/publications.pdf

Version: 2024-02-01

687363 642732 25 635 13 23 citations h-index g-index papers 25 25 25 851 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	CK1 Is a Druggable Regulator of Microtubule Dynamics and Microtubule-Associated Processes. Cancers, 2022, 14, 1345.	3.7	7
2	CK1δ-Derived Peptides as Novel Tools Inhibiting the Interactions between CK1δ and APP695 to Modulate the Pathogenic Metabolism of APP. International Journal of Molecular Sciences, 2021, 22, 6423.	4.1	1
3	Stress-activated kinases as therapeutic targets in pancreatic cancer. World Journal of Gastroenterology, 2021, 27, 4963-4984.	3.3	3
4	Assessing the Inhibitory Potential of Kinase Inhibitors In Vitro: Major Pitfalls and Suggestions for Improving Comparability of Data Using CK1 Inhibitors as an Example. Molecules, 2021, 26, 4898.	3.8	5
5	Critical View of Novel Treatment Strategies for Glioblastoma: Failure and Success of Resistance Mechanisms by Glioblastoma Cells. Frontiers in Cell and Developmental Biology, 2021, 9, 695325.	3.7	27
6	Structure, regulation, and (patho-)physiological functions of the stress-induced protein kinase CK1 delta (CSNK1D). Gene, 2019, 715, 144005.	2.2	51
7	Kinase activity of casein kinase 1 delta (CK1 \hat{i}) is modulated by protein kinase C \hat{i} ± (PKC \hat{i} ±) by site-specific phosphorylation within the kinase domain of CK1 \hat{i} . Biochimica Et Biophysica Acta - Proteins and Proteomics, 2019, 1867, 710-721.	2.3	3
8	The kinase domain of $CK1\hat{l}'$ can be phosphorylated by $Chk1$. Bioscience, Biotechnology and Biochemistry, 2019, 83, 1663-1675.	1.3	3
9	Newly Developed CK1-Specific Inhibitors Show Specifically Stronger Effects on CK1 Mutants and Colon Cancer Cell Lines. International Journal of Molecular Sciences, 2019, 20, 6184.	4.1	12
10	A CK1 FRET biosensor reveals that DDX3X is an essential activator of CK1 $\hat{l}\mu$. Journal of Cell Science, 2018, 131, .	2.0	19
11	Cancer stem cells: The potential role of autophagy, proteolysis, and cathepsins in glioblastoma stem cells. Tumor Biology, 2017, 39, 101042831769222.	1.8	36
12	Optimized 4,5-Diarylimidazoles as Potent/Selective Inhibitors of Protein Kinase CK1Πand Their Structural Relation to p38α MAPK. Molecules, 2017, 22, 522.	3.8	35
13	CK1δ kinase activity is modulated by protein kinase C \hat{l}_{\pm} (PKCÎ $_{\pm}$)-mediated site-specific phosphorylation. Amino Acids, 2016, 48, 1185-1197.	2.7	16
14	New potential peptide therapeutics perturbing CK1Î/α-tubulin interaction. Cancer Letters, 2016, 375, 375-383.	7.2	7
15	CK1δ activity is modulated by CDK2/E- and CDK5/p35-mediated phosphorylation. Amino Acids, 2016, 48, 579-592.	2.7	23
16	CK1δ in lymphoma: gene expression and mutation analyses and validation of CK1δ kinase activity for therapeutic application. Frontiers in Cell and Developmental Biology, 2015, 3, 9.	3.7	4
17	Effects of altered expression and activity levels of CK1 \hat{l} and \hat{E} on tumor growth and survival of colorectal cancer patients. International Journal of Cancer, 2015, 136, 2799-2810.	5.1	28
18	Gene expression levels of Casein kinase 1 (CK1) isoforms are correlated to adiponectin levels in adipose tissue of morbid obese patients and site-specific phosphorylation mediated by CK1 influences multimerization of adiponectin. Molecular and Cellular Endocrinology, 2015, 406, 87-101.	3.2	6

#	Article	IF	CITATION
19	The CK1 Family: Contribution to Cellular Stress Response and Its Role in Carcinogenesis. Frontiers in Oncology, 2014, 4, 96.	2.8	200
20	Difluoro-dioxolo-benzoimidazol-benzamides As Potent Inhibitors of CK1δ and ε with Nanomolar Inhibitory Activity on Cancer Cell Proliferation. Journal of Medicinal Chemistry, 2014, 57, 7933-7946.	6.4	29
21	CK1δ Kinase Activity Is Modulated by Chk1-Mediated Phosphorylation. PLoS ONE, 2013, 8, e68803.	2.5	33
22	2-Benzamido-N-(1H-benzo[d]imidazol-2-yl)thiazole-4-carboxamide derivatives as potent inhibitors of CK1Î/Î μ . Amino Acids, 2012, 43, 1577-1591.	2.7	41
23	Impaired CK1 Delta Activity Attenuates SV40-Induced Cellular Transformation In Vitro and Mouse Mammary Carcinogenesis In Vivo. PLoS ONE, 2012, 7, e29709.	2.5	32
24	Neurite Outgrowth of Mature Retinal Ganglion Cells and PC12 Cells Requires Activity of CK1δ and CK1Î μ . PLoS ONE, 2011, 6, e20857.	2.5	12
25	Comprehensive Characterization of CK1δ-Mediated Tau Phosphorylation in Alzheimer's Disease. Frontiers in Molecular Biosciences, 0, 9, .	3.5	2