

Fozia Zahir Ahmed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2283767/publications.pdf>

Version: 2024-02-01

34
papers

842
citations

516710

16
h-index

501196

28
g-index

35
all docs

35
docs citations

35
times ranked

1284
citing authors

#	ARTICLE	IF	CITATIONS
1	Biological Phenotypes of Heart Failure With Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2017, 70, 2186-2200.	2.8	159
2	Pirfenidone in heart failure with preserved ejection fraction: a randomized phase 2 trial. <i>Nature Medicine</i> , 2021, 27, 1477-1482.	30.7	92
3	Early diagnosis of cardiac implantable electronic device generator pocket infection using 18F-FDG-PET/CT. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 521-530.	1.2	80
4	The effect of spironolactone on cardiovascular function and markers of fibrosis in people at increased risk of developing heart failure: the heart OMics™ in AGEing (HOMAGE) randomized clinical trial. <i>European Heart Journal</i> , 2021, 42, 684-696.	2.2	77
5	Pirfenidone in Heart Failure with Preserved Ejection Fraction—Rationale and Design of the PIROUETTE Trial. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 461-470.	2.6	48
6	Effects of spironolactone on serum markers of fibrosis in people at high risk of developing heart failure: rationale, design and baseline characteristics of a proof-of-concept, randomised, precision medicine, prevention trial. The Heart OMics in AGing (HOMAGE) trial. <i>European Journal of Heart Failure</i> , 2020, 22, 1711-1723.	7.1	43
7	Not All Pacemakers Are Created Equal: MRI Conditional Pacemaker and Lead Technology. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 1059-1065.	1.7	31
8	The performance of quantitation methods in the evaluation of cardiac implantable electronic device (CIED) infection: A technical review. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1457-1466.	2.1	31
9	Triage-HF Plus: a novel device-based remote monitoring pathway to identify worsening heart failure. <i>ESC Heart Failure</i> , 2020, 7, 108-117.	3.1	29
10	<i>Enterococcus cecorum</i> aortic valve endocarditis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011, 70, 525-527.	1.8	24
11	Use of healthcare claims to validate the Prevention of Arrhythmia Device Infection Trial cardiac implantable electronic device infection risk score. <i>Europace</i> , 2021, 23, 1446-1455.	1.7	23
12	Cardiac implantable electronic device (CIED) infections are expensive and associated with prolonged hospitalisation: UK Retrospective Observational Study. <i>PLoS ONE</i> , 2019, 14, e0206611.	2.5	22
13	Atrial fibrillation in heart failure: The sword of damocles revisited. <i>World Journal of Cardiology</i> , 2013, 5, 215.	1.5	21
14	Totally Leadless Dual-Device Implantation for Combined Spontaneous Ventricular Tachycardia Defibrillation and Pacemaker Function: A First Report. <i>Canadian Journal of Cardiology</i> , 2017, 33, 1066.e5-1066.e7.	1.7	20
15	One-Month Global Longitudinal Strain Identifies Patients Who Will Develop Pacing-Induced Left Ventricular Dysfunction over Time: The Pacing and Ventricular Dysfunction (PAVD) Study. <i>PLoS ONE</i> , 2017, 12, e0162072.	2.5	20
16	Ultrafiltration for acute decompensated cardiac failure: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2017, 228, 122-128.	1.7	17
17	Remote monitoring data from cardiac implantable electronic devices predicts all-cause mortality. <i>Europace</i> , 2022, 24, 245-255.	1.7	17
18	Lockdown, slow down: impact of the COVID-19 pandemic on physical activity—an observational study. <i>Open Heart</i> , 2021, 8, e001600.	2.3	15

#	ARTICLE	IF	CITATIONS
19	Metal artefact reduction algorithms prevent false positive results when assessing patients for cardiac implantable electronic device infection. <i>Journal of Nuclear Cardiology</i> , 2015, 22, 219-220.	2.1	13
20	Pacing-induced cardiomyopathy: pathophysiological insights through matrix metalloproteinases. <i>Heart Failure Reviews</i> , 2014, 19, 669-680.	3.9	11
21	Radionuclide Imaging of Cardiovascular Infection. <i>Cardiology Clinics</i> , 2016, 34, 149-165.	2.2	11
22	Vascular access strategy for delivering long-term antimicrobials to patients with infective endocarditis: device type, risk of infection and mortality. <i>Journal of Hospital Infection</i> , 2013, 83, 46-50.	2.9	6
23	¹⁸ F-FDG PET/CT now endorsed by guidelines across all types of CIED infection: Evidence limited but growing. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 971-974.	2.1	6
24	Protecting the most vulnerable during COVID-19 and beyond: a case report on the remote management of heart failure patients with cardiac implantable electronic devices. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-6.	0.6	6
25	Ambulatory intravenous furosemide for decompensated heart failure: safe, feasible, and effective. <i>ESC Heart Failure</i> , 2021, 8, 3906-3916.	3.1	4
26	Elephantiasis nostras verrucosa secondary to congestive cardiac failure. <i>BMJ Case Reports</i> , 2016, 2016, bcr2016214720.	0.5	2
27	The Role of Radionuclide Imaging in Congenital Heart Disease. <i>Current Cardiovascular Imaging Reports</i> , 2017, 10, 1.	0.6	1
28	Novel atrioventricular sequential pacing approach using a transvenous atrial pacemaker and a leadless pacemaker: a case report. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytab219.	0.6	1
29	Septal Flash as a Predictor of Cardiac Resynchronization Therapy Response: A Systematic Review and Meta-Analysis. <i>Journal of Cardiovascular Echography</i> , 2021, 31, 198.	0.4	1
30	Recurrent collapses following permanent pacemaker implantation. <i>Netherlands Heart Journal</i> , 2012, 20, 86-87.	0.8	0
31	Dropsy and pyrexia of unknown origin: Tuberculosis myopericarditis, still the great pretender. <i>Clinical Medicine</i> , 2019, 19, 18-18.	1.9	0
32	Do all patients with implantable cardioverter defibrillator need a generator change? A health service evaluation of patients who underwent generator changes from a single tertiary center. <i>Indian Pacing and Electrophysiology Journal</i> , 2020, 20, 257-260.	0.6	0
33	B-PO03-188 RESOURCE IMPLICATIONS AND CLINICAL UTILITY OF A NOVEL CARDIAC IMPLANTABLE ELECTRONIC DEVICE (CIED)-DIGITAL CARE PATHWAY (TRIAGE-HF PLUS) TO REMOTELY MONITOR AND MANAGE A HEART FAILURE (HF) POPULATION. <i>Heart Rhythm</i> , 2021, 18, S265-S266.	0.7	0
34	The evolution of lead extraction. <i>European Heart Journal</i> , 2015, 36, 67.	2.2	0