

Fozia Zahir Ahmed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2283767/publications.pdf>

Version: 2024-02-01

34
papers

842
citations

586496

16
h-index

563245

28
g-index

35
all docs

35
docs citations

35
times ranked

1360
citing authors

#	ARTICLE	IF	CITATIONS
1	Remote monitoring data from cardiac implantable electronic devices predicts all-cause mortality. <i>Europace</i> , 2022, 24, 245-255.	0.7	17
2	Use of healthcare claims to validate the Prevention of Arrhythmia Device Infection Trial cardiac implantable electronic device infection risk score. <i>Europace</i> , 2021, 23, 1446-1455.	0.7	23
3	Lockdown, slow down: impact of the COVID-19 pandemic on physical activityâ€”an observational study. <i>Open Heart</i> , 2021, 8, e001600.	0.9	15
4	Novel atrioventricular sequential pacing approach using a transvenous atrial pacemaker and a leadless pacemaker: a case report. <i>European Heart Journal - Case Reports</i> , 2021, 5, ytab219.	0.3	1
5	Pirfenidone in heart failure with preserved ejection fraction: a randomized phase 2 trial. <i>Nature Medicine</i> , 2021, 27, 1477-1482.	15.2	92
6	B-PO03-188 RESOURCE IMPLICATIONS AND CLINICAL UTILITY OF A NOVEL CARDIAC IMPLANTABLE ELECTRONIC DEVICE (CIED)-DIGITAL CARE PATHWAY (TRIAGE-HF PLUS) TO REMOTELY MONITOR AND MANAGE A HEART FAILURE (HF) POPULATION. <i>Heart Rhythm</i> , 2021, 18, S265-S266.	0.3	0
7	Ambulatory intravenous furosemide for decompensated heart failure: safe, feasible, and effective. <i>ESC Heart Failure</i> , 2021, 8, 3906-3916.	1.4	4
8	The effect of spironolactone on cardiovascular function and markers of fibrosis in people at increased risk of developing heart failure: the heart â€”OMicsâ€”™ in AGEing (HOMAGE) randomized clinical trial. <i>European Heart Journal</i> , 2021, 42, 684-696.	1.0	77
9	Septal Flash as a Predictor of Cardiac Resynchronization Therapy Response: A Systematic Review and Meta-Analysis. <i>Journal of Cardiovascular Echography</i> , 2021, 31, 198.	0.1	1
10	Triageâ€”HF Plus: a novel deviceâ€”based remote monitoring pathway to identify worsening heart failure. <i>ESC Heart Failure</i> , 2020, 7, 108-117.	1.4	29
11	Protecting the most vulnerable during COVID-19 and beyond: a case report on the remote management of heart failure patients with cardiac implantable electronic devices. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-6.	0.3	6
12	Do all patients with implantable cardioverter defibrillator need a generator change? A health service evaluation of patients who underwent generator changes from a single tertiary center. <i>Indian Pacing and Electrophysiology Journal</i> , 2020, 20, 257-260.	0.3	0
13	Effects of spironolactone on serum markers of fibrosis in people at high risk of developing heart failure: rationale, design and baseline characteristics of a proofâ€”ofâ€”concept, randomised, precisionâ€”medicine, prevention trial. <i>The Heart OMics in AGing (HOMAGE) trial. European Journal of Heart Failure</i> , 2020, 22, 1711-1723.	2.9	43
14	Dropsy and pyrexia of unknown origin: Tuberculosis myopericarditis, still the great pretender. <i>Clinical Medicine</i> , 2019, 19, 18-18.	0.8	0
15	Pirfenidone in Heart Failure with Preserved Ejection Fractionâ€”Rationale and Design of the PIROUETTE Trial. <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 461-470.	1.3	48
16	Cardiac implantable electronic device (CIED) infections are expensive and associated with prolonged hospitalisation: UK Retrospective Observational Study. <i>PLoS ONE</i> , 2019, 14, e0206611.	1.1	22
17	18F-FDG PET/CT now endorsed by guidelines across all types of CIED infection: Evidence limited but growing. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 971-974.	1.4	6
18	Biological Phenotypes of Heart Failure With Preserved Ejection Fraction. <i>Journal of the American College of Cardiology</i> , 2017, 70, 2186-2200.	1.2	159

#	ARTICLE	IF	CITATIONS
19	The Role of Radionuclide Imaging in Congenital Heart Disease. <i>Current Cardiovascular Imaging Reports</i> , 2017, 10, 1.	0.4	1
20	Totally Leadless Dual-Device Implantation for Combined Spontaneous Ventricular Tachycardia Defibrillation and Pacemaker Function: A First Report. <i>Canadian Journal of Cardiology</i> , 2017, 33, 1066.e5-1066.e7.	0.8	20
21	Ultrafiltration for acute decompensated cardiac failure: A systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2017, 228, 122-128.	0.8	17
22	One-Month Global Longitudinal Strain Identifies Patients Who Will Develop Pacing-Induced Left Ventricular Dysfunction over Time: The Pacing and Ventricular Dysfunction (PAVD) Study. <i>PLoS ONE</i> , 2017, 12, e0162072.	1.1	20
23	Elephantiasis nostras verrucosa secondary to congestive cardiac failure. <i>BMJ Case Reports</i> , 2016, 2016, bcr2016214720.	0.2	2
24	The performance of quantitation methods in the evaluation of cardiac implantable electronic device (CIED) infection: A technical review. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1457-1466.	1.4	31
25	Radionuclide Imaging of Cardiovascular Infection. <i>Cardiology Clinics</i> , 2016, 34, 149-165.	0.9	11
26	Early diagnosis of cardiac implantable electronic device generator pocket infection using 18F-FDG-PET/CT. <i>European Heart Journal Cardiovascular Imaging</i> , 2015, 16, 521-530.	0.5	80
27	Metal artefact reduction algorithms prevent false positive results when assessing patients for cardiac implantable electronic device infection. <i>Journal of Nuclear Cardiology</i> , 2015, 22, 219-220.	1.4	13
28	The evolution of lead extraction. <i>European Heart Journal</i> , 2015, 36, 67.	1.0	0
29	Pacing-induced cardiomyopathy: pathophysiological insights through matrix metalloproteinases. <i>Heart Failure Reviews</i> , 2014, 19, 669-680.	1.7	11
30	Vascular access strategy for delivering long-term antimicrobials to patients with infective endocarditis: device type, risk of infection and mortality. <i>Journal of Hospital Infection</i> , 2013, 83, 46-50.	1.4	6
31	Not All Pacemakers Are Created Equal: MRI Conditional Pacemaker and Lead Technology. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 1059-1065.	0.8	31
32	Atrial fibrillation in heart failure: The sword of damocles revisited. <i>World Journal of Cardiology</i> , 2013, 5, 215.	0.5	21
33	Recurrent collapses following permanent pacemaker implantation. <i>Netherlands Heart Journal</i> , 2012, 20, 86-87.	0.3	0
34	<i>Enterococcus cecorum</i> aortic valve endocarditis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011, 70, 525-527.	0.8	24