

# Charla Nich

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/2283884/charla-nich-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112  
papers

6,993  
citations

47  
h-index

82  
g-index

114  
ext. papers

7,724  
ext. citations

4.7  
avg, IF

5.5  
L-index

#	Paper	IF	Citations
112	Motivational interviewing to improve treatment engagement and outcome in individuals seeking treatment for substance abuse: a multisite effectiveness study. <i>Drug and Alcohol Dependence</i> , <b>2006</b> , 81, 301-12	4.9	362
111	Efficacy of disulfiram and cognitive behavior therapy in cocaine-dependent outpatients: a randomized placebo-controlled trial. <i>Archives of General Psychiatry</i> , <b>2004</b> , 61, 264-72		338
110	A general system for evaluating therapist adherence and competence in psychotherapy research in the addictions. <i>Drug and Alcohol Dependence</i> , <b>2000</b> , 57, 225-38	4.9	307
109	Computer-assisted delivery of cognitive-behavioral therapy for addiction: a randomized trial of CBT4CBT. <i>American Journal of Psychiatry</i> , <b>2008</b> , 165, 881-8	11.9	275
108	Treatment of cocaine and alcohol dependence with psychotherapy and disulfiram. <i>Addiction</i> , <b>1998</b> , 93, 713-27	4.6	274
107	Mindfulness training for smoking cessation: results from a randomized controlled trial. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 119, 72-80	4.9	264
106	Mindfulness training and stress reactivity in substance abuse: results from a randomized, controlled stage I pilot study. <i>Substance Abuse</i> , <b>2009</b> , 30, 306-17	3.8	209
105	Prize reinforcement contingency management for treating cocaine users: how low can we go, and with whom?. <i>Addiction</i> , <b>2004</b> , 99, 349-60	4.6	202
104	The use of contingency management and motivational/skills-building therapy to treat young adults with marijuana dependence. <i>Journal of Consulting and Clinical Psychology</i> , <b>2006</b> , 74, 955-66	6.5	164
103	One-year follow-up of disulfiram and psychotherapy for cocaine-alcohol users: sustained effects of treatment. <i>Addiction</i> , <b>2000</b> , 95, 1335-49	4.6	163
102	Disulfiram treatment for cocaine dependence in methadone-maintained opioid addicts. <i>Addiction</i> , <b>2000</b> , 95, 219-28	4.6	160
101	Targeting behavioral therapies to enhance naltrexone treatment of opioid dependence: efficacy of contingency management and significant other involvement. <i>Archives of General Psychiatry</i> , <b>2001</b> , 58, 755-61		159
100	Naltrexone and disulfiram in patients with alcohol dependence and comorbid psychiatric disorders. <i>Biological Psychiatry</i> , <b>2005</b> , 57, 1128-37	7.9	156
99	Site matters: multisite randomized trial of motivational enhancement therapy in community drug abuse clinics. <i>Journal of Consulting and Clinical Psychology</i> , <b>2007</b> , 75, 556-67	6.5	148
98	Correspondence of motivational enhancement treatment integrity ratings among therapists, supervisors, and observers. <i>Psychotherapy Research</i> , <b>2009</b> , 19, 181-93	3.6	136
97	Enduring effects of a computer-assisted training program for cognitive behavioral therapy: a 6-month follow-up of CBT4CBT. <i>Drug and Alcohol Dependence</i> , <b>2009</b> , 100, 178-81	4.9	135
96	Community program therapist adherence and competence in motivational enhancement therapy. <i>Drug and Alcohol Dependence</i> , <b>2008</b> , 96, 37-48	4.9	129

95	A cognitive behavioral therapy for alcohol-dependent domestic violence offenders: an integrated substance abuse-domestic violence treatment approach (SADV). <i>American Journal on Addictions</i> , <b>2007</b> , 16, 24-31	3.7	116
94	Now you see it, now you don't: A comparison of traditional versus random-effects regression models in the analysis of longitudinal follow-up data from a clinical trial.. <i>Journal of Consulting and Clinical Psychology</i> , <b>1997</b> , 65, 252-261	6.5	113
93	Computer-assisted delivery of cognitive-behavioral therapy: efficacy and durability of CBT4CBT among cocaine-dependent individuals maintained on methadone. <i>American Journal of Psychiatry</i> , <b>2014</b> , 171, 436-44	11.9	109
92	Naltrexone and disulfiram in patients with alcohol dependence and comorbid post-traumatic stress disorder. <i>Biological Psychiatry</i> , <b>2006</b> , 60, 777-83	7.9	108
91	Quality versus quantity: acquisition of coping skills following computerized cognitive-behavioral therapy for substance use disorders. <i>Addiction</i> , <b>2010</b> , 105, 2120-7	4.6	89
90	Randomized Clinical Trial of Computerized and Clinician-Delivered CBT in Comparison With Standard Outpatient Treatment for Substance Use Disorders: Primary Within-Treatment and Follow-Up Outcomes. <i>American Journal of Psychiatry</i> , <b>2018</b> , 175, 853-863	11.9	82
89	A multisite randomized effectiveness trial of motivational enhancement therapy for Spanish-speaking substance users. <i>Journal of Consulting and Clinical Psychology</i> , <b>2009</b> , 77, 993-9	6.5	81
88	Teaching community program clinicians motivational interviewing using expert and train-the-trainer strategies. <i>Addiction</i> , <b>2011</b> , 106, 428-41	4.6	78
87	D-Cycloserine attenuates reactivity to smoking cues in nicotine dependent smokers: a pilot investigation. <i>Drug and Alcohol Dependence</i> , <b>2009</b> , 104, 220-7	4.9	78
86	Intention-to-treat meets missing data: implications of alternate strategies for analyzing clinical trials data. <i>Drug and Alcohol Dependence</i> , <b>2002</b> , 68, 121-30	4.9	73
85	Toward empirical identification of a clinically meaningful indicator of treatment outcome: features of candidate indicators and evaluation of sensitivity to treatment effects and relationship to one year follow up cocaine use outcomes. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 137, 3-19	4.9	72
84	Fluoxetine treatment of depressive disorders in methadone-maintained opioid addicts. <i>Drug and Alcohol Dependence</i> , <b>1998</b> , 50, 221-6	4.9	71
83	The URICA as a measure of motivation to change among treatment-seeking individuals with concurrent alcohol and cocaine problems.. <i>Psychology of Addictive Behaviors</i> , <b>2002</b> , 16, 299-307	3.4	70
82	A methodological analysis of randomized clinical trials of computer-assisted therapies for psychiatric disorders: toward improved standards for an emerging field. <i>American Journal of Psychiatry</i> , <b>2011</b> , 168, 790-9	11.9	68
81	Contingency management to enhance naltrexone treatment of opioid dependence: A randomized clinical trial of reinforcement magnitude.. <i>Experimental and Clinical Psychopharmacology</i> , <b>2002</b> , 10, 54-63 <sup>3,2</sup>		68
80	Utility of Therapist Session Checklists to Monitor Delivery of Coping Skills Treatment for Cocaine Abusers. <i>Psychotherapy Research</i> , <b>1998</b> , 8, 307-320	3.6	68
79	A randomized controlled pilot study of motivational interviewing for patients with psychotic and drug use disorders. <i>Addiction</i> , <b>2006</b> , 101, 1479-92	4.6	66
78	What is usual about "treatment-as-usual"? Data from two multisite effectiveness trials. <i>Journal of Substance Abuse Treatment</i> , <b>2008</b> , 35, 369-79	4.2	65

77	Contribution of the therapeutic alliance to outcome in active versus control psychotherapies.. <i>Journal of Consulting and Clinical Psychology</i> , <b>1997</b> , 65, 510-514	6.5	62
76	Cognitive function and treatment response in a randomized clinical trial of computer-based training in cognitive-behavioral therapy. <i>Substance Use and Misuse</i> , <b>2011</b> , 46, 23-34	2.2	61
75	Practice makes progress? Homework assignments and outcome in treatment of cocaine dependence. <i>Journal of Consulting and Clinical Psychology</i> , <b>2005</b> , 73, 749-55	6.5	60
74	Combining cognitive behavioral therapy and contingency management to enhance their effects in treating cannabis dependence: less can be more, more or less. <i>Addiction</i> , <b>2012</b> , 107, 1650-9	4.6	59
73	Correspondence of motivational interviewing adherence and competence ratings in real and role-played client sessions. <i>Psychological Assessment</i> , <b>2013</b> , 25, 306-12	5.3	59
72	Psychotic spectrum disorders and alcohol abuse: a review of pharmacotherapeutic strategies and a report on the effectiveness of naltrexone and disulfiram. <i>Schizophrenia Bulletin</i> , <b>2006</b> , 32, 644-54	1.3	59
71	Ethnic differences in substance abuse treatment retention, compliance, and outcome from two clinical trials. <i>Psychiatric Services</i> , <b>2004</b> , 55, 167-73	3.3	58
70	Accounting for the uncounted: Physical and affective distress in individuals dropping out of oral naltrexone treatment for opioid use disorder. <i>Drug and Alcohol Dependence</i> , <b>2018</b> , 192, 264-270	4.9	57
69	Utilizing peer mentorship to engage high recidivism substance-abusing patients in treatment. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2011</b> , 37, 525-31	3.7	54
68	Enhancing brief cognitive-behavioral therapy with motivational enhancement techniques in cocaine users. <i>Drug and Alcohol Dependence</i> , <b>2007</b> , 91, 97-101	4.9	54
67	Efficacy of disulfiram and Twelve Step Facilitation in cocaine-dependent individuals maintained on methadone: a randomized placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , <b>2012</b> , 126, 224-31	4.9	50
66	Combining cognitive behavioral therapy with contingency management for smoking cessation in adolescent smokers: a preliminary comparison of two different CBT formats. <i>American Journal on Addictions</i> , <b>2007</b> , 16, 468-74	3.7	49
65	Only connect: The working alliance in computer-based cognitive behavioral therapy. <i>Behaviour Research and Therapy</i> , <b>2014</b> , 63, 139-46	5.2	47
64	Naltrexone and disulfiram in patients with alcohol dependence and current depression. <i>Journal of Clinical Psychopharmacology</i> , <b>2007</b> , 27, 160-5	1.7	47
63	Relationship of cognitive function and the acquisition of coping skills in computer assisted treatment for substance use disorders. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 114, 169-76	4.9	44
62	Gender differences in clinical outcomes for cocaine dependence: randomized clinical trials of behavioral therapy and disulfiram. <i>Drug and Alcohol Dependence</i> , <b>2014</b> , 145, 156-67	4.9	41
61	Psychometric properties of the Positive and Negative Affect Schedule (PANAS) in a heterogeneous sample of substance users. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2016</b> , 42, 203-12	3.7	40
60	Contingency management to enhance naltrexone treatment of opioid dependence: a randomized clinical trial of reinforcement magnitude. <i>Experimental and Clinical Psychopharmacology</i> , <b>2002</b> , 10, 54-63 <sup>3,2</sup>	3.2	40

59	Randomized Trial of Computerized Cognitive Behavioral Therapy for Alcohol Use Disorders: Efficacy as a Virtual Stand-Alone and Treatment Add-On Compared with Standard Outpatient Treatment. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2016</b> , 40, 1991-2000	3.7	39
58	The Effectiveness and Cost of Clinical Supervision for Motivational Interviewing: A Randomized Controlled Trial. <i>Journal of Substance Abuse Treatment</i> , <b>2016</b> , 68, 11-23	4.2	38
57	Alexithymia and Addiction: A Review and Preliminary Data Suggesting Neurobiological Links to Reward/Loss Processing. <i>Current Addiction Reports</i> , <b>2016</b> , 3, 239-248	3.9	37
56	An exploratory randomized controlled trial of a novel high-school-based smoking cessation intervention for adolescent smokers using abstinence-contingent incentives and cognitive behavioral therapy. <i>Drug and Alcohol Dependence</i> , <b>2013</b> , 132, 346-51	4.9	36
55	Sex differences in cocaine-dependent individuals response to disulfiram treatment. <i>Addictive Behaviors</i> , <b>2004</b> , 29, 1123-8	4.2	36
54	Contingency Management to reduce substance use in individuals who are homeless with co-occurring psychiatric disorders. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2007</b> , 33, 253-8	3.7	35
53	Blind man's bluff: Effectiveness and significance of psychotherapy and pharmacotherapy blinding procedures in a clinical trial. <i>Journal of Consulting and Clinical Psychology</i> , <b>1994</b> , 62, 276-280	6.5	35
52	Progesterone Reduces Cocaine Use in Postpartum Women with a Cocaine Use Disorder: A Randomized, Double-Blind Study. <i>Lancet Psychiatry</i> , <b>2014</b> , 1, 360-367	23.3	33
51	Focus on therapeutic alliance: The psychometric properties of six measures across three treatments. <i>Psychotherapy</i> , <b>2001</b> , 38, 1-11	2.5	33
50	A randomized factorial trial of disulfiram and contingency management to enhance cognitive behavioral therapy for cocaine dependence. <i>Drug and Alcohol Dependence</i> , <b>2016</b> , 160, 135-42	4.9	32
49	Evaluating motivational enhancement therapy adherence and competence among Spanish-speaking therapists. <i>Drug and Alcohol Dependence</i> , <b>2009</b> , 103, 44-51	4.9	30
48	Galantamine and Computerized Cognitive Behavioral Therapy for Cocaine Dependence: A Randomized Clinical Trial. <i>Journal of Clinical Psychiatry</i> , <b>2018</b> , 79,	4.6	30
47	The impact of personality disorders on alcohol-use outcomes in a pharmacotherapy trial for alcohol dependence and comorbid Axis I disorders. <i>American Journal on Addictions</i> , <b>2007</b> , 16, 443-9	3.7	28
46	Alexithymia in Cocaine Abusers. <i>American Journal on Addictions</i> , <b>1995</b> , 4, 234-244	3.7	27
45	Research versus real-world patients: representativeness of participants in clinical trials of treatments for cocaine dependence. <i>Drug and Alcohol Dependence</i> , <b>1999</b> , 54, 171-7	4.9	24
44	Treatment process, alliance and outcome in brief versus extended treatments for marijuana dependence. <i>Addiction</i> , <b>2010</b> , 105, 1799-808	4.6	23
43	Informal discussions in substance abuse treatment sessions. <i>Journal of Substance Abuse Treatment</i> , <b>2009</b> , 36, 366-75	4.2	23
42	What happens in treatment doesn't stay in treatment: cocaine abstinence during treatment is associated with fewer problems at follow-up. <i>Journal of Consulting and Clinical Psychology</i> , <b>2014</b> , 82, 619-27	6.5	22

41	Smokers versus snorters: do treatment outcomes differ according to route of cocaine administration?. <i>Experimental and Clinical Psychopharmacology</i> , <b>2013</b> , 21, 490-8	3.2	21
40	Mentorship for Alcohol Problems (MAP): a peer to peer modular intervention for outpatients. <i>Alcohol and Alcoholism</i> , <b>2012</b> , 47, 42-7	3.5	21
39	Development of the Therapist Empathy Scale. <i>Behavioural and Cognitive Psychotherapy</i> , <b>2014</b> , 42, 339-54	4.1	20
38	Community program therapist adherence and competence in a motivational interviewing assessment intake session. <i>American Journal of Drug and Alcohol Abuse</i> , <b>2010</b> , 36, 342-9	3.7	19
37	Millon Clinical Multiaxial Inventory-III subtypes of opioid dependence: validity and matching to behavioral therapies. <i>Journal of Consulting and Clinical Psychology</i> , <b>2004</b> , 72, 698-711	6.5	19
36	Just showing up is not enough: Homework adherence and outcome in cognitive-behavioral therapy for cocaine dependence. <i>Journal of Consulting and Clinical Psychology</i> , <b>2016</b> , 84, 907-12	6.5	19
35	Culturally Adapted, Web-Based Cognitive Behavioral Therapy for Spanish-Speaking Individuals With Substance Use Disorders: A Randomized Clinical Trial. <i>American Journal of Public Health</i> , <b>2018</b> , 108, 1535-1542	5.1	19
34	The development and initial evaluation of the Pornography-Use Avoidance Self-Efficacy Scale. <i>Journal of Behavioral Addictions</i> , <b>2017</b> , 6, 354-363	6.3	18
33	Clinical validation of reduction in cocaine frequency level as an endpoint in clinical trials for cocaine use disorder. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 205, 107648	4.9	17
32	Primary outcomes in two randomized controlled trials of treatments for cannabis use disorders. <i>Drug and Alcohol Dependence</i> , <b>2011</b> , 118, 408-16	4.9	17
31	Alexithymia level and response to computer-based training in cognitive behavioral therapy among cocaine-dependent methadone maintained individuals. <i>Drug and Alcohol Dependence</i> , <b>2015</b> , 152, 157-63	4.9	16
30	Informal discussions in substance abuse treatment sessions with Spanish-speaking clients. <i>Journal of Substance Abuse Treatment</i> , <b>2010</b> , 39, 353-63	4.2	16
29	Cost effectiveness of disulfiram: treating cocaine use in methadone-maintained patients. <i>Journal of Substance Abuse Treatment</i> , <b>2004</b> , 26, 225-32	4.2	16
28	Effect of computerized cognitive behavioral therapy on acquisition of coping skills among cocaine-dependent individuals enrolled in methadone maintenance. <i>Journal of Substance Abuse Treatment</i> , <b>2017</b> , 82, 87-92	4.2	15
27	Drug Stroop: Mechanisms of response to computerized cognitive behavioral therapy for cocaine dependence in a randomized clinical trial. <i>Drug and Alcohol Dependence</i> , <b>2018</b> , 183, 162-168	4.9	14
26	Coping strategy use following computerized cognitive-behavioral therapy for substance use disorders. <i>Psychology of Addictive Behaviors</i> , <b>2010</b> , 24, 689-95	3.4	14
25	Change in DSM-5 Alcohol Use Disorder Criteria Count and Severity Level as a Treatment Outcome Indicator: Results from a Randomized Trial. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2018</b> , 42, 1556-7	3.7	13
24	Assessment concordance and predictive validity of self-report and biological assay of cocaine use in treatment trials. <i>American Journal on Addictions</i> , <b>2014</b> , 23, 466-74	3.7	12

23	Initial validation of a proxy indicator of functioning as a potential tool for establishing a clinically meaningful cocaine use outcome. <i>Drug and Alcohol Dependence</i> , <b>2017</b> , 179, 400-407	4.9	11
22	Short and long-term improvements in psychiatric symptomatology to validate clinically meaningful treatment outcomes for cocaine use disorders. <i>Drug and Alcohol Dependence</i> , <b>2019</b> , 198, 126-132	4.9	11
21	Prompted to treatment by the criminal justice system: Relationships with treatment retention and outcome among cocaine users. <i>American Journal on Addictions</i> , <b>2015</b> , 24, 225-232	3.7	11
20	Neurocognitive indicators predict results of an informed-consent quiz among substance-dependent treatment seekers entering a randomized clinical trial. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2010</b> , 71, 704-12	1.9	11
19	Making consent more informed: preliminary results from a multiple-choice test among probation-referred marijuana users entering a randomized clinical trial. <i>Journal of the American Academy of Psychiatry and the Law</i> , <b>2008</b> , 36, 354-9	1	11
18	Performance-Based Contingency Management in Cognitive Remediation Training: A Pilot Study. <i>Journal of Substance Abuse Treatment</i> , <b>2017</b> , 72, 80-88	4.2	10
17	Patterns of Cocaine Use During Treatment: Associations With Baseline Characteristics and Follow-Up Functioning. <i>Journal of Studies on Alcohol and Drugs</i> , <b>2019</b> , 80, 431-440	1.9	9
16	Double-Blind Placebo-Controlled Trial of Galantamine for Methadone-Maintained Individuals With Cocaine Use Disorder: Secondary Analysis of Effects on Illicit Opioid Use. <i>American Journal on Addictions</i> , <b>2019</b> , 28, 238-245	3.7	9
15	Randomized placebo-controlled trial of galantamine in individuals with cocaine use disorder. <i>Journal of Substance Abuse Treatment</i> , <b>2019</b> , 107, 29-37	4.2	8
14	Preliminary Examination of Adolescent Spending in a Contingency Management Based Smoking Cessation Program. <i>Journal of Child and Adolescent Substance Abuse</i> , <b>2010</b> , 19, 335-342	0.6	6
13	A feasibility study providing substance use treatment in the Black church. <i>Journal of Substance Abuse Treatment</i> , <b>2021</b> , 124, 108218	4.2	6
12	Carvedilol does not reduce cocaine use in methadone-maintained cocaine users. <i>Journal of Substance Abuse Treatment</i> , <b>2017</b> , 73, 63-69	4.2	5
11	Sociodemographic and clinical outcome differences among individuals seeking treatment for cocaine use disorders. The intersection of gender and race. <i>Journal of Substance Abuse Treatment</i> , <b>2019</b> , 106, 65-72	4.2	5
10	Change in employment status and cocaine use treatment outcomes: A secondary analysis across six clinical trials. <i>Journal of Substance Abuse Treatment</i> , <b>2019</b> , 106, 89-96	4.2	4
9	Short- and long-term changes in substance-related coping as mediators of in-person and computerized CBT for alcohol and drug use disorders. <i>Drug and Alcohol Dependence</i> , <b>2020</b> , 212, 108044	4.9	3
8	Risk factors of violence during a 4-week period in a psychiatric outpatient population. <i>Journal of Nervous and Mental Disease</i> , <b>2013</b> , 201, 1021-6	1.8	3
7	Computerized Cognitive Behavioral Therapy for Substance Use Disorders in a Specialized Primary Care Practice: A Randomized Feasibility Trial to Address the RT Component of SBIRT. <i>Journal of Addiction Medicine</i> , <b>2020</b> , 14, e303-e309	3.8	2
6	Positive and negative affect in cocaine use disorder treatment: Change across time and relevance to treatment outcome. <i>American Journal on Addictions</i> , <b>2018</b> , 27, 375	3.7	2

5	To the Editor: Our response to "Substance use improvement depends on Race/Ethnicity: Outpatient treatment disparities observed in a large US national sample". <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 223, 108670	4.9	1
4	Detecting change in psychiatric functioning in clinical trials for cocaine use disorder: sensitivity of the Addiction Severity Index and Brief Symptom Inventory. <i>Drug and Alcohol Dependence</i> , <b>2021</b> , 228, 109070	4.9	1
3	A pilot economic evaluation of computerized cognitive behavioral therapy for alcohol use disorder as an addition and alternative to traditional therapy. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2021</b> , 45, 1109-1121	3.7	
2	Measurement invariance of the Barratt Impulsiveness Scale across black and white adults with cocaine use disorder. <i>Addictive Behaviors</i> , <b>2021</b> , 114, 106721	4.2	
1	Modafinil does not reduce cocaine use in methadone-maintained individuals <b>2022</b> , 2, 100032		