

Charla Nich

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2283884/charla-nich-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

112
papers

6,993
citations

47
h-index

82
g-index

114
ext. papers

7,724
ext. citations

4.7
avg, IF

5.5
L-index

#	Paper	IF	Citations
112	Modafinil does not reduce cocaine use in methadone-maintained individuals 2022 , 2, 100032		
111	A pilot economic evaluation of computerized cognitive behavioral therapy for alcohol use disorder as an addition and alternative to traditional therapy. <i>Alcoholism: Clinical and Experimental Research</i> , 2021 , 45, 1109-1121	3.7	
110	A feasibility study providing substance use treatment in the Black church. <i>Journal of Substance Abuse Treatment</i> , 2021 , 124, 108218	4.2	6
109	To the Editor: Our response to "Substance use improvement depends on Race/Ethnicity: Outpatient treatment disparities observed in a large US national sample". <i>Drug and Alcohol Dependence</i> , 2021 , 223, 108670	4.9	1
108	Measurement invariance of the Barratt Impulsiveness Scale across black and white adults with cocaine use disorder. <i>Addictive Behaviors</i> , 2021 , 114, 106721	4.2	
107	Detecting change in psychiatric functioning in clinical trials for cocaine use disorder: sensitivity of the Addiction Severity Index and Brief Symptom Inventory. <i>Drug and Alcohol Dependence</i> , 2021 , 228, 109070	4.9	1
106	Short- and long-term changes in substance-related coping as mediators of in-person and computerized CBT for alcohol and drug use disorders. <i>Drug and Alcohol Dependence</i> , 2020 , 212, 108044	4.9	3
105	Computerized Cognitive Behavioral Therapy for Substance Use Disorders in a Specialized Primary Care Practice: A Randomized Feasibility Trial to Address the RT Component of SBIRT. <i>Journal of Addiction Medicine</i> , 2020 , 14, e303-e309	3.8	2
104	Sociodemographic and clinical outcome differences among individuals seeking treatment for cocaine use disorders. The intersection of gender and race. <i>Journal of Substance Abuse Treatment</i> , 2019 , 106, 65-72	4.2	5
103	Patterns of Cocaine Use During Treatment: Associations With Baseline Characteristics and Follow-Up Functioning. <i>Journal of Studies on Alcohol and Drugs</i> , 2019 , 80, 431-440	1.9	9
102	Randomized placebo-controlled trial of galantamine in individuals with cocaine use disorder. <i>Journal of Substance Abuse Treatment</i> , 2019 , 107, 29-37	4.2	8
101	Double-Blind Placebo-Controlled Trial of Galantamine for Methadone-Maintained Individuals With Cocaine Use Disorder: Secondary Analysis of Effects on Illicit Opioid Use. <i>American Journal on Addictions</i> , 2019 , 28, 238-245	3.7	9
100	Short and long-term improvements in psychiatric symptomatology to validate clinically meaningful treatment outcomes for cocaine use disorders. <i>Drug and Alcohol Dependence</i> , 2019 , 198, 126-132	4.9	11
99	Change in employment status and cocaine use treatment outcomes: A secondary analysis across six clinical trials. <i>Journal of Substance Abuse Treatment</i> , 2019 , 106, 89-96	4.2	4
98	Clinical validation of reduction in cocaine frequency level as an endpoint in clinical trials for cocaine use disorder. <i>Drug and Alcohol Dependence</i> , 2019 , 205, 107648	4.9	17
97	Drug Stroop: Mechanisms of response to computerized cognitive behavioral therapy for cocaine dependence in a randomized clinical trial. <i>Drug and Alcohol Dependence</i> , 2018 , 183, 162-168	4.9	14
96	Change in DSM-5 Alcohol Use Disorder Criteria Count and Severity Level as a Treatment Outcome Indicator: Results from a Randomized Trial. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 1556-1567	2.7	13

95	Galantamine and Computerized Cognitive Behavioral Therapy for Cocaine Dependence: A Randomized Clinical Trial. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	30
94	Accounting for the uncounted: Physical and affective distress in individuals dropping out of oral naltrexone treatment for opioid use disorder. <i>Drug and Alcohol Dependence</i> , 2018 , 192, 264-270	4.9	57
93	Culturally Adapted, Web-Based Cognitive Behavioral Therapy for Spanish-Speaking Individuals With Substance Use Disorders: A Randomized Clinical Trial. <i>American Journal of Public Health</i> , 2018 , 108, 1535-1542	5.1	19
92	Randomized Clinical Trial of Computerized and Clinician-Delivered CBT in Comparison With Standard Outpatient Treatment for Substance Use Disorders: Primary Within-Treatment and Follow-Up Outcomes. <i>American Journal of Psychiatry</i> , 2018 , 175, 853-863	11.9	82
91	Positive and negative affect in cocaine use disorder treatment: Change across time and relevance to treatment outcome. <i>American Journal on Addictions</i> , 2018 , 27, 375	3.7	2
90	Carvedilol does not reduce cocaine use in methadone-maintained cocaine users. <i>Journal of Substance Abuse Treatment</i> , 2017 , 73, 63-69	4.2	5
89	Initial validation of a proxy indicator of functioning as a potential tool for establishing a clinically meaningful cocaine use outcome. <i>Drug and Alcohol Dependence</i> , 2017 , 179, 400-407	4.9	11
88	Effect of computerized cognitive behavioral therapy on acquisition of coping skills among cocaine-dependent individuals enrolled in methadone maintenance. <i>Journal of Substance Abuse Treatment</i> , 2017 , 82, 87-92	4.2	15
87	The development and initial evaluation of the Pornography-Use Avoidance Self-Efficacy Scale. <i>Journal of Behavioral Addictions</i> , 2017 , 6, 354-363	6.3	18
86	Performance-Based Contingency Management in Cognitive Remediation Training: A Pilot Study. <i>Journal of Substance Abuse Treatment</i> , 2017 , 72, 80-88	4.2	10
85	Alexithymia and Addiction: A Review and Preliminary Data Suggesting Neurobiological Links to Reward/Loss Processing. <i>Current Addiction Reports</i> , 2016 , 3, 239-248	3.9	37
84	A randomized factorial trial of disulfiram and contingency management to enhance cognitive behavioral therapy for cocaine dependence. <i>Drug and Alcohol Dependence</i> , 2016 , 160, 135-42	4.9	32
83	Psychometric properties of the Positive and Negative Affect Schedule (PANAS) in a heterogeneous sample of substance users. <i>American Journal of Drug and Alcohol Abuse</i> , 2016 , 42, 203-12	3.7	40
82	The Effectiveness and Cost of Clinical Supervision for Motivational Interviewing: A Randomized Controlled Trial. <i>Journal of Substance Abuse Treatment</i> , 2016 , 68, 11-23	4.2	38
81	Just showing up is not enough: Homework adherence and outcome in cognitive-behavioral therapy for cocaine dependence. <i>Journal of Consulting and Clinical Psychology</i> , 2016 , 84, 907-12	6.5	19
80	Randomized Trial of Computerized Cognitive Behavioral Therapy for Alcohol Use Disorders: Efficacy as a Virtual Stand-Alone and Treatment Add-On Compared with Standard Outpatient Treatment. <i>Alcoholism: Clinical and Experimental Research</i> , 2016 , 40, 1991-2000	3.7	39
79	Alexithymia level and response to computer-based training in cognitive behavioral therapy among cocaine-dependent methadone maintained individuals. <i>Drug and Alcohol Dependence</i> , 2015 , 152, 157-63	4.9	16
78	Prompted to treatment by the criminal justice system: Relationships with treatment retention and outcome among cocaine users. <i>American Journal on Addictions</i> , 2015 , 24, 225-232	3.7	11

77	Only connect: The working alliance in computer-based cognitive behavioral therapy. <i>Behaviour Research and Therapy</i> , 2014 , 63, 139-46	5.2	47
76	Progesterone Reduces Cocaine Use in Postpartum Women with a Cocaine Use Disorder: A Randomized, Double-Blind Study. <i>Lancet Psychiatry</i> , 2014 , 1, 360-367	23.3	33
75	What happens in treatment doesn't stay in treatment: cocaine abstinence during treatment is associated with fewer problems at follow-up. <i>Journal of Consulting and Clinical Psychology</i> , 2014 , 82, 619-27	6.5	22
74	Gender differences in clinical outcomes for cocaine dependence: randomized clinical trials of behavioral therapy and disulfiram. <i>Drug and Alcohol Dependence</i> , 2014 , 145, 156-67	4.9	41
73	Assessment concordance and predictive validity of self-report and biological assay of cocaine use in treatment trials. <i>American Journal on Addictions</i> , 2014 , 23, 466-74	3.7	12
72	Development of the Therapist Empathy Scale. <i>Behavioural and Cognitive Psychotherapy</i> , 2014 , 42, 339-54	4.1	20
71	Computer-assisted delivery of cognitive-behavioral therapy: efficacy and durability of CBT among cocaine-dependent individuals maintained on methadone. <i>American Journal of Psychiatry</i> , 2014 , 171, 436-44	11.9	109
70	Toward empirical identification of a clinically meaningful indicator of treatment outcome: features of candidate indicators and evaluation of sensitivity to treatment effects and relationship to one year follow up cocaine use outcomes. <i>Drug and Alcohol Dependence</i> , 2014 , 137, 3-19	4.9	72
69	An exploratory randomized controlled trial of a novel high-school-based smoking cessation intervention for adolescent smokers using abstinence-contingent incentives and cognitive behavioral therapy. <i>Drug and Alcohol Dependence</i> , 2013 , 132, 346-51	4.9	36
68	Correspondence of motivational interviewing adherence and competence ratings in real and role-played client sessions. <i>Psychological Assessment</i> , 2013 , 25, 306-12	5.3	59
67	Risk factors of violence during a 4-week period in a psychiatric outpatient population. <i>Journal of Nervous and Mental Disease</i> , 2013 , 201, 1021-6	1.8	3
66	Smokers versus snorters: do treatment outcomes differ according to route of cocaine administration?. <i>Experimental and Clinical Psychopharmacology</i> , 2013 , 21, 490-8	3.2	21
65	Combining cognitive behavioral therapy and contingency management to enhance their effects in treating cannabis dependence: less can be more, more or less. <i>Addiction</i> , 2012 , 107, 1650-9	4.6	59
64	Efficacy of disulfiram and Twelve Step Facilitation in cocaine-dependent individuals maintained on methadone: a randomized placebo-controlled trial. <i>Drug and Alcohol Dependence</i> , 2012 , 126, 224-31	4.9	50
63	Mentorship for Alcohol Problems (MAP): a peer to peer modular intervention for outpatients. <i>Alcohol and Alcoholism</i> , 2012 , 47, 42-7	3.5	21
62	Primary outcomes in two randomized controlled trials of treatments for cannabis use disorders. <i>Drug and Alcohol Dependence</i> , 2011 , 118, 408-16	4.9	17
61	Mindfulness training for smoking cessation: results from a randomized controlled trial. <i>Drug and Alcohol Dependence</i> , 2011 , 119, 72-80	4.9	264
60	Teaching community program clinicians motivational interviewing using expert and train-the-trainer strategies. <i>Addiction</i> , 2011 , 106, 428-41	4.6	78

59	Relationship of cognitive function and the acquisition of coping skills in computer assisted treatment for substance use disorders. <i>Drug and Alcohol Dependence</i> , 2011 , 114, 169-76	4.9	44
58	A methodological analysis of randomized clinical trials of computer-assisted therapies for psychiatric disorders: toward improved standards for an emerging field. <i>American Journal of Psychiatry</i> , 2011 , 168, 790-9	11.9	68
57	Cognitive function and treatment response in a randomized clinical trial of computer-based training in cognitive-behavioral therapy. <i>Substance Use and Misuse</i> , 2011 , 46, 23-34	2.2	61
56	Utilizing peer mentorship to engage high recidivism substance-abusing patients in treatment. <i>American Journal of Drug and Alcohol Abuse</i> , 2011 , 37, 525-31	3.7	54
55	Treatment process, alliance and outcome in brief versus extended treatments for marijuana dependence. <i>Addiction</i> , 2010 , 105, 1799-808	4.6	23
54	Quality versus quantity: acquisition of coping skills following computerized cognitive-behavioral therapy for substance use disorders. <i>Addiction</i> , 2010 , 105, 2120-7	4.6	89
53	Neurocognitive indicators predict results of an informed-consent quiz among substance-dependent treatment seekers entering a randomized clinical trial. <i>Journal of Studies on Alcohol and Drugs</i> , 2010 , 71, 704-12	1.9	11
52	Informal discussions in substance abuse treatment sessions with Spanish-speaking clients. <i>Journal of Substance Abuse Treatment</i> , 2010 , 39, 353-63	4.2	16
51	Preliminary Examination of Adolescent Spending in a Contingency Management Based Smoking Cessation Program. <i>Journal of Child and Adolescent Substance Abuse</i> , 2010 , 19, 335-342	0.6	6
50	Community program therapist adherence and competence in a motivational interviewing assessment intake session. <i>American Journal of Drug and Alcohol Abuse</i> , 2010 , 36, 342-9	3.7	19
49	Coping strategy use following computerized cognitive-behavioral therapy for substance use disorders. <i>Psychology of Addictive Behaviors</i> , 2010 , 24, 689-95	3.4	14
48	Enduring effects of a computer-assisted training program for cognitive behavioral therapy: a 6-month follow-up of CBT4CBT. <i>Drug and Alcohol Dependence</i> , 2009 , 100, 178-81	4.9	135
47	Evaluating motivational enhancement therapy adherence and competence among Spanish-speaking therapists. <i>Drug and Alcohol Dependence</i> , 2009 , 103, 44-51	4.9	30
46	D-Cycloserine attenuates reactivity to smoking cues in nicotine dependent smokers: a pilot investigation. <i>Drug and Alcohol Dependence</i> , 2009 , 104, 220-7	4.9	78
45	Informal discussions in substance abuse treatment sessions. <i>Journal of Substance Abuse Treatment</i> , 2009 , 36, 366-75	4.2	23
44	Correspondence of motivational enhancement treatment integrity ratings among therapists, supervisors, and observers. <i>Psychotherapy Research</i> , 2009 , 19, 181-93	3.6	136
43	Mindfulness training and stress reactivity in substance abuse: results from a randomized, controlled stage I pilot study. <i>Substance Abuse</i> , 2009 , 30, 306-17	3.8	209
42	A multisite randomized effectiveness trial of motivational enhancement therapy for Spanish-speaking substance users. <i>Journal of Consulting and Clinical Psychology</i> , 2009 , 77, 993-9	6.5	81

41	What is usual about "treatment-as-usual"? Data from two multisite effectiveness trials. <i>Journal of Substance Abuse Treatment</i> , 2008 , 35, 369-79	4.2	65
40	Community program therapist adherence and competence in motivational enhancement therapy. <i>Drug and Alcohol Dependence</i> , 2008 , 96, 37-48	4.9	129
39	Computer-assisted delivery of cognitive-behavioral therapy for addiction: a randomized trial of CBT4CBT. <i>American Journal of Psychiatry</i> , 2008 , 165, 881-8	11.9	275
38	Making consent more informed: preliminary results from a multiple-choice test among probation-referred marijuana users entering a randomized clinical trial. <i>Journal of the American Academy of Psychiatry and the Law</i> , 2008 , 36, 354-9	1	11
37	A cognitive behavioral therapy for alcohol-dependent domestic violence offenders: an integrated substance abuse-domestic violence treatment approach (SADV). <i>American Journal on Addictions</i> , 2007 , 16, 24-31	3.7	116
36	Combining cognitive behavioral therapy with contingency management for smoking cessation in adolescent smokers: a preliminary comparison of two different CBT formats. <i>American Journal on Addictions</i> , 2007 , 16, 468-74	3.7	49
35	The impact of personality disorders on alcohol-use outcomes in a pharmacotherapy trial for alcohol dependence and comorbid Axis I disorders. <i>American Journal on Addictions</i> , 2007 , 16, 443-9	3.7	28
34	Contingency Management to reduce substance use in individuals who are homeless with co-occurring psychiatric disorders. <i>American Journal of Drug and Alcohol Abuse</i> , 2007 , 33, 253-8	3.7	35
33	Site matters: multisite randomized trial of motivational enhancement therapy in community drug abuse clinics. <i>Journal of Consulting and Clinical Psychology</i> , 2007 , 75, 556-67	6.5	148
32	Naltrexone and disulfiram in patients with alcohol dependence and current depression. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 160-5	1.7	47
31	Enhancing brief cognitive-behavioral therapy with motivational enhancement techniques in cocaine users. <i>Drug and Alcohol Dependence</i> , 2007 , 91, 97-101	4.9	54
30	Naltrexone and disulfiram in patients with alcohol dependence and comorbid post-traumatic stress disorder. <i>Biological Psychiatry</i> , 2006 , 60, 777-83	7.9	108
29	Motivational interviewing to improve treatment engagement and outcome in individuals seeking treatment for substance abuse: a multisite effectiveness study. <i>Drug and Alcohol Dependence</i> , 2006 , 81, 301-12	4.9	362
28	The use of contingency management and motivational/skills-building therapy to treat young adults with marijuana dependence. <i>Journal of Consulting and Clinical Psychology</i> , 2006 , 74, 955-66	6.5	164
27	A randomized controlled pilot study of motivational interviewing for patients with psychotic and drug use disorders. <i>Addiction</i> , 2006 , 101, 1479-92	4.6	66
26	Psychotic spectrum disorders and alcohol abuse: a review of pharmacotherapeutic strategies and a report on the effectiveness of naltrexone and disulfiram. <i>Schizophrenia Bulletin</i> , 2006 , 32, 644-54	1.3	59
25	Naltrexone and disulfiram in patients with alcohol dependence and comorbid psychiatric disorders. <i>Biological Psychiatry</i> , 2005 , 57, 1128-37	7.9	156
24	Practice makes progress? Homework assignments and outcome in treatment of cocaine dependence. <i>Journal of Consulting and Clinical Psychology</i> , 2005 , 73, 749-55	6.5	60

23	Efficacy of disulfiram and cognitive behavior therapy in cocaine-dependent outpatients: a randomized placebo-controlled trial. <i>Archives of General Psychiatry</i> , 2004 , 61, 264-72		338
22	Prize reinforcement contingency management for treating cocaine users: how low can we go, and with whom?. <i>Addiction</i> , 2004 , 99, 349-60	4.6	202
21	Sex differences in cocaine-dependent individualsResponse to disulfiram treatment. <i>Addictive Behaviors</i> , 2004 , 29, 1123-8	4.2	36
20	Cost effectiveness of disulfiram: treating cocaine use in methadone-maintained patients. <i>Journal of Substance Abuse Treatment</i> , 2004 , 26, 225-32	4.2	16
19	Ethnic differences in substance abuse treatment retention, compliance, and outcome from two clinical trials. <i>Psychiatric Services</i> , 2004 , 55, 167-73	3.3	58
18	Millon Clinical Multiaxial Inventory-III subtypes of opioid dependence: validity and matching to behavioral therapies. <i>Journal of Consulting and Clinical Psychology</i> , 2004 , 72, 698-711	6.5	19
17	Contingency management to enhance naltrexone treatment of opioid dependence: A randomized clinical trial of reinforcement magnitude.. <i>Experimental and Clinical Psychopharmacology</i> , 2002 , 10, 54-63 ^{3.2}		68
16	The URICA as a measure of motivation to change among treatment-seeking individuals with concurrent alcohol and cocaine problems.. <i>Psychology of Addictive Behaviors</i> , 2002 , 16, 299-307	3.4	70
15	Intention-to-treat meets missing data: implications of alternate strategies for analyzing clinical trials data. <i>Drug and Alcohol Dependence</i> , 2002 , 68, 121-30	4.9	73
14	Contingency management to enhance naltrexone treatment of opioid dependence: a randomized clinical trial of reinforcement magnitude. <i>Experimental and Clinical Psychopharmacology</i> , 2002 , 10, 54-63 ^{3.2}		40
13	Focus on therapeutic alliance: The psychometric properties of six measures across three treatments.. <i>Psychotherapy</i> , 2001 , 38, 1-11	2.5	33
12	Targeting behavioral therapies to enhance naltrexone treatment of opioid dependence: efficacy of contingency management and significant other involvement. <i>Archives of General Psychiatry</i> , 2001 , 58, 755-61		159
11	Disulfiram treatment for cocaine dependence in methadone-maintained opioid addicts. <i>Addiction</i> , 2000 , 95, 219-28	4.6	160
10	One-year follow-up of disulfiram and psychotherapy for cocaine-alcohol users: sustained effects of treatment. <i>Addiction</i> , 2000 , 95, 1335-49	4.6	163
9	A general system for evaluating therapist adherence and competence in psychotherapy research in the addictions. <i>Drug and Alcohol Dependence</i> , 2000 , 57, 225-38	4.9	307
8	ResearchVersus Real-worldPatients: representativeness of participants in clinical trials of treatments for cocaine dependence. <i>Drug and Alcohol Dependence</i> , 1999 , 54, 171-7	4.9	24
7	Treatment of cocaine and alcohol dependence with psychotherapy and disulfiram. <i>Addiction</i> , 1998 , 93, 713-27	4.6	274
6	Fluoxetine treatment of depressive disorders in methadone-maintained opioid addicts. <i>Drug and Alcohol Dependence</i> , 1998 , 50, 221-6	4.9	71

5	Utility of Therapist Session Checklists to Monitor Delivery of Coping Skills Treatment for Cocaine Abusers. <i>Psychotherapy Research</i> , 1998 , 8, 307-320	3.6	68
4	Now you see it, now you don't: A comparison of traditional versus random-effects regression models in the analysis of longitudinal follow-up data from a clinical trial.. <i>Journal of Consulting and Clinical Psychology</i> , 1997 , 65, 252-261	6.5	113
3	Contribution of the therapeutic alliance to outcome in active versus control psychotherapies.. <i>Journal of Consulting and Clinical Psychology</i> , 1997 , 65, 510-514	6.5	62
2	Alexithymia in Cocaine Abusers. <i>American Journal on Addictions</i> , 1995 , 4, 234-244	3.7	27
1	Blind man's bluff: Effectiveness and significance of psychotherapy and pharmacotherapy blinding procedures in a clinical trial.. <i>Journal of Consulting and Clinical Psychology</i> , 1994 , 62, 276-280	6.5	35