

Jiumao Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2284270/publications.pdf>

Version: 2024-02-01

71
papers

1,628
citations

236612

25
h-index

360668

35
g-index

72
all docs

72
docs citations

72
times ranked

1867
citing authors

#	ARTICLE	IF	CITATIONS
1	GPC2 deficiency inhibits cell growth and metastasis in colon adenocarcinoma. <i>Open Medicine (Poland)</i> , 2022, 17, 304-316.	0.6	2
2	Based on the Network Pharmacology to Investigate the Mechanism of Qingjie Fuzheng Granules against Colorectal Cancer. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-14.	0.5	0
3	Qingjie Fuzheng Granule suppresses lymphangiogenesis in colorectal cancer via the VEGF-C/VEGFR-3 dependent PI3K/AKT pathway. <i>Biomedicine and Pharmacotherapy</i> , 2021, 137, 111331.	2.5	15
4	Babao Dan Reverses Multiple-Drug Resistance in Gastric Cancer Cells via Triggering Apoptosis and Autophagy and Inhibiting PI3K/AKT/mTOR Signaling. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-13.	0.5	6
5	Anlotinib Overcomes Multiple Drug Resistant Colorectal Cancer Cells via Inactivating PI3K/AKT Pathway. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2021, 21, 1987-1995.	0.9	14
6	Quantification and discovery of quality control chemical markers for Ba-Bao-Dan by UPLC-MS/MS combined with chemometrics. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021, 204, 114273.	1.4	10
7	Qingjie Fuzheng Granule Inhibits EMT and Induces Autophagy in Colorectal Cancer via mTOR Signaling Pathways. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-10.	0.5	8
8	Identification of mini-chromosome maintenance 8 as a potential prognostic marker and its effects on proliferation and apoptosis in gastric cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 14415-14425.	1.6	14
9	Qingjie Fuzheng Granule Inhibited the Migration and Invasion of Colorectal Cancer Cells by Regulating the lncRNA ANRIL/let-7a/TGF- β 1/Smad Axis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020, 2020, 1-9.	0.5	7
10	Babao Dan inhibits the migration and invasion of gastric cancer cells by suppressing epithelial-mesenchymal transition through the TGF- β 2/Smad pathway. <i>Journal of International Medical Research</i> , 2020, 48, 030006052092559.	0.4	10
11	Down-regulated Solute Carrier Family 4 Member 4 Predicts Poor Progression in Colorectal Cancer. <i>Journal of Cancer</i> , 2020, 11, 3675-3684.	1.2	13
12	Downregulation of CLCA4 expression is associated with the development and progression of colorectal cancer. <i>Oncology Letters</i> , 2020, 20, 631-638.	0.8	9
13	Qingjie Fuzheng Granule attenuates 5-fluorouracil-induced intestinal mucosal damage. <i>Biomedicine and Pharmacotherapy</i> , 2019, 118, 109223.	2.5	25
14	Spica Prunellae Extract Enhances Fluorouracil Sensitivity of 5-Fluorouracil-Resistant Human Colon Carcinoma HCT-8/5-FU Cells via TOP2 α and miR-494. <i>BioMed Research International</i> , 2019, 2019, 1-12.	0.9	10
15	Babao Dan induces gastric cancer cell apoptosis via regulating MAPK and NF- κ B signaling pathways. <i>Journal of International Medical Research</i> , 2019, 47, 5106-5119.	0.4	17
16	EBF1-Mediated Upregulation of Ribosome Assembly Factor PNO1 Contributes to Cancer Progression by Negatively Regulating the p53 Signaling Pathway. <i>Cancer Research</i> , 2019, 79, 2257-2270.	0.4	49
17	Cell division cycle associated 5 promotes colorectal cancer progression by activating the ERK signaling pathway. <i>Oncogenesis</i> , 2019, 8, 19.	2.1	37
18	Synergistic effect of kaempferol and 5-fluorouracil on the growth of colorectal cancer cells by regulating the PI3K/Akt signaling pathway. <i>Molecular Medicine Reports</i> , 2019, 20, 728-734.	1.1	41

#	ARTICLE	IF	CITATIONS
19	Hedyotis diffusa Willd. inhibits VEGF-mediated lymphangiogenesis in colorectal cancer via multiple signaling pathways. <i>Oncology Reports</i> , 2019, 42, 1225-1236.	1.2	10
20	Hedyotis diffusa Willd reduces migration and invasion through inhibition of TGF- β -induced EMT in colorectal cancer cells. <i>European Journal of Integrative Medicine</i> , 2018, 23, 57-63.	0.8	4
21	Qianliening Capsule Promotes Mitochondrial Pathway Mediated the Apoptosis of Benign Prostatic Hyperplasia Epithelial-1 Cells by Regulating the miRNA-181a. <i>International Journal of Gerontology</i> , 2018, 12, 244-250.	0.7	3
22	A Traditional Chinese Medicine Herb Mixture Qingjie Fuzheng Granules Inhibits Hepatocellular Carcinoma Cells Growth by Inducing Apoptosis. <i>Journal of Evidence-based Integrative Medicine</i> , 2018, 23, 2515690X1878963.	1.4	9
23	Cationic nanomicelles derived from Pluronic F127 as delivery vehicles of Chinese herbal medicine active components of ursolic acid for colorectal cancer treatment. <i>RSC Advances</i> , 2018, 8, 15906-15914.	1.7	12
24	Comparative proteomics network analysis of proteins responsible for ursolic acid-induced cytotoxicity in colorectal cancer cells. <i>Tumor Biology</i> , 2017, 39, 101042831769501.	0.8	9
25	Scutellaria barbata D. Don inhibits 5-fluorouracil resistance in colorectal cancer by regulating PI3K/AKT pathway. <i>Oncology Reports</i> , 2017, 38, 2293-2300.	1.2	29
26	Pien Tze Huang alleviates 5-fluorouracil-induced intestinal mucositis in CT-26 tumor-bearing mice. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 2291-2297.	0.8	17
27	Protective effects of Shexiang Tongxin Dropping Pill on pituitrin-induced acute myocardial ischemia in rats. <i>Molecular Medicine Reports</i> , 2017, 16, 3125-3132.	1.1	22
28	Chloroform extract of Hedyotis diffusa Willd inhibits viability of human colorectal cancer cells via suppression of AKT and ERK signaling pathways. <i>Oncology Letters</i> , 2017, 14, 7923-7930.	0.8	9
29	Hedyotis diffusa willd extract suppresses colorectal cancer growth through multiple cellular pathways. <i>Oncology Letters</i> , 2017, 14, 8197-8205.	0.8	21
30	Scutellaria barbata D. Don inhibits migration and invasion of colorectal cancer cells via suppression of PI3K/AKT and TGF- β /Smad signaling pathways. <i>Experimental and Therapeutic Medicine</i> , 2017, 14, 5527-5534.	0.8	31
31	Anticancer Properties of Traditional Chinese Medicine. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2017, 20, 423-429.	0.6	106
32	Hedyotis diffusa Willd suppresses metastasis in 5-fluorouracil-resistant colorectal cancer cells by regulating the TGF- β signaling pathway. <i>Molecular Medicine Reports</i> , 2017, 16, 7752-7758.	1.1	24
33	Hedyotis diffusa Willd inhibits proliferation and induces apoptosis of 5-FU resistant colorectal cancer cells by regulating the PI3K/AKT signaling pathway. <i>Molecular Medicine Reports</i> , 2017, 17, 358-365.	1.1	19
34	Pien Tze Huang inhibits the proliferation, and induces the apoptosis and differentiation of colorectal cancer stem cells via suppression of the Notch1 pathway. <i>Oncology Reports</i> , 2016, 35, 511-517.	1.2	22
35	Poly (dopamine) coated superparamagnetic iron oxide nanocluster for noninvasive labeling, tracking and targeted delivery of adipose tissue-derived stem cells. <i>Scientific Reports</i> , 2016, 6, 18746.	1.6	39
36	Pien Tze Huang suppresses VEGF-C-mediated lymphangiogenesis in colorectal cancer. <i>Oncology Reports</i> , 2016, 36, 3568-3576.	1.2	19

#	ARTICLE	IF	CITATIONS
37	Oleanolic acid inhibits colorectal cancer angiogenesis in vivo and in vitro via suppression of STAT3 and Hedgehog pathways. <i>Molecular Medicine Reports</i> , 2016, 13, 5276-5282.	1.1	28
38	Inhibitory effects of <i>Hedyotis diffusa</i> Willd. on colorectal cancer stem cells. <i>Oncology Letters</i> , 2016, 11, 3875-3881.	0.8	31
39	<i>Artemisia capillaris</i> formula inhibits hepatic steatosis via an miR-122-induced decrease in fatty acid synthase expression in vivo and in vitro. <i>Molecular Medicine Reports</i> , 2016, 13, 4751-4758.	1.1	8
40	<i>Hedyotis diffusa</i> Willd overcomes 5-fluorouracil resistance in human colorectal cancer HCT-8/5-FU cells by downregulating the expression of P-glycoprotein and ATP-binding cassette subfamily G member 2. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 1845-1850.	0.8	28
41	Ethyl acetate extract of <i>Hypericum japonicum</i> induces apoptosis via the mitochondria-dependent pathway in vivo and in vitro. <i>Molecular Medicine Reports</i> , 2015, 12, 4851-4858.	1.1	8
42	Inhibition of the signal transducer and activator of transcription 3 signaling pathway by Qianliening capsules suppresses the growth and induces the apoptosis of human prostate cells. <i>Molecular Medicine Reports</i> , 2015, 11, 2207-2214.	1.1	5
43	Qianliening capsules influence the apoptosis of benign prostatic hyperplasia epithelial-1 cells by regulating the extracellular matrix. <i>Molecular Medicine Reports</i> , 2015, 11, 3734-3740.	1.1	2
44	<i>Scutellaria barbata</i> D. Don inhibits growth and induces apoptosis by suppressing IL-6-inducible STAT3 pathway activation in human colorectal cancer cells. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 1602-1608.	0.8	25
45	Anti-proliferative effects of qianliening capsules on prostatic hyperplasia in vitro and in vivo. <i>Molecular Medicine Reports</i> , 2015, 12, 1699-1708.	1.1	13
46	Preconditioning with Gua Lou Gui Zhi decoction enhances H ₂ O ₂ -induced Nrf2/HO-1 activation in PC12 cells. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 877-884.	0.8	5
47	Ethanol extract of <i>Tulipa edulis</i> Bak induces apoptosis in SGC-7901 human gastric carcinoma cells via the mitochondrial signaling pathway. <i>Oncology Letters</i> , 2015, 10, 2371-2377.	0.8	6
48	Qualitative and Quantitative Analysis of the Major Constituents in Shexiang Tongxin Dropping Pill by HPLC-Q-TOF-MS/MS and UPLC-QqQ-MS/MS. <i>Molecules</i> , 2015, 20, 18597-18619.	1.7	44
49	miRNA Regulation Network Analysis in Qianliening Capsule Treatment of Benign Prostatic Hyperplasia. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-9.	0.5	3
50	Pien Tze Huang Inhibits Hypoxia-Induced Angiogenesis via HIF-1 α /VEGF-A Pathway in Colorectal Cancer. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015, 2015, 1-8.	0.5	18
51	Pien Tze Huang inhibits metastasis of human colorectal carcinoma cells via modulation of TGF- β 1/ZEB/miR-200 signaling network. <i>International Journal of Oncology</i> , 2015, 46, 685-690.	1.4	39
52	Oleanolic acid modulates multiple intracellular targets to inhibit colorectal cancer growth. <i>International Journal of Oncology</i> , 2015, 47, 2247-2254.	1.4	37
53	<i>Hedyotis diffusa</i> Willd. extract suppresses proliferation and induces apoptosis via IL-6-inducible STAT3 pathway inactivation in human colorectal cancer cells. <i>Oncology Letters</i> , 2015, 9, 1962-1970.	0.8	43
54	Pien Tze Huang inhibits hypoxia-induced epithelial-mesenchymal transition in human colon carcinoma cells through suppression of the HIF-1 pathway. <i>Experimental and Therapeutic Medicine</i> , 2014, 7, 1237-1242.	0.8	19

#	ARTICLE	IF	CITATIONS
55	Pien Tze Huang Overcomes Multidrug Resistance and Epithelial-Mesenchymal Transition in Human Colorectal Carcinoma Cells via Suppression of TGF- β 2 Pathway. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-10.	0.5	27
56	Chloroform fraction of <i>Scutellaria barbata</i> D. Don promotes apoptosis and suppresses proliferation in human colon cancer cells. Molecular Medicine Reports, 2014, 9, 701-706.	1.1	29
57	<i>Scutellaria Barbata</i> D Don Inhibits Colorectal Cancer Growth via Suppression of Multiple Signaling Pathways. Integrative Cancer Therapies, 2014, 13, 240-248.	0.8	41
58	Qianliening capsule inhibits benign prostatic hyperplasia angiogenesis via the HIF-1 α signaling pathway. Experimental and Therapeutic Medicine, 2014, 8, 118-124.	0.8	9
59	Ursolic acid inhibits colorectal cancer angiogenesis through suppression of multiple signaling pathways. International Journal of Oncology, 2013, 43, 1666-1674.	1.4	73
60	Qianliening capsule treats benign prostatic hyperplasia via suppression of the EGF/STAT3 signaling pathway. Experimental and Therapeutic Medicine, 2013, 5, 1293-1300.	0.8	17
61	Ursolic acid promotes colorectal cancer cell apoptosis and inhibits cell proliferation via modulation of multiple signaling pathways. International Journal of Oncology, 2013, 43, 1235-1243.	1.4	26
62	Qianliening capsule treats benign prostatic hyperplasia via induction of prostatic cell apoptosis. Molecular Medicine Reports, 2013, 7, 848-854.	1.1	16
63	Hedyotis diffusa Willd extract suppresses Sonic hedgehog signaling leading to the inhibition of colorectal cancer angiogenesis. International Journal of Oncology, 2013, 42, 651-656.	1.4	56
64	Pien Tze Huang inhibits tumor angiogenesis in a mouse model of colorectal cancer via suppression of multiple cellular pathways. Oncology Reports, 2013, 30, 1701-1706.	1.2	33
65	Hedyotis diffusa Willd Inhibits Colorectal Cancer Growth in Vivo via Inhibition of STAT3 Signaling Pathway. International Journal of Molecular Sciences, 2012, 13, 6117-6128.	1.8	73
66	Hedyotis diffusa Willd extract inhibits HT-29 cell proliferation via cell cycle arrest. Experimental and Therapeutic Medicine, 2012, 4, 307-310.	0.8	27
67	Pien Tze Huang suppresses IL-6-inducible STAT3 activation in human colon carcinoma cells through induction of SOCS3. Oncology Reports, 2012, 28, 2125-2130.	1.2	34
68	Pien Tze Huang inhibits the proliferation of human colon carcinoma cells by arresting G1/S cell cycle progression. Oncology Letters, 2012, 4, 767-770.	0.8	19
69	Hepatoprotection in a Rat Model of Acute Liver Damage Through Inhibition of CYP2E1 Activity by Total Alkaloids Extracted From <i>Rubus alceifolius</i> Poir. International Journal of Toxicology, 2011, 30, 237-243.	0.6	16
70	Effect of Hedyotis Diffusa Willd extract on tumor angiogenesis. Molecular Medicine Reports, 2011, 4, 1283-8.	1.1	43
71	Hedyotis Diffusa Willd extract induces apoptosis via activation of the mitochondrion-dependent pathway in human colon carcinoma cells. International Journal of Oncology, 2010, 37, 1331-8.	1.4	35