

Antonio González-Páez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2284970/publications.pdf>

Version: 2024-02-01

86
papers

4,720
citations

126907

33
h-index

110387

64
g-index

90
all docs

90
docs citations

90
times ranked

7075
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | New insights into the genetic etiology of Alzheimer's disease and related dementias. <i>Nature Genetics</i> , 2022, 54, 412-436. | 21.4 | 700 |
| 2 | Risk of upper gastrointestinal ulcer bleeding associated with selective cyclo-oxygenase-2 inhibitors, traditional non-aspirin non-steroidal anti-inflammatory drugs, aspirin and combinations. <i>Gut</i> , 2006, 55, 1731-1738. | 12.1 | 424 |
| 3 | Effect of Antisecretory Drugs and Nitrates on the Risk of Ulcer Bleeding Associated With Nonsteroidal Anti-Inflammatory Drugs, Antiplatelet Agents, and Anticoagulants. <i>American Journal of Gastroenterology</i> , 2007, 102, 507-515. | 0.4 | 264 |
| 4 | A novel Alzheimer disease locus located near the gene encoding tau protein. <i>Molecular Psychiatry</i> , 2016, 21, 108-117. | 7.9 | 260 |
| 5 | Nonsteroidal Antiinflammatory Drugs and the Risk of Myocardial Infarction in the General Population. <i>Circulation</i> , 2004, 109, 3000-3006. | 1.6 | 197 |
| 6 | Anaphylaxis epidemiology in patients with and patients without asthma: A United Kingdom database review. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 1098-1104.e1. | 2.9 | 173 |
| 7 | Effects of non-steroidal anti-inflammatory drugs on cancer sites other than the colon and rectum: a meta-analysis. <i>BMC Cancer</i> , 2003, 3, 28. | 2.6 | 159 |
| 8 | Common variants in Alzheimer's disease and risk stratification by polygenic risk scores. <i>Nature Communications</i> , 2021, 12, 3417. | 12.8 | 140 |
| 9 | Risk factors for inflammatory bowel disease in the general population. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 22, 309-315. | 3.7 | 138 |
| 10 | Antithrombotic drugs and risk of hemorrhagic stroke in the general population. <i>Neurology</i> , 2013, 81, 566-574. | 1.1 | 129 |
| 11 | Acute Pancreatitis in Association With Type 2 Diabetes and Antidiabetic Drugs. <i>Diabetes Care</i> , 2010, 33, 2580-2585. | 8.6 | 121 |
| 12 | Genome-wide association analysis of dementia and its clinical endophenotypes reveal novel loci associated with Alzheimer's disease and three causality networks: The GR@ACE project. <i>Alzheimer's and Dementia</i> , 2019, 15, 1333-1347. | 0.8 | 111 |
| 13 | Mortality after hemorrhagic stroke. <i>Neurology</i> , 2013, 81, 559-565. | 1.1 | 109 |
| 14 | Risk of breast cancer among users of aspirin and other anti-inflammatory drugs. <i>British Journal of Cancer</i> , 2004, 91, 525-529. | 6.4 | 87 |
| 15 | PD-1 signaling affects cristae morphology and leads to mitochondrial dysfunction in human CD8+ T lymphocytes. <i>Cell</i> , 2019, 7, 151. | | 83 |
| 16 | The membrane-spanning 4-domains, subfamily A (MS4A) gene cluster contains a common variant associated with Alzheimer's disease. <i>Genome Medicine</i> , 2011, 3, 33. | 8.2 | 81 |
| 17 | A method for detecting epistasis in genome-wide studies using case-control multi-locus association analysis. <i>BMC Genomics</i> , 2008, 9, 360. | 2.8 | 76 |
| 18 | Long-term use of non-steroidal anti-inflammatory drugs and the risk of myocardial infarction in the general population. <i>BMC Medicine</i> , 2005, 3, 17. | 5.5 | 64 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | New-onset type 2 diabetes, elevated HbA1c, anti-diabetic medications, and risk of pancreatic cancer. <i>British Journal of Cancer</i> , 2015, 113, 1607-1614. | 6.4 | 63 |
| 20 | ATP5H/KCTD2 locus is associated with Alzheimer's disease risk. <i>Molecular Psychiatry</i> , 2014, 19, 682-687. | 7.9 | 62 |
| 21 | The CALHM1 P86L Polymorphism is a Genetic Modifier of Age at Onset in Alzheimer's Disease: a Meta-Analysis Study. <i>Journal of Alzheimer's Disease</i> , 2010, 22, 247-255. | 2.6 | 54 |
| 22 | Genetic Structure of the Spanish Population. <i>BMC Genomics</i> , 2010, 11, 326. | 2.8 | 49 |
| 23 | Prostate Cancer Risk Among Men with Diabetes Mellitus (Spain). <i>Cancer Causes and Control</i> , 2005, 16, 1055-1058. | 1.8 | 48 |
| 24 | Incidence of hemorrhagic stroke in the general population: validation of data from The Health Improvement Network. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 176-182. | 1.9 | 46 |
| 25 | NSAID Use Selectively Increases the Risk of Non-Fatal Myocardial Infarction: A Systematic Review of Randomised Trials and Observational Studies. <i>PLoS ONE</i> , 2011, 6, e16780. | 2.5 | 46 |
| 26 | Genome-Wide Association Study of Multiple Sclerosis Confirms a Novel Locus at 5p13.1. <i>PLoS ONE</i> , 2012, 7, e36140. | 2.5 | 46 |
| 27 | Cancer incidence in a general population of asthma patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 131-138. | 1.9 | 41 |
| 28 | PLCG2 protective variant p.P522R modulates tau pathology and disease progression in patients with mild cognitive impairment. <i>Acta Neuropathologica</i> , 2020, 139, 1025-1044. | 7.7 | 40 |
| 29 | Breast Cancer Risk Among Users of Antidepressant Medications. <i>Epidemiology</i> , 2005, 16, 101-105. | 2.7 | 39 |
| 30 | Upper Gastrointestinal Complications among Users of Paracetamol. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 297-303. | 2.5 | 39 |
| 31 | Use of Antibiotics and Risk of Breast Cancer. <i>American Journal of Epidemiology</i> , 2005, 161, 616-619. | 3.4 | 38 |
| 32 | CALHM1 P86L Polymorphism is Associated with Late-Onset Alzheimer's Disease in a Recessive Model. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 247-251. | 2.6 | 38 |
| 33 | Genetic Study of Neurexin and Neuroligin Genes in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2013, 35, 403-412. | 2.6 | 38 |
| 34 | Dementia Care in Times of COVID-19: Experience at Fundació ACE in Barcelona, Spain. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 33-40. | 2.6 | 38 |
| 35 | Breast cancer incidence and use of antihypertensive medication in women. <i>Pharmacoepidemiology and Drug Safety</i> , 2004, 13, 581-585. | 1.9 | 36 |
| 36 | Estrogen receptor alpha gene variants are associated with Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012, 33, 198.e15-198.e24. | 3.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Hormone therapy and cerebrovascular events. <i>Menopause</i> , 2006, 13, 730-736. | 2.0 | 35 |
| 38 | The safety of rosuvastatin in comparison with other statins in over 25â€‰000 statin users in the Saskatchewan Health Databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 953-961. | 1.9 | 32 |
| 39 | Incidence and risk factors for mortality and end-stage renal disease in people with type 2 diabetes and diabetic kidney disease: a population-based cohort study in the UK. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002146. | 2.8 | 32 |
| 40 | Gallbladder disease in the general population: association with cardiovascular morbidity and therapy. <i>Pharmacoepidemiology and Drug Safety</i> , 2007, 16, 524-531. | 1.9 | 28 |
| 41 | A Colorectal Cancer Susceptibility New Variant at 4q26 in the Spanish Population Identified by Genome-Wide Association Analysis. <i>PLoS ONE</i> , 2014, 9, e101178. | 2.5 | 26 |
| 42 | An entropy test for single-locus genetic association analysis. <i>BMC Genetics</i> , 2010, 11, 19. | 2.7 | 25 |
| 43 | WVVOX gene is associated with HDL cholesterol and triglyceride levels. <i>BMC Medical Genetics</i> , 2010, 11, 148. | 2.1 | 24 |
| 44 | Migraine and risk of hemorrhagic stroke: a study based on data from general practice. <i>Journal of Headache and Pain</i> , 2014, 15, 74. | 6.0 | 24 |
| 45 | Impact of chronic kidney disease definition on assessment of its incidence and risk factors in patients with newly diagnosed type 1 and type 2 diabetes in the UK: A cohort study using primary care data from the United Kingdom. <i>Primary Care Diabetes</i> , 2020, 14, 381-387. | 1.8 | 19 |
| 46 | Risk Factors Associated with Uncomplicated Peptic Ulcer and Changes in Medication Use after Diagnosis. <i>PLoS ONE</i> , 2014, 9, e101768. | 2.5 | 18 |
| 47 | Genetic analysis of the GRM1 gene in human melanoma susceptibility. <i>European Journal of Human Genetics</i> , 2007, 15, 1176-1182. | 2.8 | 17 |
| 48 | Interaction between Calpain-5, Peroxisome proliferator-activated receptor-gamma and Peroxisome proliferator-activated receptor-delta genes: a polygenic approach to obesity.. <i>Cardiovascular Diabetology</i> , 2008, 7, 23. | 6.8 | 16 |
| 49 | Genetic association of complement receptor 1 polymorphism rs3818361 in Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2011, 7, e124-9. | 0.8 | 16 |
| 50 | A Digenic Combination of Polymorphisms Within ESR1 and ESR2 Genes Are Associated With Age at Menarche in the Spanish Population. <i>Reproductive Sciences</i> , 2008, 15, 305-311. | 2.5 | 15 |
| 51 | Exploratory analysis of seven Alzheimer's disease genes: disease progression. <i>Neurobiology of Aging</i> , 2013, 34, 1310.e1-1310.e7. | 3.1 | 15 |
| 52 | Multiomics integrative analysis identifies APOE allele-specific blood biomarkers associated to Alzheimer's disease etiopathogenesis. <i>Aging</i> , 2021, 13, 9277-9329. | 3.1 | 15 |
| 53 | Identification of a protective haplogenotype within CAPN10 gene influencing colorectal cancer susceptibility. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007, 22, 2298-2302. | 2.8 | 14 |
| 54 | Whole-genome conditional two-locus analysis identifies novel candidate genes for late-onset Parkinson's disease. <i>Neurogenetics</i> , 2009, 10, 173-181. | 1.4 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | <i>Calpain 10</i> gene and laryngeal cancer: A survival analysis. <i>Head and Neck</i> , 2011, 33, 72-76. | 2.0 | 13 |
| 56 | The role of sex and gender in the selection of Alzheimer patients for clinical trial pre-screening. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 95. | 6.2 | 13 |
| 57 | Analysis of the ERalpha germline PvuII marker in breast cancer risk. <i>Medical Science Monitor</i> , 2008, 14, CR136-43. | 1.1 | 13 |
| 58 | Weighting the effect of CYP19A gene in bone mineral density of postmenopausal women. <i>Bone</i> , 2006, 38, 951-953. | 2.9 | 12 |
| 59 | A new risk variant for multiple sclerosis at the immunoglobulin heavy chain locus associates with intrathecal IgG, IgM index and oligoclonal bands. <i>Multiple Sclerosis Journal</i> , 2015, 21, 1104-1111. | 3.0 | 12 |
| 60 | Low-Dose Aspirin after an Episode of Haemorrhagic Stroke Is Associated with Improved Survival. <i>Thrombosis and Haemostasis</i> , 2017, 117, 2396-2405. | 3.4 | 11 |
| 61 | Risk of seizure associated with use of acid-suppressive drugs: An observational cohort study. <i>Epilepsy and Behavior</i> , 2016, 62, 72-80. | 1.7 | 10 |
| 62 | Risk of bleeding after hospitalization for a serious coronary event: a retrospective cohort study with nested case-control analyses. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 164. | 1.7 | 9 |
| 63 | Contemporary epidemiology of systemic sclerosis: A population-based cohort study in the United Kingdom. <i>Seminars in Arthritis and Rheumatism</i> , 2019, 49, 105-111. | 3.4 | 9 |
| 64 | Identification of undiagnosed dementia cases using a web-based pre-screening tool: The MOPEAD project. <i>Alzheimer's and Dementia</i> , 2021, 17, 1307-1316. | 0.8 | 8 |
| 65 | Integrated Genomic, Transcriptomic and Proteomic Analysis for Identifying Markers of Alzheimer's Disease. <i>Diagnostics</i> , 2021, 11, 2303. | 2.6 | 8 |
| 66 | Rosuvastatin safety: a comprehensive, international pharmacoepidemiology programme. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 454-461. | 1.9 | 7 |
| 67 | GOLPH2 Gene Markers are Not Associated with Alzheimer's Disease in a Sample of the Spanish Population. <i>Journal of Alzheimer's Disease</i> , 2009, 18, 751-754. | 2.6 | 7 |
| 68 | Genomic Characterization of Host Factors Related to SARS-CoV-2 Infection in People with Dementia and Control Populations: The GR@ACE/DEGESCO Study. <i>Journal of Personalized Medicine</i> , 2021, 11, 1318. | 2.5 | 7 |
| 69 | Risk of myocardial infarction persisting after discontinuation of non-steroidal anti-inflammatory drugs in the general population. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 892-894. | 3.8 | 6 |
| 70 | Long runs of homozygosity are associated with Alzheimer's disease. <i>Translational Psychiatry</i> , 2021, 11, 142. | 4.8 | 6 |
| 71 | Higher Risk of Ischemic Stroke After an Intracerebral Hemorrhage Than in General Population: A Cohort Study From the United Kingdom. <i>Stroke</i> , 2022, 53, STROKEAHA121037633. | 2.0 | 6 |
| 72 | The MTHFD1L Gene rs11754661 Marker is Not Associated with Alzheimer's Disease in a Sample of the Spanish Population. <i>Journal of Alzheimer's Disease</i> , 2011, 25, 47-50. | 2.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Patterns in the Use of Low-Dose Acetylsalicylic Acid and Other Therapies Following Upper Gastrointestinal Bleeding. <i>American Journal of Cardiovascular Drugs</i> , 2014, 14, 443-450. | 2.2 | 5 |
| 74 | Mortality in patients who discontinue low-dose acetylsalicylic acid therapy after upper gastrointestinal bleeding. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 215-222. | 1.9 | 5 |
| 75 | Risk of bleeding events among patients with systemic sclerosis and the general population in the UK: a large population-based cohort study. <i>Clinical Rheumatology</i> , 2020, 39, 19-26. | 2.2 | 5 |
| 76 | NSAIDs and the risk of acute myocardial infarction. <i>Nature Clinical Practice Rheumatology</i> , 2007, 3, 202-203. | 3.2 | 4 |
| 77 | Incidence and Predictors of Hemorrhagic Stroke in Users of Low-Dose Acetylsalicylic Acid. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015, 24, 2321-2328. | 1.6 | 4 |
| 78 | Hormonal contraception is not associated with increased risk for seizures in the general population: results from a cohort study using The Health Improvement Network. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 1175-1180. | 1.9 | 4 |
| 79 | Patterns of Antiplatelet Therapy in Patients Who Have Experienced an Acute Coronary Event. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2015, 20, 378-386. | 2.0 | 3 |
| 80 | Managing Clinical Trials for Alzheimer's Disease During the COVID-19 Crisis: Experience at Fundació ACE in Barcelona, Spain. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 1805-1813. | 2.6 | 3 |
| 81 | Safety and effectiveness of appropriately and inappropriately dosed rivaroxaban or apixaban versus warfarin in patients with atrial fibrillation: a cohort study with nested case-control analyses from UK primary care. <i>BMJ Open</i> , 2022, 12, e059311. | 1.9 | 3 |
| 82 | Warfarin and absolute risk of hemorrhagic stroke. <i>Cmaj</i> , 2013, 185, 687-687. | 2.0 | 2 |
| 83 | Association between low-dose acetylsalicylic acid reinitiation and the risk of myocardial infarction or coronary heart disease death. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 1029-1036. | 1.8 | 2 |
| 84 | Does replication groups scoring reduce false positive rate in SNP interaction discovery?: Response. <i>BMC Genomics</i> , 2010, 11, 403. | 2.8 | 1 |
| 85 | MOMIC: A Multi-Omics Pipeline for Data Analysis, Integration and Interpretation. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 3987. | 2.5 | 1 |
| 86 | Reply to "Comment on "New-onset type 2 diabetes, elevated HbA1c, anti-diabetic medications, and risk of pancreatic cancer". <i>British Journal of Cancer</i> , 2016, 114, e12-e12. | 6.4 | 0 |