

Toms Hlsny

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2285025/tomas-hlasny-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51
papers

936
citations

19
h-index

29
g-index

55
ext. papers

1,223
ext. citations

4.6
avg, IF

4.57
L-index

#	Paper	IF	Citations
51	Climate change research in southern Africa in recent two decades: progress, needs, and policy implications. <i>Regional Environmental Change</i> , 2022 , 22, 1	4.3	1
50	Natural disturbance regimes as a guide for sustainable forest management in Europe.. <i>Ecological Applications</i> , 2022 , e2596	4.9	1
49	Evaluating five forest models using multi-decadal inventory data from mountain forests. <i>Ecological Modelling</i> , 2021 , 445, 109493	3	1
48	Concerns about reported harvests in European forests. <i>Nature</i> , 2021 , 592, E15-E17	50.4	16
47	Controlling landscape-scale bark beetle dynamics: Can we hit the right spot?. <i>Landscape and Urban Planning</i> , 2021 , 209, 104035	7.7	4
46	Devastating outbreak of bark beetles in the Czech Republic: Drivers, impacts, and management implications. <i>Forest Ecology and Management</i> , 2021 , 490, 119075	3.9	31
45	Bark Beetle Outbreaks in Europe: State of Knowledge and Ways Forward for Management. <i>Current Forestry Reports</i> , 2021 , 7, 138-165	8	19
44	Fine-scale variation in projected climate change presents opportunities for biodiversity conservation in Europe. <i>Scientific Reports</i> , 2021 , 11, 17242	4.9	2
43	Time matters: Resilience of a post-disturbance forest landscape. <i>Science of the Total Environment</i> , 2021 , 799, 149377	10.2	
42	High-resolution gridded climate data for Europe based on bias-corrected EURO-CORDEX: The ECLIPS dataset. <i>Geoscience Data Journal</i> , 2020 ,	2.5	4
41	Contrasting vulnerability of monospecific and species-diverse forests to wind and bark beetle disturbance: The role of management. <i>Ecology and Evolution</i> , 2020 , 10, 12233-12245	2.8	8
40	Social Vulnerability to Natural Hazards in Namibia: A District-Based Analysis. <i>Sustainability</i> , 2020 , 12, 4910	3.6	5
39	Is salvage logging effectively dampening bark beetle outbreaks and preserving forest carbon stocks?. <i>Journal of Applied Ecology</i> , 2020 , 57, 67-76	5.8	42
38	Spatial configuration matters when removing windfelled trees to manage bark beetle disturbances in Central European forest landscapes. <i>Journal of Environmental Management</i> , 2020 , 254, 109792	7.9	22
37	Reducing rotation age to address increasing disturbances in Central Europe: Potential and limitations. <i>Forest Ecology and Management</i> , 2020 , 475, 118408	3.9	15
36	Living with bark beetles: impacts, outlook and management options 2019 ,		54
35	Growth-climate responses indicate shifts in the competitive ability of European beech and Norway spruce under recent climate warming in East-Central Europe. <i>Dendrochronologia</i> , 2019 , 54, 37-48	2.8	20

34	Choice of reference climate conditions matters in impact studies: Case of bias-corrected CORDEX data set. <i>International Journal of Climatology</i> , 2019 , 39, 2022-2040	3.5	1
33	Ecological differentiation, speciation, and rarity: How do they match in agg. (Asteraceae)?. <i>Ecology and Evolution</i> , 2018 , 8, 2453-2470	2.8	3
32	Projected shift of Köppen-Geiger zones in the central Europe: A first insight into the implications for ecosystems and the society. <i>International Journal of Climatology</i> , 2018 , 38, 3595-3606	3.5	10
31	Patterns and drivers of recent disturbances across the temperate forest biome. <i>Nature Communications</i> , 2018 , 9, 4355	17.4	102
30	Post-disturbance recovery of forest carbon in a temperate forest landscape under climate change. <i>Agricultural and Forest Meteorology</i> , 2018 , 263, 308-322	5.8	28
29	Sustainable forest management in a mountain region in the Central Western Carpathians, northeastern Slovakia: the role of climate change. <i>Regional Environmental Change</i> , 2017 , 17, 65-77	4.3	19
28	Forest management impacts on capercaillie (<i>Tetrao urogallus</i>) habitat distribution and connectivity in the Carpathians. <i>Landscape Ecology</i> , 2017 , 32, 163-179	4.3	34
27	Climatic drivers of forest productivity in Central Europe. <i>Agricultural and Forest Meteorology</i> , 2017 , 234-235, 258-273	5.8	21
26	Conversion of Norway spruce forests in the face of climate change: a case study in Central Europe. <i>European Journal of Forest Research</i> , 2017 , 136, 1013-1028	2.7	24
25	Felled trap trees as the traditional method for bark beetle control: Can the trapping performance be increased?. <i>Forest Ecology and Management</i> , 2017 , 404, 165-173	3.9	12
24	Identification of Years with Extreme Vegetation State in Central Europe Based on Remote Sensing and Meteorological Data. <i>South-East European Forestry</i> , 2017 , 8,	0.5	9
23	Drivers of treeline shift in different European mountains. <i>Climate Research</i> , 2017 , 73, 135-150	1.6	38
22	Multifunctionality in European mountain forests in optimization under changing climatic conditions. <i>Canadian Journal of Forest Research</i> , 2016 , 46, 163-171	1.9	16
21	Future climate of the Carpathians: climate change hot-spots and implications for ecosystems. <i>Regional Environmental Change</i> , 2016 , 16, 1495-1506	4.3	18
20	Multi-decade patterns of gypsy moth fluctuations in the Carpathian Mountains and options for outbreak forecasting. <i>Journal of Pest Science</i> , 2016 , 89, 413-425	5.5	14
19	Climate Change Adaptation in the Carpathian Mountain Region 2016 , 79-99		4
18	Effect of different tree mortality patterns on stand development in the forest model SIBYLA. <i>Lesnícky časopis</i> , 2016 , 62, 173-180	1.2	1
17	Crop planting date matters: Estimation methods and effect on future yields. <i>Agricultural and Forest Meteorology</i> , 2016 , 223, 103-115	5.8	35

16	Cross-dating tree-ring series of living European beech by isochronic weather records. <i>Geochronometria</i> , 2016 , 43, 48-58	1	1
15	MODIS-based vegetation index has sufficient sensitivity to indicate stand-level intra-seasonal climatic stress in oak and beech forests. <i>Annals of Forest Science</i> , 2015 , 72, 109-125	3.1	14
14	Effect of deforestation on watershed water balance: hydrological modelling-based approach / Vplyv odlesnenia na vodnobilanciu povodia: prístup na báze hydrologického modelovania. <i>Lesnícky úsopis</i> , 2015 , 61, 89-100	1.2	9
13	Bridging the gap between climate models and impact studies: the FORESEE Database. <i>Geoscience Data Journal</i> , 2015 , 2, 1-11	2.5	23
12	Climate change increases the drought risk in Central European forests: What are the options for adaptation?. <i>Lesnícky úsopis</i> , 2014 , 60, 5-18	1.2	51
11	Future carbon cycle in mountain spruce forests of Central Europe: Modelling framework and ecological inferences. <i>Forest Ecology and Management</i> , 2014 , 328, 55-68	3.9	19
10	Functions for the aboveground woody biomass in Small-leaved lime (<i>Tilia cordata</i> Mill.) / Funkcie pro hodnocení biomasy nadzemní části dřeviny malolisté (<i>Tilia cordata</i> Mill.). <i>Lesnícky úsopis</i> , 2014 , 60,	1.2	5
9	How does soil water potential limit the seasonal dynamics of sap flow and circumference changes in European beech?. <i>Lesnícky úsopis</i> , 2014 , 60, 19-30	1.2	4
8	Inter- and intra-annual dynamics of height increment in young beech and spruce stands in relation to tree size and weather conditions. <i>Lesnícky úsopis</i> , 2014 , 60, 52-60	1.2	4
7	Persisting bark beetle outbreak indicates the unsustainability of secondary Norway spruce forests: case study from Central Europe. <i>Annals of Forest Science</i> , 2013 , 70, 481-491	3.1	56
6	Free European data on forest distribution: overview and evaluation. <i>Journal of Forest Science</i> , 2013 , 59, 447-457	0.9	3
5	Spatial modelling-based approach to phytogeographical regionalization using grassland vegetation data. <i>Open Life Sciences</i> , 2012 , 7, 318-326	1.2	
4	Adaptation to common optimum in different populations of Norway spruce (<i>Picea abies</i> Karst.). <i>European Journal of Forest Research</i> , 2012 , 131, 401-411	2.7	23
3	Snow disturbances in secondary Norway spruce forests in Central Europe: Regression modeling and its implications for forest management. <i>Forest Ecology and Management</i> , 2011 , 262, 2151-2161	3.9	20
2	Climate change impacts on growth and carbon balance of forests in Central Europe. <i>Climate Research</i> , 2011 , 47, 219-236	1.6	68
1	Identification of phytogeographical borders using grassland vegetation data. <i>Biologia (Poland)</i> , 2010 , 65, 630-638	1.5	1