

Margareth Mc Queiroz

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/228532/margareth-mc-queiroz-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51
papers

500
citations

13
h-index

18
g-index

58
ext. papers

581
ext. citations

2
avg, IF

3.47
L-index

#	Paper	IF	Citations
51	Ultrastructure of the Immature Stages of <i>Musca domestica</i> (Diptera: Muscidae: Muscinae). <i>Journal of Medical Entomology</i> , 2020 , 57, 1712-1721	2.2	0
50	Larvicide and insecticide activity of the essential oil of <i>Ocimum sanctum</i> var. <i>cubensis</i> in the control of <i>Musca domestica</i> (Linnaeus, 1758), under laboratory conditions. <i>Revista Amazonia Investiga</i> , 2020 , 9, 24-33	0.5	0
49	Larvicidal and adulticidal effects and ultrastructural changes of larvae midgut epithelium of <i>Musca domestica</i> (Diptera: Muscidae) fed with <i>Bacillus thuringiensis</i> var. <i>kyushuensis</i> . <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2019 , 52, e20190135	1.5	1
48	Bioactivity under laboratory conditions of <i>Brevibacillus laterosporus</i> towards larvae and adults of <i>Chrysomya putoria</i> (Diptera: Calliphoridae). <i>Journal of Invertebrate Pathology</i> , 2018 , 158, 52-54	2.6	3
47	Laboratory evaluation of <i>Brevibacillus laterosporus</i> strains as biocidal agents against <i>Chrysomya megacephala</i> (Fabricius, 1794) (Diptera: Calliphoridae) larvae. <i>Journal of Invertebrate Pathology</i> , 2017 , 146, 69-72	2.6	3
46	Cuticular hydrocarbon profiles as a chemotaxonomic tool for three blowfly species (Diptera: Calliphoridae) of forensic interest. <i>Journal of Natural History</i> , 2017 , 51, 1491-1498	0.5	6
45	Identification of <i>Megaselia scalaris</i> (Loew, 1866) (Diptera: Phoridae) in mummified human body from Itacambira (MG), Brazil, using scanning electron microscopy and cuticular hydrocarbons. <i>Journal of Natural History</i> , 2016 , 50, 1381-1388	0.5	1
44	Effect of age on cuticular hydrocarbon profiles in adult <i>Chrysomya putoria</i> (Diptera: Calliphoridae). <i>Forensic Science International</i> , 2016 , 259, e37-47	2.6	15
43	Ultrastructure analysis of the immature stages of <i>Ravinia belforti</i> (Diptera: Sarcophagidae), a species of medical-veterinary and forensic importance, by scanning electron microscopy. <i>Acta Tropica</i> , 2016 , 159, 192-9	3.2	6
42	Ultrastructure of immature stages of the black dump fly: <i>Ophyra aenescens</i> (Wiedemann, 1830) (Diptera: Muscidae: Azeliinae). <i>Acta Tropica</i> , 2016 , 158, 125-129	3.2	5
41	Larvicidal activity and effects on post embryonic development of laboratory reared <i>Musca domestica</i> (Linnaeus, 1758) (Diptera: Muscidae), treated with <i>Brevibacillus laterosporus</i> (Laubach) spore suspensions. <i>Journal of Invertebrate Pathology</i> , 2016 , 137, 54-57	2.6	5
40	Evaluation of larvicidal activity and effects on post embryonic development of laboratory reared <i>Lucilia cuprina</i> (Wiedemann, 1830) (Diptera: Calliphoridae), treated with <i>Brevibacillus laterosporus</i> . <i>Journal of Invertebrate Pathology</i> , 2015 , 128, 44-6	2.6	8
39	Bionomy of two flies of sanitary and forensic importance: <i>Peckia</i> (Sarcodexia) <i>lambens</i> (Wiedemann) and <i>Oxysarcodexia amorosa</i> (Schiner) (Diptera, Sarcophagidae). <i>Revista Brasileira De Entomologia</i> , 2015 , 59, 229-233	0.9	5
38	Record of postmortem injuries caused by the Neotropical social wasp <i>Agelaia fulvofasciata</i> (Degeer) (Hymenoptera, Vespidae) on pig carcasses in the Eastern Amazon region: implications in forensic taphonomy. <i>Revista Brasileira De Entomologia</i> , 2015 , 59, 257-259	0.9	4
37	Detection and preliminary physico-chemical properties of antimicrobial components in the native excretions/secretions of three species of <i>Chrysomya</i> (Diptera, Calliphoridae) in Brazil. <i>Acta Tropica</i> , 2015 , 147, 6-11	3.2	8
36	Ultrastructural studies of some character of Diptera (Muscidae) of forensically importance. <i>Acta Tropica</i> , 2015 , 142, 96-102	3.2	8
35	Phenotypic polymorphism of <i>Chrysomya albiceps</i> (Wiedemann) (Diptera: Calliphoridae) may lead to species misidentification. <i>Acta Tropica</i> , 2015 , 141, 60-72	3.2	18

34	Chemical composition and insecticidal activity of <i>Cymbopogon citratus</i> essential oil from Cuba and Brazil against housefly. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015 , 24, 36-44	1.3	39
33	Preliminary screening of the larvicidal effect of <i>Brevibacillus laterosporus</i> strains against the blowfly <i>Chrysomya megacephala</i> (Fabricius, 1794) (Diptera: Calliphoridae). <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2015 , 48, 427-31	1.5	4
32	Biological activity of <i>Pouteria sapota</i> leaf extract on post-embryonic development of blowfly <i>Chrysomya putoria</i> (Wiedemann, 1818) (Calliphoridae). <i>Revista Brasileira De Farmacognosia</i> , 2014 , 24, 304-308	2	6
31	Ultrastructure of immature stages of <i>Cochliomyia macellaria</i> (Diptera: Calliphoridae), a fly of medical and veterinary importance. <i>Parasitology Research</i> , 2014 , 113, 3675-83	2.4	8
30	Ultrastructure of immature stages of <i>Lucilia cuprina</i> (Diptera: Calliphoridae) using scanning electron microscopy. <i>Acta Tropica</i> , 2014 , 136, 123-8	3.2	8
29	First record of <i>Leptus</i> sp. Latreille, 1796 (Acari: Erythraeidae) from Itaipuaçu beach, Maricá, RJ, Brazil. <i>Check List</i> , 2014 , 10, 954-956	1	2
28	Ultrastructure of immature stages of <i>Peckia</i> (<i>Euboetcheria</i>) <i>collusor</i> (Diptera: Sarcophagidae). <i>Acta Tropica</i> , 2013 , 128, 522-7	3.2	11
27	Cuticular hydrocarbons as a tool for the identification of insect species: puparial cases from Sarcophagidae. <i>Acta Tropica</i> , 2013 , 128, 479-85	3.2	26
26	First record of acari <i>Arrenurus Dugès</i> , 1834 as a parasite of Odonata species in Brazil. <i>Biota Neotropica</i> , 2013 , 13, 365-367		0
25	Ultrastructure of immature stages of the blowfly <i>Chrysomya putoria</i> (Wiedemann, 1818) (Diptera: Calliphoridae). <i>Microscopy Research and Technique</i> , 2012 , 75, 206-11	2.8	12
24	Ultrastructure of larvae and puparia of the blowfly <i>Chrysomya megacephala</i> (Diptera: Calliphoridae). <i>Microscopy Research and Technique</i> , 2012 , 75, 935-9	2.8	14
23	How photoperiods affect the immature development of forensically important blowfly species <i>Chrysomya albiceps</i> (Calliphoridae). <i>Parasitology Research</i> , 2012 , 111, 1067-73	2.4	12
22	A severe case of cutaneous myiasis in São Gonçalo, Brazil, and a simple technique to extract New World screw-worm <i>Cochliomyia hominivorax</i> (Coquerel) (Diptera: Calliphoridae). <i>Neotropical Entomology</i> , 2012 , 41, 341-2	1.2	6
21	Efficiency of the latex from <i>Euphorbia splendens</i> var. <i>hislopii</i> (N.E. Br.) Ursch & Leandri, Euphorbiaceae, in the control of <i>Rhipicephalus</i> (<i>Boophilus</i>) <i>sanguineus</i> (Latreille, 1806) (Acari: Ixodidae). <i>Revista Brasileira De Farmacognosia</i> , 2011 , 21, 432-436	2	1
20	Effects of latex from "Amapazeiro" <i>Parahancornia amapa</i> (Apocynaceae) on blowfly <i>Chrysomya megacephala</i> (Diptera: Calliphoridae) post-embryonic development. <i>Veterinary Parasitology</i> , 2011 , 178, 379-82	2.8	14
19	Factors of susceptibility of human myiasis caused by the New World screw-worm, <i>Cochliomyia hominivorax</i> in São Gonçalo, Rio de Janeiro, Brazil. <i>Journal of Insect Science</i> , 2011 , 11, 14	2	12
18	Temporal distribution of ten calyptrate dipteran species of medicolegal importance in Rio de Janeiro, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2010 , 105, 191-8	2.6	9
17	Effects of forest fragmentation on dipterofauna (Calliphoridae) at the Reserva Biológica do Tinguá Nova Iguaçu, RJ. <i>Brazilian Journal of Biology</i> , 2010 , 70, 55-63	1.5	17

16	Ultramorphological characteristics of immature stages of <i>Chrysomya albiceps</i> (Wiedemann 1819) (Diptera: Calliphoridae), a fly specie of forensic importance. <i>Microscopy Research and Technique</i> , 2010 , 73, 779-84	2.8	14
15	Bioactivity of latex from <i>Euphorbia splendens</i> var. <i>hislopii</i> (Euphorbiaceae) on post-embryonic development of <i>Megaselia scalaris</i> (Phoridae). <i>Veterinary Parasitology</i> , 2010 , 172, 100-4	2.8	2
14	New records of calyptrate dipterans (Fanniidae, Muscidae and Sarcophagidae) associated with the decomposition of domestic pigs in Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2009 , 104, 923-6	2.6	36
13	Rearing <i>Chrysomya megacephala</i> on artificial diets composed of varying concentrations of albumin. <i>Brazilian Archives of Biology and Technology</i> , 2009 , 52, 421-426	1.8	6
12	Miãse humana por <i>Dermatobia hominis</i> (Linnaeus Jr.) (Diptera, Cuterebridae) e <i>Cochliomyia hominivorax</i> (Coquerel) (Diptera, Calliphoridae) em Sucessã Parasitãa. <i>EntomoBrasilis</i> , 2009 , 2, 61-63	0.1	3
11	Identification of fly eggs using scanning electron microscopy for forensic investigations. <i>Micron</i> , 2008 , 39, 802-7	2.3	19
10	Morfologia e duraã dos ãstares larvais de <i>Chrysomya putoria</i> (Wiedemann) (Diptera, Calliphoridae), em laboratão. <i>Revista Brasileira De Entomologia</i> , 2007 , 51, 239-245	0.9	11
9	Biological activity of neolignans on the post-embryonic development of <i>Chrysomya megacephala</i> . <i>Fãoterapã</i> , 2007 , 78, 20-4	3.2	14
8	Biological Activity of Yangambin on the Postembryonic Development of <i>Chrysomya megacephala</i> (Diptera: Calliphoridae). <i>Journal of Medical Entomology</i> , 2007 , 44, 249-255	2.2	11
7	Biological activity of yangambin on the postembryonic development of <i>Chrysomya megacephala</i> (Diptera: Calliphoridae). <i>Journal of Medical Entomology</i> , 2007 , 44, 249-55	2.2	3
6	Biological activity of <i>Bacillus thuringiensis</i> strains against larvae of the blowfly <i>Chrysomya putoria</i> (Wiedemann) (Diptera: Calliphoridae). <i>Neotropical Entomology</i> , 2006 , 35, 849-52	1.2	2
5	Cryptosporidiosis occurrence in HIV+ patients attended in a hospital, Brazil. <i>Revista De Saude Publica</i> , 2004 , 38, 469-70	2.4	5
4	<i>Hemilucilia segmentaria</i> (Fabricius, 1805) (Diptera: Calliphoridae) as new biological vector of eggs of <i>Dermatobia hominis</i> (Linnaeus Jr., 1781) (Diptera: Oestridae) in Reserva Biolãgica do TinguãRio de Janeiro, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2003 , 98, 937-8	2.6	7
3	Temperature requirements of <i>Chrysomya albiceps</i> (Wiedemann, 1819) (Diptera, Calliphoridae) under laboratory conditions. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1996 , 91, 785-8	2.6	26
2	The effect of different proportions of males and females over the <i>Chrysomya albiceps</i> (Wiedemann 1819) (Diptera, calliphoridae) biotic potential and longevity under laboratory conditions. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1996 , 91, 243-7	2.6	6
1	Observations on the flora of Japan. 1901 ,		3