
Gajendra Kumar Azad

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/228723/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Ebselen, a promising antioxidant drug: mechanisms of action and targets of biological pathways. Molecular Biology Reports, 2014, 41, 4865-4879.	1.0	266
2	The structural basis of accelerated host cell entry by SARS oVâ€2â€. FEBS Journal, 2021, 288, 5010-5020.	2.2	129
3	Ebselen induces reactive oxygen species (ROS)â€mediated cytotoxicity in <i>Saccharomyces cerevisiae</i> with inhibition of glutamate dehydrogenase being a target. FEBS Open Bio, 2014, 4, 77-89.	1.0	78
4	An ebselen like catalyst with enhanced GPx activity via a selenol intermediate. Organic and Biomolecular Chemistry, 2014, 12, 1215-1219.	1.5	58
5	Questions concerning the proximal origin of SARSâ€CoVâ€2. Journal of Medical Virology, 2021, 93, 1204-1206.	2.5	56
6	Identification of novel mutations in RNA-dependent RNA polymerases of SARS-CoV-2 and their implications on its protein structure. PeerJ, 2020, 8, e9492.	0.9	54
7	A unique view of SARS-CoV-2 through the lens of ORF8 protein. Computers in Biology and Medicine, 2021, 133, 104380.	3.9	48
8	Autoimmunity roots of the thrombotic events after COVID-19 vaccination. Autoimmunity Reviews, 2021, 20, 102941.	2.5	39
9	Proteolytic clipping of histone tails: the emerging role of histone proteases in regulation of various biological processes. Molecular Biology Reports, 2014, 41, 2717-2730.	1.0	38
10	Notable sequence homology of the ORF10 protein introspects the architecture of SARS-CoV-2. International Journal of Biological Macromolecules, 2021, 181, 801-809.	3.6	36
11	Modifying Chromatin by Histone Tail Clipping. Journal of Molecular Biology, 2018, 430, 3051-3067.	2.0	33
12	Possible Transmission Flow of SARS-CoV-2 Based on ACE2 Features. Molecules, 2020, 25, 5906.	1.7	33
13	Identification of a novel histone H3 specific protease activity in nuclei of chicken liver. Biochemical and Biophysical Research Communications, 2012, 421, 261-267.	1.0	32
14	PARP1-dependent eviction of the linker histone H1 mediates immediate early gene expression during neuronal activation. Journal of Cell Biology, 2018, 217, 473-481.	2.3	32
15	Vimentin protects differentiating stem cells from stress. Scientific Reports, 2020, 10, 19525.	1.6	32
16	Variations in Orf3a protein of SARS-CoV-2 alter its structure and function. Biochemistry and Biophysics Reports, 2021, 26, 100933.	0.7	32
17	Sen1, the homolog of human Senataxin, is critical for cell survival through regulation of redox homeostasis, mitochondrial function, and the <scp>TOR</scp> pathway in <i>Saccharomyces cerevisiae</i> . FEBS Journal, 2016, 283, 4056-4083.	2.2	28
18	COVID-19 Vaccines and Thrombosis—Roadblock or Dead-End Street?. Biomolecules, 2021, 11, 1020.	1.8	28

#	Article	IF	CITATIONS
19	Anti ancer drug KP1019 modulates epigenetics and induces DNA damage response in <i>Saccharomyces cerevisiae</i> . FEBS Letters, 2014, 588, 1044-1052.	1.3	27
20	The Importance of Research on the Origin of SARS-CoV-2. Viruses, 2020, 12, 1203.	1.5	27
21	Depletion of Cellular Iron by Curcumin Leads to Alteration in Histone Acetylation and Degradation of Sml1p in Saccharomyces cerevisiae. PLoS ONE, 2013, 8, e59003.	1.1	25
22	The multifunctional transcription factor Rap1 a regulator of yeast physiology. Frontiers in Bioscience - Landmark, 2016, 21, 918-930.	3.0	24
23	The molecular assessment of SARS-CoV-2 Nucleocapsid Phosphoprotein variants among Indian isolates. Heliyon, 2021, 7, e06167.	1.4	24
24	Identification and molecular characterization of mutations in nucleocapsid phosphoprotein of SARS-CoV-2. PeerJ, 2021, 9, e10666.	0.9	22
25	Sen1p Contributes to Genomic Integrity by Regulating Expression of Ribonucleotide Reductase 1 (RNR1) in Saccharomyces cerevisiae. PLoS ONE, 2013, 8, e64798.	1.1	21
26	Identification of twenty-five mutations in surface glycoprotein (Spike) of SARS-CoV-2 among Indian isolates and their impact on protein dynamics. Gene Reports, 2020, 21, 100891.	0.4	20
27	The importance of accessory protein variants in the pathogenicity of SARS-CoV-2. Archives of Biochemistry and Biophysics, 2022, 717, 109124.	1.4	20
28	Anti-cancer drug KP1019 induces Hog1 phosphorylation and protein ubiquitylation in Saccharomyces cerevisiae. European Journal of Pharmacology, 2014, 736, 77-85.	1.7	19
29	Alternative SET/TAFI Promoters Regulate Embryonic Stem Cell Differentiation. Stem Cell Reports, 2017, 9, 1291-1303.	2.3	19
30	An Endogenously Tagged Fluorescent Fusion Protein Library in Mouse Embryonic Stem Cells. Stem Cell Reports, 2017, 9, 1304-1314.	2.3	19
31	Multifunctional Ebselen drug functions through the activation of DNA damage response and alterations in nuclear proteins. Biochemical Pharmacology, 2012, 83, 296-303.	2.0	18
32	Assessment of the Biological Pathways Targeted by Isocyanate Using N-Succinimidyl N-Methylcarbamate in Budding Yeast Saccharomyces cerevisiae. PLoS ONE, 2014, 9, e92993.	1.1	16
33	Mitogen-activated protein kinase Hog1 is activated in response to curcumin exposure in the budding yeast Saccharomyces cerevisiae. BMC Microbiology, 2014, 14, 317.	1.3	15
34	Signaling of Chloroquine-Induced Stress in the Yeast Saccharomyces cerevisiae Requires the Hog1 and Slt2 Mitogen-Activated Protein Kinase Pathways. Antimicrobial Agents and Chemotherapy, 2014, 58, 5552-5566.	1.4	14
35	Identification of novel mutations in the methyltransferase complex (Nsp10-Nsp16) of SARS-CoV-2. Biochemistry and Biophysics Reports, 2020, 24, 100833.	0.7	13
36	Emergence of unique SARS-CoV-2 ORF10 variants and their impact on protein structure and function. International Journal of Biological Macromolecules, 2022, 194, 128-143.	3.6	13

#	Article	IF	CITATIONS
37	Flocculation in <i>Saccharomyces cerevisiae</i> is regulated by RNA/DNA helicase Sen1p. FEBS Letters, 2015, 589, 3165-3174.	1.3	11
38	Implications derived from S-protein variants of SARS-CoV-2 from six continents. International Journal of Biological Macromolecules, 2021, 191, 934-955.	3.6	10
39	Emerging genetic diversity of SARS-CoV-2 RNA dependent RNA polymerase (RdRp) alters its B-cell epitopes. Biologicals, 2022, 75, 29-36.	0.5	9
40	The transcription factor Rap1p is required for tolerance to cellâ€wall perturbing agents and for cellâ€wall maintenance in <i>Saccharomyces cerevisiae</i> . FEBS Letters, 2015, 589, 59-67.	1.3	7
41	The mechanism behind flaring/triggering of autoimmunity disorders associated with COVID-19. Autoimmunity Reviews, 2021, 20, 102909.	2.5	7
42	An issue of concern: unique truncated ORF8 protein variants of SARS-CoV-2. PeerJ, 2022, 10, e13136.	0.9	7
43	Partial purification of histone H3 proteolytic activity from the budding yeast <i>Saccharomyces cerevisiae</i> . Yeast, 2016, 33, 217-226.	0.8	5
44	A Comprehensive, Multi-Modal Strategy to Mitigate Alzheimer's Disease Risk Factors Improves Aspects of Metabolism and Offsets Cognitive Decline in Individuals with Cognitive Impairment. Journal of Alzheimer's Disease Reports, 2020, 4, 1-8.	1.2	4
45	Periodically aperiodic pattern of SARS-CoV-2 mutations underpins the uncertainty of its origin and evolution. Environmental Research, 2022, 204, 112092.	3.7	4
46	Urgent Need for Field Surveys of Coronaviruses in Southeast Asia to Understand the SARS-CoV-2 Phylogeny and Risk Assessment for Future Outbreaks. Biomolecules, 2021, 11, 398.	1.8	3
47	Epigenetics: Role of Histone Proteases in Cellular Functions and Diseases. , 2014, , 113-126.		2
48	Molecular assessment of proteins encoded by the mitochondrial genome of Clarias batrachus and Clarias gariepinus. Biochemistry and Biophysics Reports, 2021, 26, 100985.	0.7	2
49	In vitro Histone H3 Cleavage Assay for Yeast and Chicken Liver H3 Protease. Bio-protocol, 2017, 7, e2085.	0.2	0