

# William S Trimble

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2287309/william-s-trimble-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71  
papers

4,703  
citations

39  
h-index

68  
g-index

72  
ext. papers

5,403  
ext. citations

8.5  
avg, IF

5.34  
L-index

#	Paper	IF	Citations
71	The complex web of canonical and non-canonical Hedgehog signaling.. <i>BioEssays</i> , <b>2022</b> , e2100183	4.1	0
70	A non-canonical Hedgehog pathway initiates ciliogenesis and autophagy. <i>Journal of Cell Biology</i> , <b>2021</b> , 220,	7.3	9
69	Nonredundant roles of DIAPHs in primary ciliogenesis. <i>Journal of Biological Chemistry</i> , <b>2021</b> , 296, 100680	5.4	4
68	Revised subunit order of mammalian septin complexes explains their in vitro polymerization properties. <i>Molecular Biology of the Cell</i> , <b>2021</b> , 32, 289-300	3.5	22
67	DIAPH1 regulates ciliogenesis and trafficking in primary cilia. <i>FASEB Journal</i> , <b>2020</b> , 34, 16516-16535	0.9	3
66	Phagolysosome resolution requires contacts with the endoplasmic reticulum and phosphatidylinositol-4-phosphate signalling. <i>Nature Cell Biology</i> , <b>2019</b> , 21, 1234-1247	23.4	38
65	Lysosomal integral membrane protein-2 (LIMP-2/SCARB2) is involved in lysosomal cholesterol export. <i>Nature Communications</i> , <b>2019</b> , 10, 3521	17.4	43
64	Multimerization and Retention of the Scavenger Receptor SR-B1 in the Plasma Membrane. <i>Developmental Cell</i> , <b>2019</b> , 50, 283-295.e5	10.2	15
63	Single-molecule localization microscopy of septin bundles in mammalian cells. <i>Cytoskeleton</i> , <b>2019</b> , 76, 63-72	2.4	3
62	Septin-regulated actin dynamics promote Salmonella invasion of host cells. <i>Cellular Microbiology</i> , <b>2018</b> , 20, e12866	3.9	7
61	Size uniformity of animal cells is actively maintained by a p38 MAPK-dependent regulation of G1-length. <i>ELife</i> , <b>2018</b> , 7,	8.9	34
60	VAPs and ACBD5 tether peroxisomes to the ER for peroxisome maintenance and lipid homeostasis. <i>Journal of Cell Biology</i> , <b>2017</b> , 216, 367-377	7.3	142
59	Membrane dynamics and organelle biogenesis-lipid pipelines and vesicular carriers. <i>BMC Biology</i> , <b>2017</b> , 15, 102	7.3	40
58	Uncovering the Roles of Septins in Cilia. <i>Frontiers in Cell and Developmental Biology</i> , <b>2017</b> , 5, 36	5.7	25
57	A phagocytosis assay for oxidized low-density lipoprotein versus immunoglobulin G-coated microbeads in human U937 macrophages. <i>Analytical Biochemistry</i> , <b>2016</b> , 500, 24-34	3.1	7
56	OxLDL receptor chromatography from live human U937 cells identifies SYK(L) that regulates phagocytosis of oxLDL. <i>Analytical Biochemistry</i> , <b>2016</b> , 513, 7-20	3.1	11
55	Novel Host Proteins and Signaling Pathways in Enteropathogenic E. coli Pathogenesis Identified by Global Phosphoproteome Analysis. <i>Molecular and Cellular Proteomics</i> , <b>2015</b> , 14, 1927-45	7.6	25

54	Barriers to the free diffusion of proteins and lipids in the plasma membrane. <i>Journal of Cell Biology</i> , <b>2015</b> , 208, 259-71	7.3	135
53	Cytoskeleton: septins do the horizontal tango. <i>Current Biology</i> , <b>2014</b> , 24, R324-7	6.3	1
52	Drosophila SNAP-29 is an essential SNARE that binds multiple proteins involved in membrane traffic. <i>PLoS ONE</i> , <b>2014</b> , 9, e91471	3.7	9
51	Cell and molecular biology of septins. <i>International Review of Cell and Molecular Biology</i> , <b>2014</b> , 310, 289-339	6.3	75
50	Structure of LIMP-2 provides functional insights with implications for SR-BI and CD36. <i>Nature</i> , <b>2013</b> , 504, 172-6	50.4	177
49	Mitotic regulation of SEPT9 protein by cyclin-dependent kinase 1 (Cdk1) and Pin1 protein is important for the completion of cytokinesis. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 30075-30086	5.4	38
48	The ZIP5 ectodomain co-localizes with PrP and may acquire a PrP-like fold that assembles into a dimer. <i>PLoS ONE</i> , <b>2013</b> , 8, e72446	3.7	19
47	LIV-1 ZIP ectodomain shedding in prion-infected mice resembles cellular response to transition metal starvation. <i>Journal of Molecular Biology</i> , <b>2012</b> , 422, 556-574	6.5	29
46	Uncovering principles that control septin-septin interactions. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 30406-13	5.4	29
45	Cytoskeletal control of CD36 diffusion promotes its receptor and signaling function. <i>Cell</i> , <b>2011</b> , 146, 593-606	56.2	176
44	Septins. <i>Current Biology</i> , <b>2011</b> , 21, R384-7	6.3	45
43	Characterization of presynaptic septin complexes in mammalian hippocampal neurons. <i>Biological Chemistry</i> , <b>2011</b> , 392, 739-49	4.5	36
42	Septins at a glance. <i>Journal of Cell Science</i> , <b>2011</b> , 124, 4141-6	5.3	32
41	SEPT9 occupies the terminal positions in septin octamers and mediates polymerization-dependent functions in abscission. <i>Journal of Cell Biology</i> , <b>2011</b> , 195, 815-26	7.3	118
40	Distinct roles of septins in cytokinesis: SEPT9 mediates midbody abscission. <i>Journal of Cell Biology</i> , <b>2010</b> , 191, 741-9	7.3	163
39	Stabilization of the actomyosin ring enables spermatocyte cytokinesis in Drosophila. <i>Molecular Biology of the Cell</i> , <b>2010</b> , 21, 1482-93	3.5	53
38	Septins regulate developmental switching from microdomain to nanodomain coupling of Ca(2+) influx to neurotransmitter release at a central synapse. <i>Neuron</i> , <b>2010</b> , 67, 100-15	13.9	94
37	Amoeboid T lymphocytes require the septin cytoskeleton for cortical integrity and persistent motility. <i>Nature Cell Biology</i> , <b>2009</b> , 11, 17-26	23.4	131

36	The cytoskeleton reduces the diffusional dimensionality of CD36 and promotes its aggregation and signaling. <i>FASEB Journal</i> , <b>2009</b> , 23, 83.3	0.9	
35	Mammalian septins are required for phagosome formation. <i>Molecular Biology of the Cell</i> , <b>2008</b> , 19, 1717-26	3.5	72
34	Superfluous role of mammalian septins 3 and 5 in neuronal development and synaptic transmission. <i>Molecular and Cellular Biology</i> , <b>2008</b> , 28, 7012-29	4.8	43
33	Role for myosin II in regulating positioning of Salmonella-containing vacuoles and intracellular replication. <i>Infection and Immunity</i> , <b>2008</b> , 76, 2722-35	3.7	44
32	Sept12 is a component of the mammalian sperm tail annulus. <i>Cytoskeleton</i> , <b>2007</b> , 64, 794-807		50
31	TB or not TB: calcium regulation in mycobacterial survival. <i>Cell</i> , <b>2007</b> , 130, 12-4	56.2	28
30	Mammalian SEPT2 is required for scaffolding nonmuscle myosin II and its kinases. <i>Developmental Cell</i> , <b>2007</b> , 13, 677-690	10.2	152
29	Probing the role of septins in cardiomyocytes. <i>Experimental Cell Research</i> , <b>2006</b> , 312, 1598-609	4.2	19
28	GTP binding and hydrolysis kinetics of human septin 2. <i>FEBS Journal</i> , <b>2006</b> , 273, 3248-60	5.7	52
27	The septin Sept5/CDCrel-1 competes with alpha-SNAP for binding to the SNARE complex. <i>Biochemical Journal</i> , <b>2005</b> , 385, 347-53	3.8	79
26	Septins: traffic control at the cytokinesis intersection. <i>Traffic</i> , <b>2005</b> , 6, 626-34	5.7	50
25	Septin 3 (G-septin) is a developmentally regulated phosphoprotein enriched in presynaptic nerve terminals. <i>Journal of Neurochemistry</i> , <b>2004</b> , 91, 579-90	6	75
24	Septin 2 phosphorylation: theoretical and mass spectrometric evidence for the existence of a single phosphorylation site in vivo. <i>Rapid Communications in Mass Spectrometry</i> , <b>2004</b> , 18, 1123-30	2.2	20
23	Elimination of host cell PtdIns(4,5)P(2) by bacterial SigD promotes membrane fission during invasion by Salmonella. <i>Nature Cell Biology</i> , <b>2002</b> , 4, 766-73	23.4	246
22	Mammalian septins nomenclature. <i>Molecular Biology of the Cell</i> , <b>2002</b> , 13, 4111-3	3.5	104
21	The mammalian septin MSF localizes with microtubules and is required for completion of cytokinesis. <i>Molecular Biology of the Cell</i> , <b>2002</b> , 13, 3532-45	3.5	210
20	A prototypic platelet septin and its participation in secretion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 3064-9	11.5	104
19	The septin CDCrel-1 is dispensable for normal development and neurotransmitter release. <i>Molecular and Cellular Biology</i> , <b>2002</b> , 22, 378-87	4.8	104

18	Syntaxin 5 is required for cytokinesis and spermatid differentiation in <i>Drosophila</i> . <i>Developmental Biology</i> , <b>2002</b> , 251, 294-306	3.1	83
17	Expression and analysis of properties of septin CDCrel-1 in exocytosis. <i>Methods in Enzymology</i> , <b>2001</b> , 329, 499-510	1.7	22
16	Analysis of the mutant <i>Drosophila</i> N-ethylmaleimide sensitive fusion-1 protein in comatose reveals molecular correlates of the behavioural paralysis. <i>Journal of Neurochemistry</i> , <b>2001</b> , 78, 207-208	6	
15	Membrane dynamics in phagocytosis. <i>Seminars in Immunology</i> , <b>2001</b> , 13, 357-64	10.7	63
14	VAP-A binds promiscuously to both v- and tSNAREs. <i>Biochemical and Biophysical Research Communications</i> , <b>2001</b> , 286, 616-21	3.4	72
13	A functional role for VAP-33 in insulin-stimulated GLUT4 traffic. <i>Traffic</i> , <b>2000</b> , 1, 512-21	5.7	53
12	Focal exocytosis of VAMP3-containing vesicles at sites of phagosome formation. <i>Journal of Cell Biology</i> , <b>2000</b> , 149, 697-706	7.3	266
11	VAMP2, but not VAMP3/cellubrevin, mediates insulin-dependent incorporation of GLUT4 into the plasma membrane of L6 myoblasts. <i>Molecular Biology of the Cell</i> , <b>2000</b> , 11, 2403-17	3.5	97
10	SNAP23 promotes insulin-dependent glucose uptake in 3T3-L1 adipocytes: possible interaction with cytoskeleton. <i>American Journal of Physiology - Cell Physiology</i> , <b>1999</b> , 276, C1108-14	5.4	47
9	The septin CDCrel-1 binds syntaxin and inhibits exocytosis. <i>Nature Neuroscience</i> , <b>1999</b> , 2, 434-9	25.5	317
8	Phosphatidylinositol polyphosphate binding to the mammalian septin H5 is modulated by GTP. <i>Current Biology</i> , <b>1999</b> , 9, 1458-67	6.3	225
7	Characterization of the mammalian septin H5: distinct patterns of cytoskeletal and membrane association from other septin proteins. <i>Cytoskeleton</i> , <b>1999</b> , 43, 52-62		73
6	Presynaptic protein interactions in vivo: evidence from botulinum A, C, D and E action at frog neuromuscular junction. <i>European Journal of Neuroscience</i> , <b>1998</b> , 10, 2617-28	3.5	47
5	Identification of a human homologue of the vesicle-associated membrane protein (VAMP)-associated protein of 33 kDa (VAP-33): a broadly expressed protein that binds to VAMP. <i>Biochemical Journal</i> , <b>1998</b> , 333 ( Pt 2), 247-51	3.8	78
4	Deletion analysis of the c-Ha-ras oncogene promoter. <i>FEBS Letters</i> , <b>1987</b> , 219, 70-4	3.8	11
3	Morphological transformation and tumorigenicity in C3H/10T1/2 cells transformed with an inducible c-Ha-ras oncogene. <i>Bioscience Reports</i> , <b>1987</b> , 7, 579-85	4.1	4
2	The functions of Septins in Mammals		187-209
1	Revised subunit order of mammalian septin complexes explains their in vitro polymerization properties		4

