

Jing Zhi Sun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/228753/jing-zhi-sun-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145
papers

8,116
citations

46
h-index

86
g-index

151
ext. papers

9,028
ext. citations

7.1
avg. IF

6
L-index

#	Paper	IF	Citations
145	Specific detection of D-glucose by a tetraphenylethene-based fluorescent sensor. <i>Journal of the American Chemical Society</i> , 2011 , 133, 660-3	16.4	508
144	Click synthesis, aggregation-induced emission, E/Z isomerization, self-organization, and multiple chromisms of pure stereoisomers of a tetraphenylethene-cored luminogen. <i>Journal of the American Chemical Society</i> , 2012 , 134, 9956-66	16.4	502
143	Efficient Solid Emitters with Aggregation-Induced Emission and Intramolecular Charge Transfer Characteristics: Molecular Design, Synthesis, Photophysical Behaviors, and OLED Application. <i>Chemistry of Materials</i> , 2012 , 24, 1518-1528	9.6	418
142	Synergy between twisted conformation and effective intermolecular interactions: strategy for efficient mechanochromic luminogens with high contrast. <i>Advanced Materials</i> , 2013 , 25, 2837-43	24	366
141	Switching the light emission of (4-biphenyl)phenyldibenzofulvene by morphological modulation: crystallization-induced emission enhancement. <i>Chemical Communications</i> , 2007 , 40-2	5.8	345
140	Effects of Substitution with Donor/Acceptor Groups on the Properties of Tetraphenylethene Trimer: Aggregation-Induced Emission, Solvatochromism, and Mechanochromism. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 7334-7347	3.8	328
139	Hyperbranched polytriazoles with high molecular compressibility: aggregation-induced emission and superamplified explosive detection. <i>Journal of Materials Chemistry</i> , 2011 , 21, 4056		256
138	Tetraphenylpyrazine-based AIEgens: facile preparation and tunable light emission. <i>Chemical Science</i> , 2015 , 6, 1932-1937	9.4	206
137	Aggregation-induced red-NIR emission organic nanoparticles as effective and photostable fluorescent probes for bioimaging. <i>Journal of Materials Chemistry</i> , 2012 , 22, 15128		156
136	Wrapping Carbon Nanotubes in Pyrene-Containing Poly(phenylacetylene) Chains: Solubility, Stability, Light Emission, and Surface Photovoltaic Properties. <i>Macromolecules</i> , 2006 , 39, 8011-8020	5.5	152
135	Room temperature phosphorescence from natural products: Crystallization matters. <i>Science China Chemistry</i> , 2013 , 56, 1178-1182	7.9	142
134	Tetraphenylethenyl-modified perylene bisimide: aggregation-induced red emission, electrochemical properties and ordered microstructures. <i>Journal of Materials Chemistry</i> , 2012 , 22, 7387		134
133	Fumaronitrile-Based Fluorogen: Red to Near-Infrared Fluorescence, Aggregation-Induced Emission, Solvatochromism, and Twisted Intramolecular Charge Transfer. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 10541-10547	3.8	125
132	Red and near infrared emission materials with AIE characteristics. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 10588-10609	7.1	117
131	Luminogenic Polyacetylenes and Conjugated Polyelectrolytes: Synthesis, Hybridization with Carbon Nanotubes, Aggregation-Induced Emission, Superamplification in Emission Quenching by Explosives, and Fluorescent Assay for Protein Quantitation. <i>Macromolecules</i> , 2009 , 42, 9400-9411	5.5	116
130	Siloles symmetrically substituted on their 2,5-positions with electron-accepting and donating moieties: facile synthesis, aggregation-enhanced emission, solvatochromism, and device application. <i>Chemical Science</i> , 2012 , 3, 549-558	9.4	111
129	D _A Solid Emitter with Crowded and Remarkably Twisted Conformations Exhibiting Multifunctionality and Multicolor Mechanochromism. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 10998-11005	13.8	108

128	A 1,3-indandione-functionalized tetraphenylethene: aggregation-induced emission, solvatochromism, mechanochromism, and potential application as a multiresponsive fluorescent probe. <i>Chemistry - A European Journal</i> , 2014 , 20, 4661-70	4.8	104
127	Exploration of biocompatible AIEgens from natural resources. <i>Chemical Science</i> , 2018 , 9, 6497-6502	9.4	103
126	Catalyst-Free Thiol-yne Click Polymerization: A Powerful and Facile Tool for Preparation of Functional Poly(vinylene sulfide)s. <i>Macromolecules</i> , 2014 , 47, 1325-1333	5.5	102
125	Malonitrile-Functionalized Tetraphenylpyrazine: Aggregation-Induced Emission, Ratiometric Detection of Hydrogen Sulfide, and Mechanochromism. <i>Advanced Functional Materials</i> , 2018 , 28, 1704685	15.6	100
124	Hyperbranched Poly(aroxycarbonyltriazole)s: Metal-Free Click Polymerization, Light Refraction, Aggregation-Induced Emission, Explosive Detection, and Fluorescent Patterning. <i>Macromolecules</i> , 2013 , 46, 3907-3914	5.5	99
123	Disubstituted Polyacetylenes Containing Photopolymerizable Vinyl Groups and Polar Ester Functionality: Polymer Synthesis, Aggregation-Enhanced Emission, and Fluorescent Pattern Formation. <i>Macromolecules</i> , 2007 , 40, 3159-3166	5.5	91
122	Pyrazine luminogens with free and locked phenyl rings: Understanding of restriction of intramolecular rotation as a cause for aggregation-induced emission. <i>Applied Physics Letters</i> , 2009 , 94, 253308	3.4	90
121	Metal-free click polymerization of propiolates and azides: facile synthesis of functional poly(aroxycarbonyltriazole)s. <i>Polymer Chemistry</i> , 2012 , 3, 1075	4.9	87
120	A two-channel responsive fluorescent probe with AIE characteristics and its application for selective imaging of superoxide anions in living cells. <i>Chemical Communications</i> , 2017 , 53, 1653-1656	5.8	86
119	Sugar-Based Aggregation-Induced Emission Luminogens: Design, Structures, and Applications. <i>Chemical Reviews</i> , 2020 , 120, 4534-4577	68.1	86
118	Label-free fluorescence detection of mercury(II) and glutathione based on Hg ²⁺ -DNA complexes stimulating aggregation-induced emission of a tetraphenylethene derivative. <i>Analyst, The</i> , 2010 , 135, 3002-7	5	85
117	Discriminatory detection of cysteine and homocysteine based on dialdehyde-functionalized aggregation-induced emission fluorophores. <i>Chemistry - A European Journal</i> , 2013 , 19, 613-20	4.8	84
116	An aggregation-induced-emission platform for direct visualization of interfacial dynamic self-assembly. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 13518-13522	16.4	67
115	Discriminative fluorescence detection of cysteine, homocysteine and glutathione via reaction-dependent aggregation of fluorophore-analyte adducts. <i>Journal of Materials Chemistry</i> , 2012 , 22, 17063		67
114	Crystallization-Induced Emission Enhancement of a Simple Tolane-Based Mesogenic Luminogen. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 21875-21881	3.8	65
113	Triphenylamine-functionalized tetraphenylpyrazine: facile preparation and multifaceted functionalities. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 2901-2908	7.1	64
112	Thiol-yne click polymerization. <i>Science Bulletin</i> , 2013 , 58, 2711-2718		63
111	Axial chiral aggregation-induced emission luminogens with aggregation-annihilated circular dichroism effect. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 5162-5166	7.1	62

110	Crystallization-induced phosphorescence of benzils at room temperature. <i>Science China Chemistry</i> , 2013 , 56, 1183-1186	7.9	61
109	Conjugates of tetraphenylethene and diketopyrrolopyrrole: tuning the emission properties with phenyl bridges. <i>Chemical Communications</i> , 2014 , 50, 8747-50	5.8	60
108	Self-healing hyperbranched poly(aroyltriazole)s. <i>Scientific Reports</i> , 2013 , 3,	4.9	55
107	A self-assembly induced emission system constructed by the host-guest interaction of AIE-active building blocks. <i>Chemical Communications</i> , 2015 , 51, 1089-91	5.8	54
106	AIE-active, highly thermally and morphologically stable, mechanochromic and efficient solid emitters for low color temperature OLEDs. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 7552-7560	7.1	52
105	The fluorescence properties and aggregation behavior of tetraphenylethene- β -erylenebisimide dyads. <i>Journal of Materials Chemistry C</i> , 2015 , 3, 3559-3568	7.1	51
104	Multi-Functional Hyperbranched Poly(vinylene sulfide)s Constructed via Spontaneous Thiol- α -yne Click Polymerization. <i>Macromolecules</i> , 2015 , 48, 7782-7791	5.5	51
103	Single Chromophore-Based White-Light-Emitting Hydrogel with Tunable Fluorescence and Patternability. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 39343-39352	9.5	51
102	Facile synthesis of poly(aroxycarbonyltriazole)s with aggregation-induced emission characteristics by metal-free click polymerization. <i>Science China Chemistry</i> , 2011 , 54, 611-616	7.9	50
101	In situ monitoring of molecular aggregation using circular dichroism. <i>Nature Communications</i> , 2018 , 9, 4961	17.4	49
100	A Red to Near-IR Fluorogen: Aggregation-Induced Emission, Large Stokes Shift, High Solid Efficiency and Application in Cell-Imaging. <i>Chemistry - A European Journal</i> , 2016 , 22, 9784-91	4.8	47
99	Metal-free click polymerizations of activated azide and alkynes. <i>Polymer Chemistry</i> , 2013 , 4, 1396-1401	4.9	45
98	Interface-Targeting Strategy Enables Two-Photon Fluorescent Lipid Droplet Probes for High-Fidelity Imaging of Turbid Tissues and Detecting Fatty Liver. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 10706-10717	9.5	44
97	Functional polyacetylenes: hybrids with carbon nanotubes. <i>Polymer Chemistry</i> , 2013 , 4, 211-223	4.9	43
96	Functional Disubstituted Polyacetylenes and Soluble Cross-Linked Polyenes: Effects of Pendant Groups or Side Chains on Liquid Crystallinity and Light Emission of Poly(1-phenyl-1-undecyne)s. <i>Macromolecules</i> , 2005 , 38, 3290-3300	5.5	43
95	Phenol-yne Click Polymerization: An Efficient Technique to Facilely Access Regio- and Stereoregular Poly(vinylene ether ketone)s. <i>Chemistry - A European Journal</i> , 2017 , 23, 10725-10731	4.8	42
94	Preparation and self-assembly of amphiphilic polymer with aggregation-induced emission characteristics. <i>Science China Chemistry</i> , 2012 , 55, 772-778	7.9	42
93	Electronic structure of titanium oxide nanotubules. <i>Chemical Physics Letters</i> , 2003 , 380, 366-371	2.5	42

92	Polymerization-induced emission. <i>Materials Horizons</i> , 2020 , 7, 987-998	14.4	42
91	Drawing a clear mechanistic picture for the aggregation-induced emission process. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 1143-1150	7.8	41
90	Functionalization of Disubstituted Polyacetylenes through Polymer Reactions: Syntheses of Functional Poly(1-phenyl-1-alkyne)s. <i>Macromolecules</i> , 2006 , 39, 467-469	5.5	41
89	A recyclable and reusable supported Cu(I) catalyzed azide-alkyne click polymerization. <i>Scientific Reports</i> , 2014 , 4, 5107	4.9	40
88	Effect of ionic interaction on the mechanochromic properties of pyridinium modified tetraphenylethene. <i>Chemical Communications</i> , 2015 , 51, 8849-52	5.8	39
87	A Facile Synthetic Route to Functional Poly(phenylacetylene)s with Tunable Structures and Properties. <i>Macromolecules</i> , 2011 , 44, 6724-6737	5.5	39
86	Vapochromism and Crystallization-Enhanced Emission of 1,1-Disubstituted 2,3,4,5-Tetraphenylsiloles. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2007 , 17, 673-678	3.2	39
85	Influence of the number and substitution position of phenyl groups on the aggregation-enhanced emission of benzene-cored luminogens. <i>Chemical Communications</i> , 2015 , 51, 4830-3	5.8	38
84	Enhanced dispersion of nanotubes in organic solvents by donor-acceptor interaction between functionalized poly(phenylacetylene) chains and carbon nanotube walls. <i>Journal of Polymer Science Part A</i> , 2009 , 47, 4995-5005	2.5	34
83	Ferrocene-based poly(aroxycarbonyltriazole)s: synthesis by metal-free click polymerization and use as precursors to magnetic ceramics. <i>Polymer Chemistry</i> , 2013 , 4, 5537	4.9	33
82	A polytriazole synthesized by 1,3-dipolar polycycloaddition showing aggregation-enhanced emission and utility in explosive detection. <i>Macromolecular Rapid Communications</i> , 2013 , 34, 796-802	4.8	33
81	Anionic conjugated polytriazole: direct preparation, aggregation-enhanced emission, and highly efficient Al ³⁺ sensing. <i>Polymer Chemistry</i> , 2016 , 7, 5835-5839	4.9	32
80	Synthesis of Functional Disubstituted Polyacetylenes Bearing Highly Polar Functionalities via Activated Ester Strategy.. <i>ACS Macro Letters</i> , 2012 , 1, 75-79	6.6	32
79	Poly(disubstituted acetylene)s: Advances in polymer preparation and materials application. <i>Progress in Polymer Science</i> , 2018 , 79, 98-120	29.6	31
78	Structure-dependent emission of polytriazoles. <i>Polymer Chemistry</i> , 2014 , 5, 2301	4.9	31
77	Tetraphenylethene Cross-Linked Thermosensitive Microgels via Acylhydrazone Bonds: Aggregation-Induced Emission in Nanoconfined Environments and the Conosolvency Effect. <i>Macromolecules</i> , 2018 , 51, 5762-5772	5.5	30
76	Specific recognition of β -cyclodextrin by a tetraphenylethene luminogen through a cooperative boronic acid/diol interaction. <i>Chemistry - A European Journal</i> , 2011 , 17, 14736-40	4.8	29
75	N-type pyrazine and triazole-based luminogens with aggregation-enhanced emission characteristics. <i>Chemical Communications</i> , 2015 , 51, 10710-3	5.8	28

74	Biocompatible organic dots with aggregation-induced emission for in vitro and in vivo fluorescence imaging. <i>Science China Chemistry</i> , 2013 , 56, 1228-1233	7.9	28
73	A novel pyridinium modified tetraphenylethene: AIE-activity, mechanochromism, DNA detection and mitochondrial imaging. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 1279-1285	7.3	27
72	Composites of quaternized poly(pyridylacetylene) and silver nanoparticles: Nanocomposite preparation, conductivity and photoinduced patterning. <i>Journal of Materials Chemistry</i> , 2011 , 21, 13627		27
71	Detection of the critical micelle concentration of cationic and anionic surfactants based on aggregation-induced emission property of hexaphenylsilole derivatives. <i>Science in China Series B: Chemistry</i> , 2009 , 52, 755-759		27
70	Unveiling the Different Emission Behavior of Polytriazoles Constructed from Pyrazine-Based AIE Monomers by Click Polymerization. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 12181-12188	9.5	26
69	Deciphering the binding behaviours of BSA using ionic AIE-active fluorescent probes. <i>Faraday Discussions</i> , 2017 , 196, 285-303	3.6	26
68	Click polymerization: The aurora of polymer synthetic methodology. <i>Journal of Polymer Science Part A</i> , 2017 , 55, 616-621	2.5	26
67	Metal-Free Catalysts for the Polymerization of Alkynyl-Based Monomers. <i>Catalysts</i> , 2021 , 11, 1	4	26
66	Specific Targeting, Imaging, and Ablation of Tumor-Associated Macrophages by Theranostic Mannose-AIEgen Conjugates. <i>Analytical Chemistry</i> , 2019 , 91, 6836-6843	7.8	25
65	Investigation of the binding modes between AIE-active molecules and dsDNA by single molecule force spectroscopy. <i>Nanoscale</i> , 2015 , 7, 8939-45	7.7	25
64	Reaction-based AIE-active Fluorescent Probes for Selective Detection and Imaging. <i>Israel Journal of Chemistry</i> , 2018 , 58, 845-859	3.4	25
63	A single fluorescent probe enables clearly discriminating and simultaneously imaging liquid-ordered and liquid-disordered microdomains in plasma membrane of living cells. <i>Biomaterials</i> , 2017 , 120, 46-56	15.6	24
62	Stimulus responsive fluorescent hyperbranched polymers and their applications. <i>Science China Chemistry</i> , 2010 , 53, 2409-2428	7.9	23
61	Phospholipid-Biomimetic Fluorescent Mitochondrial Probe with Ultrahigh Selectivity Enables In Situ and High-Fidelity Tissue Imaging. <i>Analytical Chemistry</i> , 2017 , 89, 6575-6582	7.8	22
60	Functional poly(phenylacetylene)s carrying azobenzene pendants: Polymer synthesis, photoisomerization behaviors, and liquid-crystalline property. <i>Polymer</i> , 2011 , 52, 5290-5301	3.9	22
59	Chitosan rods reinforced by aligned multiwalled carbon nanotubes via magnetic-field-assistant in situ precipitation. <i>Carbohydrate Polymers</i> , 2011 , 84, 1126-1132	10.3	22
58	Facile Polymerization of Water and Triple-Bond Based Monomers toward Functional Polyamides. <i>Macromolecules</i> , 2017 , 50, 8554-8561	5.5	21
57	Aggregation-induced emission: right there shining. <i>Science China Materials</i> , 2019 , 62, 1227-1235	7.1	21

56	Multiple Stimuli Responses of Stereo-Isomers of AIE-Active Ethynylene-Bridged and Pyridyl-Modified Tetraphenylethene. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 2165-2176	3.4	20
55	A red-emitting cationic hyperbranched polymer: facile synthesis, aggregation-enhanced emission, large Stokes shift, polarity-insensitive fluorescence and application in cell imaging. <i>Polymer Chemistry</i> , 2017 , 8, 6277-6282	4.9	20
54	A Dendritic Supramolecular Complex as Uniform Hybrid Micelle with Dual Structure for Bimodal In Vivo Imaging. <i>Chemistry - A European Journal</i> , 2017 , 23, 2802-2810	4.8	20
53	Facile Preparation of Light Refractive Poly(aroxycarbonyltriazole)s by Metal-Free Click Polymerization. <i>Macromolecular Chemistry and Physics</i> , 2014 , 215, 1036-1041	2.6	20
52	Click Chemistry: A Powerful and Versatile Methodology for Preparation of Ferrocene-Containing Polymers. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2015 , 25, 37-46	3.2	19
51	Aggregation-Induced Generation of Reactive Oxygen Species: Mechanism and Photosensitizer Construction. <i>Molecules</i> , 2021 , 26,	4.8	19
50	Decomposition-assembly of tetraphenylethylene nanoparticles with uniform size and aggregation-induced emission property. <i>Macromolecular Rapid Communications</i> , 2012 , 33, 1584-9	4.8	18
49	Poly(phenylene-ethynylene-alt-tetraphenylethene) copolymers: aggregation enhanced emission, induced circular dichroism, tunable surface wettability and sensitive explosive detection. <i>Polymer Chemistry</i> , 2017 , 8, 2353-2362	4.9	17
48	An air-stable supported Cu(I) catalyst for azide-alkyne click polymerization. <i>Science China Chemistry</i> , 2015 , 58, 1748-1752	7.9	17
47	A unimolecular theranostic system with HO-specific response and AIE-activity for doxorubicin releasing and real-time tracking in living cells.. <i>RSC Advances</i> , 2018 , 8, 10975-10979	3.7	17
46	Preparation of water soluble poly(aniline) and its gas-sensitivity. <i>Green Chemistry</i> , 2005 , 7, 507	10	17
45	Different amine-functionalized poly(diphenylsubstituted acetylenes) from the same precursor. <i>Polymer Chemistry</i> , 2016 , 7, 5312-5321	4.9	17
44	Diversified Photo/Electronic Functions Based on a Simple Chalcone Skeleton: Effects of Substitution Pattern and Molecular Packing. <i>Advanced Functional Materials</i> , 2018 , 28, 1706506	15.6	16
43	Visualizing and monitoring interface structures and dynamics by luminogens with aggregation-induced emission. <i>Journal of Applied Physics</i> , 2019 , 126, 050901	2.5	16
42	An Aggregation-Induced-Emission Platform for Direct Visualization of Interfacial Dynamic Self-Assembly. <i>Angewandte Chemie</i> , 2014 , 126, 13736-13740	3.6	16
41	New tetraphenylpyridinium-based luminogens with aggregation-induced emission characteristics. <i>Science China Chemistry</i> , 2013 , 56, 1187-1190	7.9	16
40	Sulfur Conversion to Multifunctional Poly-(thiocarbamate)s through Multicomponent Polymerizations of Sulfur, Diols, and Diisocyanides. <i>Journal of the American Chemical Society</i> , 2021 , 143, 3944-3950	16.4	15
39	A novel post-polymerization modification route to functional poly(disubstituted acetylenes) through phenol click reaction. <i>Polymer Chemistry</i> , 2017 , 8, 2630-2639	4.9	14

- 38 A new strategy of post-polymerization modification to prepare functionalized poly(disubstituted acetylenes). *Polymer Chemistry*, **2014**, 5, 2309 4.9 14
- 37 Post-functionalization of disubstituted polyacetylenes via click chemistry. *Science China Chemistry*, **2011**, 54, 1948-1954 7.9 14
- 36 A side-chain engineering strategy for constructing fluorescent dyes with direct and ultrafast self-delivery to living cells. *Chemical Science*, **2019**, 11, 661-670 9.4 14
- 35 Microscopic visualization and mechanism investigation of the crystal jumping behavior of a cyclic chalcone derivative. *Materials Chemistry Frontiers*, **2020**, 4, 651-660 7.8 14
- 34 Electric field induced cis-to-trans isomerization of polyphenylacetylene in solid state. *Chemical Communications*, **2002**, 1222-3 5.8 13
- 33 Probing the pH-dependent chain dynamics of poly(acrylate acid) in concentrated solution by using a cationic AIE fluorophore. *Science China Chemistry*, **2013**, 56, 1253-1257 7.9 12
- 32 Synthesis of liquid crystalline poly(1-pentyne)s and fabrication of polyacetylene-perovskite hybrids. *Journal of Polymer Science Part A*, **2006**, 44, 3538-3550 2.5 11
- 31 Selective, switchable fluorescent probe for heparin based on aggregation-induced emission. *Analytical Biochemistry*, **2016**, 514, 48-54 3.1 11
- 30 Synthesis of functional poly(disubstituted acetylene)s through the post-polymerization modification route. *Chemical Record*, **2015**, 15, 524-32 6.6 10
- 29 A macrocyclic 1,4-bis(4-pyridylethynyl)benzene showing unique aggregation-induced emission properties. *Chemical Communications*, **2016**, 52, 10365-8 5.8 10
- 28 Indium-catalyzed polycyclotrimerization of diynes: a facile route to prepare regioregular hyperbranched polyarylenes. *Polymer Chemistry*, **2014**, 5, 5890-5894 4.9 10
- 27 DETECTION OF ctDNA WITH WATER SOLUBLE TETRAPHENYLENE-BASED FLUORESCENCE PROBE. *Acta Polymerica Sinica*, **2011**, 011, 1079-1085 10
- 26 Transition-Metal-Free Polymerization of Bromoalkynes and Phenols. *Macromolecules*, **2019**, 52, 2949-2955 5.5 9
- 25 Monosaccharide-functionalized poly(phenylacetylenes): in situ polymerization, hybridization with MWCNTs, and application in the reinforcement of chitosan rods. *Polymer Chemistry*, **2014**, 5, 6216-6224 4.9 9
- 24 Effective enhancement of the emission efficiency of tetraphenylporphyrin in solid state by tetraphenylethene modification. *Chinese Chemical Letters*, **2019**, 30, 143-148 8.1 9
- 23 Recent progress in the applications of aminopyridine click chemistry. *Polymer Chemistry*, **2021**, 12, 2978-2986 4.9 9
- 22 3,4,5-Triphenyl-1,2,4-triazole-based multifunctional n-type AIEgen. *Science China Chemistry*, **2017**, 60, 635-641 7.9 8
- 21 A throughway to functional poly(disubstituted acetylenes): a combination of the activated ester strategy with click reaction. *Polymer Chemistry*, **2015**, 6, 7958-7963 4.9 8

20	A Novel Fluorescent Skeleton from Disubstituted Thiochromenones via Nickel-Catalyzed Cycloaddition of Sulfobenzoic Anhydrides with Alkynes. <i>Organic Letters</i> , 2019 , 21, 6280-6284	6.2	8
19	Polymerization of 1-chloro-2-benzaldehyde-acetylene using an NHC-Pd/AgOTf catalyst and post-polymerization modification. <i>Polymer Chemistry</i> , 2017 , 8, 5546-5553	4.9	6
18	Probing the effects of external species on poly(acrylate acid) chain dynamics by using cationic AIE-active fluorophore. <i>Science China Chemistry</i> , 2016 , 59, 218-224	7.9	5
17	Visualization and quantification of cellular RNA production and degradation using a combined fluorescence and mass spectrometry characterization assay. <i>Chemical Communications</i> , 2019 , 55, 8321-8324	5.8	4
16	Kinetic Insights into Marangoni Effect-Assisted Preparation of Ultrathin Hydrogel Films. <i>Langmuir</i> , 2018 , 34, 12310-12317	4	4
15	Pyrene-Functionalized Polyacetylenes: Synthesis and Photoluminescence Property. <i>Polymers</i> , 2019 , 11,	4.5	3
14	Change in aggregation state of a porphyrin-perylene-diimide dyad induced by trifluoroacetic acid. <i>Science Bulletin</i> , 2008 , 53, 209-214		3
13	Polymerization of 1-chloro-2-phenylacetylene derivatives by using a Brookhart-type catalyst. <i>Polymer Chemistry</i> , 2019 , 10, 4801-4809	4.9	2
12	Synergetic enhancement of photoconductivity in oxotitanium phthalocyanine nanocrystalline/fluoronone-based azo/BAH composite photoreceptors. <i>Progress in Natural Science: Materials International</i> , 2004 , 14, 1095-1098	3.6	2
11	Thin films of porphyrin-perylene molecular array fabricated by electrophoresis methodology. <i>Science Bulletin</i> , 2005 , 50, 2157-2160		2
10	The role of amide (n, π) transitions in polypeptide clusteroluminescence. <i>Cell Reports Physical Science</i> , 2022 , 3, 100716	6.1	2
9	High strength chitosan rod reinforced by non-covalent functionalized multiwalled carbon nanotubes via an in situ precipitation method. <i>RSC Advances</i> , 2016 , 6, 112634-112640	3.7	2
8	formation of tetraphenylethylene nano-structures on microgels inside living cells reduction-responsive self-assembly. <i>Nanoscale</i> , 2021 , 13, 138-149	7.7	2
7	Charge transport: through space keeps up with the pace. <i>Science China Chemistry</i> , 2015 , 58, 831-832	7.9	1
6	Poly(1-halogen-2-phenylacetylenes) containing tetraphenylethene units: polymer synthesis, unique emission behaviours and application in explosive detection. <i>Materials Chemistry Frontiers</i> , 2022 , 6, 368-378	7.8	1
5	CHCl ₃ -Dependent Emission Color and Jumping Behavior of Cyclic Chalcone Single Crystals: The Halogen Bond Network Effect. <i>Crystals</i> , 2021 , 11, 530	2.3	1
4	The mysterious blue emission around 440 nm in carbonyl-based aliphatic clusteroluminogens. <i>Journal of Polymer Science</i> ,	2.4	0
3	Red-Emitting AIE Materials 2013 , 155-167		

- 2 Construction of oriented thin film via $\text{C}\pi\text{-H}\pi\text{C}$ intermolecular interaction. *Materials Letters*, **2006**, 60, 2379-2382 33
- 1 Hydrogel-assisted delivery of lipophilic molecules into aqueous medium for transdermal medication based on environment-specific, regioselective adsorption of graphene oxides. *Journal of Materials Chemistry B*, **2021**, 9, 1804-1810 73