

# Carlo Trani

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/2287553/carlo-trani-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

231  
papers

4,930  
citations

37  
h-index

61  
g-index

247  
ext. papers

5,870  
ext. citations

3.2  
avg. IF

5.03  
L-index

#	Paper	IF	Citations
231	Long-term clinical impact of permanent pacemaker implantation in patients undergoing transcatheter aortic valve implantation: a systematic review and meta-analysis.. <i>Europace</i> , <b>2022</b> ,	3.9	2
230	Transcatheter aortic valve implantation in pure aortic regurgitation: Hemodynamic and echocardiographic findings in bioprosthesis vs. native valve.. <i>Catheterization and Cardiovascular Interventions</i> , <b>2022</b> ,	2.7	2
229	Pledget-assisted hemostasis to fix residual access-site bleedings after double pre-closure technique. <i>World Journal of Cardiology</i> , <b>2022</b> , 14, 297-306	2.1	
228	Pledget-assisted hemostasis to fix residual access-site bleedings after double pre-closure technique. <i>World Journal of Cardiology</i> , <b>2022</b> , 14, 296-305	2.1	
227	An "Orthotopic" Snorkel-Stenting Technique to Maintain Coronary Patency During Transcatheter Aortic Valve Replacement. <i>Cardiovascular Revascularization Medicine</i> , <b>2021</b> , 28S, 94-97	1.6	0
226	Air Pollution and Coronary Plaque Vulnerability and Instability: An Optical Coherence Tomography Study. <i>JACC: Cardiovascular Imaging</i> , <b>2021</b> , 15, 325-325	8.4	2
225	A Novel Monocyte Subset as a Unique Signature of Atherosclerotic Plaque Rupture. <i>Frontiers in Cell and Developmental Biology</i> , <b>2021</b> , 9, 753223	5.7	1
224	Role of perilipin 2 in microvascular obstruction in patients with ST-elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2021</b> , 10, 633-642	4.3	1
223	Left Main Trifurcation and Its Percutaneous Treatment: What Is Known So Far?. <i>Circulation: Cardiovascular Interventions</i> , <b>2021</b> , 14, e009872	6	1
222	Prognostic impact of FFR/contrast FFR discordance. <i>International Journal of Cardiology</i> , <b>2021</b> , 327, 40-44	3.2	1
221	Assessing the Best Prognostic Score for Transcatheter Aortic Valve Implantation (from the RISPEVA Registry). <i>American Journal of Cardiology</i> , <b>2021</b> , 144, 91-99	3	1
220	Local fluid dynamics in patients with bifurcated coronary lesions undergoing percutaneous coronary interventions. <i>Cardiology Journal</i> , <b>2021</b> , 28, 321-329	1.4	10
219	Timing of Impella implantation and outcomes in cardiogenic shock or high-risk percutaneous coronary revascularization. <i>Catheterization and Cardiovascular Interventions</i> , <b>2021</b> , 98, E222-E234	2.7	3
218	Early clinical and haemodynamic matched comparison of balloon-expandable valves. <i>Heart</i> , <b>2021</b> ,	5.1	3
217	Brain-derived neurotrophic factor in patients with acute coronary syndrome. <i>Translational Research</i> , <b>2021</b> , 231, 39-54	11	1
216	Device-related complications after Impella mechanical circulatory support implantation: an IMP-IT observational multicentre registry substudy. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2021</b> , 10, 999-1006	4.3	4
215	Next-generation balloon-expandable Myval transcatheter heart valve in low-risk aortic stenosis patients. <i>Catheterization and Cardiovascular Interventions</i> , <b>2021</b> ,	2.7	2

214	A novel technique for percutaneous mitral balloon valvuloplasty. <i>EuroIntervention</i> , <b>2021</b> , 17, 586-587	3.1	
213	Impact of High Body Mass Index on Vascular and Bleeding Complications After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , <b>2021</b> , 155, 86-95	3	0
212	Optical coherence tomography, intravascular ultrasound or angiography guidance for distal left main coronary stenting. The ROCK cohort II study. <i>Catheterization and Cardiovascular Interventions</i> , <b>2021</b> ,	2.7	2
211	Clinical outcomes of suboptimal stent deployment as assessed by optical coherence tomography: long-term results of the CLI-OPCI registry. <i>EuroIntervention</i> , <b>2021</b> ,	3.1	1
210	Macrophage infiltrates in coronary plaque erosion and cardiovascular outcome in patients with acute coronary syndrome. <i>Atherosclerosis</i> , <b>2020</b> , 311, 158-166	3.1	9
209	Clinical outcome after percutaneous coronary intervention with drug-eluting stent in bifurcation and nonbifurcation lesions: a meta-analysis of 23 981 patients. <i>Coronary Artery Disease</i> , <b>2020</b> , 31, 438-445	1.4	8
208	Coronary Protection to Prevent Coronary Obstruction During TAVR: A Multicenter International Registry. <i>JACC: Cardiovascular Interventions</i> , <b>2020</b> , 13, 739-747	5	34
207	Coronary slow flow is associated with a worse clinical outcome in patients with Takotsubo syndrome. <i>Heart</i> , <b>2020</b> , 106, 923-930	5.1	21
206	Relationship between coronary plaque morphology of the left anterior descending artery and 12 months clinical outcome: the CLIMA study. <i>European Heart Journal</i> , <b>2020</b> , 41, 383-391	9.5	105
205	Percutaneous left and right ventricular support devices <b>2020</b> , 41-54		
204	Usefulness of sheathless guiding catheters in patients with upper extremity vascular anomalies: Sheathless catheters in upper vascular anomalies.. <i>AsiaIntervention</i> , <b>2020</b> , 6, 43-49	0.1	
203	Observational multicentre registry of patients treated with IMPella mechanical circulatory support device in Italy: the IMP-IT registry. <i>EuroIntervention</i> , <b>2020</b> , 15, e1343-e1350	3.1	28
202	Role of optical coherence tomography for distal left main stem angioplasty. <i>Catheterization and Cardiovascular Interventions</i> , <b>2020</b> , 96, 755-761	2.7	10
201	A less-invasive totally-endovascular (LITE) technique for trans-femoral transcatheter aortic valve replacement. <i>Catheterization and Cardiovascular Interventions</i> , <b>2020</b> , 96, 459-470	2.7	10
200	Fractional Flow Reserve or Optical Coherence Tomography to Guide Management of Angiographically Intermediate Coronary Stenosis: A Single-Center Trial. <i>JACC: Cardiovascular Interventions</i> , <b>2020</b> , 13, 49-58	5	29
199	Early Hemodynamic and Structural Impact of Transcatheter Aortic Valve Replacement in Pure Aortic Regurgitation. <i>JACC: Cardiovascular Interventions</i> , <b>2020</b> , 13, 2582-2584	5	3
198	Percu-Ax aortic valve implantation with a double arm approach: a case report. <i>European Heart Journal - Case Reports</i> , <b>2020</b> , 4, 1-5	0.9	
197	Reply: Assessing Intermediate Lesions: Comparing "Apples and Oranges": FFR or OCT. <i>JACC: Cardiovascular Interventions</i> , <b>2020</b> , 13, 1133-1134	5	

196	Adenosine-Free Indexes vs. Fractional Flow Reserve for Functional Assessment of Coronary Stenoses: Systematic Review and Meta-Analysis. <i>International Journal of Cardiology</i> , <b>2020</b> , 299, 93-99	3.2	5
195	Clinical expert consensus document on the use of percutaneous left ventricular assist support devices during complex high-risk indicated PCI: Italian Society of Interventional Cardiology Working Group Endorsed by Spanish and Portuguese Interventional Cardiology Societies. <i>International Journal of Cardiology</i> , <b>2019</b> , 292, 25-31	3.2	25
194	Long-Term Outcomes of Extent of Revascularization in Complex High Risk and Indicated Patients Undergoing Impella-Protected Percutaneous Coronary Intervention: Report from the Roma-Verona Registry. <i>Journal of Interventional Cardiology</i> , <b>2019</b> , 2019, 5243913	1.8	16
193	Dual quantitative coronary angiography accurately quantifies intracoronary thrombotic burden in patients with acute coronary syndrome: Comparison with optical coherence tomography imaging. <i>International Journal of Cardiology</i> , <b>2019</b> , 292, 25-31	3.2	5
192	Coronary Atherosclerotic Phenotype and Plaque Healing in Patients With Recurrent Acute Coronary Syndromes Compared With Patients With Long-term Clinical Stability: An In Vivo Optical Coherence Tomography Study. <i>JAMA Cardiology</i> , <b>2019</b> , 4, 321-329	16.2	55
191	Hemodynamics and its predictors during Impella-protected PCI in high risk patients with reduced ejection fraction. <i>International Journal of Cardiology</i> , <b>2019</b> , 274, 221-225	3.2	10
190	Fractional flow reserve in acute coronary syndromes and in stable ischemic heart disease: clinical implications. <i>International Journal of Cardiology</i> , <b>2019</b> , 277, 42-46	3.2	6
189	Access Management for Transfemoral Transcatheter Aortic Valve Implantation <b>2019</b> , 215-228		
188	Prospective Randomized Comparison of Fractional Flow Reserve Versus Optical Coherence Tomography to Guide Revascularization of Intermediate Coronary Stenoses: One-Month Results. <i>Journal of the American Heart Association</i> , <b>2019</b> , 8, e012772	6	5
187	The conundrum of endovascular common femoral artery treatment: a case report of lithoplasty as a viable solution. <i>European Heart Journal - Case Reports</i> , <b>2019</b> , 3, ytz122	0.9	
186	Recurrence of angina after ST-segment elevation myocardial infarction: the role of coronary microvascular obstruction. <i>European Heart Journal: Acute Cardiovascular Care</i> , <b>2019</b> , 2048872619880661 <sup>4,3</sup>		
185	Novel ultra-long (48 mm) everolimus-eluting stent for diffusely coronary vessels disease. <i>Minerva Cardioangiologica</i> , <b>2019</b> , 67, 87-93	1.1	3
184	Comparative one-month safety and effectiveness of five leading new-generation devices for transcatheter aortic valve implantation. <i>Scientific Reports</i> , <b>2019</b> , 9, 17098	4.9	18
183	Stent malapposition, strut coverage and atherothrombotic prolapse after percutaneous coronary interventions in ST-segment elevation myocardial infarction. <i>Journal of Cardiovascular Medicine</i> , <b>2019</b> , 20, 122-130	1.9	4
182	Correlation between CD4CD28 T lymphocytes, regulatory T cells and plaque rupture: An Optical Coherence Tomography study in Acute Coronary Syndromes. <i>International Journal of Cardiology</i> , <b>2019</b> , 276, 289-292	3.2	14
181	Trends and outcomes of optical coherence tomography use: 877 patients single-center experience. <i>Cardiovascular Revascularization Medicine</i> , <b>2019</b> , 20, 303-310	1.6	1
180	Angio-Guidewire-Ultrasound (AGU) Guidance for Femoral Access in Procedures Requiring Large Sheaths. <i>Journal of Invasive Cardiology</i> , <b>2019</b> , 31, E37-E39	0.7	6
179	The Radial Artery for Percutaneous Coronary Procedures or Surgery?. <i>Journal of the American College of Cardiology</i> , <b>2018</b> , 71, 1167-1175	15.1	15

178	Quantitative Flow Ratio Identifies Nonculprit Coronary Lesions Requiring Revascularization in Patients With ST-Segment-Elevation Myocardial Infarction and Multivessel Disease. <i>Circulation: Cardiovascular Interventions</i> , <b>2018</b> , 11, e006023	6	51
177	Correlation between frequency-domain optical coherence tomography and fractional flow reserve in angiographically-intermediate coronary lesions. <i>International Journal of Cardiology</i> , <b>2018</b> , 253, 55-60	3.2	16
176	A favorable neointimal proliferation healing process of large drug-eluting stent malapposition. <i>Coronary Artery Disease</i> , <b>2018</b> , 29, 535-538	1.4	
175	Transradial versus transfemoral ancillary approach in complex structural, coronary, and peripheral interventions. Results from the multicenter ancillary registry: A study of the Italian Radial Club. <i>Catheterization and Cardiovascular Interventions</i> , <b>2018</b> , 91, 97-102	2.7	14
174	Proximal occlusion versus distal filter for cerebral protection during carotid stenting: Positive signals from MO.MA trials. <i>Catheterization and Cardiovascular Interventions</i> , <b>2018</b> , 92, 1011-1012	2.7	
173	Definitions and clinical impact of revascularization completeness. <i>Minerva Cardioangiologica</i> , <b>2018</b> , 66, 594-599	1.1	4
172	Impella: pumps overview and access site management. <i>Minerva Cardioangiologica</i> , <b>2018</b> , 66, 606-611	1.1	11
171	Long-term consequences of optical coherence tomography findings during percutaneous coronary intervention: the Centro Per La Lotta Contro L'Infarto - Optimization Of Percutaneous Coronary Intervention (CLI-OPCI) LATE study. <i>EuroIntervention</i> , <b>2018</b> , 14, e443-e451	3.1	19
170	Clinical impact of routine angiographic follow-up after percutaneous coronary interventions on unprotected left main. <i>Cardiology Journal</i> , <b>2018</b> , 25, 582-588	1.4	3
169	When is compassionate appropriate for end-stage aortic valve stenosis?. <i>Minerva Cardiology and Angiology</i> , <b>2018</b> , 66, 221-222	2.4	
168	Percutaneous transcatheter aortic valve replacement induces femoral artery shrinkage: angiographic evidence and predictors for a new side effect. <i>Catheterization and Cardiovascular Interventions</i> , <b>2018</b> , 91, 938-944	2.7	5
167	Endothelial dysfunction as predictor of angina recurrence after successful percutaneous coronary intervention using second generation drug eluting stents. <i>European Journal of Preventive Cardiology</i> , <b>2018</b> , 25, 1360-1370	3.9	7
166	Drug-Coated Balloon Treatment of Femoropopliteal Lesions for Patients With Intermittent Claudication and Ischemic Rest Pain: 2-Year Results From the IN.PACT Global Study. <i>JACC: Cardiovascular Interventions</i> , <b>2018</b> , 11, 945-953	5	43
165	Clinical outcome and correlates of coronary microvascular obstruction in latecomers after acute myocardial infarction. <i>International Journal of Cardiology</i> , <b>2017</b> , 236, 30-35	3.2	11
164	Exclusion of a coronary artery aneurysm using the STENTYS Xposition S balloon-delivery system with optical coherence tomography guidance: precise positioning without trouble. <i>Coronary Artery Disease</i> , <b>2017</b> , 28, 90-91	1.4	
163	Rapid-deployment or transcatheter aortic valves in intermediate-risk patients?. <i>Asian Cardiovascular and Thoracic Annals</i> , <b>2017</b> , 25, 264-270	0.6	3
162	Not all plaque ruptures are born equal: an optical coherence tomography study. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2017</b> , 18, 1271-1277	4.1	31
161	Relationship between Serum Inflammatory Biomarkers and Thrombus Characteristics in Patients with ST Segment Elevation Myocardial Infarction. <i>Cardiology</i> , <b>2017</b> , 137, 27-35	1.6	4

160	Data on optical coherence tomography guidance for the management of angiographically intermediate left main bifurcation lesions. <i>Data in Brief</i> , <b>2017</b> , 14, 635-638	1.2	
159	Optical coherence tomography guidance for the management of angiographically intermediate left main bifurcation lesions: Early clinical experience. <i>International Journal of Cardiology</i> , <b>2017</b> , 248, 108-113 <sup>3,2</sup>	3.2	13
158	Frequency-domain optical coherence tomography plaque morphology in stable coronary artery disease: sex differences. <i>Coronary Artery Disease</i> , <b>2017</b> , 28, 472-477	1.4	3
157	Complex vein graft intervention after double-valve transcatheter aortic valve replacement. <i>Coronary Artery Disease</i> , <b>2017</b> , 28, 173-174	1.4	
156	Is undersized self-expandable prosthesis a valuable selection for transcatheter aortic valve replacement in high risk bicuspid aortic valve stenosis? Report of two successful cases. <i>International Journal of Cardiology</i> , <b>2017</b> , 228, 638-639	3.2	2
155	How should I treat this mini-crush stenting complication?. <i>EuroIntervention</i> , <b>2017</b> , 13, 1248-1252	3.1	3
154	Transcatheter aortic valve implantation with the new repositionable self-expandable Evolut R versus CoreValve system: A case-matched comparison. <i>International Journal of Cardiology</i> , <b>2017</b> , 243, 126-131	3.2	28
153	An update on radial approach for percutaneous coronary intervention in patients with chronic total occlusion. <i>Minerva Cardiology and Angiology</i> , <b>2017</b> , 65, 140-147	2.4	
152	MDCT assessment of CAD in type-2 diabetic subjects with diabetic neuropathy: the role of Charcot neuro-arthropathy. <i>European Radiology</i> , <b>2016</b> , 26, 788-96	8	1
151	Impact of drug-eluting balloon (pre- or post-) dilation on neointima formation in de novo lesions treated by bare-metal stent: the IN-PACT CORO trial. <i>Heart and Vessels</i> , <b>2016</b> , 31, 677-86	2.1	11
150	Long term follow-up of "full metal jacket" of de novo coronary lesions with new generation Zotarolimus-eluting stents. <i>International Journal of Cardiology</i> , <b>2016</b> , 221, 1008-12	3.2	3
149	Angiographically intermediate left main bifurcation disease assessment by frequency domain optical coherence tomography (FD-OCT). <i>International Journal of Cardiology</i> , <b>2016</b> , 220, 726-8	3.2	5
148	The combined effect of subcutaneous granulocyte- colony stimulating factor and myocardial contrast echocardiography with intravenous infusion of sulfur hexafluoride on post-infarction left ventricular function, the RIGENERA 2.0 trial: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2016</b> , 17, 97	2.8	5
147	NT-proANP and NT-proBNP circulating levels as predictors of cardiovascular outcome following coronary stent implantation. <i>Cardiovascular Revascularization Medicine</i> , <b>2016</b> , 17, 162-8	1.6	4
146	Update on Provisional Technique for Bifurcation Interventions. <i>Current Cardiology Reports</i> , <b>2016</b> , 18, 27	4.2	5
145	The Multi-center Evaluation of the Accuracy of the Contrast MEdium INduced Pd/Pa RaTiO in Predicting FFR (MEMENTO-FFR) Study. <i>EuroIntervention</i> , <b>2016</b> , 12, 708-15	3.1	33
144	Concordance of angiographic and electrocardiographic indexes of microvascular obstruction: myocardial haemorrhage role. <i>Journal of Cardiovascular Medicine</i> , <b>2016</b> , 17, 382-91	1.9	2
143	DESolve novolimus-eluting bioresorbable coronary scaffold failure assessed by frequency-domain optical coherence tomography imaging. <i>Coronary Artery Disease</i> , <b>2016</b> , 27, 334-6	1.4	

142	Clinical Impact of Suboptimal Stenting and Residual Intrastent Plaque/Thrombus Protrusion in Patients With Acute Coronary Syndrome: The CLI-OPCI ACS Substudy (Centro per la Lotta Contro L'Infarto-Optimization of Percutaneous Coronary Intervention in Acute Coronary Syndrome). <i>Circulation: Cardiovascular Interventions</i> , <b>2016</b> , 9, 1-10	6	39
141	Radial access in patients with acute coronary syndrome without persistent ST-segment elevation: Systematic review, collaborative meta-analysis, and meta-regression. <i>International Journal of Cardiology</i> , <b>2016</b> , 222, 1031-1039	3.2	5
140	Prospective multicentre clinical performance evaluation of second and third generation zotarolimus-eluting stents to treat patients with bifurcated coronary lesions. <i>Catheterization and Cardiovascular Interventions</i> , <b>2016</b> , 87, 15-22	2.7	3
139	Dual role of circulating endothelial progenitor cells in stent struts endothelialisation and neointimal regrowth: a substudy of the IN-PACT CORO trial. <i>Cardiovascular Revascularization Medicine</i> , <b>2015</b> , 16, 20-6	1.6	8
138	Plaque rupture and intact fibrous cap assessed by optical coherence tomography portend different outcomes in patients with acute coronary syndrome. <i>European Heart Journal</i> , <b>2015</b> , 36, 1377-84	9.5	161
137	Optical coherence tomography features of angiographic complex and smooth lesions in acute coronary syndromes. <i>International Journal of Cardiovascular Imaging</i> , <b>2015</b> , 31, 927-34	2.5	11
136	Results of emergency postoperative re-angiography after cardiac surgery procedures. <i>Annals of Thoracic Surgery</i> , <b>2015</b> , 99, 1576-82	2.7	19
135	Impella ventricular support in clinical practice: Collaborative viewpoint from a European expert user group. <i>International Journal of Cardiology</i> , <b>2015</b> , 201, 684-91	3.2	124
134	Jailed balloon protection and rescue balloon jailing techniques set the field for safer bifurcation provisional stenting. <i>International Journal of Cardiology</i> , <b>2015</b> , 201, 376-7	3.2	14
133	Clinical Impact of OCT Findings During PCI: The CLI-OPCI II Study. <i>JACC: Cardiovascular Imaging</i> , <b>2015</b> , 8, 1297-305	8.4	177
132	Clinical and procedural impact of aortic arch anatomic variants in carotid stenting procedures. <i>Catheterization and Cardiovascular Interventions</i> , <b>2015</b> , 86, 480-9	2.7	27
131	Usefulness of EuroSCORE systems for risk stratification. <i>Journal of Cardiovascular Medicine</i> , <b>2015</b> , 16, 90-9	1.9	5
130	Comparison of Right and Left Upper Limb Arterial Variants in Patients Undergoing Bilateral Transradial Procedures. <i>Circulation: Cardiovascular Interventions</i> , <b>2015</b> , 8, e002863	6	10
129	Frequency domain optical coherence tomography to assess non-ostial left main coronary artery. <i>EuroIntervention</i> , <b>2015</b> , 10, e1-8	3.1	34
128	Three-dimensional quantitative coronary angiography and quantification of jeopardised myocardium to predict functional significance of intermediate coronary artery stenosis. <i>EuroIntervention</i> , <b>2015</b> , 11, 308-18	3.1	1
127	Technical aspects of the T And small Protrusion (TAP) technique. <i>EuroIntervention</i> , <b>2015</b> , 11 Suppl V, V91-5	3.1	23
126	Efficacy of contrast medium induced Pd/Pa ratio in predicting functional significance of intermediate coronary artery stenosis assessed by fractional flow reserve: insights from the RINASCI study. <i>EuroIntervention</i> , <b>2015</b> , 11, 421-7	3.1	46
125	Successful transradial removal of an inflated coronary stent dislodged from the right coronary ostium. <i>Cardiovascular Revascularization Medicine</i> , <b>2014</b> , 15, 432-5	1.6	1

124	Parvovirus B19 at the culprit coronary stenosis predicts outcome after stenting. <i>European Journal of Clinical Investigation</i> , <b>2014</b> , 44, 209-18	4.6	4
123	Randomized Comparison of Xience V and Multi-Link Vision Coronary Stents in the Same Multivessel Patient With Chronic Kidney Disease (RENAL-DES) Study. <i>Circulation</i> , <b>2014</b> , 129, 1104-12	16.7	32
122	Mechanisms of atherothrombosis and vascular response to primary percutaneous coronary intervention in women versus men with acute myocardial infarction: results of the OCTAVIA study. <i>JACC: Cardiovascular Interventions</i> , <b>2014</b> , 7, 958-68	5	64
121	Radial artery complications occurring after transradial coronary procedures using long hydrophilic-coated introducer sheath: a frequency domain-optical coherence tomography study. <i>International Journal of Cardiovascular Imaging</i> , <b>2014</b> , 30, 21-9	2.5	15
120	Fractional flow reserve or optical coherence tomography guidance to revascularize intermediate coronary stenosis using angioplasty (FORZA) trial: study protocol for a randomized controlled trial. <i>Trials</i> , <b>2014</b> , 15, 140	2.8	12
119	Safety and feasibility of iliac endovascular interventions with a radial approach. Results from a multicenter study coordinated by the Italian Radial Force. <i>International Journal of Cardiology</i> , <b>2014</b> , 175, 280-4	3.2	24
118	Association between inflammatory biomarkers and in-stent restenosis tissue features: an Optical Coherence Tomography Study. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2014</b> , 15, 917-25	4.1	12
117	Multisite artery disease: a common and challenging clinical condition calling for specific management. <i>Future Cardiology</i> , <b>2014</b> , 10, 395-407	1.3	1
116	Frequency-domain optical coherence tomography findings in patients with bifurcated lesions undergoing provisional stenting. <i>European Heart Journal Cardiovascular Imaging</i> , <b>2014</b> , 15, 547-55	4.1	25
115	Commentary: transradial access: an alternative or a standard of care for selected peripheral procedures?. <i>Journal of Endovascular Therapy</i> , <b>2014</b> , 21, 641-3	2.5	3
114	Three-year follow-up of patients with bifurcation lesions treated with sirolimus- or everolimus-eluting stents: SEAside and CORpal cooperative study. <i>Revista Espanola De Cardiologia (English Ed)</i> , <b>2014</b> , 67, 797-803	0.7	3
113	Value of EuroSCORE II in predicting total and cardiac mortality in patients undergoing percutaneous coronary interventions. <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 745-6	3	2
112	Morphological-biohumoral correlations in acute coronary syndromes: pathogenetic implications. <i>International Journal of Cardiology</i> , <b>2014</b> , 171, 463-6	3.2	25
111	Impact of accuracy of fractional flow reserve to reduction of microvascular resistance after intracoronary adenosine in patients with angina pectoris or non-ST-segment elevation myocardial infarction. <i>American Journal of Cardiology</i> , <b>2014</b> , 113, 1461-7	3	12
110	Seguimiento de 3 años de pacientes con lesiones de bifurcación tratados con stents liberadores de sirolimus o everolimus: estudio de colaboración de SEAside y CORpal. <i>Revista Espanola De Cardiologia</i> , <b>2014</b> , 67, 797-803	1.5	14
109	Post-procedural renal microvascular perfusion measured using the Quantitative Blush Evaluator (QuBE) predicts improvement in renal function in patients undergoing percutaneous renal artery stenting. <i>International Journal of Cardiology</i> , <b>2014</b> , 172, e127-9	3.2	1
108	Radial approach for percutaneous coronary interventions on chronic total occlusions: technical issues and data review. <i>Catheterization and Cardiovascular Interventions</i> , <b>2014</b> , 83, 47-57	2.7	29
107	Characteristics of drug-eluting stent platforms potentially influencing bifurcated lesion provisional stenting procedure. <i>EuroIntervention</i> , <b>2014</b> , 10, 124-32	3.1	14



106	Percutaneous management of vascular access in transfemoral transcatheter aortic valve implantation. <i>World Journal of Cardiology</i> , <b>2014</b> , 6, 836-46	2.1	26
105	Endothelial progenitor cells, microvascular obstruction, and left ventricular remodeling in patients with ST elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>American Journal of Cardiology</i> , <b>2013</b> , 112, 782-91	3	13
104	Access route for coronary chronic total occlusion: femoral or radial approach?. <i>Interventional Cardiology</i> , <b>2013</b> , 5, 485-488	3	1
103	Open-label, randomized, placebo-controlled evaluation of intracoronary adenosine or nitroprusside after thrombus aspiration during primary percutaneous coronary intervention for the prevention of microvascular obstruction in acute myocardial infarction: the REOPEN-AMI study (Intracoronary Nitroprusside Versus Adenosine in Acute Myocardial Infarction). <i>Circulation: Cardiovascular Interventions</i> , <b>2013</b> , 6, 112-18	5	74
102	Case-control registry of excimer laser coronary angioplasty versus distal protection devices in patients with acute coronary syndromes due to saphenous vein graft disease. <i>American Journal of Cardiology</i> , <b>2013</b> , 112, 1586-91	3	24
101	Radial versus femoral approach comparison in percutaneous coronary intervention with intraaortic balloon pump support: the RADIAL PUMP UP registry. <i>American Heart Journal</i> , <b>2013</b> , 166, 1019-26	4.9	22
100	Baseline inflammatory status and long-term changes in renal function after percutaneous renal artery stenting: a prospective study. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 1006-11	3.2	11
99	Frequency-domain optical coherence tomography assessment of kissing-balloon effects in bifurcated coronary artery lesions undergoing provisional stenting. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 4837-9	3.2	1
98	EuroSCORE predicts long-term mortality of unselected patients undergoing percutaneous coronary interventions. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 1232-6	3.2	5
97	Angiographic assessment of myocardial perfusion in Tako-Tsubo syndrome. <i>International Journal of Cardiology</i> , <b>2013</b> , 168, 4717-22	3.2	12
96	Management and timing of access-site vascular complications occurring after trans-radial percutaneous coronary procedures. <i>International Journal of Cardiology</i> , <b>2013</b> , 167, 1973-8	3.2	23
95	Resolute zotarolimus-eluting stent to treat bifurcated lesions according to the provisional technique: a procedural performance comparison with sirolimus- and everolimus-eluting stents. <i>Cardiovascular Revascularization Medicine</i> , <b>2013</b> , 14, 122-7	1.6	11
94	No-reflow reversibility: a study based on serial assessment of multiple biomarkers. <i>Journal of Cardiovascular Translational Research</i> , <b>2013</b> , 6, 798-807	3.3	8
93	Influence of the amount of myocardium subtended by a stenosis on fractional flow reserve. <i>Circulation: Cardiovascular Interventions</i> , <b>2013</b> , 6, 29-36	6	71
92	One-year outcomes of consecutive patients treated by Endeavor zotarolimus and Resolute zotarolimus stents: the impact of polymer coating in drug-eluting stent technology. <i>Catheterization and Cardiovascular Interventions</i> , <b>2013</b> , 81, 268-73	2.7	7
91	Management of the access site after transradial percutaneous procedures: literature overview. <i>Journal of Cardiovascular Medicine</i> , <b>2013</b> , 14, 705-13	1.9	7
90	Technical Aspects of Provisional Stenting in Percutaneous Treatment of Complex Bifurcation Lesions. <i>Interventional Cardiology Review</i> , <b>2013</b> , 8, 96-99	4.2	1
89	Emerging evidence that radial is safer than femoral percutaneous coronary intervention in subjects with ST segment elevation myocardial infarction. <i>Reviews on Recent Clinical Trials</i> , <b>2013</b> , 8, 86-92	1.2	5

88	Impact of operator experience and wiring technique on procedural efficacy of trans-radial percutaneous chronic total occlusion recanalization performed by dedicated radialists. <i>Cardiology Journal</i> , <b>2013</b> , 20, 560-7	1.4	5
87	The occurrence of radial artery occlusion following catheterization. <i>Expert Review of Cardiovascular Therapy</i> , <b>2012</b> , 10, 1287-95	2.5	12
86	Intracoronary microparticles and microvascular obstruction in patients with ST elevation myocardial infarction undergoing primary percutaneous intervention. <i>European Heart Journal</i> , <b>2012</b> , 33, 2928-38	9.5	78
85	Vascular complications and access crossover in 10,676 transradial percutaneous coronary procedures. <i>American Heart Journal</i> , <b>2012</b> , 163, 230-8	4.9	103
84	Comparison of the feasibility and effectiveness of transradial coronary angiography via right versus left radial artery approaches (from the PREVAIL Study). <i>American Journal of Cardiology</i> , <b>2012</b> , 110, 771-5 <sup>3</sup>		24
83	INTimal hyPerplasia evAluated by oCT in de novo CORONary lesions treated by drug-eluting balloon and bare-metal stent (IN-PACT CORO): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2012</b> , 13, 55	2.8	5
82	Silent cerebral infarcts after cardiac catheterization: a randomized comparison of radial and femoral approaches. <i>American Heart Journal</i> , <b>2012</b> , 164, 449-454.e1	4.9	30
81	Maximal hyperemia in the assessment of fractional flow reserve: intracoronary adenosine versus intracoronary sodium nitroprusside versus intravenous adenosine: the NASCI (Nitroprussiato versus Adenosina nelle Stenosi Coronariche Intermedie) study. <i>JACC: Cardiovascular Interventions</i> , <b>2012</b> , 5, 402-8	5	72
80	Late (3 years) follow-up of successful versus unsuccessful revascularization in chronic total coronary occlusions treated by drug eluting stent. <i>American Journal of Cardiology</i> , <b>2012</b> , 110, 948-53	3	31
79	Predictors of thromboxane levels in patients with non-ST-elevation acute coronary syndromes on chronic aspirin therapy. <i>Thrombosis and Haemostasis</i> , <b>2012</b> , 108, 133-9	7	3
78	Feasibility of complex coronary and peripheral interventions by trans-radial approach using large sheaths. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 79, 597-600	2.7	22
77	Prospective evaluation of myocardial ischemia related to post-procedural side-branch stenosis in bifurcated lesions treated by provisional approach with drug-eluting stents. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 79, 351-9	2.7	11
76	Early beneficial effects of drug-eluting stents in vein grafts wane during long term follow-up: a case-control study. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 80, 1112-7	2.7	3
75	Impact of radial-to-aorta vascular anatomical variants on risk of failure in trans-radial coronary procedures. <i>Catheterization and Cardiovascular Interventions</i> , <b>2012</b> , 80, 298-303	2.7	19
74	Impact of vascular approach (transradial vs. transfemoral) on the efficacy of thrombus aspiration in acute myocardial infarction patients. <i>Cardiovascular Revascularization Medicine</i> , <b>2012</b> , 13, 79-83	1.6	5
73	Comparison of two- and three-dimensional quantitative coronary angiography to intravascular ultrasound in the assessment of intermediate left main stenosis. <i>American Journal of Cardiology</i> , <b>2012</b> , 109, 1600-7	3	13
72	Predictors of periprocedural (type IVa) myocardial infarction, as assessed by frequency-domain optical coherence tomography. <i>Circulation: Cardiovascular Interventions</i> , <b>2012</b> , 5, 89-96, S1-6	6	75
71	Impact of gender on clinical outcomes after mTOR-inhibitor drug-eluting stent implantation in patients with first manifestation of ischaemic heart disease. <i>European Journal of Preventive Cardiology</i> , <b>2012</b> , 19, 914-26	3.9	8

70	Intracoronary use of GP IIb/IIIa inhibitors in percutaneous coronary interventions. <i>Current Vascular Pharmacology</i> , <b>2012</b> , 10, 448-53	3.3	3
69	The HEART study: a real-world experience using the CID Chrono Carbostent in primary and rescue PCI. <i>Journal of Cardiovascular Medicine</i> , <b>2012</b> , 13, 775-82	1.9	1
68	Angiographic and clinical outcome of percutaneous coronary intervention for in-stent restenosis of bifurcated lesions. <i>EuroIntervention</i> , <b>2012</b> , 8, 701-7	3.1	3
67	Angiography alone versus angiography plus optical coherence tomography to guide decision-making during percutaneous coronary intervention: the Centro per la Lotta contro l'Infarto-Optimisation of Percutaneous Coronary Intervention (CLI-OPCI) study. <i>EuroIntervention</i> , <b>2012</b> , 8, 708-14	3.1	255
66	Sodium bicarbonate plus N-acetylcysteine to prevent contrast-induced nephropathy in primary and rescue percutaneous coronary interventions: the BINARIO (Bicarbonato e N-Acetil-cisteina nell'Infarto miocardico acuto) study. <i>EuroIntervention</i> , <b>2012</b> , 8, 839-47	3.1	11
65	Transradial approach (left vs right) and procedural times during percutaneous coronary procedures: TALENT study. <i>American Heart Journal</i> , <b>2011</b> , 161, 172-9	4.9	101
64	A meta-analysis of first-generation drug-eluting vs bare-metal stents for coronary chronic total occlusion: effect of length of follow-up on clinical outcome. <i>International Journal of Cardiology</i> , <b>2011</b> , 150, 351-4	3.2	11
63	Predictors of myocardial microvascular obstruction in patients treated by primary percutaneous coronary intervention and a short ischemic time. <i>International Journal of Cardiology</i> , <b>2011</b> , 153, 113-5	3.2	3
62	Eosinophil cationic protein and clinical outcome after bare metal stent implantation. <i>Atherosclerosis</i> , <b>2011</b> , 215, 166-9	3.1	21
61	Angiographic patterns of myocardial reperfusion after primary angioplasty and ventricular remodeling. <i>Coronary Artery Disease</i> , <b>2011</b> , 22, 507-14	1.4	11
60	Evaluation of the "learning curve" for left and right radial approach during percutaneous coronary procedures. <i>American Journal of Cardiology</i> , <b>2011</b> , 108, 185-8	3	36
59	Comparative assessment of mammalian target of rapamycin inhibitor-eluting stents in the treatment of coronary artery bifurcation lesions: the CASTOR-Bifurcation registry. <i>Catheterization and Cardiovascular Interventions</i> , <b>2011</b> , 77, 503-9	2.7	9
58	Prospective randomized comparison of sirolimus- or everolimus-eluting stent to treat bifurcated lesions by provisional approach. <i>JACC: Cardiovascular Interventions</i> , <b>2011</b> , 4, 327-35	5	57
57	Operator radiation exposure during percutaneous coronary procedures through the left or right radial approach: the TALENT dosimetric substudy. <i>Circulation: Cardiovascular Interventions</i> , <b>2011</b> , 4, 226-31	6.1	39
56	Filter no-reflow during percutaneous coronary intervention of saphenous vein grafts: incidence, predictors and effect of the type of protection device. <i>EuroIntervention</i> , <b>2011</b> , 7, 955-61	3.1	17
55	Procedural and clinical evaluation of the novel zotarolimus-eluting resolute stent in patients with unselected bifurcated coronary stenosis treated by provisional approach: a multicenter registry. <i>Journal of Invasive Cardiology</i> , <b>2011</b> , 23, 50-4	0.7	5
54	Thrombus aspiration in ST elevation myocardial infarction: comparative efficacy in patients treated early and late after onset of symptoms. <i>Heart</i> , <b>2010</b> , 96, 1287-90	5.1	21
53	Transradial approach for percutaneous coronary interventions on chronic total occlusions. <i>Interventional Cardiology</i> , <b>2010</b> , 2, 417-425	3	1

52	An unusual treatment of atrial fibrillation: percutaneous exclusion of a large coronary aneurysm. <i>Journal of the American College of Cardiology</i> , <b>2010</b> , 56, 1259	15.1	
51	Coronary bifurcation lesions: to stent one branch or both? A meta-analysis of patients treated with drug eluting stents. <i>International Journal of Cardiology</i> , <b>2010</b> , 139, 80-91	3.2	27
50	A new operative classification of both anatomic vascular variants and physiopathologic conditions affecting transradial cardiovascular procedures. <i>International Journal of Cardiology</i> , <b>2010</b> , 145, 120-2	3.2	14
49	Angiographic predictors of recurrent stent thrombosis (from the Outcome of PCI for stent-Thrombosis Multicentre Study [OPTIMIST]). <i>American Journal of Cardiology</i> , <b>2010</b> , 105, 1710-5	3	9
48	TAP stenting: an intuitive and practical technique to treat bifurcated lesions in the hands of different operators. <i>Catheterization and Cardiovascular Interventions</i> , <b>2010</b> , 75, 979-80; author reply 981	2.7	1
47	Renal artery stenting in patients with chronic ischemic heart disease. <i>Catheterization and Cardiovascular Interventions</i> , <b>2010</b> , 76, 26-34	2.7	5
46	Pushing the limits forward: transradial superficial femoral artery stenting. <i>Catheterization and Cardiovascular Interventions</i> , <b>2010</b> , 76, 1065-71	2.7	17
45	Jailed balloon protection: a new technique to avoid acute side-branch occlusion during provisional stenting of bifurcated lesions. Bench test report and first clinical experience. <i>EuroIntervention</i> , <b>2010</b> , 5, 809-13	3.1	45
44	Identifying factors that predict the choice and success rate of radial artery catheterisation in contemporary real world cardiology practice: a sub-analysis of the PREVAIL study data. <i>EuroIntervention</i> , <b>2010</b> , 6, 240-246	3.1	26
43	How to solve difficult side branch access?. <i>EuroIntervention</i> , <b>2010</b> , 6 Suppl J, J72-80	3.1	50
42	How to manage difficult anatomic conditions affecting transradial approach coronary procedures?. <i>Indian Heart Journal</i> , <b>2010</b> , 62, 238-44	1.6	3
41	Pre-intervention eosinophil cationic protein serum levels predict clinical outcomes following implantation of drug-eluting stents. <i>European Heart Journal</i> , <b>2009</b> , 30, 1340-7	9.5	41
40	Outcome of patients treated by a novel thin-strut cobalt-chromium stent in the drug-eluting stent era: Results of the SKICE (Skylor in real world practice) registry. <i>Catheterization and Cardiovascular Interventions</i> , <b>2009</b> , 73, 457-65	2.7	11
39	Transradial carotid artery stenting with proximal embolic protection. <i>Catheterization and Cardiovascular Interventions</i> , <b>2009</b> , 74, 267-72	2.7	17
38	Transradial approach to treat superficial femoral artery in-stent restenosis. <i>Catheterization and Cardiovascular Interventions</i> , <b>2009</b> , 74, 494-8	2.7	31
37	Transradial renal stenting: why and how. <i>Catheterization and Cardiovascular Interventions</i> , <b>2009</b> , 74, 951-6.7		34
36	Evaluaci3n de una estrategia de implantaci3n de stent 3nico o doble para tratar lesiones bifurcadas basada en la clasificaci3n de Medina. <i>Revista Espanola De Cardiologia</i> , <b>2009</b> , 62, 606-614	1.5	5
35	Glycoprotein IIB/IIIA inhibitor to reduce postpercutaneous coronary intervention myonecrosis and improve coronary flow in diabetics: the OPTIMIZE-IT pilot randomized study. <i>Journal of Cardiovascular Medicine</i> , <b>2009</b> , 10, 245-51	1.9	16

34	Elevated admission cardiac troponin T is associated with microvascular dysfunction in acute myocardial infarction treated with emergency angioplasty. <i>Journal of Cardiovascular Medicine</i> , <b>2009</b> , 10, 664-8	1.9	3
33	Retrograde recanalization of left main from saphenous vein graft supported by percutaneous Impella Recover LP 2.5 assist device. <i>Journal of Invasive Cardiology</i> , <b>2009</b> , 21, E147-50	0.7	3
32	Provisional TAP-stenting strategy to treat bifurcated lesions with drug-eluting stents: one-year clinical results of a prospective registry. <i>Journal of Invasive Cardiology</i> , <b>2009</b> , 21, 532-7	0.7	11
31	Impact of metabolic syndrome on angiographic and clinical outcome after stenting. <i>American Journal of Cardiology</i> , <b>2008</b> , 101, 1679	3	2
30	Association between C-reactive protein and angiographic restenosis after bare metal stents: an updated and comprehensive meta-analysis of 2747 patients. <i>Cardiovascular Revascularization Medicine</i> , <b>2008</b> , 9, 156-65	1.6	52
29	Ethanol abolishes ischemic preconditioning in humans. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 51, 271-5	15.1	34
28	Adjunctive devices in primary or rescue PCI: a meta-analysis of randomized trials. <i>International Journal of Cardiology</i> , <b>2008</b> , 123, 313-21	3.2	61
27	Angiographic and clinical outcome of invasively managed patients with thrombosed coronary bare metal or drug-eluting stents: the OPTIMIST study. <i>European Heart Journal</i> , <b>2008</b> , 29, 3011-21	9.5	37
26	Metabolic syndrome is a poor predictor of outcome after coronary interventions in high-risk patients. <i>Hypertension Research</i> , <b>2008</b> , 31, 2097; author reply 2097-8	4.7	1
25	Comparison of the transradial and transfemoral approaches for coronary angiographic evaluation in patients with internal mammary artery grafts. <i>Journal of Cardiovascular Medicine</i> , <b>2008</b> , 9, 263-6	1.9	18
24	Outcomes of the tacrolimus drug-eluting Janus stent: a prospective two-centre registry in high-risk patients. <i>Journal of Cardiovascular Medicine</i> , <b>2008</b> , 9, 589-94	1.9	8
23	Feasibility and long-term safety of elective Impella-assisted high-risk percutaneous coronary intervention: a pilot two-centre study. <i>Journal of Cardiovascular Medicine</i> , <b>2008</b> , 9, 1004-10	1.9	49
22	Transradial approach for coronary angiography and interventions in patients with coronary bypass grafts: tips and tricks. <i>Catheterization and Cardiovascular Interventions</i> , <b>2008</b> , 72, 263-72	2.7	39
21	Percutaneous removal of an embolized port catheter: description of a new coaxial recovery technique including a case-report. <i>Catheterization and Cardiovascular Interventions</i> , <b>2008</b> , 72, 289-93	2.7	6
20	Urgent PCI in patients with stent thrombosis: an observational single-center study comparing thrombus aspiration and standard PCI. <i>Journal of Invasive Cardiology</i> , <b>2008</b> , 20, 161-5	0.7	9
19	Baseline systemic inflammatory status and no-reflow phenomenon after percutaneous coronary angioplasty for acute myocardial infarction. <i>International Journal of Cardiology</i> , <b>2007</b> , 117, 306-11	3.2	39
18	Modified T-stenting with intentional protrusion of the side-branch stent within the main vessel stent to ensure ostial coverage and facilitate final kissing balloon: the T-stenting and small protrusion technique (TAP-stenting). Report of bench testing and first clinical Italian-Korean two-centre experience. <i>Catheterization and Cardiovascular Interventions</i> , <b>2007</b> , 70, 75-82	2.7	80
17	Outcome of overlapping heterogenous drug-eluting stents and of overlapping drug-eluting and bare metal stents. <i>American Journal of Cardiology</i> , <b>2007</b> , 99, 364-8	3	14

16	Relation of myocardial blush grade to microvascular perfusion and myocardial infarct size after primary or rescue percutaneous coronary intervention. <i>American Journal of Cardiology</i> , <b>2007</b> , 99, 1671-3 <sup>3</sup>		44
15	Rationale for intracoronary administration of abciximab. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2007</b> , 23, 57-63	5.1	58
14	The complex link between oxidised low-density lipoprotein and unstable angina. <i>Journal of Cardiovascular Medicine</i> , <b>2007</b> , 8, 387-91	1.9	6
13	The Outcome of PCI for stent-Thrombosis Multicentre Study (OPTIMIST): rationale and design of a multicenter registry. <i>American Heart Journal</i> , <b>2007</b> , 153, 377.e1-5	4.9	7
12	"Fogarty-like" removal of large coronary thrombus. <i>Journal of Invasive Cardiology</i> , <b>2007</b> , 19, E317-9	0.7	1
11	A pilot study with a new, rapid-exchange, thrombus-aspirating device in patients with thrombus-containing lesions: the Diver C.E. study. <i>Catheterization and Cardiovascular Interventions</i> , <b>2006</b> , 67, 887-93	2.7	23
10	Endothelin-1 and acute myocardial infarction: a no-reflow mediator after successful percutaneous myocardial revascularization. <i>European Heart Journal</i> , <b>2006</b> , 27, 1793-8	9.5	90
9	Patients with in-stent restenosis have an increased risk of mid-term venous graft failure. <i>Annals of Thoracic Surgery</i> , <b>2006</b> , 82, 802-4	2.7	12
8	Directional atherectomy before stenting versus stenting alone in percutaneous coronary interventions: a meta-analysis. <i>International Journal of Cardiology</i> , <b>2006</b> , 112, 178-83	3.2	9
7	Angiographic evaluation of the effect of intracoronary abciximab administration in patients undergoing urgent PCI. <i>International Journal of Cardiology</i> , <b>2005</b> , 105, 250-5	3.2	38
6	Manual thrombus-aspiration improves myocardial reperfusion: the randomized evaluation of the effect of mechanical reduction of distal embolization by thrombus-aspiration in primary and rescue angioplasty (REMEDIA) trial. <i>Journal of the American College of Cardiology</i> , <b>2005</b> , 46, 371-6	15.1	286
5	Use of a second buddy wire during percutaneous coronary interventions: a simple solution for some challenging situations. <i>Journal of Invasive Cardiology</i> , <b>2005</b> , 17, 171-4	0.7	46
4	Direct coronary stenting by transradial approach: rationale and technical issues. <i>Catheterization and Cardiovascular Interventions</i> , <b>2004</b> , 63, 215-9	2.7	11
3	Selective intracoronary injection of sestamibi to detect myocardial viability: Prediction of perfusion and contractile recovery after percutaneous transluminal coronary angioplasty. <i>Journal of Nuclear Cardiology</i> , <b>2003</b> , 10, 473-81	2.1	2
2	Long-term results of the radial artery used for myocardial revascularization. <i>Circulation</i> , <b>2003</b> , 108, 1350-6.7	16.7	190
1	Ticlopidine and aspirin fail to suppress the increased platelet aggregability that follows percutaneous coronary interventions. <i>Journal of Thrombosis and Thrombolysis</i> , <b>2000</b> , 10, 265-9	5.1	8