
Hideyuki Shigemori

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2288412/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Inhibition of Amyloid Î ² Aggregation by p-Terphenyl Derivatives Isolated from Boletopsis leucomelas. Heterocycles, 2022, 104, 925.	0.7	3
2	Effects of clovamide and its related compounds on the aggregations of amyloid polypeptides. Journal of Natural Medicines, 2021, 75, 299-307.	2.3	8
3	Synthesis and bioactivity of 4-methylthio-3-butenylisothiocyanate and raphanusanin, phototropism-regulating substances of radish hypocotyls. Tetrahedron Letters, 2021, 71, 153025.	1.4	1
4	Podogigants A and B, two new potentiators of amphotericin B activity, from Sordariomycete Podostroma giganteum. Journal of Natural Medicines, 2021, 75, 877-883.	2.3	0
5	Evaluation of Amyloid Polypeptide Aggregation Inhibition and Disaggregation Activity of A-Type Procyanidins. Pharmaceuticals, 2021, 14, 1118.	3.8	7
6	Inhibitory activities of kukoamines A and B from Lycii Cortex on amyloid aggregation related to Alzheimer's disease and type 2 diabetes. Journal of Natural Medicines, 2020, 74, 247-251.	2.3	18
7	Biosynthetic Machinery of 6â€Hydroxymellein Derivatives Leading to Cyclohelminthols and Palmaenones. ChemBioChem, 2020, 21, 360-367.	2.6	17
8	Inhibitory activities of phenylpropanoids from Lycopus lucidus on amyloid aggregation related to Alzheimer's disease and type 2 diabetes. Journal of Natural Medicines, 2020, 74, 579-583.	2.3	13
9	Inhibitory Activity on Amyloid Aggregation of Rosmarinic Acid and Its Substructures From Isodon japonicus. Natural Product Communications, 2019, 14, 1934578X1984303.	0.5	13
10	Bioactive Compounds Involved in the Life Cycle of Higher Plants. Progress in the Chemistry of Organic Natural Products, 2019, 109, 385-413.	1.1	0
11	Structure-activity relationship of clovamide and its related compounds for the inhibition of amyloid Î ² aggregation. Bioorganic and Medicinal Chemistry, 2018, 26, 3202-3209.	3.0	23
12	Sydowianumols A, B, and C, Three New Compounds from Discomycete <i>Poculum pseudosydowianum</i> . Chemical and Pharmaceutical Bulletin, 2018, 66, 826-829.	1.3	5
13	A gravitropic stimulation-induced growth inhibitor, β-(isoxazolin-5-on-2yl)-alanine, is a possible mediator of negative gravitropic bending of epicotyls in etiolated Pisum sativum seedlings. Plant Growth Regulation, 2017, 82, 431-438.	3.4	2
14	Effect of <i>O</i> -methylated and glucuronosylated flavonoids from <i>Tamarix gallica</i> on α-glucosidase inhibitory activity: structure–activity relationship and synergistic potential. Bioscience, Biotechnology and Biochemistry, 2017, 81, 445-448.	1.3	12
15	Inhibitory Activities of Antioxidant Flavonoids from <i>Tamarix gallica</i> on Amyloid Aggregation Related to Alzheimer's and Type 2 Diabetes Diseases. Biological and Pharmaceutical Bulletin, 2017, 40, 238-241.	1.4	43
16	Inhibitory Activity of Hispidin Derivatives Isolated from Inonotus obliquus on Amyloid β Aggregation. Heterocycles, 2017, 94, 1280.	0.7	7
17	Structure-Activity Relationship of Phenylethanoid Glycosides on the Inhibition of Amyloid Î ² Aggregation. Heterocycles, 2016, 92, 1976.	0.7	9
18	Methanol and Butanol Extracts of <i>Paeonia lutea</i> Leaves Repress Metastasis of Squamous Cell Carcinoma. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-11.	1.2	4

#	Article	IF	CITATIONS
19	l-Histidine Induces Resistance in Plants to the Bacterial Pathogen <i>Ralstonia solanacearum</i> Partially Through the Activation of Ethylene Signaling. Plant and Cell Physiology, 2016, 57, 1932-1942.	3.1	50
20	Three New Chlorinated Cyclopentenols, Palmaenols A and B and Palmaetriol, from the Discomycete <i>Lachnum palmae</i> . Natural Product Communications, 2015, 10, 1934578X1501001.	0.5	2
21	Two Isorhamnetin Glycosides from Arthrocnemum glaucum that Inhibit Adipogenesis in 3T3-L1 Adipocytes. Chemistry of Natural Compounds, 2015, 51, 338-340.	0.8	6
22	Three New Chlorinated Cyclopentenols, Palmaenols A and B and Palmaetriol, from the Discomycete Lachnum palmae. Natural Product Communications, 2015, 10, 1981-4.	0.5	1
23	Raphanusanin-mediated resistance to pathogens is light dependent in radish and Arabidopsis thaliana. Planta, 2014, 240, 513-524.	3.2	2
24	Artabolide, a novel polar auxin transport inhibitor isolated from Artemisia absinthium. Tetrahedron, 2013, 69, 7001-7005.	1.9	16
25	Palmaerins A-D, New Chlorinated and Brominated Dihydroisocoumarins with Antimicrobial and Plant Growth Regulating Activities from Discomycete Lachnum palmae. Heterocycles, 2013, 87, 1481.	0.7	17
26	Identification of dehydrocostus lactone and 4-hydroxy-Î ² -thujone as auxin polar transport inhibitors. Acta Physiologiae Plantarum, 2013, 35, 2251-2258.	2.1	13
27	Lupenone from Erica multiflora Leaf Extract Stimulates Melanogenesis in B16 Murine Melanoma Cells through the Inhibition of ERK1/2 Activation. Planta Medica, 2013, 79, 236-243.	1.3	26
28	Inhibition of Amyloid β Aggregation by Acteoside, a Phenylethanoid Glycoside. Bioscience, Biotechnology and Biochemistry, 2013, 77, 1329-1332.	1.3	61
29	Induction of Hepatocyte Growth Factor Production in Human Dermal Fibroblasts by Caffeic Acid Derivatives. Biological and Pharmaceutical Bulletin, 2013, 36, 2018-2021.	1.4	9
30	Amelioration effect of humic acid extracted from solubilized excess sludge on saline-alkali soil. Journal of Material Cycles and Waste Management, 2012, 14, 169-180.	3.0	14
31	Protective effects of caffeoylquinic acids on the aggregation and neurotoxicity of the 42-residue amyloid β-protein. Bioorganic and Medicinal Chemistry, 2012, 20, 5844-5849.	3.0	76
32	Suffruyabiosides A and B, Two New Monoterpene Diglycosides from Moutan Cortex. Molecules, 2012, 17, 4915-4923.	3.8	17
33	Caffeoylquinic acid induces ATP production and energy metabolism in human neurotypic SH-SY5Y cells. Nutrition and Aging (Amsterdam, Netherlands), 2012, 1, 141-150.	0.3	8
34	Inhibitory effect of tannins from galls of Carpinus tschonoskii on the degranulation of RBL-2H3 Cells. Cytotechnology, 2012, 64, 349-356.	1.6	11
35	Isolation of 5-(Hydroxymethyl)Furfural from <i>Lycium chinense</i> and its Inhibitory Effect on the Chemical Mediator Release by Basophilic Cells. Planta Medica, 2011, 77, 434-440.	1.3	43
36	Structure-Activity Relationships on Senescence-Promoting Effect of Arabidopsides from Arabidopsis thaliana. Heterocycles, 2011, 83, 57.	0.7	1

#	Article	IF	CITATIONS
37	New Antibacterial Polyacetylenes from Sunflower (Helianthus annuus L.) Seedlings. Heterocycles, 2011, 83, 1067.	0.7	8
38	Identification and Characterization of 2′-Deoxyuridine from the Supernatant of Conidial Suspensions of Rice Blast Fungus as an Infection-Promoting Factor in Rice Plants. Molecular Plant-Microbe Interactions, 2011, 24, 519-532.	2.6	5
39	Palmaenones A and B, Two New Antimicrobial Chlorinated Cyclopentenones from Discomycete Lachnum palmae. Chemical and Pharmaceutical Bulletin, 2011, 59, 1559-1561.	1.3	18
40	Structure-Activity Relationship of Caffeoylquinic Acids on the Accelerating Activity on ATP Production. Chemical and Pharmaceutical Bulletin, 2011, 59, 502-507.	1.3	66
41	Pycnalin, a New .ALPHAGlucosidase Inhibitor from Acer pycnanthum. Chemical and Pharmaceutical Bulletin, 2011, 59, 672-675.	1.3	13
42	3,4,5-tri-O-caffeoylquinic acid inhibits amyloid \hat{l}^2 -mediated cellular toxicity on SH-SY5Y cells through the upregulation of PGAM1 and G3PDH. Cytotechnology, 2011, 63, 191-200.	1.6	29
43	Electrochemical preparation of an electroactive polymer poly(dodecyloxy dibenzothiophene) (polyDDBTh) from hydroxyl dibenzothiophene (HDBTh) as a bioconverted monomer. Journal of Applied Electrochemistry, 2010, 40, 191-195.	2.9	1
44	Comparative transcriptional profiling-based identification of raphanusanin-inducible genes. BMC Plant Biology, 2010, 10, 111.	3.6	2
45	Hirseins inhibit melanogenesis by regulating the gene expressions of Mitf and melanogenesis enzymes. Experimental Dermatology, 2010, 19, 450-457.	2.9	36
46	Inhibitory Effect of Acteoside Isolated from <i>Cistanche tubulosa</i> on Chemical Mediator Release and Inflammatory Cytokine Production by RBL-2H3 and KU812 Cells. Planta Medica, 2010, 76, 1512-1518.	1.3	41
47	Palmariols A and B, Two New Chlorinated Dibenzo-α-pyrones from Discomycete Lachnum palmae. Heterocycles, 2010, 81, 1231.	0.7	25
48	Effect of Novel Compounds from Thymelaea Hirsuta on Melanogenesis. , 2010, , 285-287.		0
49	Anti-Cancer and Structure-Activity Relationship of Natural Polyacetylenes. , 2010, , 271-275.		Ο
50	Allelopathy and allelopathic substance in the moss Rhynchostegium pallidifolium. Journal of Plant Physiology, 2010, 167, 468-471.	3.5	46
51	Isolation and Identification of a Gravity-Induced Growth Inhibitor in Etiolated Radish Hypocotyls. Heterocycles, 2010, 81, 2763.	0.7	1
52	Bioactive Substances Involved in Life Cycle of Higher Plants. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2010, 68, 551-562.	0.1	5
53	Plant Growth Regulating Activity of Three Polyacetylenes from <i>Helianthus Annuus</i> L. Natural Product Communications, 2009, 4, 1934578X0900400.	0.5	1
54	First Total Synthesis of 4-Methylthio-3-butenyl Glucosinolate. Bioscience, Biotechnology and Biochemistry, 2009, 73, 785-787.	1.3	6

#	Article	IF	CITATIONS
55	Properties of Fulvic Acid Extracted from Excess Sludge and Its Inhibiting Effect on Î ² -Hexosaminidase Release. Bioscience, Biotechnology and Biochemistry, 2009, 73, 2210-2216.	1.3	12
56	Indoleacetic Acid Falcarindiol Ester Induces Granulocytic Differentiation of the Human Leukemia Cell Line HL-60. Planta Medica, 2009, 75, 49-54.	1.3	11
57	An allelopathic substance in red pine needles (Pinus densiflora). Journal of Plant Physiology, 2009, 166, 442-446.	3.5	26
58	Hirseins A and B, Daphnane Diterpenoids from <i>Thymelaea hirsuta</i> That Inhibit Melanogenesis in B16 Melanoma Cells. Journal of Natural Products, 2009, 72, 938-941.	3.0	35
59	Structure-Activity Relationships of Natural Occurring Plant Growth-Inhibiting Substance Caprolactam and Its Related Compounds. Heterocycles, 2009, 78, 2439.	0.7	4
60	Caprolactam, an Inhibitory Allelochemical Exuded from Germinating Buckwheat (Fagopyrum) Tj ETQq0 0 0 rgB	T /Overlock	10 ₁₃ 50 542
61	Two New Hydrolyzable Tannins, Carpinerins A and B, from Galls of Carpinus tschonoskii. Heterocycles, 2009, 78, 1993.	0.7	4
62	<i>Magnaporthe oryzae</i> : A tool for the molecular analysis of compatibility. Journal of Pesticide Sciences, 2009, 34, 335-338.	1.4	0
63	Raphanusanin-induced genes and the characterization of RsCSN3, a raphanusanin-induced gene in etiolated radish hypocotyls. Phytochemistry, 2008, 69, 2781-2792.	2.9	3
64	Hederyne A, a new antimicrobial polyacetylene from galls of <i>Hedera rhombea</i> Bean. Journal of Asian Natural Products Research, 2007, 9, 537-540.	1.4	8
65	Growth inhibitory indole acetic acid polyacetylenic ester from Japanese ivy (Hedera rhombea Bean). Phytochemistry, 2007, 68, 1706-1711.	2.9	15
66	Antimelanogenesis effect of Tunisian herb <i>Thymelaea hirsuta</i> extract on B16 murine melanoma cells. Experimental Dermatology, 2007, 16, 977-984.	2.9	52
67	Direct Involvement of Benzoxazinoids in the Growth Suppression Induced by Phototropic Stimulation in Maize Coleoptiles. Heterocycles, 2007, 71, 523.	0.7	9
68	Isolation and Structure Elucidation of a Potent Growth Inhibitor, Helian, from Blue Light-Illuminated Sunflower (Helianthus annuus) Hypocotyls. Heterocycles, 2007, 71, 609.	0.7	7
69	Paratunamides Aâ^'D, Oxindole Alkaloids fromCinnamodendron axillare. Journal of Natural Products, 2006, 69, 1517-1521.	3.0	96
70	Induction of ß-glucosidase activity in maize coleoptiles by blue light illumination. Journal of Plant Physiology, 2006, 163, 538-545.	3.5	12
71	A major factor in gravitropism in radish hypocotyls is the suppression of growth on the upper side of hypocotyls. Journal of Plant Physiology, 2006, 163, 1267-1272.	3.5	12
72	Senescence-Promoting Effect of Arabidopside A. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2006, 61, 363-366.	1.4	30

#	Article	IF	CITATIONS
73	Structure-Activity Relationship of Acetylenes from Galls of Hedera rhombea as Plant Growth Inhibitors. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2006, 61, 536-540.	1.4	7
74	Stable Agrobacterium-mediated transformation of embryogenic tissues from Pinus pinaster Portuguese genotypes. Plant Growth Regulation, 2006, 48, 215.	3.4	16
75	Arabidopside F, a New Oxylipin from Arabidopsis thaliana. Heterocycles, 2006, 69, 295.	0.7	24
76	Cladionol A, a Polyketide Clycoside from Marine-Derived FungusGliocladiumSpecies. Journal of Natural Products, 2005, 68, 777-779.	3.0	49
77	Oxylipins Arabidopsides C and D fromArabidopsisthaliana. Journal of Natural Products, 2005, 68, 600-603.	3.0	88
78	Isolation and Identification of an Allelochemical Exuded from Germinating Pea (Pisum sativum) Seeds. Heterocycles, 2005, 65, 267.	0.7	7
79	Isolation and Identification of Potent Stimulatory Allelopathic Substances Exuded from Germinating Burdock (Arctium lappa) Seeds. Heterocycles, 2005, 65, 1431.	0.7	12
80	Two New Indole Alkaloids from Aspidosperma subincanum and Geissospermum vellosii. Heterocycles, 2005, 66, 651.	0.7	28
81	Isolation and Identification of Phototropism-regulating Sub- stances Benzoxazinoids from Maize Coleoptiles. Heterocycles, 2004, 63, 2707.	0.7	15
82	Effects of seed exudates of several plant species during germination stage. Weed Biology and Management, 2004, 4, 171-175.	1.4	14
83	Growth inhibitory alkaloids from mesquite (Prosopis juliflora (Sw.) DC.) leaves. Phytochemistry, 2004, 65, 587-591.	2.9	58
84	Isolation and identification of blue light-induced growth inhibitor from light-grown Arabidopsis shoots. Plant Growth Regulation, 2004, 44, 81-86.	3.4	9
85	Structure-activity relationships of alkaloids from mesquite (Prosopis juliflora (Sw.) DC.). Plant Growth Regulation, 2004, 44, 207-210.	3.4	17
86	Plant-growth inhibitory activity of heliannuol derivatives. Phytochemistry, 2004, 65, 1405-1411.	2.9	22
87	Biological Activity and Chemistry of Taxoids from the Japanese Yew,Taxuscuspidata⊥. Journal of Natural Products, 2004, 67, 245-256.	3.0	60
88	Sporiolides A and B, New Cytotoxic Twelve-Membered Macrolides from a Marine-Derived Fungus Cladosporium Species. Marine Drugs, 2004, 2, 164-169.	4.6	62
89	Title is missing!. Plant Growth Regulation, 2003, 40, 49-52.	3.4	36
90	Arabidopsides A and B, two new oxylipins from Arabidopsis thaliana. Tetrahedron Letters, 2003, 44, 5553-5556.	1.4	84

#	Article	IF	CITATIONS
91	Naucleamides A-E, New Monoterpene Indole Alkaloids from Nauclea latifolia Chemical and Pharmaceutical Bulletin, 2003, 51, 58-61.	1.3	76
92	Subincanadines Aâ~'C, Novel Quaternary Indole Alkaloids fromAspidospermasubincanum. Journal of Organic Chemistry, 2002, 67, 6449-6455.	3.2	82
93	Echinodolides A and B, New Cembrane Diterpenoids with an Eight-Membered Lactone Ring from the Leaves of Echinodorus macrophyllus. Journal of Natural Products, 2002, 65, 82-84.	3.0	28
94	Renealtins A and B, New Diarylheptanoids with a Tetrahydrofuran Ring from the Seeds of Renealmia exaltata. Journal of Natural Products, 2002, 65, 375-376.	3.0	20
95	Bioactive taxoids from the Japanese yewTaxus cuspidata. Medicinal Research Reviews, 2002, 22, 305-328.	10.5	39
96	Isolation and identification of lateral bud growth inhibitor, indole-3-aldehyde, involved in apical dominance of pea seedlings. Phytochemistry, 2002, 61, 863-865.	2.9	35
97	Pacovatinins Aâ^'C, New Labdane Diterpenoids from the Seeds ofRenealmiaexaltata. Journal of Natural Products, 2001, 64, 1102-1106.	3.0	21
98	Dictyonamides A and B, New Peptides from Marine-Derived Fungus. Journal of Organic Chemistry, 2001, 66, 6189-6192.	3.2	53
99	Porwenins A and B, New Clerodane Diterpenoids from Portulaca okinawensis. Journal of Natural Products, 2001, 64, 804-805.	3.0	7
100	The diversity of chemical substances controlling the nyctinastic leaf-movement in plants. Phytochemistry, 2000, 53, 39-44.	2.9	36
101	Revised Stereochemistry and Biosynthesis of Seragakinone A. Tetrahedron, 2000, 56, 8841-8844.	1.9	20
102	Echinophyllins A and B, novel nitrogen-containing clerodane diterpenoids from Echinodorus macrophyllus. Tetrahedron Letters, 2000, 41, 2939-2943.	1.4	31
103	Antimitotic activity of moroidin, a bicyclic peptide from the seeds of Celosia argentea. Bioorganic and Medicinal Chemistry Letters, 2000, 10, 469-471.	2.2	75
104	Multidrug Resistance Reversal Activity of Taxoids fromTaxus cuspidatein KB-C2 and 2780AD Cells. Japanese Journal of Cancer Research, 2000, 91, 638-642.	1.7	18
105	Echinophyllins Câ^'F, New Nitrogen-Containing Clerodane Diterpenoids fromEchinodorusmacrophyllus. Journal of Natural Products, 2000, 63, 1576-1579.	3.0	30
106	Chapecoderins Aâ^'C, New Labdane-Derived Diterpenoids fromEchinodorusmacrophyllus. Journal of Natural Products, 2000, 63, 375-377.	3.0	27
107	Further unexpected boron trifluoride-catalyzed reactions of taxoids with α- and β-4,20-epoxides. Journal of the Chemical Society, Perkin Transactions 1, 2000, , 449-451.	1.3	8
108	Sculezonones A and B, Two Metabolites Possessing a Phenalenone Skeleton from a Marine-Derived FungusPenicilliumSpecies. Journal of Natural Products, 2000, 63, 408-409.	3.0	28

#	Article	IF	CITATIONS
109	Coruscol A, a New Metabolite from the Marine-Derived FungusPenicilliumSpecies. Journal of Natural Products, 2000, 63, 886-887.	3.0	13
110	Unusual boron trifluoride-catalyzed reactions of taxinine derivatives with α- and β-4(20)-epoxides. Tetrahedron Letters, 1999, 40, 2149-2152.	1.4	12
111	Biosynthesis of diterpenoid moiety of brasilicardin A via non-mevalonate pathway in Nocardia brasiliensis. Tetrahedron Letters, 1999, 40, 4353-4354.	1.4	19
112	Seragakinone A, a new pentacyclic metabolite from a marine-derived fungus. Tetrahedron, 1999, 55, 14925-14930.	1.9	34
113	Modulation of multidrug resistance in tumor cells by taxinine derivatives. Bioorganic and Medicinal Chemistry Letters, 1999, 9, 389-394.	2.2	30
114	Taxezopidines J, K, and L, new taxoids from Taxus cuspidata inhibiting Ca2+-induced depolymerization of microtubules. Tetrahedron, 1999, 55, 2553-2558.	1.9	26
115	Palythoalones A and B, New Ecdysteroids from the Marine ZoanthidPalythoaaustraliae. Journal of Natural Products, 1999, 62, 372-374.	3.0	25
116	Brasilicardin A, a New Terpenoid Antibiotic from Pathogenic Nocardia brasiliensis: Fermentation, Isolation and Biological Activity Journal of Antibiotics, 1999, 52, 13-19.	2.0	58
117	Stereoselective epoxidation of 4(20)-exomethylene in taxinine derivatives and assignment of the epoxide orientation by NMR. Tetrahedron, 1998, 54, 2521-2528.	1.9	23
118	Keramamides K and L, new cyclic peptides containing unusual tryptophan residue from Theonella sponge. Tetrahedron, 1998, 54, 6719-6724.	1.9	55
119	Occurrence of a new dimeric compound of 5-oxotaxinine A through Diels-Alder cycloaddition. Tetrahedron Letters, 1998, 39, 2159-2162.	1.4	14
120	Modulation of multidrug resistance by taxuspine C and other taxoids from Japanese yew. Bioorganic and Medicinal Chemistry Letters, 1998, 8, 1555-1558.	2.2	35
121	Brasilicardin A. A Novel Tricyclic Metabolite with Potent Immunosuppressive Activity from ActinomyceteNocardiabrasiliensis. Journal of Organic Chemistry, 1998, 63, 6900-6904.	3.2	81
122	Three New Metabolites from the Marine YeastAureobasidiumpullulans. Journal of Natural Products, 1998, 61, 696-698.	3.0	64
123	New Cyclic Polyketide Peroxides from Okinawan Marine SpongePlakortissp Journal of Natural Products, 1998, 61, 1427-1429.	3.0	11
124	Taxezopidines Bâ^'H, New Taxoids from Japanese YewTaxus cuspidata. Journal of Natural Products, 1998, 61, 474-479.	3.0	36
125	Bioactive Taxoids from Japanese Yew Taxus cuspidata and Taxol Biosynthesis. Heterocycles, 1998, 47, 1111.	0.7	43
126	Taxuspines X-Z, New Taxoids from Japanese Yew Taxus cuspidata Chemical and Pharmaceutical Bulletin, 1997, 45, 1205-1208.	1.3	36

#	Article	IF	CITATIONS
127	Effects of taxoids from Taxus cuspidata on microtubule depolymerization and vincristine accumulation in MDR cells. Bioorganic and Medicinal Chemistry Letters, 1997, 7, 393-398.	2.2	56
128	Crystal and solution state conformations of two taxoids, taxinine and taxinine B. Tetrahedron, 1997, 53, 4621-4626.	1.9	12
129	Taxezopidine A, a Novel Taxoid from Seeds of Japanese Yew Taxus cuspidata. Tetrahedron Letters, 1997, 38, 7587-7588.	1.4	23
130	Taxuspines K, L, and M, new taxoids from Japanese yew Taxus cuspidata. Tetrahedron, 1996, 52, 2337-2342.	1.9	28
131	Taxuspines Q, R, S, and T, new taxoids from Japanese yew Taxus cuspidata. Tetrahedron, 1996, 52, 12159-12164.	1.9	19
132	Taxuspines U, V, and W, new taxane and related diterpenoids from the Japanese yew Taxus cuspidata. Tetrahedron, 1996, 52, 13145-13150.	1.9	40
133	Taxuspines N, O, and P, new taxoids from Japanese yew Taxus cuspidata. Tetrahedron, 1996, 52, 5391-5396.	1.9	30
134	Taxuspines E â^¼ H and J, new taxoids from the Japanese yew Taxus cuspidata. Tetrahedron, 1995, 51, 5971-5978.	1.9	48
135	Flavocristamides A and B, new DNA polymerase α inhibitors from a marine bacterium Flavobacterium sp Tetrahedron, 1995, 51, 10487-10490.	1.9	55
136	Nakijiquinones C and D, new sesquiterpenoid quinones with a hydroxy amino acid residue from a marine sponge inhibiting c-erbB-2 kinase. Tetrahedron, 1995, 51, 10867-10874.	1.9	70
137	Xestobergsterol C, a New Pentacyclic Steroid from the Okinawan Marine Sponge Ircinia sp. and Absolute Stereochemistry of Xestobergsterol A. Journal of Natural Products, 1995, 58, 312-318.	3.0	34
138	Nakijinol, a novel sesquiterpenoid containing a benzoxazole ring from an Okinawan sponge. Tetrahedron Letters, 1995, 36, 5589-5590.	1.4	11
139	Taxuspines A â^¼ C, new taxoids from Japanese yew Taxus cuspidata inhibiting drug transport activity of P-glycoprotein in multidrug-resistant cells. Tetrahedron, 1994, 50, 7401-7416.	1.9	100
140	Convolutamides A â^¼ F, novel γ-lactam alkaloids from the marine bryozoan Amathia convoluta. Tetrahedron, 1994, 50, 10201-10206.	1.9	65
141	Nakijiquinones A and B, new antifungal sesquiterpenoid quinones with an amino acid residue from an Okinawan marine sponge. Tetrahedron, 1994, 50, 8347-8354.	1.9	57
142	Nepheliosyne A, New C47 Acetylenic Acid from the Okinawan Marine Sponge Xestospongia sp Journal of Natural Products, 1994, 57, 1300-1303.	3.0	20
143	Konbamidin, a New Indole Alkaloid from the Okinawan Marine Sponge Ircinia sp Journal of Natural Products, 1994, 57, 1603-1605.	3.0	11
144	Hymenamides C ~ E, new cyclic heptapeptides with two proline residues from the okinawan marine sponge hymeniacidon sp Tetrahedron, 1993, 49, 6785-6796.	1.9	53

#	Article	IF	CITATIONS
145	Hymenamides a and b, new proline-rich cyclic heptapeptides from the okinawan marine sponge hymeniacidon sp Tetrahedron, 1993, 49, 2391-2402.	1.9	73
146	Jaspisamides A-C, New Cytotoxic Macrolides from the Okinawan Sponge Jaspis Sp Journal of Natural Products, 1993, 56, 787-791.	3.0	67
147	Three New Onnamide Congeners from the Okinawan Marine Sponge Theonella Sp Journal of Natural Products, 1993, 56, 976-981.	3.0	46
148	Xestokerols A, B, and C, New C29 Steroids with a Cyclopropane Ring from the Okinawan Marine Sponge Xestospongia sp Journal of Natural Products, 1993, 56, 1350-1355.	3.0	19
149	Stimulation of Nerve Growth Factor Synthesis and Secretion by Fellutamide A <i>in Vitro</i> . Bioscience, Biotechnology and Biochemistry, 1993, 57, 195-199.	1.3	38
150	Inhibition of Mammalian Topoisomerase I by Xestoquinone and Halenaquinone. Bioscience, Biotechnology and Biochemistry, 1993, 57, 330-331.	1.3	10
151	New Sesterterpenes with Nerve Growth Factor Synthesis-Stimulating Activity from the Okinawan Marine Sponge Hyrtios sp Chemical and Pharmaceutical Bulletin, 1993, 41, 2190-2191.	1.3	20
152	Untenospongin C, a New C21 Furanoterpene from the Okinawan Marine Sponge Hippospongia Sp Chemical and Pharmaceutical Bulletin, 1993, 41, 381-382.	1.3	10
153	Agelasine G, a New Antileukemic Alkaloid from the Okinawan Marine Sponge Agelas sp Chemical and Pharmaceutical Bulletin, 1992, 40, 766-767.	1.3	55
154	Purealidins E-G, New Bromotyrosine Alkaloids from the Okinawan Marine Sponge Psammaplysilla purea. Journal of Natural Products, 1992, 55, 1325-1327.	3.0	23
155	Niphatesines E–H, new pyridine alkaloids from the Okinawan marine sponge Niphates sp Journal of the Chemical Society Perkin Transactions 1, 1992, , 1291-1294.	0.9	39
156	Ircinals A and B from the Okinawan marine sponge Ircinia sp.: plausible biogenetic precursors of manzamine alkaloids. Journal of Organic Chemistry, 1992, 57, 2480-2483.	3.2	161
157	Luffariolides A-E, new cytotoxic sesterterpenes from the Okinawan marine sponge Luffariella sp. Journal of Organic Chemistry, 1992, 57, 3503-3507.	3.2	44
158	New Pentacyclic Compounds from the Okinawan Marine Sponge Xestospongia sapra. Journal of Natural Products, 1992, 55, 994-998.	3.0	29
159	Metachromins D-H, new cytotoxic sesquiterpenoids from the Okinawan marine sponge Hippospongia metachromia. Journal of Organic Chemistry, 1992, 57, 5773-5776.	3.2	35
160	Alteramide A, a new tetracyclic alkaloid from a bacterium Alteromonas sp. associated with the marine sponge Halichondria okadai. Journal of Organic Chemistry, 1992, 57, 4317-4320.	3.2	174
161	Theoneberine: the first brominated benzyltetrahydroprotoberberine alkaloid from the Okinawan marine sponge Theonella sp. Journal of Organic Chemistry, 1992, 57, 6680-6682.	3.2	30
162	Keramamide F, a new thiazole-containing peptide from the Okinawan marine sponge Theonella sp. Journal of Organic Chemistry, 1992, 57, 5540-5542.	3.2	69

#	Article	IF	CITATIONS
163	Aplysidine, a new nucleoside from the Okinawan marine sponge Aplysina Sp Tetrahedron, 1992, 48, 7145-7148.	1.9	22
164	Plakotenin, a new cytotoxic carboxylic acid from the okinawan marine sponge plakortis Sp Tetrahedron Letters, 1992, 33, 2579-2580.	1.4	27
165	Purealidin D, a new pyridine alkaloid from the okinawan marine sponge psammaplysilla purea. Tetrahedron Letters, 1992, 33, 2597-2598.	1.4	30
166	Bioactive Substances from Marine Microorganisms Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 1992, 50, 772-785.	0.1	4
167	Keramamide A, a novel peptide from the Okinawan marine sponge Theonella sp Journal of the Chemical Society Perkin Transactions 1, 1991, , 2609.	0.9	55
168	Amphidinolides G and H: new potent cytotoxic macrolides from the cultured symbiotic dinoflagellate Amphidinium sp. Journal of Organic Chemistry, 1991, 56, 5221-5224.	3.2	87
169	Keramamides B .apprx. D, novel peptides from the Okinawan marine sponge Theonella sp. Journal of the American Chemical Society, 1991, 113, 7812-7813.	13.7	70
170	Manzacidins A-C, novel tetrahydropyrimidine alkaloids from the Okinawan marine sponge Hymeniacidon sp. Journal of Organic Chemistry, 1991, 56, 4574-4576.	3.2	136
171	Amphidinolide F, a new cytotoxic macrolide from the marine dinoflagellate Amphidinium sp Journal of Antibiotics, 1991, 44, 1259-1261.	2.0	68
172	Eudistomidins E and F, new β-carboline alkaloids from the okinawan marine tunicate Eudistoma glaucus. Tetrahedron Letters, 1991, 32, 3539-3542.	1.4	42
173	Purealidins B and C, new bromotyrosine alkaloids from the okinawan marine sponge psammaplysilla purea. Tetrahedron, 1991, 47, 6617-6622.	1.9	193
174	Fellutamides A and B, cytotoxic peptides from a marine fish-possessing fungus Penicillium fellutanum. Tetrahedron, 1991, 47, 8529-8534.	1.9	91
175	Natural products syntheses using anodic oxidation of phenols as a key step. Tetrahedron, 1991, 47, 635-644.	1.9	70
176	Bioactive substances from L.G. Don and their biological activities. Tetrahedron, 1990, 46, 383-394.	1.9	62
177	Total syntheses of potassium lespedezate and potassium isolespedezate, bioactive substances concerned with circadian rhythm in nyctinastic plants. Tetrahedron Letters, 1989, 30, 6389-6392.	1.4	8
178	Potassium lespedezate and potassium isolespedezate, bioactive substances concerned with the circadian rhythm in nyctinastic plants. Tetrahedron Letters, 1989, 30, 3991-3994.	1.4	40
179	Efficient synthesis of (±)-8,14-cedranoxide using electrochemical method as a key step. Tetrahedron Letters, 1987, 28, 6661-6664.	1.4	22
180	Synthetic study on verrucosidin and its absolute configuration. Tetrahedron Letters, 1986, 27, 723-726.	1.4	13

#	Article	IF	CITATIONS
181	Total synthesis of $(\hat{A}\pm)$ -citreoviral. Journal of the Chemical Society Chemical Communications, 1985, , 292-293.	2.0	20
182	Cyanidin 3-Glucoside Induces Hepatocyte Growth Factor in Normal Human Dermal Fibroblasts through the Activation of β ₂ -Adrenergic Receptor. ACS Omega, 0, , .	3.5	1