Isabel Castro-Piedras

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/229011/publications.pdf

Version: 2024-02-01

623734 642732 27 533 14 23 citations g-index h-index papers 30 30 30 806 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Abstract P5-10-04: Exploring novel connections between dishevelled (DVL) proteins and HER2-positive breast cancer-road to translation. Cancer Research, 2022, 82, P5-10-04-P5-10-04.	0.9	O
2	Chronic Administration of Cannabinoid Receptor 2 Agonist (JWH-133) Increases Ectopic Ovarian Tumor Growth and Endocannabinoids (Anandamide and 2-Arachidonoyl Glycerol) Levels in Immunocompromised SCID Female Mice. Frontiers in Pharmacology, 2022, 13, 823132.	3.5	1
3	Nuclear Dishevelled targets gene regulatory regions and promotes tumor growth. EMBO Reports, 2021, 22, e50600.	4.5	15
4	Genomic profiling of DVL-1 and its nuclear role as a transcriptional regulator in triple negative breast cancer. Genes and Cancer, 2021, 12, 77-95.	1.9	8
5	Dishevelled-1 DIX and PDZ domain lysine residues regulate oncogenic Wnt signaling. Oncotarget, 2021, 12, 2234-2251.	1.8	6
6	PARP1 Deficiency Reduces Tumour Growth by Decreasing E2F1 Hyperactivation: A Novel Mechanism in the Treatment of Cancer. Cancers, 2020, 12, 2907.	3.7	3
7	The Versatility of Sirtuin-1 in Endocrinology and Immunology. Frontiers in Cell and Developmental Biology, 2020, 8, 589016.	3.7	20
8	Identification of Novel MeCP2 Cancer-Associated Target Genes and Post-Translational Modifications. Frontiers in Oncology, 2020, 10, 576362.	2.8	7
9	Análisis teórico de un posible futuro en la sociedad ciborg: robotización, estrés y epigenética. Cultura De Los Cuidados, 2020, , .	0.0	O
10	Acetylation of conserved DVL-1 lysines regulates its nuclear translocation and binding to gene promoters in triple-negative breast cancer. Scientific Reports, 2019, 9, 16257.	3.3	31
11	Dishevelled: A masterful conductor of complex Wnt signals. Cellular Signalling, 2018, 47, 52-64.	3.6	150
12	DVL1 and DVL3 differentially localize to CYP19A1 promoters and regulate aromatase mRNA in breast cancer cells. Oncotarget, 2018, 9, 35639-35654.	1.8	42
13	Lipopolysaccharide (LPS)-induced septic shock causes profound changes in myocardial energy metabolites in pigs. Metabolomics, 2018, 14, 131.	3.0	19
14	Aromatase Acetylation Patterns and Altered Activity in Response to Sirtuin Inhibition. Molecular Cancer Research, 2018, 16, 1530-1542.	3.4	24
15	Abstract 2893: PARP-1 regulates cell cycle by downregulating E2F-1 transcriptional activity in vitro and in vivo. , 2016 , , .		O
16	Smooth Muscle Calcium Signaling and Contraction in the Small Airways of the House Dust Mite Asthma Mouse Model. FASEB Journal, 2015, 29, 1030.3.	0.5	0
17	Ca2+ handling and sensitivity in airway smooth muscle: Emerging concepts for mechanistic understanding and therapeutic targeting. Pulmonary Pharmacology and Therapeutics, 2014, 29, 108-120.	2.6	32
18	Septic shock non-thyroidal illness syndrome causes hypothyroidism and conditions for reduced sensitivity to thyroid hormone. Journal of Molecular Endocrinology, 2013, 50, 255-266.	2.5	30

#	Article	IF	Citations
19	Hydrogen sulphide inhibits Ca ²⁺ release through InsP ₃ receptors and relaxes airway smooth muscle. Journal of Physiology, 2013, 591, 5999-6015.	2.9	49
20	Hydrogen sulfide induces smooth muscle relaxation in small intrapulmonary airways. FASEB Journal, 2013, 27, 1216.6.	0.5	1
21	A Family with Congenital Hypothyroidism Caused by a Combination of Loss-of-Function Mutations in the Thyrotropin Receptor and Adenylate Cyclase-Stimulating G Alpha-Protein Subunit Genes. Thyroid, 2011, 21, 103-109.	4.5	15
22	Thyroid hormone receptors are down-regulated in skeletal muscle of patients with non-thyroidal illness syndrome secondary to non-septic shock. European Journal of Endocrinology, 2010, 163, 765-773.	3.7	22
23	Identification of a paired box gene 8–peroxisome proliferator-activated receptor gamma (PAX8–PPARγ) rearrangement mosaicism in a patient with an autonomous functioning follicular thyroid carcinoma bearing an activating mutation in the TSH receptor. Endocrine-Related Cancer, 2010, 17, 599-610.	3.1	15
24	Regional Decrease of Subcutaneous Adipose Tissue in Patients with Type 2 Familial Partial Lipodystrophy Is Associated with Changes in Thyroid Hormone Metabolism. Thyroid, 2010, 20, 419-424.	4.5	7
25	New Insights into Thyroglobulin Pathophysiology Revealed by the Study of a Family with Congenital Goiter. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 3522-3526.	3.6	21
26	Identification and Evaluation of Constitutively Active Thyroid Stimulating Hormone Receptor Mutations. Methods in Enzymology, 2010, 484, 375-395.	1.0	1
27	Hypothyroidism is associated with increased myostatin expression in rats. Journal of Endocrinological Investigation, 2008, 31, 773-778.	3.3	13