

Henry de Vries

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2291164/publications.pdf>

Version: 2024-02-01

324
papers

9,456
citations

39113

52
h-index

66518

82
g-index

331
all docs

331
docs citations

331
times ranked

8744
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical outcomes of syphilis in HIV-negative and HIV-positive MSM: occurrence of repeat syphilis episodes and non-treponemal serology responses. <i>Sexually Transmitted Infections</i> , 2022, 98, 95-100.	0.8	7
2	Incident urogenital and anorectal <i>Chlamydia trachomatis</i> in women: the role of sexual exposure and autoinoculation: a multicentre observational study (FemCure). <i>Sexually Transmitted Infections</i> , 2022, , sextrans-2021-055032.	0.8	2
3	Factors Associated With the Intention to Use HIV Preexposure Prophylaxis for Young and Older Men Who Have Sex With Men. <i>Sexually Transmitted Diseases</i> , 2022, 49, 343-352.	0.8	7
4	Detection of <i>Treponema pallidum</i> DNA During Early Syphilis Stages in Peripheral Blood, Oropharynx, Ano-Rectum and Urine as a Proxy for Transmissibility. <i>Clinical Infectious Diseases</i> , 2022, 75, 1054-1062.	2.9	12
5	Efficacy of ertapenem, gentamicin, fosfomycin, and ceftriaxone for the treatment of anogenital gonorrhoea (NABOGO): a randomised, non-inferiority trial. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 706-717.	4.6	24
6	<i>Shigella</i> is common in symptomatic and asymptomatic men who have sex with men visiting a sexual health clinic in Amsterdam. <i>Sexually Transmitted Infections</i> , 2022, 98, 564-569.	0.8	6
7	Call for consensus in <i>Chlamydia trachomatis</i> nomenclature: moving from biovars, serovars, and serotypes to genovariants and genotypes. <i>Clinical Microbiology and Infection</i> , 2022, 28, 761-763.	2.8	5
8	Controversies and evidence on <i>Chlamydia</i> testing and treatment in asymptomatic women and men who have sex with men: a narrative review. <i>BMC Infectious Diseases</i> , 2022, 22, 255.	1.3	14
9	Pharyngeal screening for <i>Chlamydia trachomatis</i> , more harm than good?. <i>Lancet Infectious Diseases</i> , The, 2022, 22, 437-438.	4.6	0
10	HIV-1-infection in a man who has sex with men despite self-reported excellent adherence to pre-exposure prophylaxis, the Netherlands, August 2021: be alert to emtricitabine/tenofovir-resistant strain transmission. <i>Eurosurveillance</i> , 2022, 27, .	3.9	1
11	Within-Host Genetic Variation in <i>Neisseria gonorrhoeae</i> over the Course of Infection. <i>Microbiology Spectrum</i> , 2022, 10, e0031322.	1.2	2
12	Can we screen less frequently for STI among PrEP users? Assessing the effect of biannual STI screening on timing of diagnosis and transmission risk in the AMPrEP Study. <i>Sexually Transmitted Infections</i> , 2022, , sextrans-2022-055439.	0.8	3
13	Sexual transmission of infections across Europe: appraising the present, scoping the future. <i>Sexually Transmitted Infections</i> , 2022, 98, 451-457.	0.8	15
14	Podoconiosis: Clinical spectrum and microscopic presentations. <i>PLoS Neglected Tropical Diseases</i> , 2022, 16, e0010057.	1.3	0
15	<i>Treponema pallidum</i> Subspecies <i>pallidum</i> Inpatient Homogeneity at Various Body Locations in Men with Infectious Syphilis. <i>Microbiology Spectrum</i> , 2022, 10, .	1.2	3
16	Cancer Risk Stratification of Anal Intraepithelial Neoplasia in Human Immunodeficiency Virus-Positive Men by Validated Methylation Markers Associated With Progression to Cancer. <i>Clinical Infectious Diseases</i> , 2021, 72, 2154-2163.	2.9	36
17	Enhancing help-seeking behaviour among men who have sex with men at risk for sexually transmitted infections: the syn.bas.in randomised controlled trial. <i>Sexually Transmitted Infections</i> , 2021, 97, 11-17.	0.8	13
18	Oropharyngeal <i>Chlamydia trachomatis</i> in women; spontaneous clearance and cure after treatment (FemCure). <i>Sexually Transmitted Infections</i> , 2021, 97, 147-151.	0.8	9

#	ARTICLE	IF	CITATIONS
19	Spontaneous resolution of multidrug-resistant <i>Mycobacterium abscessus</i> infection in tattoo. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e328-e330.	1.3	1
20	Delayed diagnosis of lymphogranuloma venereum in a hospital setting – a retrospective observational study. <i>International Journal of STD and AIDS</i> , 2021, 32, 517-522.	0.5	4
21	Factors associated with rectal pH among men who have sex with men. <i>Sexual Health</i> , 2021, 18, 140-146.	0.4	0
22	The Impact of Pre-exposure Prophylaxis on Sexual Well-Being Among Men Who Have Sex with Men. <i>Archives of Sexual Behavior</i> , 2021, 50, 1829-1841.	1.2	9
23	DNA methylation markers have universal prognostic value for anal cancer risk in HIV-negative and HIV-positive individuals. <i>Molecular Oncology</i> , 2021, 15, 3024-3036.	2.1	13
24	Emergence of a <i>Neisseria gonorrhoeae</i> clone with reduced cephalosporin susceptibility between 2014 and 2019 in Amsterdam, The Netherlands, revealed by genomic population analysis. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 1759-1768.	1.3	17
25	Sexual consent and chemsex: a quantitative study on sexualised drug use and non-consensual sex among men who have sex with men in Amsterdam, the Netherlands. <i>Sexually Transmitted Infections</i> , 2021, 97, 268-275.	0.8	23
26	Safety and efficacy of allylamines in the treatment of cutaneous and mucocutaneous leishmaniasis: A systematic review. <i>PLoS ONE</i> , 2021, 16, e0249628.	1.1	9
27	Improving adherence to daily preexposure prophylaxis among MSM in Amsterdam by providing feedback via a mobile application. <i>Aids</i> , 2021, 35, 1823-1834.	1.0	7
28	Adherence to event-driven HIV PrEP among men who have sex with men in Amsterdam, the Netherlands: analysis based on online diary data, 3-monthly questionnaires and intracellular TFV-DP. <i>Journal of the International AIDS Society</i> , 2021, 24, e25708.	1.2	19
29	Antiseptic mouthwashes against sexually transmitted infections. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 583-584.	4.6	2
30	Where to go to in chlamydia control? From infection control towards infectious disease control. <i>Sexually Transmitted Infections</i> , 2021, 97, 501-506.	0.8	31
31	HPV vaccination to prevent recurrence of anal intraepithelial neoplasia in HIV+ MSM. <i>Aids</i> , 2021, 35, 1753-1764.	1.0	23
32	2021 European Guideline on the management of proctitis, proctocolitis and enteritis caused by sexually transmissible pathogens. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 1434-1443.	1.3	35
33	The social meanings of PrEP use – A mixed-method study of PrEP use disclosure in Antwerp and Amsterdam. <i>Sociology of Health and Illness</i> , 2021, 43, 1311-1327.	1.1	7
34	Ongoing evolution of <i>Chlamydia trachomatis</i> lymphogranuloma venereum: exploring the genomic diversity of circulating strains. <i>Microbial Genomics</i> , 2021, 7, .	1.0	11
35	Characterisation of anal intraepithelial neoplasia and anal cancer in HIV-positive men by immunohistochemical markers p16, Ki67, HPV16 and DNA methylation markers. <i>International Journal of Cancer</i> , 2021, 149, 1833-1844.	2.3	6
36	Choosing event-driven and daily HIV pre-exposure prophylaxis – data from two European PrEP demonstration projects among men who have sex with men. <i>Journal of the International AIDS Society</i> , 2021, 24, e25768.	1.2	13

#	ARTICLE	IF	CITATIONS
37	Transient Changes in Preexposure Prophylaxis Use and Daily Sexual Behavior After the Implementation of COVID-19 Restrictions Among Men Who Have Sex With Men. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2021, 87, 1111-1118.	0.9	23
38	Effect of the COVID-19 Pandemic Preparation and Response on Essential Health Services in Primary and Tertiary Healthcare Settings of Amhara Region, Ethiopia. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 105, 1240-1246.	0.6	10
39	Can Previous Associations of Single Nucleotide Polymorphisms in the TLR2, NOD1, CXCR5, and IL10 Genes in the Susceptibility to and Severity of Chlamydia trachomatis Infections Be Confirmed?. <i>Pathogens</i> , 2021, 10, 48.	1.2	2
40	Surgical debulking of podoconiosis nodules and its impact on quality of life in Ethiopia. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009053.	1.3	1
41	Eligibility for HIV Preexposure Prophylaxis, Intention to Use Preexposure Prophylaxis, and Informal Use of Preexposure Prophylaxis Among Men Who Have Sex With Men in Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2021, 48, 86-93.	0.8	9
42	Macrolide-resistant Mycoplasma genitalium impairs clinical improvement of male urethritis after empirical treatment. <i>Sexually Transmitted Diseases</i> , 2021, Publish Ahead of Print, .	0.8	4
43	Identification and characterization of latent classes based on drug use among men who have sex with men at risk of sexually transmitted infections in Amsterdam, the Netherlands. <i>Addiction</i> , 2020, 115, 121-133.	1.7	27
44	Grading immunohistochemical markers p16 ^{INK4a} and HPV E4 identifies productive and transforming lesions caused by low- and high-risk HPV within high-grade anal squamous intraepithelial lesions. <i>British Journal of Dermatology</i> , 2020, 182, 1026-1033.	1.4	11
45	Sex, drugs, and sexually transmitted infections: A latent class analysis among men who have sex with men in Amsterdam and surrounding urban regions, the Netherlands. <i>Drug and Alcohol Dependence</i> , 2020, 206, 107526.	1.6	24
46	Anal Squamous Intraepithelial Lesions (SILs) in Human Immunodeficiency Virus-Positive Men Who Have Sex With Men: Incidence and Risk Factors of SIL and of Progression and Clearance of Low-Grade SILs. <i>Journal of Infectious Diseases</i> , 2020, 222, 62-73.	1.9	18
47	High incidence of HCV in HIV-negative men who have sex with men using pre-exposure prophylaxis. <i>Journal of Hepatology</i> , 2020, 72, 855-864.	1.8	48
48	Substance Use and Sexual Risk Behavior Among Male and Transgender Women Sex Workers at the Prostitution Outreach Center in Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2020, 47, 114-121.	0.8	21
49	Erroneous treatment of syphilis with benzyl penicillin in an era with benzathine benzylpenicillin shortages. <i>Sexually Transmitted Infections</i> , 2020, 96, 552-552.	0.8	5
50	Understanding pre-exposure prophylaxis (PrEP) regimen use: Switching and discontinuing daily and event-driven PrEP among men who have sex with men. <i>EclinicalMedicine</i> , 2020, 29-30, 100650.	3.2	24
51	Pregnancies and Time to Pregnancy in Women With and Without a Previous Chlamydia trachomatis Infection. <i>Sexually Transmitted Diseases</i> , 2020, 47, 739-747.	0.8	10
52	Changes in mental health and drug use among men who have sex with men using daily and event-driven pre-exposure prophylaxis: Results from a prospective demonstration project in Amsterdam, the Netherlands. <i>EclinicalMedicine</i> , 2020, 26, 100505.	3.2	9
53	Spontaneous clearance of <i>Chlamydia trachomatis</i> accounting for bacterial viability in vaginally or rectally infected women (FemCure). <i>Sexually Transmitted Infections</i> , 2020, 96, 541-548.	0.8	13
54	Decision-making regarding condom use among daily and event-driven users of preexposure prophylaxis in the Netherlands. <i>Aids</i> , 2020, 34, 2295-2304.	1.0	16

#	ARTICLE	IF	CITATIONS
55	Increasing trends of lymphogranuloma venereum among HIV-negative and asymptomatic men who have sex with men, the Netherlands, 2011 to 2017. <i>Eurosurveillance</i> , 2020, 25, .	3.9	15
56	“Stopping the itch” mass drug administration for scabies outbreak control covered for over nine million people in Ethiopia. <i>Journal of Infection in Developing Countries</i> , 2020, 14, 28S-35S.	0.5	11
57	Does mass drug administration for community-based scabies control works? The experience in Ethiopia. <i>Journal of Infection in Developing Countries</i> , 2020, 14, 78S-85S.	0.5	5
58	Body location of “New World” cutaneous leishmaniasis lesions and its impact on the quality of life of patients in Suriname. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008759.	1.3	9
59	Host Cell Deoxyribonucleic Acid Methylation Markers for the Detection of High-grade Anal Intraepithelial Neoplasia and Anal Cancer. <i>Clinical Infectious Diseases</i> , 2019, 68, 1110-1117.	2.9	25
60	Effects of an over-the-counter lactic-acid containing intra-vaginal douching product on the vaginal microbiota. <i>BMC Microbiology</i> , 2019, 19, 168.	1.3	17
61	A longitudinal study to investigate previous <i>Chlamydia trachomatis</i> infection as a risk factor for subsequent anorectal infection in men who have sex with men (MSM) and women visiting STI clinics in the Netherlands. <i>Epidemiology and Infection</i> , 2019, 147, e214.	1.0	6
62	2019 European guideline on the management of lymphogranuloma venereum. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1821-1828.	1.3	67
63	HPV infections and flat penile lesions of the penis in men who have sex with men. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2019, 8, 100173.	4.5	5
64	Current challenges in the clinical management of sexually transmitted infections. <i>Journal of the International AIDS Society</i> , 2019, 22, e25347.	1.2	4
65	HIV and sexually transmitted infections: reconciling estranged bedfellows in the U=U and PrEP era. <i>Journal of the International AIDS Society</i> , 2019, 22, e25357.	1.2	6
66	Motives for choosing, switching and stopping daily or event-driven pre-exposure prophylaxis “ a qualitative analysis. <i>Journal of the International AIDS Society</i> , 2019, 22, e25389.	1.2	42
67	Treatment Effectiveness of Azithromycin and Doxycycline in Uncomplicated Rectal and Vaginal <i>Chlamydia trachomatis</i> Infections in Women: A Multicenter Observational Study (FemCure). <i>Clinical Infectious Diseases</i> , 2019, 69, 1946-1954.	2.9	45
68	The Accuracy of Anal Swab-Based Tests to Detect High-Grade Anal Intraepithelial Neoplasia in HIV-Infected Patients: A Systematic Review and Meta-analysis. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz191.	0.4	17
69	Solithromycin for the treatment of drug-resistant gonorrhoea. <i>Lancet Infectious Diseases</i> , The, 2019, 19, 791-792.	4.6	4
70	Sexual behaviour and incidence of HIV and sexually transmitted infections among men who have sex with men using daily and event-driven pre-exposure prophylaxis in AMPPrEP: 2 year results from a demonstration study. <i>Lancet HIV</i> , the, 2019, 6, e447-e455.	2.1	114
71	Fever and a rapidly progressive skin ulcer after a visit to Morocco: A diagnostic challenge. <i>Travel Medicine and Infectious Disease</i> , 2019, 31, 101429.	1.5	0
72	Vaginal herb use and <i>Chlamydia trachomatis</i> infection: cross-sectional study among women of various ethnic groups in Suriname. <i>BMJ Open</i> , 2019, 9, e025417.	0.8	2

#	ARTICLE	IF	CITATIONS
73	Comparative genomics of human <i>Lactobacillus crispatus</i> isolates reveals genes for glycosylation and glycogen degradation: implications for in vivo dominance of the vaginal microbiota. <i>Microbiome</i> , 2019, 7, 49.	4.9	84
74	P241â€¦Detection of Y-chromosomal DNA correlates with last unsafe sexual exposure. , 2019, , .		0
75	P464â€¦Treatment failure in rectal <i>Chlamydia trachomatis</i> azithromycin treated women driven by high viable bacterial load (FemCure). , 2019, , .		0
76	P468â€¦The association of symptoms with viable vaginal or rectal <i>Chlamydia trachomatis</i> load: multicenter cohort study (FemCure). , 2019, , .		0
77	P469â€¦Spontaneous resolution to negative and non-viable status of vaginal and rectal <i>Chlamydia trachomatis</i> infection (FemCure). , 2019, , .		0
78	P520â€¦HPV infections and flat penile lesions of the penis in men who have sex with men. , 2019, , .		0
79	P615â€¦Clinical improvement after standard treatment for urethritis: the role of <i>Mycoplasma genitalium</i> . , 2019, , .		0
80	Ceftriaxone Reduced Susceptible <i>Neisseria gonorrhoeae</i> in the Netherlands, 2009 to 2017: From PenA Mosaicism to A501T/V Nonmosaicism. <i>Sexually Transmitted Diseases</i> , 2019, 46, 594-601.	0.8	11
81	A Mobile Application to Collect Daily Data on Preexposure Prophylaxis Adherence and Sexual Behavior Among Men Who Have Sex With Men: Use Over Time and Comparability With Conventional Data Collection. <i>Sexually Transmitted Diseases</i> , 2019, 46, 400-406.	0.8	19
82	Lymphogranuloma venereum in the Western world, 15 years after its re-emergence. <i>Current Opinion in Infectious Diseases</i> , 2019, 32, 43-50.	1.3	17
83	Virological and Serological Predictors of Anal High-grade Squamous Intraepithelial Lesions Among Human Immunodeficiency Virusâ€“positive Men Who Have Sex With Men. <i>Clinical Infectious Diseases</i> , 2019, 68, 1377-1387.	2.9	11
84	Microscopic examination of Gram-stained smears for anogenital gonorrhoea in men who have sex with men is cost-effective: evidence from a modelling study. <i>Sexually Transmitted Infections</i> , 2019, 95, 13-20.	0.8	6
85	Sexually Transmitted Infection Positivity Rate and Treatment Uptake Among Female and Male Sexual Assault Victims Attending The Amsterdam STI Clinic Between 2005 and 2016. <i>Sexually Transmitted Diseases</i> , 2018, 45, 534-541.	0.8	11
86	Spontaneous Clearance of Pharyngeal Gonococcal Infections: A Retrospective Study in Patients of the Sexually Transmitted Infections Clinic; Amsterdam, the Netherlands; 2012 to 2015. <i>Sexually Transmitted Diseases</i> , 2018, 45, 594-599.	0.8	14
87	Men who have sex with men more often chose daily than eventâ€“driven use of preâ€“exposure prophylaxis: baseline analysis of a demonstration study in Amsterdam. <i>Journal of the International AIDS Society</i> , 2018, 21, e25105.	1.2	72
88	What Is the Optimal Time to Retest Patients With a Urogenital <i>Chlamydia</i> Infection? A Randomized Controlled Trial. <i>Sexually Transmitted Diseases</i> , 2018, 45, 132-137.	0.8	10
89	Sinecatechins ointment 10% (Veregen®) for genital warts: percutaneous penetration of epigallocatechin gallate concentrations in the stratum corneum collected by adhesive tape stripping method. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018, 32, e357-e358.	1.3	2
90	Cryotherapy for Intra- and Perianal High-Grade Squamous Intraepithelial Lesions in HIV-Positive Men who have Sex with Men. <i>American Journal of Clinical Dermatology</i> , 2018, 19, 127-132.	3.3	8

#	ARTICLE	IF	CITATIONS
91	<i>Lactobacillus iners</i> -dominated vaginal microbiota is associated with increased susceptibility to <i>Chlamydia trachomatis</i> infection in Dutch women: a case-control study. <i>Sexually Transmitted Infections</i> , 2018, 94, 117-123.	0.8	89
92	Impact of point-of-care management on the transmission of anogenital gonococcal infections among men who have sex with men in Amsterdam: a mathematical modelling and cost-effectiveness study. <i>Sexually Transmitted Infections</i> , 2018, 94, 174-179.	0.8	3
93	Chemsex Among Men Who Have Sex With Men: a Sexualized Drug Use Survey Among Clients of the Sexually Transmitted Infection Outpatient Clinic and Users of a Gay Dating App in Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2018, 45, 325-331.	0.8	76
94	The effect of ART on cervical cancer precursor lesions. <i>Lancet HIV</i> , 2018, 5, e6-e8.	2.1	6
95	Differences in <i>Chlamydia trachomatis</i> seroprevalence between ethnic groups cannot be fully explained by socioeconomic status, sexual healthcare seeking behavior or sexual risk behavior: a cross-sectional analysis in the HEalthy Life in an Urban Setting (HELIUS) study. <i>BMC Infectious Diseases</i> , 2018, 18, 612.	1.3	12
96	Pathway-Wide Genetic Risks in Chlamydial Infections Overlap between Tissue Tropisms: A Genome-Wide Association Scan. <i>Mediators of Inflammation</i> , 2018, 2018, 1-9.	1.4	1
97	An Organotypic Reconstructed Human Urethra to Study <i>Chlamydia trachomatis</i> Infection. <i>Tissue Engineering - Part A</i> , 2018, 24, 1663-1671.	1.6	2
98	Detection of Incident Anal High-Risk Human Papillomavirus DNA in Men Who Have Sex With Men: Incidence or Reactivation?. <i>Journal of Infectious Diseases</i> , 2018, 218, 1018-1026.	1.9	17
99	Detection Rate of High-Grade Squamous Intraepithelial Lesions as a Quality Assurance Metric for High-Resolution Anoscopy in HIV-Positive Men. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 780-786.	0.7	15
100	Change in sexual risk behaviour after 6 months of pre-exposure prophylaxis use. <i>Aids</i> , 2018, 32, 1527-1532.	1.0	62
101	The Acceptability of Pre-Exposure Prophylaxis: Beliefs of Health-Care Professionals Working in Sexually Transmitted Infections Clinics and HIV Treatment Centers. <i>Frontiers in Public Health</i> , 2018, 6, 5.	1.3	15
102	<i>Haemophilus ducreyi</i> cutaneous ulcer contracted at Seram Island, Indonesia, presented in the Netherlands. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0006273.	1.3	3
103	HIV and sexually transmitted infections: responding to the 'newest normal'. <i>Journal of the International AIDS Society</i> , 2018, 21, e25164.	1.2	14
104	Molecular epidemiology of <i>Neisseria gonorrhoeae</i> strains circulating in Indonesia using multi-locus variable number tandem repeat analysis (MLVA) and <i>Neisseria gonorrhoeae</i> multi-antigen sequence typing (NG-MAST) techniques. <i>BMC Infectious Diseases</i> , 2018, 18, 7.	1.3	2
105	Accuracy of a commercial multiplex PCR for the diagnosis of bacterial vaginosis. <i>Journal of Medical Microbiology</i> , 2018, 67, 1265-1270.	0.7	28
106	Integrating hepatitis B, hepatitis C and HIV screening into tuberculosis entry screening for migrants in the Netherlands, 2013 to 2015. <i>Eurosurveillance</i> , 2018, 23, .	3.9	18
107	<i>Borrelia miyamotoi</i> in vectors and hosts in The Netherlands. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 370-374.	1.1	48
108	<i>Neisseria gonorrhoeae</i> Sequence Typing for Antimicrobial Resistance, a Novel Antimicrobial Resistance Multilocus Typing Scheme for Tracking Global Dissemination of <i>N. gonorrhoeae</i> Strains. <i>Journal of Clinical Microbiology</i> , 2017, 55, 1454-1468.	1.8	147

#	ARTICLE	IF	CITATIONS
109	Is rectal douching and sharing douching equipment associated with anorectal chlamydia and gonorrhoea? A cross-sectional study among men who have sex with men. <i>Sexually Transmitted Infections</i> , 2017, 93, 431-437.	0.8	17
110	A Case-Control Study of Molecular Epidemiology in Relation to Azithromycin Resistance in <i>Neisseria gonorrhoeae</i> Isolates Collected in Amsterdam, the Netherlands, between 2008 and 2015. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	1.4	19
111	MSM starting preexposure prophylaxis are at risk of hepatitis C virus infection. <i>Aids</i> , 2017, 31, 1603-1610.	1.0	119
112	Decreased Azithromycin Susceptibility of <i>Neisseria gonorrhoeae</i> Isolates in Patients Recently Treated with Azithromycin. <i>Clinical Infectious Diseases</i> , 2017, 65, 37-45.	2.9	52
113	Outbreaks of syphilis among men who have sex with men attending STI clinics between 2007 and 2015 in the Netherlands: a space-time clustering study. <i>Sexually Transmitted Infections</i> , 2017, 93, 390-395.	0.8	11
114	Risk factors for anal high-grade squamous intraepithelial lesions in HIV-positive MSM. <i>Aids</i> , 2017, 31, 2295-2301.	1.0	26
115	Persistence after treatment of pharyngeal gonococcal infections in patients of the STI clinic, Amsterdam, the Netherlands, 2012-2015: a retrospective cohort study. <i>Sexually Transmitted Infections</i> , 2017, 93, 467-471.	0.8	16
116	Acquisition of wild-type HIV-1 infection in a patient on pre-exposure prophylaxis with high intracellular concentrations of tenofovir diphosphate: a case report. <i>Lancet HIV</i> , 2017, 4, e522-e528.	2.1	69
117	P2.18...The value of light microscopy to diagnose urogenital gonorrhoea in Indonesian clinic-based and outreach sexually transmitted infections services. , 2017, , .		0
118	O05.2...Pharyngeal gonococcal infection: spontaneous clearance and persistence after treatment. , 2017, , .		0
119	Assessing the health and well-being of gay, bisexual and other men who have sex with men around the world. <i>Sexually Transmitted Infections</i> , 2017, 93, 303-304.	0.8	2
120	Determinants of Human Papillomavirus Vaccination Intention Among Female Sex Workers in Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2017, 44, 756-762.	0.8	4
121	Low Prevalence of Urethral Lymphogranuloma Venereum Infections Among Men Who Have Sex With Men: A Prospective Observational Study, Sexually Transmitted Infection Clinic in Amsterdam, the Netherlands. <i>Sexually Transmitted Diseases</i> , 2017, 44, 547-550.	0.8	18
122	O04.2...Effects of over-the-counter lactic acid-containing vaginal douching products on the vaginal microbiota. , 2017, , .		2
123	Value of light microscopy to diagnose urogenital gonorrhoea: a diagnostic test study in Indonesian clinic-based and outreach sexually transmitted infections services. <i>BMJ Open</i> , 2017, 7, e016202.	0.8	2
124	O09.3...Changes in sexual risk behaviour among daily prep users after 6 months of use in the Amsterdam prep project. , 2017, , .		4
125	Sexually transmitted infections: challenges ahead. <i>Lancet Infectious Diseases</i> , The, 2017, 17, e235-e279.	4.6	510
126	Design of a syndemic based intervention to facilitate care for men who have sex with men with high risk behaviour: the syn.bas.in randomized controlled trial. <i>BMC Infectious Diseases</i> , 2017, 17, 398.	1.3	13

#	ARTICLE	IF	CITATIONS
127	The Cervicovaginal Microbiota in Women Notified for <i>Chlamydia trachomatis</i> Infection: A Case-Control Study at the Sexually Transmitted Infection Outpatient Clinic in Amsterdam, The Netherlands. <i>Clinical Infectious Diseases</i> , 2017, 64, 24-31.	2.9	66
128	P4.93â€¦Are rectal douching and sharing douching equipment associated with anorectal chlamydia and gonorrhoea? a cross-sectional study among men who have sex with men. , 2017, , .		0
129	P3.18â€¦Monitoring <i>chlamydia trachomatis</i> infections after treatment for test of cure purposes. , 2017, , .		0
130	P3.229â€¦Sti prevalence and follow-up among female victims of a sexual assault tested at the sti clinic in amsterdam, the netherlands. , 2017, , .		0
131	LB1.67â€¦Reduced susceptibility to ceftriaxone in <i>neisseria gonorrhoeae</i> in the netherlands recently predominantly found in association with an a501v/t mutation in the penA gene. , 2017, , .		1
132	P4.92â€¦Start of a syndemic based intervention to facilitate care for men who have sex with men with high risk behaviour: the syn.bas.in randomised controlled trial. , 2017, , .		2
133	O13.2â€¦Molecular epidemiology in relation to azithromycin resistance in <i>neisseria gonorrhoeae</i> isolates from amsterdam, the netherlands, between 2008 and 2015 â€” a case-control study. , 2017, , .		0
134	P3.201â€¦Disparities in <i>chlamydia trachomatis</i> seroprevalence across ethnic groups in amsterdam: the role of sexual healthcare seeking behaviour. , 2017, , .		0
135	A33â€¦The cervico-vaginale microbiota in <i>chlamydia trachomatis</i> notified women: a caseâ€”control study at the sexually transmitted infection outpatient clinic in Amsterdam. <i>Virus Evolution</i> , 2017, 3, .	2.2	1
136	An HIV-negative Same-sex Male Couple Both Infected with Hepatitis C Virus. <i>Acta Dermato-Venereologica</i> , 2017, 97, 1255-1257.	0.6	0
137	<i>Chlamydia trachomatis</i> Strain Types Have Diversified Regionally and Globally with Evidence for Recombination across Geographic Divides. <i>Frontiers in Microbiology</i> , 2017, 8, 2195.	1.5	23
138	O06.5â€¦Development of a human urethral equivalent to study <i>chlamydia trachomatis</i> invasion. , 2017, , .		0
139	P3.228â€¦Sti prevalence among male victims of a sexual assault: data from 12 year period, sti clinic amsterdam, the netherlands. , 2017, , .		0
140	P5.20â€¦Hpv vaccination intention among female sex workers in amsterdam, the netherlands. , 2017, , .		0
141	O01.4â€¦High prevalence of hepatitis c virus among hiv negative msm in amsterdam prep project. , 2017, , .		1
142	Concern regarding the alleged spread of hypervirulent lymphogranuloma venereum <i>Chlamydia trachomatis</i> strain in Europe. <i>Eurosurveillance</i> , 2017, 22, .	3.9	7
143	The association between ethnicity and vaginal microbiota composition in Amsterdam, the Netherlands. <i>PLoS ONE</i> , 2017, 12, e0181135.	1.1	138
144	Monitoring therapy success of urogenital <i>Chlamydia trachomatis</i> infections in women: A prospective observational cohort study. <i>PLoS ONE</i> , 2017, 12, e0185295.	1.1	12

#	ARTICLE	IF	CITATIONS
145	Trends in antimicrobial susceptibility for azithromycin and ceftriaxone in <i>Neisseria gonorrhoeae</i> isolates in Amsterdam, the Netherlands, between 2012 and 2015. <i>Eurosurveillance</i> , 2017, 22, .	3.9	16
146	The effect of HIV infection on anal and penile human papillomavirus incidence and clearance. <i>Aids</i> , 2016, 30, 121-132.	1.0	51
147	Health-Related Quality of Life and Sexual Functioning of HIV-Positive Men Who Have Sex With Men Who Are Treated for Anal Intraepithelial Neoplasia. <i>Diseases of the Colon and Rectum</i> , 2016, 59, 42-47.	0.7	9
148	HPV vaccination intention among male clients of a large STI outpatient clinic in Amsterdam, the Netherlands. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , 2016, 2, 178-184.	4.5	10
149	Test of Cure for Anogenital Gonorrhoea Using Modern RNA-Based and DNA-Based Nucleic Acid Amplification Tests: A Prospective Cohort Study. <i>Clinical Infectious Diseases</i> , 2016, 62, 1348-1355.	2.9	27
150	Molecular assessment of bacterial vaginosis by <i>Lactobacillus</i> abundance and species diversity. <i>BMC Infectious Diseases</i> , 2016, 16, 180.	1.3	68
151	Monitoring the response of patients with cutaneous leishmaniasis to treatment with pentamidine isethionate by quantitative real-time PCR, and identification of <i>Leishmani</i> a parasites not responding to therapy. <i>Clinical and Experimental Dermatology</i> , 2016, 41, 610-615.	0.6	8
152	Time to clearance of <i>Chlamydia trachomatis</i> RNA and DNA after treatment in patients coinfecting with <i>Neisseria gonorrhoeae</i> – a prospective cohort study. <i>BMC Infectious Diseases</i> , 2016, 16, 554.	1.3	21
153	Leucocyte esterase dip-stick test as a point-of-care diagnostic for urogenital chlamydia in male patients: A multi-center evaluation in two STI outpatient clinics in Paramaribo and Amsterdam. <i>BMC Infectious Diseases</i> , 2016, 16, 625.	1.3	6
154	The Enigma of Lymphogranuloma Venereum Spread in Men Who Have Sex With Men: Does Ano-Oral Transmission Plays a Role?. <i>Sexually Transmitted Diseases</i> , 2016, 43, 420-422.	0.8	17
155	Cost-Effectiveness of Dual Antimicrobial Therapy for Gonococcal Infections Among Men Who Have Sex With Men in the Netherlands. <i>Sexually Transmitted Diseases</i> , 2016, 43, 542-548.	0.8	4
156	Earlier Detection of Hepatitis C Virus Infection Through Routine Hepatitis C Virus Antibody Screening of Human Immunodeficiency Virus-Positive Men Who Have Sex With Men Attending A Sexually Transmitted Infection Outpatient Clinic: A Longitudinal Study. <i>Sexually Transmitted Diseases</i> , 2016, 43, 560-565.	0.8	8
157	Gonorrhoea in Indonesia: High Prevalence of Asymptomatic Urogenital Gonorrhoea but No Circulating Extended Spectrum Cephalosporins-Resistant <i>Neisseria gonorrhoeae</i> Strains in Jakarta, Yogyakarta, and Denpasar, Indonesia. <i>Sexually Transmitted Diseases</i> , 2016, 43, 608-616.	0.8	16
158	Young Low-Risk Heterosexual Clients Prefer a Chlamydia Home Collection Test to a Sexually Transmitted Infection Clinic Visit in Amsterdam, the Netherlands, A Cross-Sectional Study. <i>Sexually Transmitted Diseases</i> , 2016, 43, 710-716.	0.8	12
159	Tuberculids: cutaneous indicator diseases of <i>Mycobacterium tuberculosis</i> infection in young patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1590-1593.	1.3	15
160	Low- and high-risk human papillomavirus genotype infections in intra-anal warts in HIV-positive men who have sex with men. <i>British Journal of Dermatology</i> , 2016, 175, 735-743.	1.4	27
161	False-negative type-specific glycoprotein G antibody responses in STI clinic patients with recurrent HSV-1 or HSV-2 DNA positive genital herpes, The Netherlands. <i>Sexually Transmitted Infections</i> , 2016, 92, 257-260.	0.8	7
162	2015 European guideline on the management of <i>Chlamydia trachomatis</i> infections. <i>International Journal of STD and AIDS</i> , 2016, 27, 333-348.	0.5	239

#	ARTICLE	IF	CITATIONS
163	<i>TLR2</i>,<i>TLR4</i>and<i>TLR9</i>genotypes and haplotypes in the susceptibility to and clinical course of<i>Chlamydia trachomatis</i>infections in Dutch women. Pathogens and Disease, 2016, 74, ftv107.	0.8	12
164	Trichomonas vaginalisandMycoplasma genitalium:age-specific prevalence and disease burden in men attending a sexually transmitted infections clinic in Amsterdam, the Netherlands: TableÂ1. Sexually Transmitted Infections, 2016, 92, 83-85.	0.8	26
165	Vaginal high-risk human papillomavirus infection in a cross-sectional study among women of six different ethnicities in Amsterdam, the Netherlands: the HELIUS study. Sexually Transmitted Infections, 2016, 92, 611-618.	0.8	6
166	Seksueel overdraagbare infecties. , 2016, , 233-260.		0
167	A lethal case of the dapsone hypersensitivity syndrome involving the myocardium. Netherlands Journal of Medicine, 2016, 74, 89-92.	0.6	12
168	P05.05â€...Neisseria gonorrhoeae in indonesia: prevalenceand antimicrobial susceptibility among sti clinics patients in jakarta, yogyakarta and denpasar. Sexually Transmitted Infections, 2015, 91, A109.2-A110.	0.8	1
169	PL04.3â€...Sexually transmitted infections in men who have sex with men. Sexually Transmitted Infections, 2015, 91, A4.2-A4.	0.8	0
170	001.4â€...Recent rise in reduced susceptibility to ceftriaxone in<i>neisseria gonorrhoeae</i>is not caused by strains with a<i>pena</i>mosaic gene. Sexually Transmitted Infections, 2015, 91, A26.1-A26.	0.8	0
171	003.6â€...Timing of test of cure for anogenital<i>neisseria gonorrhoeae</i>infections - a prospective cohort study using nucleic acid amplification tests. Sexually Transmitted Infections, 2015, 91, A32.1-A32.	0.8	0
172	S17.3â€...Novel therapies for hpv-related anal disease. Sexually Transmitted Infections, 2015, 91, A24.2-A24.	0.8	0
173	P05.06â€...Prolonged infection of pharyngeal gonorrhoea after treatment with ceftriaxone. Sexually Transmitted Infections, 2015, 91, A110.1-A110.	0.8	0
174	What do Dutch MSM think of preexposure prophylaxis to prevent HIV-infection? A cross-sectional study. Aids, 2015, 29, 955-964.	1.0	35
175	Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, 602-605.	0.9	30
176	Buruli Ulcer in Traveler from Suriname, South America, to the Netherlands. Emerging Infectious Diseases, 2015, 21, 497-499.	2.0	7
177	Colorectal Mucus Binds DC-SIGN and Inhibits HIV-1 Trans-Infection of CD4+ T-Lymphocytes. PLoS ONE, 2015, 10, e0122020.	1.1	11
178	Successful Combination of Nucleic Acid Amplification Test Diagnostics and Targeted Deferred Neisseria gonorrhoeae Culture. Journal of Clinical Microbiology, 2015, 53, 1884-1890.	1.8	23
179	Point-of-care management of urogenitalChlamydia trachomatisvia Gram-stained smear analysis in male high-risk patients. Diagnostic accuracy and cost-effectiveness before and after changing the screening indication at the STI Clinic in Amsterdam. Sexually Transmitted Infections, 2015, 91, 479-484.	0.8	7
180	Evaluation of a hepatitis C virus (HCV) antigen assay for routine HCV screening among men who have sex with men infected with HIV. Journal of Virological Methods, 2015, 213, 147-150.	1.0	21

#	ARTICLE	IF	CITATIONS
181	Cutaneous Leishmaniasis: Recent Developments in Diagnosis and Management. <i>American Journal of Clinical Dermatology</i> , 2015, 16, 99-109.	3.3	299
182	Syphilitic condylomata lata mimicking anogenital warts. <i>BMJ, The</i> , 2015, 350, h1259-h1259.	3.0	9
183	Repeated STI and HIV testing among HIV-negative men who have sex with men attending a large STI clinic in Amsterdam: a longitudinal study. <i>Sexually Transmitted Infections</i> , 2015, 91, 294-299.	0.8	15
184	Randomized Single-Blinded Non-inferiority Trial Of 7 mg/kg Pentamidine Isethionate Versus 4 mg/kg Pentamidine Isethionate for Cutaneous Leishmaniasis in Suriname. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0003592.	1.3	8
185	Determination of in vitro synergy for dual antimicrobial therapy against resistant <i>Neisseria gonorrhoeae</i> using Etest and agar dilution. <i>International Journal of Antimicrobial Agents</i> , 2015, 45, 305-308.	1.1	38
186	Lymphogranuloma Venereum. , 2015, , 567-575.		0
187	High-resolution typing of <i>Chlamydia trachomatis</i> . <i>Current Opinion in Infectious Diseases</i> , 2015, 28, 61-71.	1.3	31
188	Ticking the right boxes: classification of patients suspected of Lyme borreliosis at an academic referral center in the Netherlands. <i>Clinical Microbiology and Infection</i> , 2015, 21, 368.e11-368.e20.	2.8	26
189	2013 European guideline on the management of lymphogranuloma venereum. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1-6.	1.3	152
190	Spontaneous pharyngeal <i>Chlamydia trachomatis</i> RNA clearance. A cross-sectional study followed by a cohort study of untreated STI clinic patients in Amsterdam, The Netherlands. <i>Sexually Transmitted Infections</i> , 2015, 91, 157-164.	0.8	54
191	Prevalence of and Factors Associated with Rectal-Only <i>Chlamydia</i> and <i>Gonorrhoea</i> in Women and in Men Who Have Sex with Men. <i>PLoS ONE</i> , 2015, 10, e0140297.	1.1	40
192	Social Participation of Diabetes and Ex-Leprosy Patients in the Netherlands and Patient Preference for Combined Self-Care Groups. <i>Frontiers in Medicine</i> , 2014, 1, 21.	1.2	4
193	Increased HIV-1 Activity in Anal High-Grade Squamous Intraepithelial Lesions Compared With Unaffected Anal Mucosa in Men Who Have Sex With Men. <i>Clinical Infectious Diseases</i> , 2014, 58, 1634-1637.	2.9	2
194	Species-Directed Therapy for Leishmaniasis in Returning Travellers: A Comprehensive Guide. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2832.	1.3	74
195	Cross-sectional study of genital carcinogenic HPV infections in Paramaribo, Suriname: prevalence and determinants in an ethnically diverse population of women in a pre-vaccination era. <i>Sexually Transmitted Infections</i> , 2014, 90, 627-633.	0.8	21
196	2013 European Guideline on the management of proctitis, proctocolitis and enteritis caused by sexually transmissible pathogens. <i>International Journal of STD and AIDS</i> , 2014, 25, 465-474.	0.5	56
197	Additional Gonorrhoea and <i>Chlamydia</i> Infections Found With Rapid Follow-Up Screening in Men Who Have Sex With Men With an Indication for HIV Postexposure Prophylaxis. <i>Sexually Transmitted Diseases</i> , 2014, 41, 515-517.	0.8	4
198	Screening for anal cancer precursors. <i>Aids</i> , 2014, 28, 1376-1377.	1.0	33

#	ARTICLE	IF	CITATIONS
199	One Lesion, One Virus: Individual Components of High-Grade Anal Intraepithelial Neoplasia in HIV-Positive Men Contain a Single HPV Type. <i>Journal of Infectious Diseases</i> , 2014, 210, 111-120.	1.9	24
200	Pitfalls in the diagnosis and management of inguinal lymphogranuloma venereum: important lessons from a case series. <i>Sexually Transmitted Infections</i> , 2014, 90, 279-282.	0.8	23
201	Sexually transmitted infections in men who have sex with men. <i>Clinics in Dermatology</i> , 2014, 32, 181-188.	0.8	23
202	Serovar D and E of serogroup B induce highest serological responses in urogenital Chlamydia trachomatis infections. <i>BMC Infectious Diseases</i> , 2014, 14, 3.	1.3	14
203	Comparison of two Gram stain point-of-care systems for urogenital gonorrhoea among high-risk patients: diagnostic accuracy and cost-effectiveness before and after changing the screening algorithm at an STI clinic in Amsterdam. <i>Sexually Transmitted Infections</i> , 2014, 90, 358-362.	0.8	16
204	Verified clinical failure with cefotaxime 1g for treatment of gonorrhoea in the Netherlands: a case report. <i>Sexually Transmitted Infections</i> , 2014, 90, 513-514.	0.8	14
205	No indication for tissue tropism in urogenital and anorectal Chlamydia trachomatis infections using high-resolution multilocus sequence typing. <i>BMC Infectious Diseases</i> , 2014, 14, 464.	1.3	22
206	No evidence for LGV transmission among heterosexuals in Amsterdam, the Netherlands. <i>BMC Research Notes</i> , 2014, 7, 355.	0.6	14
207	Perceived HIV Status is a Key Determinant of Unprotected Anal Intercourse Within Partnerships of Men Who Have Sex With Men in Amsterdam. <i>AIDS and Behavior</i> , 2014, 18, 2442-2456.	1.4	16
208	HPV and Anal Cancer in HIV-Infected Individuals: A Review. <i>Current HIV/AIDS Reports</i> , 2014, 11, 250-262.	1.1	77
209	Lymphogranuloma venereum among men who have sex with men. An epidemiological and clinical review. <i>Expert Review of Anti-Infective Therapy</i> , 2014, 12, 697-704.	2.0	125
210	Skin as an indicator for sexually transmitted infections. <i>Clinics in Dermatology</i> , 2014, 32, 196-208.	0.8	20
211	Anal, Penile, and Oral High-Risk HPV Infections and HPV Seropositivity in HIV-Positive and HIV-Negative Men Who Have Sex with Men. <i>PLoS ONE</i> , 2014, 9, e92208.	1.1	45
212	Six-Month Incidence and Persistence of Oral HPV Infection in HIV-Negative and HIV-Infected Men Who Have Sex with Men. <i>PLoS ONE</i> , 2014, 9, e98955.	1.1	23
213	Modelling the impact of chlamydia screening on the transmission of HIV among men who have sex with men. <i>BMC Infectious Diseases</i> , 2013, 13, 436.	1.3	27
214	Comparison of imiquimod, topical fluorouracil, and electrocautery for the treatment of anal intraepithelial neoplasia in HIV-positive men who have sex with men: an open-label, randomised controlled trial. <i>Lancet Oncology</i> , 2013, 14, 346-353.	5.1	147
215	High-Resolution Typing Reveals Distinct Chlamydia trachomatis Strains in an At-Risk Population in Nanjing, China. <i>Sexually Transmitted Diseases</i> , 2013, 40, 647-649.	0.8	4
216	Urethral Lymphogranuloma Venereum Infections in Men With Anorectal Lymphogranuloma Venereum and Their Partners. <i>Sexually Transmitted Diseases</i> , 2013, 40, 607-608.	0.8	29

#	ARTICLE	IF	CITATIONS
217	Low prevalence of methicillin-resistant <i>Staphylococcus aureus</i> among men who have sex with men attending an STI clinic in Amsterdam: a cross-sectional study. <i>BMJ Open</i> , 2013, 3, e002505.	0.8	7
218	Route of Sexual Exposure Is Independently Associated With Seropositivity to HPV-16 and HPV-18 Among Clients of an STI Clinic in the Netherlands. <i>Journal of Infectious Diseases</i> , 2013, 208, 1081-1085.	1.9	16
219	O21.4 In Vitro Synergy Determination For Dual Antibiotic Therapy Against Resistant <i>Neisseria Gonorrhoeae</i> Using Etest [®] and Agar Dilution. <i>Sexually Transmitted Infections</i> , 2013, 89, A67.3-A68.	0.8	0
220	Multilocus Sequence Typing of <i>Chlamydia trachomatis</i> Among Men Who Have Sex With Men Reveals Cocirculating Strains Not Associated With Specific Subpopulations. <i>Journal of Infectious Diseases</i> , 2013, 208, 969-977.	1.9	12
221	High-Resolution Anoscopy. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 1237-1242.	0.7	34
222	Anorectal and inguinal lymphogranuloma venereum among men who have sex with men in Amsterdam, the Netherlands: trends over time, symptomatology and concurrent infections. <i>Sexually Transmitted Infections</i> , 2013, 89, 548-552.	0.8	87
223	Seroepidemiology of High-Risk HPV in HIV-Negative and HIV-Infected MSM: The H2M Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1698-1708.	1.1	31
224	Effect of HIV and Chlamydia Infection on Rectal Inflammation and Cytokine Concentrations in Men Who Have Sex with Men. <i>Vaccine Journal</i> , 2013, 20, 1517-1523.	3.2	25
225	O16.5 Concordance of Anal, Penile, and Oral Human Papillomavirus Hr-HPV Infections and HPV Seropositivity in HIV-Infected and HIV-Negative Men Who Have Sex with Men: The HIV & HPV in MSM (H ₂ M) Study. <i>Sexually Transmitted Infections</i> , 2013, 89, A58.1-A58.	0.8	0
226	P3.257 Distinct But Also Highly Similar <i>Chlamydia Trachomatis</i> Strains in Nanjing, China and in Amsterdam, the Netherlands. <i>Sexually Transmitted Infections</i> , 2013, 89, A228.4-A229.	0.8	0
227	S16.4 Lymphogranuloma Venereum in Men Who Have Sex with Men. An Ongoing Epidemic Since 10 Years, But Still Not Tackled. <i>Sexually Transmitted Infections</i> , 2013, 89, A24.2-A24.	0.8	4
228	O05.1 High Grade Anal Intraepithelial Neoplasia: One Virus, One Lesion. <i>Sexually Transmitted Infections</i> , 2013, 89, A34.3-A34.	0.8	0
229	O18.6 Persistence of Pharyngeal <i>Chlamydia Trachomatis</i> For 1-2 Weeks is Common Among Clients at the Amsterdam STI Clinic. <i>Sexually Transmitted Infections</i> , 2013, 89, A62.2-A62.	0.8	0
230	P1.004 Serovar D and E of Serogroup B Induce Highest Serological Responses in Urogenital <i>Chlamydia Trachomatis</i> Infections. <i>Sexually Transmitted Infections</i> , 2013, 89, A74.4-A75.	0.8	0
231	P3.271 Identical Multilocus Sequence Typing (MLST) Analysis in Sequential Samples from Patients with Pharyngeal <i>Chlamydia</i> Infections. <i>Sexually Transmitted Infections</i> , 2013, 89, A233.2-A233.	0.8	0
232	P5.077 Nucleic Acid Amplification Test (NAAT) Diagnostics Combined with Delayed <i>Neisseria Gonorrhoeae</i> Cultivation of NAAT Positive Samples Using the ESwab [®] System - the Solution For Future Gonococcal Antimicrobial Susceptibility Surveillance?. <i>Sexually Transmitted Infections</i> , 2013, 89, A358.3-A359.	0.8	1
233	P3.139 Early Incubating Gonorrhoea and <i>Chlamydia</i> Infections in MSM with an Indication For HIV Post Exposure Prophylaxis (PEP). <i>Sexually Transmitted Infections</i> , 2013, 89, A191.1-A191.	0.8	1
234	P5.014 What is the Optimal Time to Rescreen STI Clinic Visitors with a Urogenital <i>Chlamydia</i> Infection?. <i>Sexually Transmitted Infections</i> , 2013, 89, A339.1-A339.	0.8	0

#	ARTICLE	IF	CITATIONS
235	P5.078â€¦False-PositiveNeisseria GonorrhoeaeResults in Urine Samples Using a Highly Sensitive NAAT Tests: The Sampling Site as a Source of Contamination?. Sexually Transmitted Infections, 2013, 89, A359.1-A359.	0.8	1
236	Anal and penile high-risk human papillomavirus prevalence in HIV-negative and HIV-infected MSM. Aids, 2013, 27, 2921-2931.	1.0	80
237	Oral human papillomavirus infection in HIV-negative and HIV-infected MSM. Aids, 2013, 27, 2117-2128.	1.0	56
238	Sexually transmitted infections screening at HIV treatment centers for MSM can be cost-effective. Aids, 2013, 27, 2281-2290.	1.0	14
239	Urogenital Chlamydia trachomatis Infections among Ethnic Groups in Paramaribo, Suriname; Determinants and Ethnic Sexual Mixing Patterns. PLoS ONE, 2013, 8, e68698.	1.1	8
240	The Role of Surinamese Migrants in the Transmission of Chlamydia trachomatis between Paramaribo, Suriname and Amsterdam, The Netherlands. PLoS ONE, 2013, 8, e77977.	1.1	8
241	HIV-Infected Men Who Have Sex with Men Who Identify Themselves as Belonging to Subcultures Are at Increased Risk for Hepatitis C Infection. PLoS ONE, 2013, 8, e57740.	1.1	25
242	Lymphogranuloma Venereum: A Concise Outline of an Emerging Infection among Men Who Have Sex with Men. Issues in Infectious Diseases, 2013, , 151-157.	0.1	0
243	P5.022â€¦Earlier HCV Diagnosis by the Introduction of Routine HCV Testing For HIV Positive MSM and MSM Opting Out For HIV in a Large STI Outpatient Clinic. Sexually Transmitted Infections, 2013, 89, A341.2-A341.	0.8	1
244	Distinct Transmission Networks of Chlamydia trachomatis in Men Who Have Sex with Men and Heterosexual Adults in Amsterdam, The Netherlands. PLoS ONE, 2013, 8, e53869.	1.1	41
245	Risk Factors for the Presence of Anal Intraepithelial Neoplasia in HIV+ Men Who Have Sex with Men. PLoS ONE, 2013, 8, e84030.	1.1	15
246	Imported leishmaniasis in the Netherlands from 2005 to 2012: epidemiology, diagnostic techniques and sequence-based species typing from 195 patients. Eurosurveillance, 2013, 18, 20544.	3.9	46
247	33. Gradually decreasing anal cancer incidence in the HIV+ population in the Netherlands after a decade of cART. Sexual Health, 2013, 10, 586.	0.4	0
248	34. One lesion, one virus: individual components of high-grade anal intraepithelial neoplasia in HIV+ men contain a single HPV type. Sexual Health, 2013, 10, 586.	0.4	1
249	The increasing incidence of anal cancer: can it be explained by trends in risk groups?. Netherlands Journal of Medicine, 2013, 71, 401-11.	0.6	69
250	Distinct Neisseria gonorrhoeae Transmission Networks Among Men Who Have Sex With Men in Amsterdam, the Netherlands. Journal of Infectious Diseases, 2012, 206, 596-605.	1.9	27
251	Sexually transmitted penile amoebiasis in Iran: a case series. Sexually Transmitted Infections, 2012, 88, 585-588.	0.8	5
252	First Case of Cutaneous Leishmaniasis Caused by Leishmania (Viannia) braziliensis in Suriname. American Journal of Tropical Medicine and Hygiene, 2012, 86, 825-827.	0.6	18

#	ARTICLE	IF	CITATIONS
253	Clonally Related <i>Neisseria gonorrhoeae</i> Isolates with Decreased Susceptibility to the Extended-Spectrum Cephalosporin Cefotaxime in Amsterdam, the Netherlands. <i>Antimicrobial Agents and Chemotherapy</i> , 2012, 56, 1516-1522.	1.4	27
254	Low prevalence of asymptomatic sexually transmitted infections in HIV-infected heterosexuals visiting an HIV clinic in the Netherlands. <i>Aids</i> , 2012, 26, 646-649.	1.0	8
255	High Prevalence of Sexually Transmitted Infections in HIV-Infected Men During Routine Outpatient Visits in the Netherlands. <i>Sexually Transmitted Diseases</i> , 2012, 39, 8-15.	0.8	68
256	Population Genomics of <i>Chlamydia trachomatis</i> : Insights on Drift, Selection, Recombination, and Population Structure. <i>Molecular Biology and Evolution</i> , 2012, 29, 3933-3946.	3.5	94
257	Rectal lymphogranuloma venereum. <i>Colorectal Disease</i> , 2012, 14, e792-3.	0.7	7
258	Whole-genome analysis of diverse <i>Chlamydia trachomatis</i> strains identifies phylogenetic relationships masked by current clinical typing. <i>Nature Genetics</i> , 2012, 44, 413-419.	9.4	279
259	Cutaneous Leishmaniasis Acquired in Jura, France. <i>Emerging Infectious Diseases</i> , 2012, 18, 183-184.	2.0	10
260	Point-of-Care Test for Detection of Urogenital <i>Chlamydia</i> in Women Shows Low Sensitivity. A Performance Evaluation Study in Two Clinics in Suriname. <i>PLoS ONE</i> , 2012, 7, e32122.	1.1	44
261	Evaluation of a Novel <i>Chlamydia trachomatis</i> Microsphere Suspension Assay for Detection and Genotyping of the Different Serovars in Clinical Samples. <i>Journal of Molecular Diagnostics</i> , 2011, 13, 152-159.	1.2	3
262	Genotyping of <i>Chlamydia trachomatis</i> strains from culture and clinical samples using an ompA-based DNA microarray assay. <i>Molecular and Cellular Probes</i> , 2011, 25, 19-27.	0.9	30
263	S15.4 Re-emergence of lymphogranuloma venereum in Europe and the public health response. <i>Sexually Transmitted Infections</i> , 2011, 87, A19-A20.	0.8	2
264	Sexual Transmission of Hepatitis C Virus in Human Immunodeficiency Virus-Negative Men Who Have Sex With Men: A Series of Case Reports. <i>Sexually Transmitted Diseases</i> , 2011, 38, 102-104.	0.8	49
265	Anal infections with concomitant <i>Chlamydia trachomatis</i> genotypes among men who have sex with men in Amsterdam, the Netherlands. <i>BMC Infectious Diseases</i> , 2011, 11, 63.	1.3	40
266	Multilocus Sequence Typing of Urogenital <i>Chlamydia trachomatis</i> From Patients With Different Degrees of Clinical Symptoms. <i>Sexually Transmitted Diseases</i> , 2011, 38, 490-494.	0.8	10
267	Social implications of leprosy in the Netherlands - stigma among ex-leprosy patients in a non-endemic setting. <i>Leprosy Review</i> , 2011, 82, 168-177.	0.1	16
268	Social implications of leprosy in the Netherlands--stigma among ex-leprosy patients in a non-endemic setting. <i>Leprosy Review</i> , 2011, 82, 168-77.	0.1	11
269	Anal Lymphogranuloma Venereum Infection Screening With IgA Anti- <i>Chlamydia trachomatis</i> -Specific Major Outer Membrane Protein Serology. <i>Sexually Transmitted Diseases</i> , 2010, 37, 789-795.	0.8	27
270	Topical 5-fluorouracil treatment of anal intraepithelial neoplasia in human immunodeficiency virus-positive men. <i>British Journal of Dermatology</i> , 2010, 163, 1301-1307.	1.4	75

#	ARTICLE	IF	CITATIONS
271	Typing of Lymphogranuloma Venereum <i>Chlamydia trachomatis</i> Strains. <i>Emerging Infectious Diseases</i> , 2010, 16, 1777-1779.	2.0	43
272	The Potential of Molecular Diagnosis of Cutaneous Ectopic Schistosomiasis. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 958-959.	0.6	11
273	Clinical Value of <i>Treponema pallidum</i> Real-Time PCR for Diagnosis of Syphilis. <i>Journal of Clinical Microbiology</i> , 2010, 48, 497-502.	1.8	116
274	High prevalence of <i>Chlamydia trachomatis</i> and <i>Neisseria gonorrhoeae</i> infections among HIV-1 negative men who have sex with men in coastal Kenya. <i>Sexually Transmitted Infections</i> , 2010, 86, 440-441.	0.8	42
275	Cutaneous Leishmaniasis (<i>Leishmania major</i> Infection) in Dutch Troops Deployed in Northern Afghanistan: Epidemiology, Clinical Aspects, and Treatment. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 1295-1300.	0.6	45
276	European guideline for the management of lymphogranuloma venereum, 2010. <i>International Journal of STD and AIDS</i> , 2010, 21, 533-536.	0.5	31
277	Miltefosine Treatment of <i>Leishmania major</i> Infection: An Observational Study Involving Dutch Military Personnel Returning from Northern Afghanistan. <i>Clinical Infectious Diseases</i> , 2010, 50, 80-83.	2.9	67
278	Comparison of three genotyping methods to identify <i>Chlamydia trachomatis</i> genotypes in positive men and women. <i>Molecular and Cellular Probes</i> , 2010, 24, 266-270.	0.9	31
279	Lymphogranuloma venereum: the Italian experience. <i>Sexually Transmitted Infections</i> , 2009, 85, 171-172.	0.8	12
280	Predicting Phenotype and Emerging Strains among <i>Chlamydia trachomatis</i> Infections. <i>Emerging Infectious Diseases</i> , 2009, 15, 1385-1394.	2.0	87
281	Delayed Microbial Cure of Lymphogranuloma Venereum Proctitis with Doxycycline Treatment. <i>Clinical Infectious Diseases</i> , 2009, 48, e53-e56.	2.9	63
282	Multidrug-resistant <i>Neisseria gonorrhoeae</i> with reduced cefotaxime susceptibility is increasingly common in men who have sex with men, Amsterdam, the Netherlands. <i>Eurosurveillance</i> , 2009, 14, .	3.9	28
283	Symptomatic primary HIV infection in a 49-year-old man who has sex with men: beware of the window phase. <i>Eurosurveillance</i> , 2009, 14, .	3.9	1
284	<i>Chlamydia trachomatis</i> serovar distributions in Russian men and women: a comparison with Dutch serovar distributions. <i>Drugs of Today</i> , 2009, 45 Suppl B, 33-8.	0.7	4
285	Treatment assessment by monitoring parasite load in skin biopsies from patients with cutaneous leishmaniasis, using quantitative nucleic acid sequence-based amplification. <i>Clinical and Experimental Dermatology</i> , 2008, 33, 394-399.	0.6	20
286	Lymphogranuloma venereum diagnostics: from culture to real-time quadriplex polymerase chain reaction. <i>Sexually Transmitted Infections</i> , 2008, 84, 252-253.	0.8	25
287	Pharmacokinetics of Miltefosine in Old World Cutaneous Leishmaniasis Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2008, 52, 2855-2860.	1.4	141
288	Lymphogranuloma Venereum Proctitis in Men Who Have Sex With Men Is Associated With Anal Enema Use and High-Risk Behavior. <i>Sexually Transmitted Diseases</i> , 2008, 35, 203-208.	0.8	73

#	ARTICLE	IF	CITATIONS
289	Reply to Richardson et al.. Journal of Infectious Diseases, 2008, 197, 1214-1215.	1.9	5
290	Leishmania (Leishmania) amazonensis Infection, Suriname. Emerging Infectious Diseases, 2008, 14, 857-859.	2.0	14
291	Increase in HCV Incidence among Men Who Have Sex with Men in Amsterdam Most Likely Caused by Sexual Transmission. Journal of Infectious Diseases, 2007, 196, 230-238.	1.9	261
292	Condom Use Rather Than Serosorting Explains Differences in HIV Incidence Among Men Who Have Sex With Men. Journal of Acquired Immune Deficiency Syndromes (1999), 2007, 45, 574-580.	0.9	28
293	The 2007 European Guideline (International Union against Sexually Transmitted Infections/World) Tj ETQq1 1 0.784314 rgBT /Overlook transmissible pathogens. International Journal of STD and AIDS, 2007, 18, 514-520.	0.5	29
294	Blood concentrations of pimecrolimus in adult patients with atopic dermatitis following intermittent administration of pimecrolimus cream 1% (Elidel®) for up to 1 year. Journal of Dermatological Treatment, 2007, 18, 19-22.	1.1	18
295	Effectiveness of a Risk-Based Visitor-Prioritizing System at a Sexually Transmitted Infection Outpatient Clinic. Sexually Transmitted Diseases, 2007, 34, 508-512.	0.8	44
296	TaqMan Assay for Swedish Chlamydia trachomatis Variant. Emerging Infectious Diseases, 2007, 13, 1432-1434.	2.0	16
297	Lichen planus remission is associated with a decrease of human herpes virus type 7 protein expression in plasmacytoid dendritic cells. Archives of Dermatological Research, 2007, 299, 213-219.	1.1	32
298	Monitoring the potential introduction of the Swedish Chlamydia trachomatis variant (swCT) in the Netherlands. Eurosurveillance, 2007, 12, 9-10.	3.9	6
299	No indication of Swedish Chlamydia trachomatis variant among STI clinic visitors in Amsterdam. , 2007, 12, E070208.3.		11
300	An ongoing outbreak of lymphogranuloma venereum in the Netherlands, 2006-2007. , 2007, 12, E070419.2.		7
301	Lichen planus is associated with human herpesvirus type 7 replication and infiltration of plasmacytoid dendritic cells. British Journal of Dermatology, 2006, 154, 361-364.	1.4	55
302	A comparison of twice-daily calcipotriol ointment with once-daily short-contact dithranol cream therapy: a randomized controlled trial of supervised treatment of psoriasis vulgaris in a day-care setting. British Journal of Dermatology, 2006, 155, 800-807.	1.4	35
303	Diagnostic and Clinical Implications of Anorectal Lymphogranuloma Venereum in Men Who Have Sex with Men: A Retrospective Case-Control Study. Clinical Infectious Diseases, 2006, 42, 186-194.	2.9	163
304	Lymphogranuloma venereum among men having sex with men; what have we learned so far?. Sexually Transmitted Infections, 2006, 82, 344-344.	0.8	5
305	Patients' Preferences regarding the Timing of Highly Active Antiretroviral Therapy Initiation for Chronic Asymptomatic HIV-1 Infection. Antiviral Therapy, 2006, 11, 335-341.	0.6	6
306	SARS Coronavirus Detection Methods. Emerging Infectious Diseases, 2005, 11, 1090-1092.	2.0	86

#	ARTICLE	IF	CITATIONS
307	Slow Epidemic of Lymphogranuloma Venereum L2b Strain. <i>Emerging Infectious Diseases</i> , 2005, 11, 1787-1788.	2.0	93
308	Real-time Polymerase Chain Reaction To Diagnose Lymphogranuloma Venereum. <i>Emerging Infectious Diseases</i> , 2005, 11, 1311-1312.	2.0	128
309	Quantitative Nucleic Acid Sequence-Based Assay as a New Molecular Tool for Detection and Quantification of <i>Leishmania</i> Parasites in Skin Biopsy Samples. <i>Journal of Clinical Microbiology</i> , 2005, 43, 5560-5566.	1.8	86
310	Molecular Diagnosis of Lymphogranuloma Venereum: PCR-Based Restriction Fragment Length Polymorphism and Real-Time PCR. <i>Journal of Clinical Microbiology</i> , 2005, 43, 5412-5413.	1.8	18
311	Botryomycosis in an HIV-positive subject. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2003, 17, 87-90.	1.3	32
312	Solar urticaria induced by infrared radiation. <i>Clinical and Experimental Dermatology</i> , 2003, 28, 222-223.	0.6	18
313	Evaluation of Medium-Dose UVA1 Phototherapy in Localized Scleroderma with the Cutometer and Fast Fourier Transform Method. <i>Dermatology</i> , 2003, 207, 298-301.	0.9	75
314	Ofuji papuloerythroderma associated with Hodgkin's lymphoma. <i>British Journal of Dermatology</i> , 2002, 147, 180-195.	1.4	15
315	Microcirculatory changes in travelers to a tropical country. <i>International Journal of Dermatology</i> , 2002, 41, 93-95.	0.5	5
316	Morphometry of dermal collagen orientation by Fourier analysis is superior to multi-observer assessment. <i>Journal of Pathology</i> , 2002, 198, 284-291.	2.1	91
317	Dermal Organization in Scleroderma: The Fast Fourier Transform and the Laser Scatter Method Objectify Fibrosis in Nonlesional as well as Lesional Skin. <i>Laboratory Investigation</i> , 2000, 80, 1281-1289.	1.7	65
318	Extracellular matrix characterization during healing of full-thickness wounds treated with a collagen/elastin dermal substitute shows improved skin regeneration in pigs. <i>Journal of Histochemistry and Cytochemistry</i> , 1996, 44, 1311-1322.	1.3	135
319	Adherence, proliferation and collagen turnover by human fibroblasts seeded into different types of collagen sponges. <i>Cell and Tissue Research</i> , 1995, 280, 447-453.	1.5	55
320	Reduced wound contraction and scar formation in punch biopsy wounds. Native collagen dermal substitutes. A clinical study. <i>British Journal of Dermatology</i> , 1995, 132, 690-697.	1.4	91
321	Adherence, proliferation and collagen turnover by human fibroblasts seeded into different types of collagen sponges. <i>Cell and Tissue Research</i> , 1995, 280, 447-453.	1.5	10
322	Dermal regeneration in native non-cross-linked collagen sponges with different extracellular matrix molecules. <i>Wound Repair and Regeneration</i> , 1994, 2, 37-47.	1.5	85
323	Dermal substitutes for full-thickness wounds in a one-stage grafting model. <i>Wound Repair and Regeneration</i> , 1993, 1, 244-252.	1.5	57
324	Spontaneous clearance of asymptomatic anogenital and pharyngeal <i>Neisseria gonorrhoeae</i> : a secondary analysis from the NABOGO trial. <i>Sexually Transmitted Infections</i> , 0, , sextrans-2022-055488.	0.8	0