

James M Ntambi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/2291353/james-m-ntambi-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

9,948
citations

48
h-index

99
g-index

120
ext. papers

11,001
ext. citations

5.8
avg, IF

6.18
L-index

#	Paper	IF	Citations
110	Fatty acid desaturation and elongation in mammals 2021 , 201-226		0
109	Lipid Transport in Brown Adipocyte Thermogenesis.. <i>Frontiers in Physiology</i> , 2021 , 12, 787535	4.6	1
108	Global deficiency of stearoyl-CoA desaturase-2 protects against diet-induced adiposity. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 527, 589-595	3.4	1
107	Multiple Sclerosis: Lipids, Lymphocytes, and Vitamin D. <i>Immunometabolism</i> , 2020 , 2,	4.1	12
106	Lipid metabolism and signaling in cancer 2020 , 455-467		1
105	Stearoyl-CoA desaturase-1 impairs the reparative properties of macrophages and microglia in the brain. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	25
104	SCD1 regulates the AMPK/SIRT1 pathway and histone acetylation through changes in adenine nucleotide metabolism in skeletal muscle. <i>Journal of Cellular Physiology</i> , 2020 , 235, 1129-1140	7	10
103	Role of Oleic Acid in the Gut-Liver Axis: From Diet to the Regulation of Its Synthesis via Stearoyl-CoA Desaturase 1 (SCD1). <i>Nutrients</i> , 2019 , 11,	6.7	38
102	Evaporative cooling provides a major metabolic energy sink. <i>Molecular Metabolism</i> , 2019 , 27, 47-61	8.8	7
101	PGC-1a integrates a metabolism and growth network linked to caloric restriction. <i>Aging Cell</i> , 2019 , 18, e12999	9.9	8
100	Hepatic stearoyl CoA desaturase 1 deficiency increases glucose uptake in adipose tissue partially through the PGC-1β/FGF21 axis in mice. <i>Journal of Biological Chemistry</i> , 2019 , 294, 19475-19485	5.4	8
99	Hepatic Stearoyl-CoA desaturase-1 deficiency-mediated activation of mTORC1- PGC-1β axis regulates ER stress during high-carbohydrate feeding. <i>Scientific Reports</i> , 2019 , 9, 15761	4.9	6
98	Interleukin-6 derived from cutaneous deficiency of stearoyl-CoA desaturase- 1 may mediate metabolic organ crosstalk among skin, adipose tissue and liver. <i>Biochemical and Biophysical Research Communications</i> , 2019 , 508, 87-91	3.4	5
97	Proproliferative function of adaptor protein GRB10 in prostate carcinoma. <i>FASEB Journal</i> , 2019 , 33, 3198-32116	8.9	116
96	Compensatory increases in tear volume and mucin levels associated with meibomian gland dysfunction caused by stearoyl-CoA desaturase-1 deficiency. <i>Scientific Reports</i> , 2018 , 8, 3358	4.9	12
95	Lipidomic insight into cardiovascular diseases. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 504, 590-595	3.4	30
94	The role of suppression of hepatic SCD1 expression in the metabolic effects of dietary methionine restriction. <i>Applied Physiology, Nutrition and Metabolism</i> , 2018 , 43, 123-130	3	4

93	Role of enterocyte stearyl-CoA desaturase-1 in LDLR-null mice. <i>Journal of Lipid Research</i> , 2018 , 59, 1818-1840	6.3	8
92	IL-6 and Bile Acids are Skin-Derived Factors that Regulate Whole-Body Metabolism in SCD1 Deficient Mice. <i>FASEB Journal</i> , 2018 , 32, 539.10	0.9	
91	Uncoupling protein-1 deficiency promotes brown adipose tissue inflammation and ER stress. <i>PLoS ONE</i> , 2018 , 13, e0205726	3.7	15
90	Deletion of Stearyl-CoA Desaturase-1 From the Intestinal Epithelium Promotes Inflammation and Tumorigenesis, Reversed by Dietary Oleate. <i>Gastroenterology</i> , 2018 , 155, 1524-1538.e9	13.3	36
89	Increased hydrophilic plasma bile acids are correlated with protection from adiposity in skin-specific stearyl-CoA desaturase-1 deficient mice. <i>PLoS ONE</i> , 2018 , 13, e0199682	3.7	2
88	Stearyl-CoA Desaturase Promotes Liver Fibrosis and Tumor Development in Mice via a Wnt Positive-Signaling Loop by Stabilization of Low-Density Lipoprotein-Receptor-Related Proteins 5 and 6. <i>Gastroenterology</i> , 2017 , 152, 1477-1491	13.3	75
87	Characterization of Acyl-CoA synthetase isoforms in pancreatic beta cells: Gene silencing shows participation of ACSL3 and ACSL4 in insulin secretion. <i>Archives of Biochemistry and Biophysics</i> , 2017 , 618, 32-43	4.1	21
86	Insights into Stearyl-CoA Desaturase-1 Regulation of Systemic Metabolism. <i>Trends in Endocrinology and Metabolism</i> , 2017 , 28, 831-842	8.8	97
85	Co-conspirators in a new mechanism for the degradation of Δ^9 -desaturase. <i>Journal of Biological Chemistry</i> , 2017 , 292, 19987-19988	5.4	1
84	Physical Activity, Sleep, and BMI Percentile in Rural and Urban Ugandan Youth. <i>Annals of Global Health</i> , 2017 , 83, 311-319	3.3	10
83	Oleate activates SREBP-1 signaling activity in Δ^9 -deficient hepatocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2017 , 313, E710-E720	6	28
82	Skin-specific stearyl-CoA desaturase 1 deficiency protects against adiposity by enhancing IL-6 expression. <i>FASEB Journal</i> , 2017 , 31, 947.1	0.9	
81	Stearyl-CoA desaturase 1 deficiency reduces lipid accumulation in the heart by activating lipolysis independently of peroxisome proliferator-activated receptor α . <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 2029-2037	5	14
80	Hepatic oleate regulates liver stress response partially through PGC-1 β during high-carbohydrate feeding. <i>Journal of Hepatology</i> , 2016 , 65, 103-112	13.4	25
79	Differential Effects of Dietary Fat Content and Protein Source on Bone Phenotype and Fatty Acid Oxidation in Female C57Bl/6 Mice. <i>PLoS ONE</i> , 2016 , 11, e0163234	3.7	8
78	miRNAs Caught Up in Metabolic Organ Crosstalk to Combat Obesity. <i>EBioMedicine</i> , 2016 , 5, 10-1	8.8	1
77	SCD1 deficiency protects mice against ethanol-induced liver injury. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 1662-1670	5	17
76	Characterization of phospholipids in insulin secretory granules and mitochondria in pancreatic beta cells and their changes with glucose stimulation. <i>Journal of Biological Chemistry</i> , 2015 , 290, 11075-92	5.4	34

75	Microbiota-Dependent Hepatic Lipogenesis Mediated by Stearoyl CoA Desaturase 1 (SCD1) Promotes Metabolic Syndrome in TLR5-Deficient Mice. <i>Cell Metabolism</i> , 2015 , 22, 983-96	24.6	102
74	Plasma diacylglycerol composition is a biomarker of metabolic syndrome onset in rhesus monkeys. <i>Journal of Lipid Research</i> , 2015 , 56, 1461-70	6.3	13
73	Fungal Morphology, Iron Homeostasis, and Lipid Metabolism Regulated by a GATA Transcription Factor in <i>Blastomyces dermatitidis</i> . <i>PLoS Pathogens</i> , 2015 , 11, e1004959	7.6	14
72	Hepatic oleate regulates adipose tissue lipogenesis and fatty acid oxidation. <i>Journal of Lipid Research</i> , 2015 , 56, 304-18	6.3	38
71	Saturated phosphatidic acids mediate saturated fatty acid-induced vascular calcification and lipotoxicity. <i>Journal of Clinical Investigation</i> , 2015 , 125, 4544-58	15.9	40
70	Ingestion of fat tissue from wolf prey species and its influence on fatty-acid composition in sled dogs. <i>Wildlife Society Bulletin</i> , 2014 , 38, 51-59	1.4	1
69	Role of stearoyl-CoA desaturase-1 in skin integrity and whole body energy balance. <i>Journal of Biological Chemistry</i> , 2014 , 289, 2482-8	5.4	38
68	Global deletion of lipocalin 2 does not reverse high-fat diet-induced obesity resistance in stearoyl-CoA desaturase-1 skin-specific knockout mice. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 445, 578-83	3.4	1
67	Stearoyl-CoA desaturase-3 mediates the regulation of adipose and hepatic murine lipid metabolism (605.1). <i>FASEB Journal</i> , 2014 , 28, 605.1	0.9	
66	Global lipocalin 2 deletion does not reverse high-fat diet-induced obesity resistance in mice lacking skin stearoyl-CoA desaturase-1 (605.10). <i>FASEB Journal</i> , 2014 , 28, 605.10	0.9	
65	Stearoyl-CoA desaturase-2 deficiency protects mice against high fat diet-induced adiposity (605.16). <i>FASEB Journal</i> , 2014 , 28, 605.16	0.9	
64	SCD1 activity in muscle increases triglyceride PUFA content, exercise capacity, and PPAR α expression in mice. <i>Journal of Lipid Research</i> , 2013 , 54, 2636-46	6.3	37
63	The role of stearoyl-CoA desaturase-3 in lipid metabolism. <i>FASEB Journal</i> , 2013 , 27, 563.5	0.9	
62	Combined deletion of SCD1 from adipose tissue and liver does not protect mice from obesity. <i>Journal of Lipid Research</i> , 2012 , 53, 1646-53	6.3	40
61	Role of Hepatic Monounsaturated Fatty Acid Synthesis in Metabolic Regulation. <i>FASEB Journal</i> , 2012 , 26, 596.1	0.9	
60	Metabolic changes in skin caused by Scd1 deficiency: a focus on retinol metabolism. <i>PLoS ONE</i> , 2011 , 6, e19734	3.7	32
59	The role of stearoyl-CoA desaturase in obesity, insulin resistance, and inflammation. <i>Annals of the New York Academy of Sciences</i> , 2011 , 1243, 47-53	6.5	104
58	Stearoyl CoA desaturase 1: role in cellular inflammation and stress. <i>Advances in Nutrition</i> , 2011 , 2, 15-22	10	137

57	Loss of stearoyl-CoA desaturase activity leads to free cholesterol synthesis through increased Xbp-1 splicing. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010 , 299, E1066-75	6	23
56	Loss of stearoyl-CoA desaturase 1 rescues cardiac function in obese leptin-deficient mice. <i>Journal of Lipid Research</i> , 2010 , 51, 2202-10	6.3	40
55	Genetic control of de novo lipogenesis: role in diet-induced obesity. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , 2010 , 45, 199-214	8.7	283
54	Adipose-specific deletion of stearoyl-CoA desaturase 1 up-regulates the glucose transporter GLUT1 in adipose tissue. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 399, 480-6	3.4	32
53	Skin-specific deletion of stearoyl-CoA desaturase-1 alters skin lipid composition and protects mice from high fat diet-induced obesity. <i>Journal of Biological Chemistry</i> , 2009 , 284, 19961-73	5.4	110
52	Biochemical and physiological function of stearoyl-CoA desaturase. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009 , 297, E28-37	6	419
51	Stearoyl-CoA desaturase-1 deficiency attenuates obesity and insulin resistance in leptin-resistant obese mice. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 380, 818-22	3.4	77
50	Metabolomics reveals that hepatic stearoyl-CoA desaturase 1 downregulation exacerbates inflammation and acute colitis. <i>Cell Metabolism</i> , 2008 , 7, 135-47	24.6	130
49	Liver gene expression analysis reveals endoplasmic reticulum stress and metabolic dysfunction in SCD1-deficient mice fed a very low-fat diet. <i>Physiological Genomics</i> , 2008 , 33, 361-72	3.6	66
48	Association of stearoyl-CoA desaturase 1 activity with familial combined hyperlipidemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1193-9	9.4	49
47	Loss of stearoyl-CoA desaturase 1 inhibits fatty acid oxidation and increases glucose utilization in the heart. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2008 , 294, E357-64	6	50
46	Role of stearoyl-coenzyme A desaturase in regulating lipid metabolism. <i>Current Opinion in Lipidology</i> , 2008 , 19, 248-56	4.4	283
45	Stearoyl-CoA desaturase: A novel control point of lipid metabolism and insulin sensitivity. <i>European Journal of Lipid Science and Technology</i> , 2008 , 110, 93-100	3	20
44	Investigating the anti-hypertriglyceridemic effect of Stearoyl-CoA Desaturase 1 deficiency under liver X receptor activation. <i>FASEB Journal</i> , 2008 , 22, 807.14	0.9	
43	SCD1 deficiency decreases hepatic lipogenesis and improves insulin sensitivity in obese mice in the presence of leptin. <i>FASEB Journal</i> , 2008 , 22, 643.5	0.9	
42	Stearoyl-CoA desaturase-1 mediates the pro-lipogenic effects of dietary saturated fat. <i>Journal of Biological Chemistry</i> , 2007 , 282, 2483-93	5.4	169
41	Hepatic stearoyl-CoA desaturase-1 deficiency protects mice from carbohydrate-induced adiposity and hepatic steatosis. <i>Cell Metabolism</i> , 2007 , 6, 484-96	24.6	301
40	Stearoyl CoA desaturase-1 mediates the pro-lipogenic effects of dietary saturated fat. <i>FASEB Journal</i> , 2007 , 21, A109	0.9	

39	Hepatic SCD1 deficiency does not protect against plasma and hepatic lipid accumulation associated with T0901317-mediated LXR activation. <i>FASEB Journal</i> , 2007 , 21, A605	0.9	
38	Identification of mouse palmitoyl-coenzyme A Delta9-desaturase. <i>Journal of Lipid Research</i> , 2006 , 47, 700-4	6.3	81
37	Colocalization of SCD1 and DGAT2: implying preference for endogenous monounsaturated fatty acids in triglyceride synthesis. <i>Journal of Lipid Research</i> , 2006 , 47, 1928-39	6.3	143
36	Cholestasis and hypercholesterolemia in SCD1-deficient mice fed a low-fat, high-carbohydrate diet. <i>Journal of Lipid Research</i> , 2006 , 47, 2668-80	6.3	48
35	Membrane topology of mouse stearoyl-CoA desaturase 1. <i>Journal of Biological Chemistry</i> , 2006 , 281, 1251-60	5.4	70
34	Loss of SCD1 unexpectedly worsens diabetes in leptin-deficient obese mice. <i>FASEB Journal</i> , 2006 , 20, A136	0.9	
33	SCD1 is essential for the prevention of hypercholesterolemia and hepatic dysfunction elicited by a very low-fat, high carbohydrate diet. <i>FASEB Journal</i> , 2006 , 20, A860	0.9	
32	Elevated stearoyl-CoA desaturase-1 expression in skeletal muscle contributes to abnormal fatty acid partitioning in obese humans. <i>Cell Metabolism</i> , 2005 , 2, 251-61	24.6	298
31	The role of stearoyl-CoA desaturase in the control of metabolism. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2005 , 73, 35-41	2.8	120
30	Stearoyl-CoA desaturase 1 deficiency increases insulin signaling and glycogen accumulation in brown adipose tissue. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 288, E381-7	6	64
29	Stearoyl-CoA desaturase-1 deficiency reduces ceramide synthesis by downregulating serine palmitoyltransferase and increasing beta-oxidation in skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2005 , 288, E599-607	6	120
28	Stearoyl-CoA desaturase-2 gene expression is required for lipid synthesis during early skin and liver development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 12501-6	11.5	113
27	Lack of stearoyl-CoA desaturase 1 upregulates basal thermogenesis but causes hypothermia in a cold environment. <i>Journal of Lipid Research</i> , 2004 , 45, 1674-82	6.3	85
26	Stearoyl-CoA desaturase 1 deficiency increases fatty acid oxidation by activating AMP-activated protein kinase in liver. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 6409-14	11.5	312
25	Stearoyl-CoA desaturase 1 gene expression is necessary for fructose-mediated induction of lipogenic gene expression by sterol regulatory element-binding protein-1c-dependent and -independent mechanisms. <i>Journal of Biological Chemistry</i> , 2004 , 279, 25164-71	5.4	217
24	The role of stearoyl-CoA desaturase in body weight regulation. <i>Trends in Cardiovascular Medicine</i> , 2004 , 14, 77-81	6.9	90
23	Regulation of stearoyl-CoA desaturase expression. <i>Lipids</i> , 2004 , 39, 1061-5	1.6	99
22	Regulation of stearoyl-CoA desaturases and role in metabolism. <i>Progress in Lipid Research</i> , 2004 , 43, 91-104	14.3	509

21	Stearoyl-CoA desaturase 1 deficiency elevates insulin-signaling components and down-regulates protein-tyrosine phosphatase 1B in muscle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 11110-5	11.5	151
20	Recent insights into stearoyl-CoA desaturase-1. <i>Current Opinion in Lipidology</i> , 2003 , 14, 255-61	4.4	191
19	Role of stearoyl-coenzyme A desaturase in lipid metabolism. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2003 , 68, 113-21	2.8	207
18	Identification and characterization of murine SCD4, a novel heart-specific stearoyl-CoA desaturase isoform regulated by leptin and dietary factors. <i>Journal of Biological Chemistry</i> , 2003 , 278, 33904-11	5.4	148
17	Loss of stearoyl-CoA desaturase-1 function protects mice against adiposity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11482-6	11.5	838
16	Lack of stearoyl-CoA desaturase-1 function induces a palmitoyl-CoA Delta6 desaturase and represses the stearoyl-CoA desaturase-3 gene in the preputial glands of the mouse. <i>Journal of Lipid Research</i> , 2002 , 43, 2146-54	6.3	53
15	Role for stearoyl-CoA desaturase-1 in leptin-mediated weight loss. <i>Science</i> , 2002 , 297, 240-3	33.3	712
14	Relationship between stearoyl-CoA desaturase activity and plasma triglycerides in human and mouse hypertriglyceridemia. <i>Journal of Lipid Research</i> , 2002 , 43, 1899-907	6.3	296
13	Effects of conjugated linoleic acid (CLA) on immune responses, body composition and stearoyl-CoA desaturase. <i>Applied Physiology, Nutrition, and Metabolism</i> , 2002 , 27, 617-28		36
12	Targeted disruption of stearoyl-CoA desaturase1 gene in mice causes atrophy of sebaceous and meibomian glands and depletion of wax esters in the eyelid. <i>Journal of Nutrition</i> , 2001 , 131, 2260-8	4.1	204
11	Polyunsaturated fatty acid regulation of gene expression. <i>Journal of Molecular Neuroscience</i> , 2001 , 16, 273-8; discussion 279-84	3.3	91
10	Oleoyl-CoA is the major de novo product of stearoyl-CoA desaturase 1 gene isoform and substrate for the biosynthesis of the Harderian gland 1-alkyl-2,3-diacylglycerol. <i>Journal of Biological Chemistry</i> , 2001 , 276, 39455-61	5.4	84
9	Cloning and characterization of the human stearoyl-CoA desaturase gene promoter: transcriptional activation by sterol regulatory element binding protein and repression by polyunsaturated fatty acids and cholesterol. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 284, 1194-8	3.4	97
8	A lipogenic diet in mice with a disruption of the stearoyl-CoA desaturase 1 gene reveals a stringent requirement of endogenous monounsaturated fatty acids for triglyceride synthesis. <i>Journal of Lipid Research</i> , 2001 , 42, 1018-1024	6.3	202
7	Adipocyte differentiation and gene expression. <i>Journal of Nutrition</i> , 2000 , 130, 3122S-3126S	4.1	550
6	The biosynthesis of hepatic cholesterol esters and triglycerides is impaired in mice with a disruption of the gene for stearoyl-CoA desaturase 1. <i>Journal of Biological Chemistry</i> , 2000 , 275, 30132-8	5.4	359
5	Differential regulation of the stearoyl-CoA desaturase genes by thiazolidinediones in 3T3-L1 adipocytes. <i>Journal of Lipid Research</i> , 2000 , 41, 1310-1316	6.3	59
4	Localization of a negative thyroid hormone-response region in hepatic stearoyl-CoA desaturase gene 1. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 233, 838-43	3.4	31

3 Prostanoid FP2 Receptor. *Expert Opinion on Therapeutic Targets*, **1997**, 1, 237-240

2 Polyunsaturated fatty acids inhibit hepatic stearyl-CoA desaturase-1 gene in diabetic mice. *Lipids*, **1996**, 31 Suppl, S33-6

1.6 50

1 Stearyl-CoA Desaturase Deficiency, Hypercholesterolaemia, Cholestasis and Diabetes. *Novartis Foundation Symposium*, 47-57

1