

# Rolf Adolfsson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2291760/publications.pdf>

Version: 2024-02-01

168  
papers

15,610  
citations

23500

58  
h-index

19690

117  
g-index

173  
all docs

173  
docs citations

173  
times ranked

19490  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.	9.4	1,191
2	Contribution of copy number variants to schizophrenia from a genome-wide study of 41,321 subjects. <i>Nature Genetics</i> , 2017, 49, 27-35.	9.4	838
3	VEGF is a modifier of amyotrophic lateral sclerosis in mice and humans and protects motoneurons against ischemic death. <i>Nature Genetics</i> , 2003, 34, 383-394.	9.4	794
4	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.	9.4	629
5	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018, 173, 1705-1715.e16.	13.5	623
6	Mutations in Two Genes Encoding Different Subunits of a Receptor Signaling Complex Result in an Identical Disease Phenotype. <i>American Journal of Human Genetics</i> , 2002, 71, 656-662.	2.6	611
7	The HCL-32: Towards a self-assessment tool for hypomanic symptoms in outpatients. <i>Journal of Affective Disorders</i> , 2005, 88, 217-233.	2.0	593
8	The betula prospective cohort study: Memory, health, and aging. <i>Aging, Neuropsychology, and Cognition</i> , 1997, 4, 1-32.	0.7	466
9	Genome Scan Meta-Analysis of Schizophrenia and Bipolar Disorder, Part III: Bipolar Disorder. <i>American Journal of Human Genetics</i> , 2003, 73, 49-62.	2.6	400
10	Transmitter deficits in Alzheimer's disease. <i>Neurochemistry International</i> , 1985, 7, 545-563.	1.9	333
11	Circadian Clock-Related Polymorphisms in Seasonal Affective Disorder and their Relevance to Diurnal Preference. <i>Neuropsychopharmacology</i> , 2003, 28, 734-739.	2.8	307
12	Biochemical changes in Dementia disorders of Alzheimer type (AD/SDAT). <i>Neurobiology of Aging</i> , 1983, 4, 261-271.	1.5	303
13	Traffic-Related Air Pollution and Dementia Incidence in Northern Sweden: A Longitudinal Study. <i>Environmental Health Perspectives</i> , 2016, 124, 306-312.	2.8	265
14	Three circadian clock genes <i>Per2</i> , <i>Arntl</i> , and <i>Npas2</i> contribute to winter depression. <i>Annals of Medicine</i> , 2007, 39, 229-238.	1.5	234
15	Betula: A Prospective Cohort Study on Memory, Health and Aging. <i>Aging, Neuropsychology, and Cognition</i> , 2004, 11, 134-148.	0.7	225
16	Mapping genes for human personality. <i>Nature Genetics</i> , 1996, 12, 3-4.	9.4	221
17	Nutritional Status and Dietary Intake in Institutionalized Patients With Alzheimer's Disease and Multiinfarct Dementia. <i>Journal of the American Geriatrics Society</i> , 1987, 35, 31-38.	1.3	199
18	Evaluation of diagnostic procedures in Swedish patients with schizophrenia and related psychoses. <i>Nordic Journal of Psychiatry</i> , 2005, 59, 457-464.	0.7	195

#	ARTICLE	IF	CITATIONS
19	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019, 176, 651-660.	4.0	186
20	Combining NGN2 Programming with Developmental Patterning Generates Human Excitatory Neurons with NMDAR-Mediated Synaptic Transmission. <i>Cell Reports</i> , 2018, 23, 2509-2523.	2.9	168
21	Swedish normative data on personality using the temperament and character inventory. <i>Comprehensive Psychiatry</i> , 1998, 39, 122-128.	1.5	166
22	The Individual Blood Cell Telomere Attrition Rate Is Telomere Length Dependent. <i>PLoS Genetics</i> , 2009, 5, e1000375.	1.5	157
23	Short Telomeres in Depression and the General Population Are Associated with a Hypocortisolemic State. <i>Biological Psychiatry</i> , 2012, 71, 294-300.	0.7	152
24	Detection of expanded CAG repeats in Bipolar Affective Disorder using the repeat expansion detection (RED) method. <i>Neurobiology of Disease</i> , 1995, 2, 55-62.	2.1	148
25	A Schizophrenia-Susceptibility Locus at 6q25, in One of the World's Largest Reported Pedigrees. <i>American Journal of Human Genetics</i> , 2001, 69, 96-105.	2.6	146
26	Glucocorticoid Receptor Gene-Based SNP Analysis in Patients with Recurrent Major Depression. <i>Neuropsychopharmacology</i> , 2006, 31, 620-627.	2.8	139
27	Two-Year Outcome of Vagus Nerve Stimulation in Treatment-Resistant Depression. <i>Journal of Clinical Psychopharmacology</i> , 2010, 30, 273-281.	0.7	137
28	Reduced functional brain activity response in cognitively intact apolipoprotein E $\epsilon$ 4 carriers. <i>Brain</i> , 2006, 129, 1240-1248.	3.7	133
29	CRY2 Is Associated with Depression. <i>PLoS ONE</i> , 2010, 5, e9407.	1.1	132
30	COMT Gene Polymorphism Is Associated with Declarative Memory in Adulthood and Old Age. <i>Behavior Genetics</i> , 2004, 34, 533-539.	1.4	128
31	Catechol O-Methyltransferase Val158Met Polymorphism is Associated with Cognitive Performance in Nondemented Adults. <i>Journal of Cognitive Neuroscience</i> , 2005, 17, 1018-1025.	1.1	127
32	Changes in Blood Glucose and Insulin Secretion in Patients with Senile Dementia of Alzheimer Type. <i>Acta Medica Scandinavica</i> , 1983, 213, 387-392.	0.0	125
33	Subjective memory impairment in older adults predicts future dementia independent of baseline memory performance: Evidence from the Betula prospective cohort study. <i>Alzheimer's and Dementia</i> , 2015, 11, 1385-1392.	0.4	121
34	Estimation of Genetic Correlation via Linkage Disequilibrium Score Regression and Genomic Restricted Maximum Likelihood. <i>American Journal of Human Genetics</i> , 2018, 102, 1185-1194.	2.6	119
35	High prevalence of the metabolic syndrome among a Swedish cohort of patients with schizophrenia. <i>International Clinical Psychopharmacology</i> , 2006, 21, 93-98.	0.9	116
36	Albumin and immunoglobulin in plasma and cerebrospinal fluid, and blood-cerebrospinal fluid barrier function in patients with dementia of alzheimer type and multi-infarct dementia. <i>Journal of the Neurological Sciences</i> , 1983, 60, 465-472.	0.3	115

#	ARTICLE	IF	CITATIONS
37	Superoxide dismutase isoenzymes in normal brains and in brains from patients with dementia of Alzheimer type. <i>Journal of the Neurological Sciences</i> , 1985, 67, 319-325.	0.3	113
38	The influence of apoe status on episodic and semantic memory: Data from a population-based study.. <i>Neuropsychology</i> , 2006, 20, 645-657.	1.0	112
39	Reduced hippocampal volume in non-demented carriers of the apolipoprotein E $\epsilon$ 4: Relation to chronological age and recognition memory. <i>Neuroscience Letters</i> , 2006, 396, 23-27.	1.0	112
40	High Prevalence of White Matter Hyperintensities in Normal Aging: Relation to Blood Pressure and Cognition. <i>Cortex</i> , 2003, 39, 1093-1105.	1.1	98
41	Association of Brain-Specific Tryptophan Hydroxylase, TPH2, With Unipolar and Bipolar Disorder in a Northern Swedish, Isolated Population. <i>Archives of General Psychiatry</i> , 2006, 63, 1103.	13.8	98
42	Human QKI, a new candidate gene for schizophrenia involved in myelination. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 84-90.	1.1	95
43	Olfactory Impairment and Subjective Olfactory Complaints Independently Predict Conversion to Dementia: A Longitudinal, Population-Based Study. <i>Journal of the International Neuropsychological Society</i> , 2014, 20, 209-217.	1.2	88
44	Large-scale parent-child comparison confirms a strong paternal influence on telomere length. <i>European Journal of Human Genetics</i> , 2010, 18, 385-389.	1.4	87
45	Power of selective genotyping in genetic association analyses of quantitative traits. <i>Behavior Genetics</i> , 2000, 30, 141-146.	1.4	85
46	Association between air pollution from residential wood burning and dementia incidence in a longitudinal study in Northern Sweden. <i>PLoS ONE</i> , 2018, 13, e0198283.	1.1	80
47	Biological and environmental predictors of heterogeneity in neurocognitive ageing. <i>Ageing Research Reviews</i> , 2020, 64, 101184.	5.0	78
48	Smell Loss Predicts Mortality Risk Regardless of Dementia Conversion. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1238-1243.	1.3	75
49	The Hypomania Checklist (HCL-32): its factorial structure and association to indices of impairment in German and Swedish nonclinical samples. <i>Comprehensive Psychiatry</i> , 2007, 48, 79-87.	1.5	73
50	Season of Birth Variations in the Temperament and Character Inventory of Personality in a General Population. <i>Neuropsychobiology</i> , 2001, 44, 19-26.	0.9	71
51	KIBRA Polymorphism Is Related to Enhanced Memory and Elevated Hippocampal Processing. <i>Journal of Neuroscience</i> , 2011, 31, 14218-14222.	1.7	71
52	Leisure Activity in Old Age and Risk of Dementia: A 15-Year Prospective Study. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2014, 69, 493-501.	2.4	70
53	NMR analysis of the human saliva metabolome distinguishes dementia patients from matched controls. <i>Molecular BioSystems</i> , 2016, 12, 2562-2571.	2.9	70
54	Maintained memory in aging is associated with young epigenetic age. <i>Neurobiology of Aging</i> , 2017, 55, 167-171.	1.5	70

#	ARTICLE	IF	CITATIONS
55	Tryptophan hydroxylase polymorphism and suicidality in unipolar and bipolar affective disorders: a multicenter association study. <i>Biological Psychiatry</i> , 2001, 49, 405-409.	0.7	66
56	Dementia of the Alzheimer Type and Multi-Infarct Dementia. <i>Journal of the American Geriatrics Society</i> , 1984, 32, 491-498.	1.3	65
57	Hypomania: a transcultural perspective. <i>World Psychiatry</i> , 2010, 9, 41-49.	4.8	65
58	CHROMOSOMAL ABNORMALITY IN DEMENTIA OF ALZHEIMER TYPE. <i>Lancet, The</i> , 1980, 315, 481-482.	6.3	64
59	Road traffic noise, air pollution, and risk of dementia – results from the Betula project. <i>Environmental Research</i> , 2018, 166, 334-339.	3.7	63
60	Sex-Dependent Shared and Nonshared Genetic Architecture Across Mood and Psychotic Disorders. <i>Biological Psychiatry</i> , 2022, 91, 102-117.	0.7	61
61	Cue utilization following different forms of encoding in mildly, moderately, and severely demented patients with Alzheimer's disease. <i>Brain and Cognition</i> , 1991, 15, 119-130.	0.8	58
62	The corticotropin-releasing hormone binding protein is associated with major depression in a population from Northern Sweden. <i>Biological Psychiatry</i> , 2003, 54, 867-872.	0.7	58
63	Cholesterol and Triglycerides Moderate the Effect of Apolipoprotein E on Memory Functioning in Older Adults. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2007, 62, P112-P118.	2.4	57
64	Facial expressions in severely demented patients? a stimulus-response study of four patients with dementia of the Alzheimer type. <i>International Journal of Geriatric Psychiatry</i> , 1991, 6, 599-606.	1.3	56
65	Free Recall Episodic Memory Performance Predicts Dementia Ten Years prior to Clinical Diagnosis: Findings from the Betula Longitudinal Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015, 5, 191-202.	0.6	56
66	PMP22 Thr(118)Met: recessive CMT1 mutation or polymorphism?. <i>Nature Genetics</i> , 1997, 15, 13-14.	9.4	54
67	Expanded trinucleotide CAG repeats in families with bipolar affective disorder. <i>Biological Psychiatry</i> , 1997, 42, 1115-1122.	0.7	53
68	Converging evidence suggests that monoamine neurotransmitter turnover in human adults is associated with their season of birth. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2002, 252, 130-134.	1.8	53
69	Herpes Simplex Virus, APOE ε4, and Cognitive Decline in Old Age: Results from the Betula Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 211-220.	1.2	53
70	Relative Hypo- and Hypercortisolism Are Both Associated with Depression and Lower Quality of Life in Bipolar Disorder: A Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e98682.	1.1	52
71	Genomewide Scan for Affective Disorder Susceptibility Loci in Families of a Northern Swedish Isolated Population. <i>American Journal of Human Genetics</i> , 2005, 76, 237-248.	2.6	51
72	Transferrin C2, metal binding and Alzheimer's disease. <i>NeuroReport</i> , 1998, 9, 177-177.	0.6	50

#	ARTICLE	IF	CITATIONS
73	Positive association of dopamine D2 receptor polymorphism with bipolar affective disorder in a European multicenter association study of affective disorders. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 177-185.	2.4	50
74	A genetic association study of CSMD1 and CSMD2 with cognitive function. <i>Brain, Behavior, and Immunity</i> , 2017, 61, 209-216.	2.0	49
75	Gene copy number variation in schizophrenia. <i>Schizophrenia Research</i> , 2007, 96, 93-99.	1.1	48
76	Linkage analysis of a large swedish kindred provides further support for a susceptibility locus for schizophrenia on chromosome 6p23. , 1999, 88, 369-377.		47
77	Long-term episodic memory decline is associated with olfactory deficits only in carriers of ApoE- $\epsilon$ 4. <i>Neuropsychologia</i> , 2016, 85, 1-9.	0.7	46
78	Sequencing of DISC1 Pathway Genes Reveals Increased Burden of Rare Missense Variants in Schizophrenia Patients from a Northern Swedish Population. <i>PLoS ONE</i> , 2011, 6, e23450.	1.1	46
79	Anticipation in unipolar affective disorder. <i>Journal of Affective Disorders</i> , 1995, 35, 31-40.	2.0	43
80	Serum Metabolomic Biomarkers of Dementia. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2014, 4, 252-262.	0.6	43
81	Assignment of the Locus for PLO-SL, a Frontal-Lobe Dementia with Bone Cysts, to 19q13. <i>American Journal of Human Genetics</i> , 1998, 62, 362-372.	2.6	42
82	Gene-based SNP genetic association study of the corticotropin-releasing hormone receptor-2 (CRHR2) in major depression. <i>American Journal of Medical Genetics Part A</i> , 2002, 114, 222-226.	2.4	41
83	Studying Individual Aging in an Interindividual Context: Typical Paths of Age-Related, Dementia-Related, and Mortality-Related Cognitive Development in Old Age.. <i>Psychology and Aging</i> , 2005, 20, 303-316.	1.4	41
84	Reference values for serum levels of vitamin B12 and folic acid in a population-based sample of adults between 35 and 80 years of age. <i>Public Health Nutrition</i> , 2002, 5, 505-511.	1.1	39
85	The Relationship between the Val158Met Catechol-o-Methyltransferase (COMT) Polymorphism and Irritable Bowel Syndrome. <i>PLoS ONE</i> , 2011, 6, e18035.	1.1	39
86	APOE $\epsilon$ 4 is associated with longer telomeres, and longer telomeres among $\epsilon$ 4 carriers predicts worse episodic memory. <i>Neurobiology of Aging</i> , 2012, 33, 335-344.	1.5	39
87	Hypoglycemia in Alzheimer's Disease. <i>Acta Medica Scandinavica</i> , 1980, 208, 387-388.	0.0	37
88	Higher diurnal salivary cortisol levels are related to smaller prefrontal cortex surface area in elderly men and women. <i>European Journal of Endocrinology</i> , 2016, 175, 117-126.	1.9	37
89	The Temperament Scale of Novelty Seeking in adolescents shows an association with season of birth opposite to that in adults. <i>Psychiatry Research</i> , 2002, 111, 45-54.	1.7	36
90	Adolescent attachment styles and their relation to the temperament and character traits of personality in a general population. <i>European Psychiatry</i> , 2005, 20, 251-259.	0.1	36

#	ARTICLE	IF	CITATIONS
91	The relationship between marital and parental status and the risk of dementia. <i>International Psychogeriatrics</i> , 2014, 26, 749-757.	0.6	36
92	An epidemiological study on gender differences in self-reported seasonal changes in mood and behaviour in a general population of northern Sweden. <i>Nordic Journal of Psychiatry</i> , 2004, 58, 429-437.	0.7	35
93	APOE-É4 effects on longitudinal decline in olfactory and non-olfactory cognitive abilities in middle-aged and old adults. <i>Scientific Reports</i> , 2017, 7, 1286.	1.6	33
94	Relationship between prophylactic effect of lithium therapy and family history of affective disorders. <i>Biological Psychiatry</i> , 1997, 42, 425-433.	0.7	32
95	Support for NRG1 as a Susceptibility Factor for Schizophrenia in a Northern Swedish Isolated Population. <i>Archives of General Psychiatry</i> , 2009, 66, 828.	13.8	32
96	Stressful life events are not associated with the development of dementia. <i>International Psychogeriatrics</i> , 2014, 26, 147-154.	0.6	32
97	A network of synaptic genes associated with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2016, 172, 68-74.	1.1	32
98	Longer Leukocyte Telomere Length Is Associated with Smaller Hippocampal Volume among Non-Demented APOE Î3/Î3 Subjects. <i>PLoS ONE</i> , 2012, 7, e34292.	1.1	32
99	Dementia day care and its effects on symptoms and institutionalization - a controlled Swedish study. <i>Scandinavian Journal of Primary Health Care</i> , 1993, 11, 117-123.	0.6	31
100	Parietal cortex activation predicts memory decline in apolipoprotein E-Î4 carriers. <i>NeuroReport</i> , 2006, 17, 1683-1686.	0.6	30
101	Shorter telomere length is linked to brain atrophy and white matter hyperintensities. <i>Age and Ageing</i> , 2014, 43, 212-217.	0.7	30
102	Traffic-Related Air Pollution as a Risk Factor for Dementia: No Clear Modifying Effects of APOE É4 in the Betula Cohort. <i>Journal of Alzheimer's Disease</i> , 2019, 71, 733-740.	1.2	30
103	Self-Reported Memory Failures: Associations with Future Dementia in a Population-Based Study with Long-Term Follow-Up. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 1766-1773.	1.3	29
104	Variations in personality traits among adolescents and adults according to their season of birth in the general population: further evidence. <i>Personality and Individual Differences</i> , 2003, 35, 897-908.	1.6	27
105	Verified Hormone Therapy Improves Episodic Memory Performance in Healthy Postmenopausal Women. <i>Aging, Neuropsychology, and Cognition</i> , 2006, 13, 291-307.	0.7	27
106	Migraine: Temperament and character. <i>Journal of Psychiatric Research</i> , 1996, 30, 359-368.	1.5	26
107	Seasonal affective disorder and the G-protein Î2-3-subunit C825T polymorphism. <i>Biological Psychiatry</i> , 2004, 55, 317-319.	0.7	26
108	Association between gastrointestinal symptoms and affectivity in patients with bipolar disorder. <i>World Journal of Gastroenterology</i> , 2016, 22, 8540.	1.4	25

#	ARTICLE	IF	CITATIONS
109	European combined analysis of the CTG18.1 and the ERDA1 CAG/CTG repeats in bipolar disorder. <i>European Journal of Human Genetics</i> , 2002, 10, 276-280.	1.4	24
110	Social relationships and risk of dementia: a population-based study. <i>International Psychogeriatrics</i> , 2015, 27, 1391-1399.	0.6	24
111	Perceived parental rearing behaviours and temperament and character in healthy adults. <i>Personality and Individual Differences</i> , 1998, 24, 661-668.	1.6	23
112	Prevalence and Characteristics of Persons with Dependency on Feeding at Institutions for Elderly. <i>Scandinavian Journal of Caring Sciences</i> , 1990, 4, 121-127.	1.0	22
113	Reconstruction of ancestral haplotypes in a 12-generation schizophrenia pedigree. <i>Psychiatric Genetics</i> , 2004, 14, 1-8.	0.6	22
114	Perceived Stress in Adults Aged 65 to 90: Relations to Facets of Time Perspective and COMT Val158Met Polymorphism. <i>Frontiers in Psychology</i> , 2018, 9, 378.	1.1	22
115	Short leukocyte telomeres predict 25-year Alzheimer's disease incidence in non-APOE $\epsilon$ 4-carriers. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 130.	3.0	22
116	Bipolar II and the bipolar spectrum. <i>Nordic Journal of Psychiatry</i> , 2006, 60, 7-26.	0.7	21
117	Preliminary evidence that polymorphisms in dopamine-related transcription factors LMX1A, LMX1B and PITX3 are associated with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1094-1097.	2.5	21
118	Platelet [3H]paroxetine and [3H]lysergic acid diethylamide binding in seasonal affective disorder and the effect of bright light therapy. <i>Biological Psychiatry</i> , 1999, 45, 464-470.	0.7	20
119	Gastrointestinal symptoms are associated with hypothalamic-pituitary-adrenal axis suppression in healthy individuals. <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 1294-1301.	0.6	20
120	Characterisation of age and polarity at onset in bipolar disorder. <i>British Journal of Psychiatry</i> , 2021, 219, 659-669.	1.7	20
121	Depressive symptoms and time perspective in older adults: associations beyond personality and negative life events. <i>Aging and Mental Health</i> , 2019, 23, 1674-1683.	1.5	18
122	Lack of association of an insertion/deletion polymorphism in the G protein-coupled receptor 50 with bipolar disorder in a Northern Swedish population. <i>Psychiatric Genetics</i> , 2006, 16, 235-236.	0.6	17
123	Single nucleotide polymorphism analysis of corticotropin-releasing factor-binding protein gene in recurrent major depressive disorder. <i>Psychiatry Research</i> , 2007, 153, 17-25.	1.7	17
124	Genetics of structural connectivity and information processing in the brain. <i>Brain Structure and Function</i> , 2016, 221, 4643-4661.	1.2	17
125	Evidence for the involvement of the glucocorticoid receptor gene in bipolar disorder in an isolated northern Swedish population. <i>Bipolar Disorders</i> , 2011, 13, 614-623.	1.1	16
126	Loss of Nicastrin from Oligodendrocytes Results in Hypomyelination and Schizophrenia with Compulsive Behavior. <i>Journal of Biological Chemistry</i> , 2016, 291, 11647-11656.	1.6	16



#	ARTICLE	IF	CITATIONS
127	Care for demented patients in different living conditions: Effects on cognitive function, ADL-capacity and behaviour. <i>Scandinavian Journal of Primary Health Care</i> , 1995, 13, 205-210.	0.6	15
128	Thalamocortical abnormalities in auditory brainstem response patterns distinguish DSM-IV bipolar disorder type I from schizophrenia. <i>Journal of Affective Disorders</i> , 2014, 169, 105-111.	2.0	15
129	Dental Status Is Unrelated to Risk of Dementia: A 20-Year Prospective Study. <i>Journal of the American Geriatrics Society</i> , 2014, 62, 979-981.	1.3	15
130	Hyper- and hypocortisolism in bipolar disorder - A beneficial influence of lithium on the HPA-axis?. <i>Journal of Affective Disorders</i> , 2017, 213, 161-167.	2.0	15
131	The genomics of major psychiatric disorders in a large pedigree from Northern Sweden. <i>Translational Psychiatry</i> , 2019, 9, 60.	2.4	15
132	Investigating rare pathogenic/likely pathogenic exonic variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 5239-5250.	4.1	15
133	Linopirdine (DUP 996): Cholinergic Treatment of Older Adults Using Successive and Non-successive Tests. <i>Neuropsychobiology</i> , 1999, 40, 78-85.	0.9	14
134	Hypothalamus-Pituitary-Adrenal Axis Hypersuppression Is Associated with Gastrointestinal Symptoms in Major Depression. <i>Journal of Neurogastroenterology and Motility</i> , 2016, 22, 292-303.	0.8	14
135	Relative hypocortisolism is associated with obesity and the metabolic syndrome in recurrent affective disorders. <i>Journal of Affective Disorders</i> , 2016, 204, 187-196.	2.0	14
136	Local Contrasts in Concentration of Ambient Particulate Air Pollution (PM2.5) and Incidence of Alzheimer's Disease and Dementia: Results from the Betula Cohort in Northern Sweden. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 83-85.	1.2	14
137	Personality traits predict response to novel and familiar stimuli in the hippocampal region. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 94-99.	0.9	13
138	Memory profiles predict dementia over 23-28 years in normal but not successful aging. <i>International Psychogeriatrics</i> , 2023, 35, 351-359.	0.6	13
139	Antiviral treatment associated with reduced risk of clinical Alzheimer's disease - A nested case-control study. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2021, 7, e12187.	1.8	13
140	Short Leukocyte Telomeres, But Not Telomere Attrition Rates, Predict Memory Decline in the 20-Year Longitudinal Betula Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 955-963.	1.7	13
141	Recognition Memory in Alzheimer's Disease. <i>Dementia and Geriatric Cognitive Disorders</i> , 2003, 15, 6-9.	0.7	12
142	Schizophrenia-Associated MIR204 Regulates Noncoding RNAs and Affects Neurotransmitter and Ion Channel Gene Sets. <i>PLoS ONE</i> , 2015, 10, e0144428.	1.1	12
143	The effect of language skills on dementia in a Swedish longitudinal cohort. <i>Linguistic Approaches To Bilingualism</i> , 2016, 6, 190-204.	0.6	12
144	A dual vulnerability hypothesis for seasonal depression is supported by the seasonal pattern assessment questionnaire in relation to the temperament and character inventory of personality in a general population. <i>Journal of Affective Disorders</i> , 2004, 82, 61-70.	2.0	11

#	ARTICLE	IF	CITATIONS
145	No association of the trace amine-associated receptor 6 with bipolar disorder in a northern Swedish population. <i>Psychiatric Genetics</i> , 2006, 16, 1-2.	0.6	11
146	On the structure of personality: Are there separate temperament and character factors?. <i>Personality and Individual Differences</i> , 2009, 47, 180-184.	1.6	11
147	Decreased medial temporal lobe activation in BDNF 66Met allele carriers during memory encoding. <i>Neuropsychologia</i> , 2013, 51, 2462-2468.	0.7	11
148	Patients With Dementia in Group Living: Experiences 4 Years After Admission. <i>International Psychogeriatrics</i> , 1995, 7, 123-127.	0.6	9
149	Mutation analysis of the chromosome 14q24.3 dihydrolipoyl succinyltransferase (DLST) gene in patients with early-onset Alzheimer disease. <i>Neuroscience Letters</i> , 1995, 199, 73-77.	1.0	9
150	Successive Memory Test Performance and Priming in Alzheimer's Disease: Evidence from the Word-Fragment Completion Task. <i>Cortex</i> , 2002, 38, 341-355.	1.1	9
151	Lack of association of the rs1344706 ZNF804A variant with cognitive functions and DTI indices of white matter microstructure in two independent healthy populations. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 60-66.	0.9	9
152	Platelet [3H]paroxetine binding to 5-HT uptake sites in Alzheimer's disease. <i>Neurobiology of Aging</i> , 1991, 12, 531-534.	1.5	8
153	Primed word-fragment completion and successive memory test performance in normal aging. <i>Scandinavian Journal of Psychology</i> , 2003, 44, 355-361.	0.8	8
154	Dual association of a TRKA polymorphism with schizophrenia. <i>Psychiatric Genetics</i> , 2011, 21, 125-131.	0.6	8
155	Multiplex amplicon quantification screening the ABCA13 gene for copy number variation in schizophrenia and bipolar disorder. <i>Psychiatric Genetics</i> , 2012, 22, 269-270.	0.6	8
156	No allelic association or interaction of three known functional polymorphisms with bipolar disorder in a northern Swedish isolated population. <i>Psychiatric Genetics</i> , 2006, 16, 209-212.	0.6	7
157	Mental Demands at Work and Risk of Dementia. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 735-740.	1.2	5
158	The Sucking Behaviour of Two Patients in the Final Stage of Dementia of the Alzheimer Type. <i>Scandinavian Journal of Caring Sciences</i> , 1991, 5, 141-148.	1.0	4
159	Expanded RED products and loci containing CAG/CTG repeats on chromosome 17 (ERDA1) and chromosome 18 (CTG18.1) in trans-generational pairs with bipolar affective disorder. , 2004, 128B, 71-75.		4
160	Quality of life for patients diagnosed with bipolar disorder: Lifestyle and treatment. <i>Neurology Psychiatry and Brain Research</i> , 2019, 34, 34-40.	2.0	4
161	Serum Metabolite Markers of Dementia Through Quantitative NMR Analysis: The Importance of Threonine-Linked Metabolic Pathways. <i>Journal of Alzheimer's Disease</i> , 2019, 69, 763-774.	1.2	4
162	<i>APOE</i> and Lipid Level Synergy Effects on Declarative Memory Functioning in Adulthood. <i>European Psychologist</i> , 2009, 14, 268-278.	1.8	4

#	ARTICLE	IF	CITATIONS
163	Single nucleotide polymorphism analysis of corticotropin-releasing factor-binding protein gene in bipolar disorder. <i>Psychiatric Genetics</i> , 2007, 17, 304-307.	0.6	3
164	Genetic Contributions to Individual Differences in Memory Performance. <i>European Psychologist</i> , 2001, 6, 264-271.	1.8	2
165	CREB-regulated diurnal activity patterns are not indicative for depression-like symptoms in mice and men. <i>Medical Hypotheses</i> , 2008, 70, 117-121.	0.8	1
166	Linkage analysis of a large swedish kindred provides further support for a susceptibility locus for schizophrenia on chromosome 6p23. , 1999, 88, 369.		1
167	THE GENOMICS OF BIPOLAR AND SCHIZOPHRENIC DISORDERS IN A LARGE PEDIGREE FROM A NORTHERN SWEDISH ISOLATE. <i>European Neuropsychopharmacology</i> , 2019, 29, S902-S903.	0.3	0
168	Estilos de apego en los adolescentes y su relación con los rasgos de temperamento y carácter de la personalidad en una población general. <i>European Psychiatry (Ed Española)</i> , 2005, 12, 371-379.	0.0	0