Ana Paula Ribeiro Rodrigues

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2291887/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Alpha Lipoic Acid Supplementation Improves Ovarian Tissue Vitrification Outcome: An Alternative to Preserve the Ovarian Function of Morada Nova Ewe. Reproductive Sciences, 2021, 28, 3109-3122.	1.1	4
2	Vitrification of canine ovarian tissue using the Ovarian Tissue Cryosystem (OTC) device. Reproduction in Domestic Animals, 2021, 56, 1156-1161.	0.6	3
3	Induced-damages on preantral follicles by withanolide D, a potent chemotherapy candidate are not attenuated by melatonin. Reproductive Toxicology, 2021, 104, 125-133.	1.3	4
4	Equine ovarian tissue xenografting: impacts of cooling, vitrification, and VEGF. Reproduction and Fertility, 2021, 2, 251-266.	0.6	2
5	Use of synthetic polymers improves the quality of vitrified caprine preantral follicles in the ovarian tissue. Acta Histochemica, 2020, 122, 151484.	0.9	5
6	Vitrification of caprine secondary and early antral follicles as a perspective to preserve fertility function. Reproductive Biology, 2020, 20, 371-378.	0.9	9
7	Impacts of different synthetic polymers on vitrification of ovarian tissue. Cryobiology, 2020, 94, 66-72.	0.3	9
8	Natural antioxidants in the vitrification solution improve the ovine ovarian tissue preservation. Reproductive Biology, 2019, 19, 270-278.	0.9	16
9	Equol: A Microbiota Metabolite Able to Alleviate the Negative Effects of Zearalenone during In Vitro Culture of Ovine Preantral Follicles. Toxins, 2019, 11, 652.	1.5	7
10	Xenotransplantation of goat ovary as an alternative to analyse follicles after vitrification. Reproduction in Domestic Animals, 2019, 54, 216-224.	0.6	8
11	In vitro study of Withanolide D toxicity on goat preantral follicles and its effects on the cell cycle. Reproductive Toxicology, 2019, 84, 18-25.	1.3	4
12	Effects of new synthetic cryoprotectant agents on histological characteristics of various classes of vitrified bovine pre-antral follicles. Veterinary Research Forum, 2019, 10, 9-16.	0.3	1
13	ATP-binding cassette (ABC) transporters in caprine preantral follicles: gene and protein expression. Cell and Tissue Research, 2018, 372, 611-620.	1.5	11
14	Stroma cell-derived factor 1 and connexins (37 and 43) are preserved after vitrification and inÂvitro culture of goat ovarian cortex. Theriogenology, 2018, 116, 83-88.	0.9	12
15	In situ cultured preantral follicles is a useful model to evaluate the effect of anticancer drugs on caprine folliculogenesis. Microscopy Research and Technique, 2016, 79, 773-781.	1.2	15
16	Connexin 37 and 43 gene and protein expression and developmental competence of isolated ovine secondary follicles cultured inÂvitro after vitrification of ovarian tissue. Theriogenology, 2016, 85, 1457-1467.	0.9	19
17	Ovine secondary follicles vitrified out the ovarian tissue grow and develop inÂvitro better than those vitrified into the ovarian fragments. Theriogenology, 2016, 85, 1203-1210.	0.9	18
18	Vitrified sheep isolated secondary follicles are able to grow and form antrum after a short period of in vitro culture. Cell and Tissue Research, 2015, 362, 241-251.	1.5	22

#	Article	IF	CITATIONS
19	Ewe Ovarian Tissue Vitrification: A Model for the Study of Fertility Preservation in Women. Jornal Brasileiro De Reproducao Assistida, 2015, 19, 241-51.	0.3	8